EUT Information

Report NO :	830922-01
Test Mode :	Mode 2
Test Voltage :	120Vac/60Hz
Phase :	Line

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBµV)	CAverage (dBµV)	Limit (dBµV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	32.58	56.00	23.42	L1	OFF	19.5
0.150000	48.64	---	66.00	17.36	L1	OFF	19.5
0.174750	---	31.04	54.73	23.69	L1	OFF	19.5
0.174750	46.35	---	64.73	18.38	L1	OFF	19.5
0.197250	---	30.07	53.73	23.66	L1	OFF	19.5
0.197250	42.92	---	63.73	20.81	L1	OFF	19.5
0.294000	---	28.05	50.41	22.36	L1	OFF	19.5
0.294000	36.00	---	60.41	24.41	L1	OFF	19.5
0.503250	---	27.53	46.00	18.47	L1	OFF	19.5
0.503250	35.12	---	56.00	20.88	L1	OFF	19.5
0.573000	---	27.06	46.00	18.94	L1	OFF	19.5
0.573000	34.58	---	56.00	21.42	L1	OFF	19.5
0.917250	---	26.91	46.00	19.09	L1	OFF	19.6
0.917250	33.02	---	56.00	22.98	L1	OFF	19.6
1.072500	---	27.91	46.00	18.09	L1	OFF	19.6
1.072500	34.46	---	56.00	21.54	L1	OFF	19.6
1.250250	---	28.04	46.00	17.96	L1	OFF	19.6
1.250250	34.64	---	56.00	21.36	L1	OFF	19.6
1.428000	---	28.35	46.00	17.65	L1	OFF	19.6
1.428000	33.92	---	56.00	22.08	L1	OFF	19.6
1.783500	---	28.40	46.00	17.60	L1	OFF	19.6

1.783500	34.89	---	56.00	21.11	L1	OFF	19.6
2.001750	---	28.85	46.00	17.15	L1	OFF	19.6
2.001750	35.73	---	56.00	20.27	L1	OFF	19.6
2.175000	---	28.43	46.00	17.57	L1	OFF	19.5
2.175000	36.87	---	56.00	19.13	L1	OFF	19.5
2.319000	---	28.01	46.00	17.99	L1	OFF	19.5
2.319000	36.35	---	56.00	19.65	L1	OFF	19.5
2.566500	---	26.10	46.00	19.90	L1	OFF	19.6
2.566500	31.86	---	56.00	24.14	L1	OFF	19.6
9.465000	---	30.24	50.00	19.76	L1	OFF	19.9
9.465000	34.76	---	60.00	25.24	L1	OFF	19.9

EUT Information

Report NO :	830922-01
Test Mode :	Mode 2
Test Voltage :	120Vac/60Hz
Phase :	Neutral



Final_Result

Frequency (MHz)	QuasiPeak (dBµV)	CAverage (dBµV)	Limit (dBµV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	34.79	55.88	21.09	N	OFF	19.5
0.152250	51.26	---	65.88	14.62	N	OFF	19.5
0.161250	---	34.37	55.40	21.03	N	OFF	19.5
0.161250	51.37	---	65.40	14.03	N	OFF	19.5
0.172500	---	32.70	54.84	22.14	N	OFF	19.5
0.172500	47.74	---	64.84	17.10	N	OFF	19.5
0.197250	---	31.37	53.73	22.36	N	OFF	19.5
0.197250	44.07	---	63.73	19.66	N	OFF	19.5
0.231000	---	29.94	52.41	22.47	N	OFF	19.5
0.231000	38.51	---	62.41	23.90	N	OFF	19.5
0.287250	---	28.11	50.60	22.49	N	OFF	19.5
0.287250	35.90	---	60.60	24.70	N	OFF	19.5
0.402000	---	27.73	47.81	20.08	N	OFF	19.5
0.402000	32.70	---	57.81	25.11	N	OFF	19.5
0.521250	---	25.86	46.00	20.14	N	OFF	19.5
0.521250	33.75	---	56.00	22.25	N	OFF	19.5
0.636000	---	26.64	46.00	19.36	N	OFF	19.6
0.636000	33.24	---	56.00	22.76	N	OFF	19.6
0.719250	---	26.24	46.00	19.76	N	OFF	19.6
0.719250	31.81	---	56.00	24.19	N	OFF	19.6
0.825000	---	26.55	46.00	19.45	N	OFF	19.6

0.825000	31.82	---	56.00	24.18	N	OFF	19.6
0.960000	---	27.03	46.00	18.97	N	OFF	19.6
0.960000	33.14	---	56.00	22.86	N	OFF	19.6
1.126500	---	27.58	46.00	18.42	N	OFF	19.6
1.126500	33.34	---	56.00	22.66	N	OFF	19.6
1.439250	---	28.17	46.00	17.83	N	OFF	19.6
1.439250	35.00	---	56.00	21.00	N	OFF	19.6
1.666500	---	27.76	46.00	18.24	N	OFF	19.6
1.666500	34.64	---	56.00	21.36	N	OFF	19.6
1.774500	---	28.29	46.00	17.71	N	OFF	19.6
1.774500	33.67	---	56.00	22.33	N	OFF	19.6
1.934250	---	27.72	46.00	18.28	N	OFF	19.6
1.934250	33.26	---	56.00	22.74	N	OFF	19.6
2.094000	---	27.82	46.00	18.18	N	OFF	19.4
2.094000	33.15	---	56.00	22.85	N	OFF	19.4
2.222250	---	28.20	46.00	17.80	N	OFF	19.5
2.222250	36.14	---	56.00	19.86	N	OFF	19.5
2.406750	---	27.95	46.00	18.05	N	OFF	19.6
2.406750	35.41	---	56.00	20.59	N	OFF	19.6
2.530500	---	27.70	46.00	18.30	N	OFF	19.6
2.530500	35.40	---	56.00	20.60	N	OFF	19.6
2.661000	---	27.05	46.00	18.95	N	OFF	19.6
2.661000	35.80	---	56.00	20.20	N	OFF	19.6
2.969250	---	25.36	46.00	20.64	N	OFF	19.6
2.969250	30.39	---	56.00	25.61	N	OFF	19.6

Appendix C. Radiated Spurious Emission

Test Engineer :	Jack Jheng and Peter Liao	Temperature :	22~25°C
		Relative Humidity :	58~67%

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI Ant.	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		2385.285	57.67	-16.33	74	45.46	27.11	16.68	31.58	199	138	P	H
		2385.495	48.02	-5.98	54	35.81	27.11	16.68	31.58	199	138	A	H
	*	2412	113.86	-	-	101.52	27.19	16.72	31.57	199	138	P	H
	*	2412	109.15	-	-	96.81	27.19	16.72	31.57	199	138	A	H
		2334.15	56.62	-17.38	74	44.62	26.99	16.6	31.59	100	194	P	V
		2385.6	45.38	-8.62	54	33.13	27.15	16.68	31.58	100	194	A	V
	*	2412	108.36	-	-	96.02	27.19	16.72	31.57	100	194	P	V
	*	2412	103.97	-	-	91.63	27.19	16.72	31.57	100	194	A	V
802.11b CH 06 2437MHz		2363.2	56.35	-17.65	74	44.22	27.07	16.64	31.58	228	136	P	H
		2387.28	44.23	-9.77	54	31.98	27.15	16.68	31.58	228	136	A	H
	*	2437	113.66	-	-	101.2	27.28	16.75	31.57	228	136	P	H
	*	2437	109.03	-	-	96.57	27.28	16.75	31.57	228	136	A	H
		2485.65	56.86	-17.14	74	44.24	27.36	16.82	31.56	228	136	P	H
		2490.62	44.51	-9.49	54	31.84	27.4	16.83	31.56	228	136	A	H
		2349.76	55.74	-18.26	74	43.67	27.03	16.62	31.58	100	196	P	V
		2385.04	44.09	-9.91	54	31.88	27.11	16.68	31.58	100	196	A	V
	*	2437	107.59	-	-	95.13	27.28	16.75	31.57	100	196	P	V
	*	2437	103.07	-	-	90.61	27.28	16.75	31.57	100	196	A	V
		2498.74	56.61	-17.39	74	43.92	27.4	16.84	31.55	100	196	P	V
		2493.98	44.27	-9.73	54	31.58	27.4	16.84	31.55	100	196	A	V

802.11b CH 11 2462MHz	*	2462	113.35	-	-	100.8	27.32	16.79	31.56	187	135	P	H
	*	2462	108.96	-	-	96.41	27.32	16.79	31.56	187	135	A	H
		2488.16	58	-16	74	45.33	27.4	16.83	31.56	187	135	P	H
		2488.68	47.98	-6.02	54	35.31	27.4	16.83	31.56	187	135	A	H
	*	2462	107.61	-	-	95.06	27.32	16.79	31.56	100	192	P	V
	*	2462	103.41	-	-	90.86	27.32	16.79	31.56	100	192	A	V
		2491.68	56.57	-17.43	74	43.9	27.4	16.83	31.56	100	192	P	V
		2487.8	44.68	-9.32	54	32.01	27.4	16.83	31.56	100	192	A	V
802.11b CH 12 2467MHz	*	2467	108.32	-	-	95.76	27.32	16.8	31.56	100	123	P	H
	*	2467	104.05	-	-	91.49	27.32	16.8	31.56	100	123	A	H
		2483.8	60.98	-13.02	74	48.36	27.36	16.82	31.56	100	123	P	H
		2484	52.1	-1.9	54	39.48	27.36	16.82	31.56	100	123	A	H
	*	2467	102.87	-	-	90.31	27.32	16.8	31.56	100	190	P	V
	*	2467	98.5	-	-	85.94	27.32	16.8	31.56	100	190	A	V
		2483.96	59.91	-14.09	74	47.29	27.36	16.82	31.56	100	190	P	V
		2484	47.84	-6.16	54	35.22	27.36	16.82	31.56	100	190	A	V
802.11b CH 13 2472MHz	*	2472	106.95	-	-	94.35	27.36	16.8	31.56	170	143	P	H
	*	2472	102.67	-	-	90.07	27.36	16.8	31.56	170	143	A	H
		2487.56	60.8	-13.2	74	48.13	27.4	16.83	31.56	170	143	P	H
		2487.28	53.39	-0.61	54	40.76	27.36	16.83	31.56	170	143	A	H
	*	2472	100.46	-	-	87.86	27.36	16.8	31.56	109	209	P	V
	*	2472	96.15	-	-	83.55	27.36	16.8	31.56	109	209	A	V
		2484.08	58.6	-15.4	74	45.98	27.36	16.82	31.56	109	209	P	V
		2484.76	48.78	-5.22	54	36.16	27.36	16.82	31.56	109	209	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	54.2	-19.8	74	69.96	31.36	10.43	57.55	114	105	P	H
		4824	51.29	-2.71	54	67.05	31.36	10.43	57.55	114	105	A	H
		4824	53.4	-20.6	74	69.16	31.36	10.43	57.55	112	100	P	V
		4824	50.28	-3.72	54	66.04	31.36	10.43	57.55	112	100	A	V
802.11b CH 06 2437MHz		4874	54.53	-19.47	74	70.05	31.46	10.47	57.45	130	298	P	H
		4874	51.48	-2.52	54	67	31.46	10.47	57.45	130	298	A	H
		7311	48.54	-25.46	74	56.9	36.11	12.8	57.27	100	0	P	H
		4874	53.88	-20.12	74	69.4	31.46	10.47	57.45	241	102	P	V
		4874	50.65	-3.35	54	66.17	31.46	10.47	57.45	241	102	A	V
		7311	53.17	-20.83	74	61.53	36.11	12.8	57.27	191	287	P	V
		7311	44.86	-9.14	54	53.22	36.11	12.8	57.27	191	287	A	V
802.11b CH 11 2462MHz		4924	55.59	-18.41	74	70.89	31.56	10.49	57.35	112	305	P	H
		4924	52.72	-1.28	54	68.02	31.56	10.49	57.35	112	305	A	H
		7386	46.34	-27.66	74	54.66	36.33	12.71	57.36	100	0	P	H
		4924	54.95	-19.05	74	70.25	31.56	10.49	57.35	227	97	P	V
		4924	52.06	-1.94	54	67.36	31.56	10.49	57.35	227	97	A	V
		7386	48.81	-25.19	74	57.13	36.33	12.71	57.36	100	0	P	V
802.11b CH 12 2467MHz		4934	48.41	-25.59	74	63.68	31.56	10.5	57.33	100	0	P	H
		7401	46.47	-27.53	74	54.77	36.38	12.7	57.38	100	0	P	H
		4934	46.33	-27.67	74	61.6	31.56	10.5	57.33	100	0	P	V
		7401	46.99	-27.01	74	55.29	36.38	12.7	57.38	100	0	P	V
802.11b CH 13 2472MHz		4944	47.06	-26.94	74	62.27	31.6	10.5	57.31	100	0	P	H
		7416	46.12	-27.88	74	54.41	36.38	12.73	57.4	100	0	P	H
		4944	44.11	-29.89	74	59.32	31.6	10.5	57.31	100	0	P	V
		7416	45.8	-28.2	74	54.09	36.38	12.73	57.4	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2388.855	65.7	-8.3	74	53.45	27.15	16.68	31.58	148	143	P	H
		2389.905	51.95	-2.05	54	39.69	27.15	16.68	31.57	148	143	A	H
	*	2412	110.25	-	-	97.91	27.19	16.72	31.57	148	143	P	H
	*	2412	100.91	-	-	88.57	27.19	16.72	31.57	148	143	A	H
		2387.175	61.53	-12.47	74	49.28	27.15	16.68	31.58	100	192	P	V
		2390	49.27	-4.73	54	37	27.15	16.69	31.57	100	192	A	V
	*	2412	106.51	-	-	94.17	27.19	16.72	31.57	100	192	P	V
	*	2412	97.21	-	-	84.87	27.19	16.72	31.57	100	192	A	V
802.11g CH 06 2437MHz		2389.24	56.68	-17.32	74	44.43	27.15	16.68	31.58	100	144	P	H
		2386.02	45.11	-8.89	54	32.86	27.15	16.68	31.58	100	144	A	H
	*	2437	113.66	-	-	101.2	27.28	16.75	31.57	100	144	P	H
	*	2437	103.12	-	-	90.66	27.28	16.75	31.57	100	144	A	H
		2485.3	57.69	-16.31	74	45.07	27.36	16.82	31.56	100	144	P	H
		2483.69	45.61	-8.39	54	32.99	27.36	16.82	31.56	100	144	A	H
		2359.56	56.11	-17.89	74	43.98	27.07	16.64	31.58	100	214	P	V
		2385.46	44.91	-9.09	54	32.7	27.11	16.68	31.58	100	214	A	V
	*	2437	106.53	-	-	94.07	27.28	16.75	31.57	100	214	P	V
	*	2437	96.83	-	-	84.37	27.28	16.75	31.57	100	214	A	V
		2486	56.52	-17.48	74	43.9	27.36	16.82	31.56	100	214	P	V
		2485.44	45.18	-8.82	54	32.56	27.36	16.82	31.56	100	214	A	V

802.11g CH 11 2462MHz	*	2462	110.69	-	-	98.14	27.32	16.79	31.56	122	144	P	H
	*	2462	101.22	-	-	88.67	27.32	16.79	31.56	122	144	A	H
		2483.76	67.24	-6.76	74	54.62	27.36	16.82	31.56	122	144	P	H
		2483.52	52.56	-1.44	54	39.94	27.36	16.82	31.56	122	144	A	H
	*	2462	104.63	-	-	92.08	27.32	16.79	31.56	100	191	P	V
	*	2462	95.18	-	-	82.63	27.32	16.79	31.56	100	191	A	V
		2484.4	61.45	-12.55	74	48.83	27.36	16.82	31.56	100	191	P	V
		2483.52	47.99	-6.01	54	35.37	27.36	16.82	31.56	100	191	A	V
802.11g CH 12 2467MHz	*	2467	107.36	-	-	94.8	27.32	16.8	31.56	146	135	P	H
	*	2467	98.04	-	-	85.48	27.32	16.8	31.56	146	135	A	H
		2483.68	67.74	-6.26	74	55.12	27.36	16.82	31.56	146	135	P	H
		2483.52	52.52	-1.48	54	39.9	27.36	16.82	31.56	146	135	A	H
	*	2467	101.94	-	-	89.38	27.32	16.8	31.56	100	198	P	V
	*	2467	91.76	-	-	79.2	27.32	16.8	31.56	100	198	A	V
		2483.56	63.06	-10.94	74	50.44	27.36	16.82	31.56	100	198	P	V
		2483.72	49.23	-4.77	54	36.61	27.36	16.82	31.56	100	198	A	V
802.11g CH 13 2472MHz	*	2472	104.79	-	-	92.19	27.36	16.8	31.56	170	134	P	H
	*	2472	94.6	-	-	82	27.36	16.8	31.56	170	134	A	H
		2484.4	68.95	-5.05	74	56.33	27.36	16.82	31.56	170	134	P	H
		2483.72	52.8	-1.2	54	40.18	27.36	16.82	31.56	170	134	A	H
	*	2472	98.68	-	-	86.08	27.36	16.8	31.56	108	203	P	V
	*	2472	88.62	-	-	76.02	27.36	16.8	31.56	108	203	A	V
		2484.52	63.44	-10.56	74	50.82	27.36	16.82	31.56	108	203	P	V
		2483.52	48.65	-5.35	54	36.03	27.36	16.82	31.56	108	203	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	48.9	-25.1	74	64.66	31.36	10.43	57.55	100	0	P	H
		4824	45.61	-28.39	74	61.37	31.36	10.43	57.55	100	0	P	V
802.11g CH 06 2437MHz		4874	52.98	-21.02	74	68.5	31.46	10.47	57.45	223	254	P	H
		4874	39.24	-14.76	54	54.76	31.46	10.47	57.45	223	254	A	H
		7311	46.36	-27.64	74	54.72	36.11	12.8	57.27	100	0	P	H
		4874	47.45	-26.55	74	62.97	31.46	10.47	57.45	100	0	P	V
		7311	47.48	-26.52	74	55.84	36.11	12.8	57.27	100	0	P	V
802.11g CH 11 2462MHz		4924	48.88	-25.12	74	64.18	31.56	10.49	57.35	100	0	P	H
		7386	45.92	-28.08	74	54.24	36.33	12.71	57.36	100	0	P	H
		4924	45.47	-28.53	74	60.77	31.56	10.49	57.35	100	0	P	V
		7386	45.75	-28.25	74	54.07	36.33	12.71	57.36	100	0	P	V
802.11g CH 12 2467MHz		4934	44.34	-29.66	74	59.61	31.56	10.5	57.33	100	0	P	H
		7401	45.83	-28.17	74	54.13	36.38	12.7	57.38	100	0	P	H
		4934	42.35	-31.65	74	57.62	31.56	10.5	57.33	100	0	P	V
		7401	46.05	-27.95	74	54.35	36.38	12.7	57.38	100	0	P	V
802.11g CH 13 2472MHz		4944	42.6	-31.4	74	57.81	31.6	10.5	57.31	100	0	P	H
		7416	46.02	-27.98	74	54.31	36.38	12.73	57.4	100	0	P	H
		4944	41.26	-32.74	74	56.47	31.6	10.5	57.31	100	0	P	V
		7416	46.35	-27.65	74	54.64	36.38	12.73	57.4	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		2388.225	67.8	-6.2	74	55.55	27.15	16.68	31.58	145	134	P	H
		2390	52.13	-1.87	54	39.86	27.15	16.69	31.57	145	134	A	H
	*	2412	108.84	-	-	96.5	27.19	16.72	31.57	145	134	P	H
	*	2412	99.29	-	-	86.95	27.19	16.72	31.57	145	134	A	H
		2389.905	63.78	-10.22	74	51.52	27.15	16.68	31.57	100	190	P	V
		2390	49.13	-4.87	54	36.86	27.15	16.69	31.57	100	190	A	V
	*	2412	104.93	-	-	92.59	27.19	16.72	31.57	100	190	P	V
	*	2412	95.22	-	-	82.88	27.19	16.72	31.57	100	190	A	V
802.11n HT20 CH 06 2437MHz		2387.56	57.43	-16.57	74	45.18	27.15	16.68	31.58	100	134	P	H
		2388.26	45.21	-8.79	54	32.96	27.15	16.68	31.58	100	134	A	H
	*	2437	111.15	-	-	98.69	27.28	16.75	31.57	100	134	P	H
	*	2437	101.13	-	-	88.67	27.28	16.75	31.57	100	134	A	H
		2499.93	57.11	-16.89	74	44.42	27.4	16.84	31.55	100	134	P	H
		2489.78	45.4	-8.6	54	32.73	27.4	16.83	31.56	100	134	A	H
		2368.66	57.02	-16.98	74	44.84	27.11	16.65	31.58	100	198	P	V
		2378.04	44.82	-9.18	54	32.62	27.11	16.67	31.58	100	198	A	V
	*	2437	105.4	-	-	92.94	27.28	16.75	31.57	100	198	P	V
	*	2437	95.5	-	-	83.04	27.28	16.75	31.57	100	198	A	V
		2498.53	57.04	-16.96	74	44.35	27.4	16.84	31.55	100	198	P	V
		2485.93	45.07	-8.93	54	32.45	27.36	16.82	31.56	100	198	A	V

802.11n HT20 CH 11 2462MHz	*	2462	109.85	-	-	97.3	27.32	16.79	31.56	142	137	P	H
	*	2462	100.35	-	-	87.8	27.32	16.79	31.56	142	137	A	H
		2484.48	70.5	-3.5	74	57.88	27.36	16.82	31.56	142	137	P	H
		2483.56	53	-1	54	40.38	27.36	16.82	31.56	142	137	A	H
	*	2462	104.11	-	-	91.56	27.32	16.79	31.56	100	191	P	V
	*	2462	94.41	-	-	81.86	27.32	16.79	31.56	100	191	A	V
		2484.48	65.01	-8.99	74	52.39	27.36	16.82	31.56	100	191	P	V
		2483.52	49.06	-4.94	54	36.44	27.36	16.82	31.56	100	191	A	V
802.11n HT20 CH 12 2467MHz	*	2467	107.41	-	-	94.85	27.32	16.8	31.56	147	138	P	H
	*	2467	97.47	-	-	84.91	27.32	16.8	31.56	147	138	A	H
		2483.52	71.81	-2.19	74	59.19	27.36	16.82	31.56	147	138	P	H
		2483.52	52.73	-1.27	54	40.11	27.36	16.82	31.56	147	138	A	H
	*	2467	101.32	-	-	88.76	27.32	16.8	31.56	100	199	P	V
	*	2467	91.38	-	-	78.82	27.32	16.8	31.56	100	199	A	V
		2483.6	65.87	-8.13	74	53.25	27.36	16.82	31.56	100	199	P	V
		2483.56	49.51	-4.49	54	36.89	27.36	16.82	31.56	100	199	A	V
802.11n HT20 CH 13 2472MHz	*	2472	104.24	-	-	91.64	27.36	16.8	31.56	144	136	P	H
	*	2472	93.99	-	-	81.39	27.36	16.8	31.56	144	136	A	H
		2483.6	73.09	-0.91	74	60.47	27.36	16.82	31.56	144	136	P	H
		2483.56	51.87	-2.13	54	39.25	27.36	16.82	31.56	144	136	A	H
	*	2472	97.51	-	-	84.91	27.36	16.8	31.56	100	194	P	V
	*	2472	87.62	-	-	75.02	27.36	16.8	31.56	100	194	A	V
		2483.6	67.78	-6.22	74	55.16	27.36	16.82	31.56	100	194	P	V
		2483.6	47.99	-6.01	54	35.37	27.36	16.82	31.56	100	194	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		4824	47.77	-26.23	74	63.53	31.36	10.43	57.55	100	0	P	H
		4824	45.03	-28.97	74	60.79	31.36	10.43	57.55	100	0	P	V
802.11n HT20 CH 06 2437MHz		4874	53.04	-20.96	74	68.56	31.46	10.47	57.45	220	251	P	H
		4874	37.5	-16.5	54	53.02	31.46	10.47	57.45	220	251	A	H
		7311	46.63	-27.37	74	54.99	36.11	12.8	57.27	100	0	P	H
		4874	48.13	-25.87	74	63.65	31.46	10.47	57.45	100	0	P	V
		7311	48.55	-25.45	74	56.91	36.11	12.8	57.27	100	0	P	V
802.11n HT20 CH 11 2462MHz		4924	48.74	-25.26	74	64.04	31.56	10.49	57.35	100	0	P	H
		7386	45.33	-28.67	74	53.65	36.33	12.71	57.36	100	0	P	H
		4924	47.76	-26.24	74	63.06	31.56	10.49	57.35	100	0	P	V
		7386	46.89	-27.11	74	55.21	36.33	12.71	57.36	100	0	P	V
802.11n HT20 CH 12 2467MHz		4934	44.36	-29.64	74	59.63	31.56	10.5	57.33	100	0	P	H
		7401	46.4	-27.6	74	54.7	36.38	12.7	57.38	100	0	P	H
		4934	42.9	-31.1	74	58.17	31.56	10.5	57.33	100	0	P	V
		7401	45.06	-28.94	74	53.36	36.38	12.7	57.38	100	0	P	V
802.11n HT20 CH 13 2472MHz		4944	42.31	-31.69	74	57.52	31.6	10.5	57.31	100	0	P	H
		7416	45.77	-28.23	74	54.06	36.38	12.73	57.4	100	0	P	H
		4944	40.46	-33.54	74	55.67	31.6	10.5	57.31	100	0	P	V
		7416	45.73	-28.27	74	54.02	36.38	12.73	57.4	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		2375.415	56.86	-17.14	74	44.67	27.11	16.66	31.58	130	304	P	H
		2386.23	46.42	-7.58	54	34.17	27.15	16.68	31.58	130	304	A	H
	*	2412	112.75	-	-	100.41	27.19	16.72	31.57	130	304	P	H
	*	2412	108.32	-	-	95.98	27.19	16.72	31.57	130	304	A	H
		2333.415	56.08	-17.92	74	44.08	26.99	16.6	31.59	400	97	P	V
		2386.23	44.31	-9.69	54	32.06	27.15	16.68	31.58	400	97	A	V
	*	2412	106.13	-	-	93.79	27.19	16.72	31.57	400	97	P	V
	*	2412	101.79	-	-	89.45	27.19	16.72	31.57	400	97	A	V
802.11b CH 06 2437MHz		2386.16	56.47	-17.53	74	44.22	27.15	16.68	31.58	101	311	P	H
		2389.94	44.31	-9.69	54	32.05	27.15	16.68	31.57	101	311	A	H
	*	2437	113.34	-	-	100.88	27.28	16.75	31.57	101	311	P	H
	*	2437	108.84	-	-	96.38	27.28	16.75	31.57	101	311	A	H
		2492.3	57.74	-16.26	74	45.06	27.4	16.83	31.55	101	311	P	H
		2487.68	45.34	-8.66	54	32.67	27.4	16.83	31.56	101	311	A	H
		2340.38	55.72	-18.28	74	43.66	27.03	16.61	31.58	100	246	P	V
		2382.94	43.91	-10.09	54	31.71	27.11	16.67	31.58	100	246	A	V
	*	2437	106.45	-	-	93.99	27.28	16.75	31.57	100	246	P	V
	*	2437	102.07	-	-	89.61	27.28	16.75	31.57	100	246	A	V
		2496.43	56.25	-17.75	74	43.56	27.4	16.84	31.55	100	246	P	V
		2486.35	44.36	-9.64	54	31.73	27.36	16.83	31.56	100	246	A	V

802.11b CH 11 2462MHz	*	2462	113.43	-	-	100.88	27.32	16.79	31.56	100	288	P	H
	*	2462	109.05	-	-	96.5	27.32	16.79	31.56	100	288	A	H
		2486.88	59.96	-14.04	74	47.33	27.36	16.83	31.56	100	288	P	H
		2487.68	51.79	-2.21	54	39.12	27.4	16.83	31.56	100	288	A	H
	*	2462	106.28	-	-	93.73	27.32	16.79	31.56	319	104	P	V
	*	2462	101.96	-	-	89.41	27.32	16.79	31.56	319	104	A	V
		2483.72	57.84	-16.16	74	45.22	27.36	16.82	31.56	319	104	P	V
		2487.56	46.46	-7.54	54	33.79	27.4	16.83	31.56	319	104	A	V
802.11b CH 12 2467MHz	*	2467	112.58	-	-	100.02	27.32	16.8	31.56	100	300	P	H
	*	2467	107.93	-	-	95.37	27.32	16.8	31.56	100	300	A	H
		2483.52	60.07	-13.93	74	47.45	27.36	16.82	31.56	100	300	P	H
		2483.52	52.1	-1.9	54	39.48	27.36	16.82	31.56	100	300	A	H
	*	2467	105.02	-	-	92.46	27.32	16.8	31.56	382	350	P	V
	*	2467	100.56	-	-	88	27.32	16.8	31.56	382	350	A	V
		2493.36	56.99	-17.01	74	44.3	27.4	16.84	31.55	382	350	P	V
		2483.52	46.36	-7.64	54	33.74	27.36	16.82	31.56	382	350	A	V
802.11b CH 13 2472MHz	*	2472	106.37	-	-	93.77	27.36	16.8	31.56	100	301	P	H
	*	2472	102.03	-	-	89.43	27.36	16.8	31.56	100	301	A	H
		2485.12	60.51	-13.49	74	47.89	27.36	16.82	31.56	100	301	P	H
		2484.76	53.02	-0.98	54	40.4	27.36	16.82	31.56	100	301	A	H
	*	2472	99.89	-	-	87.29	27.36	16.8	31.56	115	332	P	V
	*	2472	95.35	-	-	82.75	27.36	16.8	31.56	115	332	A	V
		2484.32	56.79	-17.21	74	44.17	27.36	16.82	31.56	115	332	P	V
		2484.68	46.8	-7.2	54	34.18	27.36	16.82	31.56	115	332	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	45.82	-28.18	74	61.58	31.36	10.43	57.55	100	0	P	H
		4824	46.13	-27.87	74	61.89	31.36	10.43	57.55	100	0	P	V
802.11b CH 06 2437MHz		4874	46.14	-27.86	74	61.66	31.46	10.47	57.45	100	0	P	H
		7311	54.55	-19.45	74	62.91	36.11	12.8	57.27	192	295	P	H
		7311	47.33	-6.67	54	55.69	36.11	12.8	57.27	192	295	A	H
		4874	45.02	-28.98	74	60.54	31.46	10.47	57.45	100	0	P	V
		7311	59.02	-14.98	74	67.38	36.11	12.8	57.27	190	107	P	V
		7311	53.03	-0.97	54	61.39	36.11	12.8	57.27	190	107	A	V
802.11b CH 11 2462MHz		4924	45.15	-28.85	74	60.45	31.56	10.49	57.35	100	0	P	H
		7386	52.45	-21.55	74	60.77	36.33	12.71	57.36	197	300	P	H
		7386	44.57	-9.43	54	52.89	36.33	12.71	57.36	197	300	A	H
		4924	44.45	-29.55	74	59.75	31.56	10.49	57.35	100	0	P	V
		7386	55.27	-18.73	74	63.59	36.33	12.71	57.36	191	105	P	V
		7386	48.71	-5.29	54	57.03	36.33	12.71	57.36	191	105	A	V
802.11b CH 12 2467MHz		4934	44.52	-29.48	74	59.79	31.56	10.5	57.33	100	0	P	H
		7401	51.52	-22.48	74	59.82	36.38	12.7	57.38	194	299	P	H
		7401	43.29	-10.71	54	51.59	36.38	12.7	57.38	194	299	A	H
		4934	42.67	-31.33	74	57.94	31.56	10.5	57.33	100	0	P	V
		7401	54.76	-19.24	74	63.06	36.38	12.7	57.38	187	106	P	V
		7401	47.8	-6.2	54	56.1	36.38	12.7	57.38	187	106	A	V
802.11b CH 13 2472MHz		4944	40.81	-33.19	74	56.02	31.6	10.5	57.31	100	0	P	H
		7416	45.74	-28.26	74	54.03	36.38	12.73	57.4	100	0	P	H
		4944	40.66	-33.34	74	55.87	31.6	10.5	57.31	100	0	P	V
		7416	46.11	-27.89	74	54.4	36.38	12.73	57.4	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2389.59	65.43	-8.57	74	53.18	27.15	16.68	31.58	131	298	P	H
		2390	52.5	-1.5	54	40.23	27.15	16.69	31.57	131	298	A	H
	*	2412	111.71	-	-	99.37	27.19	16.72	31.57	131	298	P	H
	*	2412	101.51	-	-	89.17	27.19	16.72	31.57	131	298	A	H
		2389.17	59.04	-14.96	74	46.79	27.15	16.68	31.58	109	248	P	V
		2390	47.71	-6.29	54	35.44	27.15	16.69	31.57	109	248	A	V
	*	2412	105.49	-	-	93.15	27.19	16.72	31.57	109	248	P	V
	*	2412	96.26	-	-	83.92	27.19	16.72	31.57	109	248	A	V
802.11g CH 06 2437MHz		2355.5	56.1	-17.9	74	43.98	27.07	16.63	31.58	101	300	P	H
		2385.46	45.15	-8.85	54	32.94	27.11	16.68	31.58	101	300	A	H
	*	2437	113.04	-	-	100.58	27.28	16.75	31.57	101	300	P	H
	*	2437	103.48	-	-	91.02	27.28	16.75	31.57	101	300	A	H
		2483.69	58.24	-15.76	74	45.62	27.36	16.82	31.56	101	300	P	H
		2484.39	46.26	-7.74	54	33.64	27.36	16.82	31.56	101	300	A	H
		2342.2	55.77	-18.23	74	43.71	27.03	16.61	31.58	395	94	P	V
		2375.38	44.68	-9.32	54	32.49	27.11	16.66	31.58	395	94	A	V
	*	2437	106.33	-	-	93.87	27.28	16.75	31.57	395	94	P	V
	*	2437	96.89	-	-	84.43	27.28	16.75	31.57	395	94	A	V
		2494.05	56.73	-17.27	74	44.04	27.4	16.84	31.55	395	94	P	V
		2485.93	45.03	-8.97	54	32.41	27.36	16.82	31.56	395	94	A	V

802.11g CH 11 2462MHz	*	2462	111.86	-	-	99.31	27.32	16.79	31.56	100	299	P	H
	*	2462	101.68	-	-	89.13	27.32	16.79	31.56	100	299	A	H
		2483.84	68.39	-5.61	74	55.77	27.36	16.82	31.56	100	299	P	H
		2483.52	52.64	-1.36	54	40.02	27.36	16.82	31.56	100	299	A	H
	*	2462	104.15	-	-	91.6	27.32	16.79	31.56	318	103	P	V
	*	2462	93.99	-	-	81.44	27.32	16.79	31.56	318	103	A	V
		2484.16	60.64	-13.36	74	48.02	27.36	16.82	31.56	318	103	P	V
		2483.56	46.97	-7.03	54	34.35	27.36	16.82	31.56	318	103	A	V
802.11g CH 12 2467MHz	*	2467	109.78	-	-	97.22	27.32	16.8	31.56	120	301	P	H
	*	2467	99.48	-	-	86.92	27.32	16.8	31.56	120	301	A	H
		2483.52	70.9	-3.1	74	58.28	27.36	16.82	31.56	120	301	P	H
		2483.64	53.14	-0.86	54	40.52	27.36	16.82	31.56	120	301	A	H
	*	2467	103.71	-	-	91.15	27.32	16.8	31.56	111	337	P	V
	*	2467	93.06	-	-	80.5	27.32	16.8	31.56	111	337	A	V
		2484.32	62.75	-11.25	74	50.13	27.36	16.82	31.56	111	337	P	V
		2483.84	47.58	-6.42	54	34.96	27.36	16.82	31.56	111	337	A	V
802.11g CH 13 2472MHz	*	2472	105.71	-	-	93.11	27.36	16.8	31.56	120	305	P	H
	*	2472	95.96	-	-	83.36	27.36	16.8	31.56	120	305	A	H
		2484.52	69.01	-4.99	74	56.39	27.36	16.82	31.56	120	305	P	H
		2483.56	52.53	-1.47	54	39.91	27.36	16.82	31.56	120	305	P	H
	*	2472	100.18	-	-	87.58	27.36	16.8	31.56	116	335	P	V
	*	2472	89.97	-	-	77.37	27.36	16.8	31.56	116	335	A	V
		2485.6	61.17	-12.83	74	48.55	27.36	16.82	31.56	116	335	P	V
		2483.52	47.58	-6.42	54	34.96	27.36	16.82	31.56	116	335	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	43.04	-30.96	74	58.8	31.36	10.43	57.55	100	0	P	H
		4824	41.97	-32.03	74	57.73	31.36	10.43	57.55	100	0	P	V
802.11g CH 06 2437MHz		4874	42.96	-31.04	74	58.48	31.46	10.47	57.45	100	0	P	H
		7311	54.85	-19.15	74	63.21	36.11	12.8	57.27	200	294	P	H
		7311	37.75	-16.25	54	46.11	36.11	12.8	57.27	200	294	A	H
		4874	43.07	-30.93	74	58.59	31.46	10.47	57.45	100	0	P	V
		7311	59.11	-14.89	74	67.47	36.11	12.8	57.27	190	104	P	V
		7311	40.92	-13.08	54	49.28	36.11	12.8	57.27	190	104	A	V
802.11g CH 11 2462MHz		4924	42.85	-31.15	74	58.15	31.56	10.49	57.35	100	0	P	H
		7386	48.59	-25.41	74	56.91	36.33	12.71	57.36	100	0	P	H
		4924	43.13	-30.87	74	58.43	31.56	10.49	57.35	100	0	P	V
		7386	54.54	-19.46	74	62.86	36.33	12.71	57.36	189	106	P	V
		7386	35.83	-18.17	54	44.15	36.33	12.71	57.36	189	106	A	V
802.11g CH 12 2467MHz		4934	41.67	-32.33	74	56.94	31.56	10.5	57.33	100	0	P	H
		7401	47.24	-26.76	74	55.54	36.38	12.7	57.38	100	0	P	H
		4934	49.23	-24.77	74	64.5	31.56	10.5	57.33	100	0	P	V
		7401	54.16	-19.84	74	62.46	36.38	12.7	57.38	184	110	P	V
		7401	34.45	-19.55	54	42.75	36.38	12.7	57.38	184	110	A	V
802.11g CH 13 2472MHz		4944	42.05	-31.95	74	57.26	31.6	10.5	57.31	100	0	P	H
		7416	45.49	-28.51	74	53.78	36.38	12.73	57.4	100	0	P	H
		4944	40.27	-33.73	74	55.48	31.6	10.5	57.31	100	0	P	V
		7416	45.19	-28.81	74	53.48	36.38	12.73	57.4	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		2390	70.35	-3.65	74	58.08	27.15	16.69	31.57	102	300	P	H
		2390	53.2	-0.8	54	40.93	27.15	16.69	31.57	102	300	A	H
	*	2412	110.68	-	-	98.34	27.19	16.72	31.57	102	300	P	H
	*	2412	100.61	-	-	88.27	27.19	16.72	31.57	102	300	A	H
		2389.8	60.69	-13.31	74	48.43	27.15	16.68	31.57	104	333	P	V
		2390	46.88	-7.12	54	34.61	27.15	16.69	31.57	104	333	A	V
	*	2412	104.23	-	-	91.89	27.19	16.72	31.57	104	333	P	V
	*	2412	94.53	-	-	82.19	27.19	16.72	31.57	104	333	A	V
802.11n HT20 CH 06 2437MHz		2388.96	56.74	-17.26	74	44.49	27.15	16.68	31.58	101	299	P	H
		2388.68	45.23	-8.77	54	32.98	27.15	16.68	31.58	101	299	A	H
	*	2437	112.27	-	-	99.81	27.28	16.75	31.57	101	299	P	H
	*	2437	102.12	-	-	89.66	27.28	16.75	31.57	101	299	A	H
		2488.1	58.52	-15.48	74	45.85	27.4	16.83	31.56	101	299	P	H
		2486.42	46.06	-7.94	54	33.43	27.36	16.83	31.56	101	299	A	H
		2312.38	56.39	-17.61	74	44.47	26.94	16.57	31.59	120	333	P	V
		2369.08	44.67	-9.33	54	32.49	27.11	16.65	31.58	120	333	A	V
	*	2437	106.07	-	-	93.61	27.28	16.75	31.57	120	333	P	V
	*	2437	95.98	-	-	83.52	27.28	16.75	31.57	120	333	A	V
		2484.32	56.98	-17.02	74	44.36	27.36	16.82	31.56	120	333	P	V
		2485.72	45.15	-8.85	54	32.53	27.36	16.82	31.56	120	333	A	V

802.11n HT20 CH 11 2462MHz	*	2462	111.93	-	-	99.38	27.32	16.79	31.56	100	299	P	H
	*	2462	101.57	-	-	89.02	27.32	16.79	31.56	100	299	A	H
		2484.04	69.31	-4.69	74	56.69	27.36	16.82	31.56	100	299	P	H
		2483.52	52.72	-1.28	54	40.1	27.36	16.82	31.56	100	299	A	H
	*	2462	104.42	-	-	91.87	27.32	16.79	31.56	110	328	P	V
	*	2462	94.74	-	-	82.19	27.32	16.79	31.56	110	328	A	V
		2483.52	61.49	-12.51	74	48.87	27.36	16.82	31.56	110	328	P	V
		2483.6	46.99	-7.01	54	34.37	27.36	16.82	31.56	110	328	A	V
802.11n HT20 CH 12 2467MHz	*	2467	108.56	-	-	96	27.32	16.8	31.56	100	300	P	H
	*	2467	98.49	-	-	85.93	27.32	16.8	31.56	100	300	A	H
		2483.68	73	-1	74	60.38	27.36	16.82	31.56	100	300	P	H
		2483.52	50.7	-3.3	54	38.08	27.36	16.82	31.56	100	300	A	H
	*	2467	101.82	-	-	89.26	27.32	16.8	31.56	109	329	P	V
	*	2467	91.61	-	-	79.05	27.32	16.8	31.56	109	329	A	V
		2483.56	65.61	-8.39	74	52.99	27.36	16.82	31.56	109	329	P	V
		2483.56	46.13	-7.87	54	33.51	27.36	16.82	31.56	109	329	A	V
802.11n HT20 CH 13 2472MHz	*	2472	105.35	-	-	92.75	27.36	16.8	31.56	122	299	P	H
	*	2472	94.94	-	-	82.34	27.36	16.8	31.56	122	299	A	H
		2483.56	73.04	-0.96	74	60.42	27.36	16.82	31.56	122	299	P	H
		2483.56	51.8	-2.2	54	39.18	27.36	16.82	31.56	122	299	A	H
	*	2472	98.8	-	-	86.2	27.36	16.8	31.56	115	345	P	V
	*	2472	88.65	-	-	76.05	27.36	16.8	31.56	115	345	A	V
		2483.52	66.16	-7.84	74	53.54	27.36	16.82	31.56	115	345	P	V
		2483.76	46.98	-7.02	54	34.36	27.36	16.82	31.56	115	345	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		4824	43.57	-30.43	74	59.33	31.36	10.43	57.55	100	0	P	H
		4824	41.58	-32.42	74	57.34	31.36	10.43	57.55	100	0	P	V
802.11n HT20 CH 06 2437MHz		4874	42.81	-31.19	74	58.33	31.46	10.47	57.45	100	0	P	H
		7311	54.52	-19.48	74	62.88	36.11	12.8	57.27	201	297	P	H
		7311	36.3	-17.7	54	44.66	36.11	12.8	57.27	201	297	A	H
		4874	41.6	-32.4	74	57.12	31.46	10.47	57.45	100	0	P	V
		7311	59.1	-14.9	74	67.46	36.11	12.8	57.27	190	104	P	V
		7311	39.15	-14.85	54	47.51	36.11	12.8	57.27	190	104	A	V
802.11n HT20 CH 11 2462MHz		4924	41.75	-32.25	74	57.05	31.56	10.49	57.35	100	0	P	H
		7386	48.27	-25.73	74	56.59	36.33	12.71	57.36	100	0	P	H
		4924	41.84	-32.16	74	57.14	31.56	10.49	57.35	100	0	P	V
		7386	55.83	-18.17	74	64.15	36.33	12.71	57.36	195	104	P	V
		7386	35.4	-18.6	54	43.72	36.33	12.71	57.36	195	104	A	V
802.11n HT20 CH 12 2467MHz		4934	40.17	-33.83	74	55.44	31.56	10.5	57.33	100	0	P	H
		7401	45.8	-28.2	74	54.1	36.38	12.7	57.38	100	0	P	H
		4934	39.79	-34.21	74	55.06	31.56	10.5	57.33	100	0	P	V
		7401	54.7	-19.3	74	63	36.38	12.7	57.38	189	106	P	V
		7401	33.58	-20.42	54	41.88	36.38	12.7	57.38	189	106	A	V
802.11n HT20 CH 13 2472MHz		4944	40.56	-33.44	74	55.77	31.6	10.5	57.31	100	0	P	H
		7416	45.07	-28.93	74	53.36	36.38	12.73	57.4	100	0	P	H
		4944	40.11	-33.89	74	55.32	31.6	10.5	57.31	100	0	P	V
		7416	46.23	-27.77	74	54.52	36.38	12.73	57.4	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		2386.125	59.3	-14.7	74	47.05	27.15	16.68	31.58	242	122	P	H
		2385.6	50.33	-3.67	54	38.08	27.15	16.68	31.58	242	122	A	H
	*	2412	116.63	-	-	104.29	27.19	16.72	31.57	242	122	P	H
	*	2412	111.88	-	-	99.54	27.19	16.72	31.57	242	122	A	H
		2389.38	56.91	-17.09	74	44.66	27.15	16.68	31.58	322	275	P	V
		2385.915	45.94	-8.06	54	33.69	27.15	16.68	31.58	322	275	A	V
	*	2412	109.93	-	-	97.59	27.19	16.72	31.57	322	275	P	V
	*	2412	105.54	-	-	93.2	27.19	16.72	31.57	322	275	A	V
802.11b CH 06 2437MHz		2378.04	56.43	-17.57	74	44.23	27.11	16.67	31.58	264	128	P	H
		2388.96	44.27	-9.73	54	32.02	27.15	16.68	31.58	264	128	A	H
	*	2437	116.83	-	-	104.37	27.28	16.75	31.57	264	128	P	H
	*	2437	112.06	-	-	99.6	27.28	16.75	31.57	264	128	A	H
		2494.75	56.51	-17.49	74	43.82	27.4	16.84	31.55	264	128	P	H
		2492.23	44.63	-9.37	54	31.95	27.4	16.83	31.55	264	128	A	H
		2387.84	55.98	-18.02	74	43.73	27.15	16.68	31.58	394	271	P	V
		2389.38	43.91	-10.09	54	31.66	27.15	16.68	31.58	394	271	A	V
	*	2437	109.95	-	-	97.49	27.28	16.75	31.57	394	271	P	V
	*	2437	105.77	-	-	93.31	27.28	16.75	31.57	394	271	A	V
		2483.83	56.28	-17.72	74	43.66	27.36	16.82	31.56	394	271	P	V
		2497.9	44.27	-9.73	54	31.58	27.4	16.84	31.55	394	271	A	V

802.11b CH 11 2462MHz	*	2462	116.7	-	-	104.15	27.32	16.79	31.56	258	128	P	H
	*	2462	112.08	-	-	99.53	27.32	16.79	31.56	258	128	A	H
		2487.4	59.67	-14.33	74	47.04	27.36	16.83	31.56	258	128	P	H
		2487.64	51.94	-2.06	54	39.27	27.4	16.83	31.56	258	128	A	H
	*	2462	110.19	-	-	97.64	27.32	16.79	31.56	347	277	P	V
	*	2462	105.83	-	-	93.28	27.32	16.79	31.56	347	277	A	V
		2483.88	56.84	-17.16	74	44.22	27.36	16.82	31.56	347	277	P	V
		2488.48	45.97	-8.03	54	33.3	27.4	16.83	31.56	347	277	A	V
802.11b CH 12 2467MHz	*	2467	115.08	-	-	102.52	27.32	16.8	31.56	229	307	P	H
	*	2467	110.42	-	-	97.86	27.32	16.8	31.56	229	307	A	H
		2486.52	59.8	-14.2	74	47.17	27.36	16.83	31.56	229	307	P	H
		2483.5	52.38	-1.62	54	39.76	27.36	16.82	31.56	229	307	P	H
	*	2467	108.68	-	-	96.12	27.32	16.8	31.56	356	334	P	V
	*	2467	104.04	-	-	91.48	27.32	16.8	31.56	356	334	A	V
		2483.96	57.25	-16.75	74	44.63	27.36	16.82	31.56	356	334	P	V
		2485	46.97	-7.03	54	34.35	27.36	16.82	31.56	356	334	A	V
802.11b CH 13 2472MHz	*	2472	108.53	-	-	95.93	27.36	16.8	31.56	126	303	P	H
	*	2472	103.84	-	-	91.24	27.36	16.8	31.56	126	303	A	H
		2484.24	60.02	-13.98	74	47.4	27.36	16.82	31.56	126	303	P	H
		2484.76	52.1	-1.9	54	39.48	27.36	16.82	31.56	126	303	P	H
	*	2472	102.51	-	-	89.91	27.36	16.8	31.56	359	235	P	V
	*	2472	98.32	-	-	85.72	27.36	16.8	31.56	359	235	A	V
		2486.96	58.19	-15.81	74	45.56	27.36	16.83	31.56	359	235	P	V
		2487.24	48.31	-5.69	54	35.68	27.36	16.83	31.56	359	235	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	54.18	-19.82	74	69.94	31.36	10.43	57.55	202	191	P	H
		4824	51.08	-2.92	54	66.84	31.36	10.43	57.55	202	191	A	H
		4824	52.71	-21.29	74	68.47	31.36	10.43	57.55	106	99	P	V
		4824	49.12	-4.88	54	64.88	31.36	10.43	57.55	106	99	A	V
802.11b CH 06 2437MHz		4874	54.63	-19.37	74	70.15	31.46	10.47	57.45	200	194	P	H
		4874	51.78	-2.22	54	67.3	31.46	10.47	57.45	200	194	A	H
		7311	54.49	-19.51	74	62.85	36.11	12.8	57.27	180	323	P	H
		7311	47.41	-6.59	54	55.77	36.11	12.8	57.27	180	323	A	H
		4874	53.56	-20.44	74	69.08	31.46	10.47	57.45	397	309	P	V
		4874	50.15	-3.85	54	65.67	31.46	10.47	57.45	397	309	A	V
		7311	57.43	-16.57	74	65.79	36.11	12.8	57.27	189	103	P	V
		7311	51.2	-2.8	54	59.56	36.11	12.8	57.27	189	103	A	V
802.11b CH 11 2462MHz		4924	55.28	-18.72	74	70.58	31.56	10.49	57.35	297	198	P	H
		4924	52.49	-1.51	54	67.79	31.56	10.49	57.35	297	198	A	H
		7386	54.49	-19.51	74	62.81	36.33	12.71	57.36	196	300	P	H
		7386	47.05	-6.95	54	55.37	36.33	12.71	57.36	196	300	A	H
		4924	54.55	-19.45	74	69.85	31.56	10.49	57.35	217	100	P	V
		4924	51.39	-2.61	54	66.69	31.56	10.49	57.35	217	100	A	V
		7386	55.66	-18.34	74	63.98	36.33	12.71	57.36	191	107	P	V
		7386	48.95	-5.05	54	57.27	36.33	12.71	57.36	191	107	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz		4934	53.96	-20.04	74	69.23	31.56	10.5	57.33	296	199	P	H
		4934	50.74	-3.26	54	66.01	31.56	10.5	57.33	296	199	A	H
		7401	54.39	-19.61	74	62.69	36.38	12.7	57.38	188	316	P	H
		7401	46.01	-7.99	54	54.31	36.38	12.7	57.38	188	316	A	H
		4934	52.76	-21.24	74	68.03	31.56	10.5	57.33	211	99	P	V
		4934	49.2	-4.8	54	64.47	31.56	10.5	57.33	211	99	A	V
		7401	55.05	-18.95	74	63.35	36.38	12.7	57.38	190	107	P	V
		7401	48.03	-5.97	54	56.33	36.38	12.7	57.38	190	107	A	V
802.11b CH 13 2472MHz		4944	43.55	-30.45	74	58.76	31.6	10.5	57.31	100	0	P	H
		7416	46.36	-27.64	74	54.65	36.38	12.73	57.4	100	0	P	H
		4944	41.48	-32.52	74	56.69	31.6	10.5	57.31	100	0	P	V
		7416	46.44	-27.56	74	54.73	36.38	12.73	57.4	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2390	64.56	-9.44	74	52.29	27.15	16.69	31.57	236	126	P	H
		2390	52.66	-1.34	54	40.39	27.15	16.69	31.57	236	126	P	H
	*	2412	114.01	-	-	101.67	27.19	16.72	31.57	236	126	P	H
	*	2412	104.71	-	-	92.37	27.19	16.72	31.57	236	126	A	H
		2388.33	61.57	-12.43	74	49.32	27.15	16.68	31.58	100	183	P	V
		2389.275	48.65	-5.35	54	36.4	27.15	16.68	31.58	100	183	A	V
	*	2412	109.54	-	-	97.2	27.19	16.72	31.57	100	183	P	V
	*	2412	100.41	-	-	88.07	27.19	16.72	31.57	100	183	A	V
802.11g CH 06 2437MHz		2388.96	57.33	-16.67	74	45.08	27.15	16.68	31.58	266	121	P	H
		2389.66	45.39	-8.61	54	33.14	27.15	16.68	31.58	266	121	A	H
	*	2437	116.35	-	-	103.89	27.28	16.75	31.57	266	121	P	H
	*	2437	106.79	-	-	94.33	27.28	16.75	31.57	266	121	A	H
		2488.24	57.76	-16.24	74	45.09	27.4	16.83	31.56	266	121	P	H
		2483.69	45.56	-8.44	54	32.94	27.36	16.82	31.56	266	121	A	H
		2367.82	56.35	-17.65	74	44.21	27.07	16.65	31.58	100	190	P	V
		2389.38	45.14	-8.86	54	32.89	27.15	16.68	31.58	100	190	A	V
	*	2437	109.05	-	-	96.59	27.28	16.75	31.57	100	190	P	V
	*	2437	100.13	-	-	87.67	27.28	16.75	31.57	100	190	A	V
		2493.56	56.41	-17.59	74	43.72	27.4	16.84	31.55	100	190	P	V
		2491.95	45.17	-8.83	54	32.49	27.4	16.83	31.55	100	190	A	V

802.11g CH 11 2462MHz	*	2462	113.58	-	-	101.03	27.32	16.79	31.56	119	140	P	H
	*	2462	103.96	-	-	91.41	27.32	16.79	31.56	119	140	A	H
		2484.08	69.28	-4.72	74	56.66	27.36	16.82	31.56	119	140	P	H
		2483.56	53.33	-0.67	54	40.71	27.36	16.82	31.56	119	140	A	H
	*	2462	106.28	-	-	93.73	27.32	16.79	31.56	100	187	P	V
	*	2462	96.91	-	-	84.36	27.32	16.79	31.56	100	187	A	V
		2484.4	59.36	-14.64	74	46.74	27.36	16.82	31.56	100	187	P	V
		2484.44	46.31	-7.69	54	33.69	27.36	16.82	31.56	100	187	A	V
802.11g CH 12 2467MHz	*	2467	109.29	-	-	96.73	27.32	16.8	31.56	123	132	P	H
	*	2467	99.74	-	-	87.18	27.32	16.8	31.56	123	132	A	H
		2485.68	67.18	-6.82	74	54.56	27.36	16.82	31.56	123	132	P	H
		2483.52	53.09	-0.91	54	40.47	27.36	16.82	31.56	123	132	P	H
	*	2467	102.03	-	-	89.47	27.32	16.8	31.56	103	184	P	V
	*	2467	92.31	-	-	79.75	27.32	16.8	31.56	103	184	A	V
		2483.52	63.78	-10.22	74	51.16	27.36	16.82	31.56	103	184	P	V
		2483.52	48.17	-5.83	54	35.55	27.36	16.82	31.56	103	184	A	V
802.11g CH 13 2472MHz	*	2472	107.11	-	-	94.51	27.36	16.8	31.56	120	140	P	H
	*	2472	97.4	-	-	84.8	27.36	16.8	31.56	120	140	A	H
		2483.8	69.03	-4.97	74	56.41	27.36	16.82	31.56	120	140	P	H
		2484.4	52.5	-1.5	54	39.88	27.36	16.82	31.56	120	140	A	H
	*	2472	100.16	-	-	87.56	27.36	16.8	31.56	108	212	P	V
	*	2472	90.4	-	-	77.8	27.36	16.8	31.56	108	212	A	V
		2485.28	63.31	-10.69	74	50.69	27.36	16.82	31.56	108	212	P	V
		2484.88	48.38	-5.62	54	35.76	27.36	16.82	31.56	108	212	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	47.97	-26.03	74	63.73	31.36	10.43	57.55	100	0	P	H
		4824	44.84	-29.16	74	60.6	31.36	10.43	57.55	100	0	P	V
802.11g CH 06 2437MHz		4874	54.06	-19.94	74	69.58	31.46	10.47	57.45	197	335	P	H
		4874	40.64	-13.36	54	56.16	31.46	10.47	57.45	197	335	A	H
		7311	55.63	-18.37	74	63.99	36.11	12.8	57.27	190	295	P	H
		7311	39.71	-14.29	54	48.07	36.11	12.8	57.27	190	295	A	H
		4874	52.93	-21.07	74	68.45	31.46	10.47	57.45	245	100	P	V
		4874	39.67	-14.33	54	55.19	31.46	10.47	57.45	245	100	A	V
		7311	59.08	-14.92	74	67.44	36.11	12.8	57.27	189	104	P	V
		7311	43.07	-10.93	54	51.43	36.11	12.8	57.27	189	104	A	V
802.11g CH 11 2462MHz		4924	52.11	-21.89	74	67.41	31.56	10.49	57.35	191	250	P	H
		4924	37.66	-16.34	54	52.96	31.56	10.49	57.35	191	250	A	H
		7386	47.61	-26.39	74	55.93	36.33	12.71	57.36	100	0	P	H
		4924	45.12	-28.88	74	60.42	31.56	10.49	57.35	100	0	P	V
		7386	53.99	-20.01	74	62.31	36.33	12.71	57.36	195	101	P	V
		7386	36.87	-17.13	54	45.19	36.33	12.71	57.36	195	101	A	V
802.11g CH 12 2467MHz		4934	44.01	-29.99	74	59.28	31.56	10.5	57.33	100	0	P	H
		7401	45.87	-28.13	74	54.17	36.38	12.7	57.38	100	0	P	H
		4934	41.14	-32.86	74	56.41	31.56	10.5	57.33	100	0	P	V
		7401	45.66	-28.34	74	53.96	36.38	12.7	57.38	100	0	P	V
802.11g CH 13 2472MHz		4944	41.67	-32.33	74	56.88	31.6	10.5	57.31	100	0	P	H
		7416	45.39	-28.61	74	53.68	36.38	12.73	57.4	100	0	P	H
		4944	41.09	-32.91	74	56.3	31.6	10.5	57.31	100	0	P	V
		7416	45.67	-28.33	74	53.96	36.38	12.73	57.4	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		2389.485	69.58	-4.42	74	57.33	27.15	16.68	31.58	233	134	P	H
		2389.59	53.28	-0.72	54	41.03	27.15	16.68	31.58	233	134	A	H
	*	2412	112.45	-	-	100.11	27.19	16.72	31.57	233	134	P	H
	*	2412	103.08	-	-	90.74	27.19	16.72	31.57	233	134	A	H
		2389.065	61.18	-12.82	74	48.93	27.15	16.68	31.58	321	285	P	V
		2389.59	48.18	-5.82	54	35.93	27.15	16.68	31.58	321	285	A	V
	*	2412	105.06	-	-	92.72	27.19	16.72	31.57	321	285	P	V
	*	2412	95.92	-	-	83.58	27.19	16.72	31.57	321	285	A	V
802.11n HT20 CH 06 2437MHz		2389.94	56.33	-17.67	74	44.07	27.15	16.68	31.57	265	132	P	H
		2385.04	45.28	-8.72	54	33.07	27.11	16.68	31.58	265	132	A	H
	*	2437	114.62	-	-	102.16	27.28	16.75	31.57	265	132	P	H
	*	2437	104.79	-	-	92.33	27.28	16.75	31.57	265	132	A	H
		2485.79	57.51	-16.49	74	44.89	27.36	16.82	31.56	265	132	P	H
		2494.19	45.77	-8.23	54	33.08	27.4	16.84	31.55	265	132	A	H
		2372.86	55.78	-18.22	74	43.59	27.11	16.66	31.58	400	274	P	V
		2377.62	44.78	-9.22	54	32.58	27.11	16.67	31.58	400	274	A	V
	*	2437	106.81	-	-	94.35	27.28	16.75	31.57	400	274	P	V
	*	2437	97.4	-	-	84.94	27.28	16.75	31.57	400	274	A	V
		2497.27	57.21	-16.79	74	44.52	27.4	16.84	31.55	400	274	P	V
		2492.44	45.17	-8.83	54	32.49	27.4	16.83	31.55	400	274	A	V

802.11n HT20 CH 11 2462MHz	*	2462	111.63	-	-	99.08	27.32	16.79	31.56	222	135	P	H
	*	2462	101.92	-	-	89.37	27.32	16.79	31.56	222	135	A	H
		2484.4	67.02	-6.98	74	54.4	27.36	16.82	31.56	222	135	P	H
		2484.28	52.33	-1.67	54	39.71	27.36	16.82	31.56	222	135	A	H
	*	2462	104.66	-	-	92.11	27.32	16.79	31.56	100	193	P	V
	*	2462	95.31	-	-	82.76	27.32	16.79	31.56	100	193	A	V
		2485.12	61.93	-12.07	74	49.31	27.36	16.82	31.56	100	193	P	V
		2483.52	47.65	-6.35	54	35.03	27.36	16.82	31.56	100	193	A	V
802.11n HT20 CH 12 2467MHz	*	2467	107.74	-	-	95.18	27.32	16.8	31.56	124	134	P	H
	*	2467	98.42	-	-	85.86	27.32	16.8	31.56	124	134	A	H
		2483.52	71.14	-2.86	74	58.52	27.36	16.82	31.56	124	134	P	H
		2483.52	51.72	-2.28	54	39.1	27.36	16.82	31.56	124	134	A	H
	*	2467	99.36	-	-	86.8	27.32	16.8	31.56	400	236	P	V
	*	2467	89.93	-	-	77.37	27.32	16.8	31.56	400	236	A	V
		2483.64	64.02	-9.98	74	51.4	27.36	16.82	31.56	400	236	P	V
		2483.64	47.47	-6.53	54	34.85	27.36	16.82	31.56	400	236	A	V
802.11n HT20 CH 13 2472MHz	*	2472	106.05	-	-	93.45	27.36	16.8	31.56	123	134	P	H
	*	2472	96.3	-	-	83.7	27.36	16.8	31.56	123	134	A	H
		2483.52	71.62	-2.38	74	59	27.36	16.82	31.56	123	134	P	H
		2483.56	52.28	-1.72	54	39.66	27.36	16.82	31.56	123	134	A	H
	*	2472	98.61	-	-	86.01	27.36	16.8	31.56	108	210	P	V
	*	2472	88.54	-	-	75.94	27.36	16.8	31.56	108	210	A	V
		2483.6	66.09	-7.91	74	53.47	27.36	16.82	31.56	108	210	P	V
		2483.6	47.88	-6.12	54	35.26	27.36	16.82	31.56	108	210	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11n HT20 CH 01 2412MHz		4824	48.48	-25.52	74	64.24	31.36	10.43	57.55	100	0	P	H
		4824	44.89	-29.11	74	60.65	31.36	10.43	57.55	100	0	P	V
802.11n HT20 CH 06 2437MHz		4874	53.53	-20.47	74	69.05	31.46	10.47	57.45	205	253	P	H
		4874	38.99	-15.01	54	54.51	31.46	10.47	57.45	205	253	A	H
		7311	55.95	-18.05	74	64.31	36.11	12.8	57.27	160	171	P	H
		7311	39.04	-14.96	54	47.4	36.11	12.8	57.27	160	171	A	H
		4874	47.32	-26.68	74	62.84	31.46	10.47	57.45	100	0	P	V
		7311	58.46	-15.54	74	66.82	36.11	12.8	57.27	198	103	P	V
		7311	41.19	-12.81	54	49.55	36.11	12.8	57.27	198	103	A	V
802.11n HT20 CH 11 2462MHz		4924	51.32	-22.68	74	66.62	31.56	10.49	57.35	188	258	P	H
		4924	36.03	-17.97	54	51.33	31.56	10.49	57.35	188	258	A	H
		7386	47.79	-26.21	74	56.11	36.33	12.71	57.36	100	0	P	H
		4924	45.53	-28.47	74	60.83	31.56	10.49	57.35	100	0	P	V
		7386	55.33	-18.67	74	63.65	36.33	12.71	57.36	187	107	P	V
		7386	36.04	-17.96	54	44.36	36.33	12.71	57.36	187	107	A	V
802.11n HT20 CH 12 2467MHz		4934	43.01	-30.99	74	58.28	31.56	10.5	57.33	100	0	P	H
		7401	46.8	-27.2	74	55.1	36.38	12.7	57.38	100	0	P	H
		4934	40.96	-33.04	74	56.23	31.56	10.5	57.33	100	0	P	V
		7401	45.86	-28.14	74	54.16	36.38	12.7	57.38	100	0	P	V
802.11n HT20 CH 13 2472MHz		4944	41.16	-32.84	74	56.37	31.6	10.5	57.31	100	0	P	H
		7416	45.98	-28.02	74	54.27	36.38	12.73	57.4	100	0	P	H
		4944	41.54	-32.46	74	56.75	31.6	10.5	57.31	100	0	P	V
		7416	45.84	-28.16	74	54.13	36.38	12.73	57.4	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Emission below 1GHz

2.4GHz WIFI 802.11g (LF)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
2.4GHz 802.11g LF		30.81	24.18	-15.82	40	29.62	24.05	0.71	30.2	-	-	P	H
		117.48	23.58	-19.92	43.5	35.33	17.15	1.51	30.41	-	-	P	H
		258.15	22.09	-23.91	46	30.33	19.63	2.34	30.21	-	-	P	H
		624.1	32.39	-13.61	46	32.6	25.89	3.5	29.6	-	-	P	H
		902	35.83	-10.17	46	31.77	28.94	4.25	29.13	100	0	P	H
		971.3	35.68	-18.32	54	29.33	30.82	4.46	28.93	-	-	P	H
		34.32	28.48	-11.52	40	35.49	22.49	0.76	30.26	-	-	P	V
		95.61	37.33	-6.17	43.5	51.07	15.3	1.39	30.43	100	0	P	V
		257.61	22.53	-23.47	46	30.78	19.63	2.34	30.22	-	-	P	V
		624.1	37.02	-8.98	46	37.23	25.89	3.5	29.6	-	-	P	V
		896.4	35.92	-10.08	46	31.92	28.91	4.24	29.15	-	-	P	V
		965.7	36.32	-17.68	54	29.94	30.88	4.45	28.95	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against limit line.												

Note symbol

*	**Fundamental Frequency** which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is **over limit** line.
P/A	**P**eak or **A**verage
H/V	**H**orizontal or **V**ertical

A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =

Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

3. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)

= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)

= 55.45 (dBμV/m)

2. Over Limit(dB)

= Level(dBμV/m) – Limit Line(dBμV/m)

= 55.45(dBμV/m) – 74(dBμV/m)

= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)

= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)

= 43.54 (dBμV/m)

2. Over Limit(dB)

= Level(dBμV/m) – Limit Line(dBμV/m)

= 43.54(dBμV/m) – 54(dBμV/m)

= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.

Appendix D. Radiated Spurious Emission Plots

Test Engineer :	Jack Jheng and Peter Liao	**Temperature :**	22~25°C
		Relative Humidity :	58~67%

Note symbol

-L	**Low channel location**
-R	**High channel location**

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Vertical	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
1	Vertical	Fundamental
Peak		
Avg.		

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
1	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
1	Vertical	Fundamental
Peak		
Avg.		

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
1	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
1	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
1	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
1	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
1	Vertical	Fundamental
Peak		
Avg.		

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
1	Horizontal	Vertical
Peak		

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH12 2467MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH13 2472MHz	
1	Horizontal	Vertical
Peak		

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH06 2437MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
1	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
1	Horizontal	Vertical
Peak		

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
2	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
2	Vertical	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
2	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
2	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
2	Vertical	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
2	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
2	Vertical	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - L	
2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH06 2437MHz - R	
2	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
2	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
2	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
2	Vertical	Fundamental
Peak		
Avg.		

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
2	Horizontal	Vertical
Peak		

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH12 2467MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH13 2472MHz	
2	Horizontal	Vertical
Peak		

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH01 2412MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH06 2437MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH11 2462MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH12 2467MHz	
2	Horizontal	Vertical
Peak		

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11n HT20 CH13 2472MHz	
2	Horizontal	Vertical
Peak		

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1+2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1+2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1+2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1+2	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
1+2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
1+2	Vertical	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1+2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1+2	Vertical	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1+2	Horizontal	Fundamental
Peak		
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1+2	Vertical	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 VERTICAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1+2	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1+2	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH12-HY Condition : PEAK_74 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto	 Site : 03CH12-HY Condition : AVG_54 3m HORN_9120D_1328 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1+2	Vertical	Fundamental
Peak		
Avg.