



U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.65	4.04	74.0	16.35	Peak	329.00	150	Vertical	Pass
1**	5350.000	46.88	4.04	54.0	7.12	AV	329.00	150	Vertical	Pass
2	5350.660	59.74	4.05	74.0	14.26	Peak	325.00	150	Vertical	Pass
2**	5350.660	46.82	4.05	54.0	7.18	AV	325.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.63	4.04	74.0	15.37	Peak	69.00	150	Vertical	Pass
1**	5350.000	48.40	4.04	54.0	5.60	AV	69.00	150	Vertical	Pass
2	5351.980	60.12	4.08	74.0	13.88	Peak	209.00	150	Vertical	Pass
2**	5351.980	48.90	4.08	54.0	5.10	AV	209.00	150	Vertical	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.91	3.82	74.0	19.09	Peak	0.00	150	Vertical	Pass
1**	5150.000	45.39	3.82	54.0	8.61	AV	0.00	150	Vertical	Pass
2	5073.950	56.43	3.60	74.0	17.57	Peak	179.00	150	Vertical	Pass
2**	5073.950	45.45	3.60	54.0	8.55	AV	179.00	150	Vertical	Pass

U-NII-2C 11a CH100



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.41	3.78	68.2	13.79	Peak	76.28	150	Vertical	Pass
1**	5460.000	44.51	3.78	54.0	9.49	AV	76.28	150	Vertical	Pass
2	5469.400	58.21	4.08	68.2	9.99	Peak	17.00	150	Vertical	Pass
2**	5469.400	45.26	4.08	--	-45.26	AV	17.00	150	Vertical	N/A

U-NII-2C 11a CH140



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.72	4.31	68.2	6.48	Peak	26.00	150	Vertical	Pass
2	5725.875	63.80	4.28	68.2	4.40	Peak	17.00	150	Vertical	Pass


U-NII-2C 11n20 CH100



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.86	3.78	68.2	13.34	Peak	148.21	150	Vertical	Pass
1**	5460.000	44.57	3.78	54.0	9.43	AV	148.21	150	Vertical	Pass
2	5467.360	57.17	4.02	68.2	11.03	Peak	37.00	150	Vertical	Pass
2**	5467.360	45.38	4.02	--	-45.38	AV	37.00	150	Vertical	N/A


U-NII-2C 11n20 CH140

Bandedge_FCC-WIFI_5G_Band3_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.87	4.31	68.2	6.33	Peak	20.00	150	Vertical	Pass
2	5819.000	61.50	5.33	68.2	6.70	Peak	68.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.51	3.78	68.2	10.69	Peak	262.46	150	Horizontal	Pass
1**	5460.000	48.16	3.78	54.0	5.84	AV	262.46	150	Horizontal	Pass
2	5468.920	63.93	4.07	68.2	4.27	Peak	75.00	150	Horizontal	Pass
2**	5468.920	52.11	4.07	--	-52.11	AV	75.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.94	4.31	68.2	9.26	Peak	342.00	150	Vertical	Pass
2	5729.750	60.90	4.17	68.2	7.30	Peak	14.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.79	3.78	68.2	8.41	Peak	140.87	150	Horizontal	Pass
1**	5460.000	49.97	3.78	54.0	4.03	AV	140.87	150	Horizontal	Pass
2	5467.720	62.20	4.03	68.2	6.00	Peak	68.00	150	Horizontal	Pass
2**	5467.720	51.32	4.03	--	-51.32	AV	68.00	150	Horizontal	N/A
3	5458.360	59.87	3.77	74.0	14.13	Peak	68.00	150	Horizontal	Pass
3**	5458.360	50.52	3.77	54.0	3.48	AV	68.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.92	4.31	68.2	10.28	Peak	19.00	150	Vertical	Pass
2	5805.875	58.59	4.84	68.2	9.61	Peak	9.00	150	Vertical	Pass

U-NII-2C 11ac160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.35	3.78	68.2	8.85	Peak	65.00	150	Vertical	Pass
1**	5460.000	49.99	3.78	54.0	4.01	AV	65.00	150	Vertical	Pass
2	5467.120	63.18	4.01	68.2	5.02	Peak	63.00	150	Vertical	Pass
2**	5467.120	51.23	4.01	--	-51.23	AV	63.00	150	Vertical	N/A

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.15	3.78	68.2	13.05	Peak	217.79	150	Vertical	Pass
1**	5460.000	44.54	3.78	54.0	9.46	AV	217.79	150	Vertical	Pass
2	5469.760	59.28	4.09	68.2	8.92	Peak	206.00	150	Vertical	Pass
2**	5469.760	46.84	4.09	--	-46.84	AV	206.00	150	Vertical	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.52	4.31	68.2	5.68	Peak	16.00	150	Vertical	Pass
2	5726.625	64.23	4.26	68.2	3.97	Peak	18.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.23	3.78	68.2	8.97	Peak	21.67	150	Horizontal	Pass
1**	5460.000	48.49	3.78	54.0	5.51	AV	21.67	150	Horizontal	Pass
2	5469.880	64.87	4.09	68.2	3.33	Peak	14.00	150	Horizontal	Pass
2**	5469.880	53.12	4.09	--	-53.12	AV	14.00	150	Horizontal	N/A
3	5459.320	58.63	3.78	74.0	15.37	Peak	68.00	150	Horizontal	Pass
3**	5459.320	48.70	3.78	54.0	5.30	AV	68.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.63	4.31	68.2	6.57	Peak	20.00	150	Vertical	Pass
2	5725.375	62.82	4.30	68.2	5.38	Peak	27.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.70	3.78	68.2	7.50	Peak	70.00	150	Horizontal	Pass
1**	5460.000	50.84	3.78	54.0	3.16	AV	70.00	150	Horizontal	Pass
2	5468.200	62.54	4.05	68.2	5.66	Peak	70.00	150	Horizontal	Pass
2**	5468.200	51.89	4.05	--	-51.89	AV	70.00	150	Horizontal	N/A
3	5459.800	59.62	3.78	74.0	14.38	Peak	72.00	150	Horizontal	Pass
3**	5459.800	50.97	3.78	54.0	3.03	AV	72.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.32	4.31	68.2	11.88	Peak	0.00	150	Vertical	Pass
2	5836.375	58.43	5.35	68.2	9.77	Peak	256.00	150	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.30	3.78	68.2	8.90	Peak	233.46	150	Vertical	Pass
1**	5460.000	49.18	3.78	54.0	4.82	AV	233.46	150	Vertical	Pass
2	5466.640	61.31	4.00	68.2	6.89	Peak	29.00	150	Vertical	Pass
2**	5466.640	49.94	4.00	--	-49.94	AV	29.00	150	Vertical	N/A
3	5444.200	58.19	3.80	74.0	15.81	Peak	41.00	150	Vertical	Pass
3**	5444.200	50.10	3.80	54.0	3.90	AV	41.00	150	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.36	3.81	68.2	11.84	Peak	359.67	150	Horizontal	Pass
2	5642.375	57.35	3.74	68.2	10.85	Peak	8.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.72	6.44	68.2	11.48	Peak	176.87	150	Vertical	Pass
2	5946.450	58.83	6.17	68.2	9.37	Peak	328.00	150	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.10	3.81	68.2	12.10	Peak	126.02	150	Vertical	Pass
2	5644.000	57.05	3.77	68.2	11.15	Peak	11.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.75	6.44	68.2	11.45	Peak	127.07	150	Horizontal	Pass
2	5998.500	59.01	6.51	68.2	9.19	Peak	182.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.90	3.81	68.2	11.30	Peak	359.74	150	Horizontal	Pass
2	5644.875	57.46	3.77	68.2	10.74	Peak	307.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.29	6.44	68.2	10.91	Peak	359.57	150	Vertical	Pass
2	5936.850	59.14	6.12	68.2	9.06	Peak	188.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.02	3.81	68.2	12.18	Peak	3.25	150	Horizontal	Pass
2	5647.875	57.77	3.80	68.2	10.43	Peak	70.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.80	3.81	68.2	12.40	Peak	28.98	150	Horizontal	Pass
2	5649.750	57.46	3.81	68.2	10.74	Peak	302.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.25	6.44	68.2	10.95	Peak	293.79	150	Vertical	Pass
2	5932.200	59.26	6.28	68.2	8.94	Peak	331.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.34	3.81	68.2	12.86	Peak	209.11	150	Vertical	Pass
2	5638.000	57.34	3.73	68.2	10.86	Peak	29.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH159



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.98	6.44	68.2	11.22	Peak	282.09	150	Horizontal	Pass
2	5959.500	58.87	6.10	68.2	9.33	Peak	296.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.86	3.81	68.2	10.34	Peak	9.02	150	Vertical	Pass
2	5649.375	59.72	3.81	68.2	8.48	Peak	19.00	150	Vertical	Pass


Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	53.98	3.82	74.0	20.02	Peak	303.98	150	Vertical	Pass
1**	5150.000	44.51	3.82	54.0	9.49	AV	303.98	150	Vertical	Pass
2	4891.950	55.67	3.61	74.0	18.33	Peak	0.00	150	Vertical	Pass
2**	4891.950	43.95	3.61	54.0	10.05	AV	0.00	150	Vertical	Pass

U-NII-1 11a CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.78	4.04	74.0	19.22	Peak	112.00	150	Vertical	Pass
1**	5350.000	44.46	4.04	54.0	9.54	AV	112.00	150	Vertical	Pass
2	5384.870	56.53	4.06	74.0	17.47	Peak	5.00	150	Vertical	Pass
2**	5384.870	44.25	4.06	54.0	9.75	AV	5.00	150	Vertical	Pass

U-NII-1 11n20 CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.18	3.82	74.0	18.82	Peak	279.02	150	Vertical	Pass
1**	5150.000	45.16	3.82	54.0	8.84	AV	279.02	150	Vertical	Pass
2	5068.750	56.70	3.71	74.0	17.30	Peak	93.00	150	Vertical	Pass
2**	5068.750	44.36	3.71	54.0	9.64	AV	93.00	150	Vertical	Pass


U-NII-1 11n20 CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.70	4.04	74.0	18.30	Peak	44.00	150	Vertical	Pass
1**	5350.000	44.50	4.04	54.0	9.50	AV	44.00	150	Vertical	Pass
2	5380.140	56.56	4.05	74.0	17.44	Peak	265.00	150	Vertical	Pass
2**	5380.140	44.49	4.05	54.0	9.51	AV	265.00	150	Vertical	Pass

U-NII-1 11n40 CH38

Bandedge_FCC-WiFi_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.65	3.82	74.0	18.35	Peak	4.03	150	Vertical	Pass
1**	5150.000	45.03	3.82	54.0	8.97	AV	4.03	150	Vertical	Pass
2	4943.300	56.68	4.01	74.0	17.32	Peak	360.00	150	Vertical	Pass
2**	4943.300	44.39	4.01	54.0	9.61	AV	360.00	150	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.01	4.04	74.0	18.99	Peak	236.00	150	Vertical	Pass
1**	5350.000	44.76	4.04	54.0	9.24	AV	236.00	150	Vertical	Pass
2	5364.520	56.96	4.10	74.0	17.04	Peak	351.00	150	Vertical	Pass
2**	5364.520	44.84	4.10	54.0	9.16	AV	351.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.33	3.82	74.0	18.67	Peak	217.00	150	Vertical	Pass
1**	5150.000	46.24	3.82	54.0	7.76	AV	217.00	150	Vertical	Pass
2	5145.450	57.09	3.95	74.0	16.91	Peak	246.00	150	Vertical	Pass
2**	5145.450	46.12	3.95	54.0	7.88	AV	246.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.34	3.82	74.0	18.66	Peak	43.06	150	Horizontal	Pass
1**	5150.000	44.90	3.82	54.0	9.10	AV	43.06	150	Horizontal	Pass
2	5141.550	56.36	4.06	74.0	17.64	Peak	164.00	150	Horizontal	Pass
2**	5141.550	44.68	4.06	54.0	9.32	AV	164.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.51	4.04	74.0	18.49	Peak	358.00	150	Horizontal	Pass
1**	5350.000	44.70	4.04	54.0	9.30	AV	358.00	150	Horizontal	Pass
2	5422.600	56.93	3.74	74.0	17.07	Peak	0.00	150	Horizontal	Pass
2**	5422.600	45.11	3.74	54.0	8.89	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.02	3.82	74.0	18.98	Peak	49.02	150	Horizontal	Pass
1**	5150.000	44.94	3.82	54.0	9.06	AV	49.02	150	Horizontal	Pass
2	4986.200	56.36	3.52	74.0	17.64	Peak	360.00	150	Horizontal	Pass
2**	4986.200	44.29	3.52	54.0	9.71	AV	360.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.17	4.04	74.0	18.83	Peak	176.00	150	Vertical	Pass
1**	5350.000	44.70	4.04	54.0	9.30	AV	176.00	150	Vertical	Pass
2	5381.680	56.58	4.05	74.0	17.42	Peak	242.00	150	Vertical	Pass
2**	5381.680	44.66	4.05	54.0	9.34	AV	242.00	150	Vertical	Pass


U-NII-1 11ax80 (SU) CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.38	3.82	74.0	18.62	Peak	80.03	150	Vertical	Pass
1**	5150.000	46.37	3.82	54.0	7.63	AV	80.03	150	Vertical	Pass
2	5142.200	56.73	4.04	74.0	17.27	Peak	246.00	150	Vertical	Pass
2**	5142.200	45.48	4.04	54.0	8.52	AV	246.00	150	Vertical	Pass

U-NII-2A 11a CH52


Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.12	3.82	74.0	18.88	Peak	360.00	150	Horizontal	Pass
1**	5150.000	44.96	3.82	54.0	9.04	AV	360.00	150	Horizontal	Pass
2	4848.400	56.47	4.38	74.0	17.53	Peak	24.00	150	Horizontal	Pass
2**	4848.400	44.58	4.38	54.0	9.42	AV	24.00	150	Horizontal	Pass


U-NII-2A 11a CH64

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.36	4.04	74.0	19.64	Peak	63.00	150	Horizontal	Pass
1**	5350.000	44.66	4.04	54.0	9.34	AV	63.00	150	Horizontal	Pass
2	5363.200	56.81	4.14	74.0	17.19	Peak	328.00	150	Horizontal	Pass
2**	5363.200	44.92	4.14	54.0	9.08	AV	328.00	150	Horizontal	Pass


U-NII-2A 11n20 CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.17	3.82	74.0	18.83	Peak	91.99	150	Horizontal	Pass
1**	5150.000	45.00	3.82	54.0	9.00	AV	91.99	150	Horizontal	Pass
2	5137.650	56.48	4.03	74.0	17.52	Peak	42.00	150	Horizontal	Pass
2**	5137.650	45.10	4.03	54.0	8.90	AV	42.00	150	Horizontal	Pass


U-NII-2A 11n20 CH64

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.68	4.04	74.0	19.32	Peak	335.00	150	Vertical	Pass
1**	5350.000	44.71	4.04	54.0	9.29	AV	335.00	150	Vertical	Pass
2	5361.550	57.84	4.20	74.0	16.16	Peak	36.00	150	Vertical	Pass
2**	5361.550	45.08	4.20	54.0	8.92	AV	36.00	150	Vertical	Pass


U-NII-2A 11n40 CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.44	3.82	74.0	19.56	Peak	70.04	150	Vertical	Pass
1**	5150.000	44.69	3.82	54.0	9.31	AV	70.04	150	Vertical	Pass
2	5140.250	56.45	4.08	74.0	17.55	Peak	181.00	150	Vertical	Pass
2**	5140.250	44.79	4.08	54.0	9.21	AV	181.00	150	Vertical	Pass


U-NII-2A 11n40 CH62

Bandedge_FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.09	4.04	74.0	14.91	Peak	329.00	150	Vertical	Pass
1**	5350.000	49.56	4.04	54.0	4.44	AV	329.00	150	Vertical	Pass
2	5351.320	60.62	4.07	74.0	13.38	Peak	333.00	150	Vertical	Pass
2**	5351.320	49.10	4.07	54.0	4.90	AV	333.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.25	3.82	74.0	18.75	Peak	359.98	150	Vertical	Pass
1**	5150.000	44.60	3.82	54.0	9.40	AV	359.98	150	Vertical	Pass
2	5141.550	56.59	4.06	74.0	17.41	Peak	125.00	150	Vertical	Pass
2**	5141.550	44.70	4.06	54.0	9.30	AV	125.00	150	Vertical	Pass

U-NII-2A 11ac160 CH50



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.54	3.82	74.0	14.46	Peak	333.95	150	Vertical	Pass
1**	5150.000	50.37	3.82	54.0	3.63	AV	333.95	150	Vertical	Pass
2	5149.350	61.72	3.84	74.0	12.28	Peak	94.00	150	Vertical	Pass
2**	5149.350	50.35	3.84	54.0	3.65	AV	94.00	150	Vertical	Pass


U-NII-2A 11ax20 (SU) CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.73	3.82	74.0	19.27	Peak	350.94	150	Vertical	Pass
1**	5150.000	44.86	3.82	54.0	9.14	AV	350.94	150	Vertical	Pass
2	5119.450	56.51	3.71	74.0	17.49	Peak	121.00	150	Vertical	Pass
2**	5119.450	44.66	3.71	54.0	9.34	AV	121.00	150	Vertical	Pass


U-NII-2A 11ax20 (SU) CH64

Bandedge_FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.88	4.04	74.0	17.12	Peak	327.00	150	Vertical	Pass
1**	5350.000	46.85	4.04	54.0	7.15	AV	327.00	150	Vertical	Pass
2	5351.760	60.39	4.08	74.0	13.61	Peak	327.00	150	Vertical	Pass
2**	5351.760	46.20	4.08	54.0	7.80	AV	327.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.18	3.82	74.0	18.82	Peak	325.00	150	Vertical	Pass
1**	5150.000	44.82	3.82	54.0	9.18	AV	325.00	150	Vertical	Pass
2	5063.550	56.32	3.73	74.0	17.68	Peak	2.00	150	Vertical	Pass
2**	5063.550	44.49	3.73	54.0	9.51	AV	2.00	150	Vertical	Pass


U-NII-2A 11ax40 (SU) CH62



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.93	4.04	74.0	11.07	Peak	335.00	150	Vertical	Pass
1**	5350.000	50.09	4.04	54.0	3.91	AV	335.00	150	Vertical	Pass
2	5353.520	62.78	4.10	74.0	11.22	Peak	335.00	150	Vertical	Pass
2**	5353.520	48.80	4.10	54.0	5.20	AV	335.00	150	Vertical	Pass


U-NII-2A 11ax80 (SU) CH58

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.47	3.82	74.0	19.53	Peak	248.99	150	Horizontal	Pass
1**	5150.000	44.72	3.82	54.0	9.28	AV	248.99	150	Horizontal	Pass
2	4920.550	56.82	3.73	74.0	17.18	Peak	228.00	150	Horizontal	Pass
2**	4920.550	44.37	3.73	54.0	9.63	AV	228.00	150	Horizontal	Pass

U-NII-2A 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.09	3.82	74.0	12.91	Peak	336.00	150	Vertical	Pass
1**	5150.000	50.71	3.82	54.0	3.29	AV	336.00	150	Vertical	Pass
2	5137.650	62.38	4.03	74.0	11.62	Peak	336.00	150	Vertical	Pass
2**	5137.650	49.71	4.03	54.0	4.29	AV	336.00	150	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.19	3.78	68.2	14.01	Peak	294.97	150	Horizontal	Pass
1**	5460.000	44.25	3.78	54.0	9.75	AV	294.97	150	Horizontal	Pass
2	5468.200	56.37	4.05	68.2	11.83	Peak	80.00	150	Horizontal	Pass
2**	5468.200	45.09	4.05	--	-45.09	AV	80.00	150	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.53	4.31	68.2	10.67	Peak	205.00	150	Vertical	Pass
2	5725.625	58.98	4.29	68.2	9.22	Peak	190.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.48	3.78	68.2	13.72	Peak	302.39	150	Vertical	Pass
1**	5460.000	44.01	3.78	54.0	9.99	AV	302.39	150	Vertical	Pass
2	5467.600	57.39	4.03	68.2	10.81	Peak	166.00	150	Vertical	Pass
2**	5467.600	46.97	4.03	--	-46.97	AV	166.00	150	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.24	4.31	68.2	9.96	Peak	307.00	150	Vertical	Pass
2	5725.250	58.82	4.30	68.2	9.38	Peak	307.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.80	3.78	68.2	13.40	Peak	310.94	150	Vertical	Pass
1**	5460.000	45.27	3.78	54.0	8.73	AV	310.94	150	Vertical	Pass
2	5468.200	58.78	4.05	68.2	9.42	Peak	203.00	150	Vertical	Pass
2**	5468.200	47.00	4.05	--	-47.00	AV	203.00	150	Vertical	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.34	4.31	68.2	11.86	Peak	305.00	150	Horizontal	Pass
2	5808.500	63.52	4.88	68.2	4.68	Peak	193.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.72	3.78	68.2	10.48	Peak	255.00	150	Vertical	Pass
1**	5460.000	48.45	3.78	54.0	5.55	AV	255.00	150	Vertical	Pass
2	5461.600	60.26	3.83	68.2	7.94	Peak	259.00	150	Vertical	Pass
2**	5461.600	48.76	3.83	--	-48.76	AV	259.00	150	Vertical	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.73	4.31	68.2	12.47	Peak	182.00	150	Horizontal	Pass
2	5827.750	63.76	5.28	68.2	4.44	Peak	221.00	150	Horizontal	Pass

U-NII-2C 11ac160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.07	3.78	68.2	8.13	Peak	29.32	150	Horizontal	Pass
1**	5460.000	50.34	3.78	54.0	3.66	AV	29.32	150	Horizontal	Pass
2	5465.560	62.00	3.96	68.2	6.20	Peak	26.00	150	Horizontal	Pass
2**	5465.560	50.59	3.96	--	-50.59	AV	26.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.93	3.78	68.2	14.27	Peak	4.34	150	Vertical	Pass
1**	5460.000	44.08	3.78	54.0	9.92	AV	4.34	150	Vertical	Pass
2	5467.000	57.94	4.01	68.2	10.26	Peak	205.00	150	Vertical	Pass
2**	5467.000	46.84	4.01	--	-46.84	AV	205.00	150	Vertical	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.43	4.31	68.2	11.77	Peak	288.00	150	Vertical	Pass
2	5751.375	58.39	4.22	68.2	9.81	Peak	90.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.99	3.78	68.2	12.21	Peak	270.67	150	Vertical	Pass
1**	5460.000	46.07	3.78	54.0	7.93	AV	270.67	150	Vertical	Pass
2	5469.160	59.23	4.07	68.2	8.97	Peak	261.00	150	Vertical	Pass
2**	5469.160	47.98	4.07	--	-47.98	AV	261.00	150	Vertical	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.97	4.31	68.2	11.23	Peak	74.00	150	Horizontal	Pass
2	5839.875	58.73	5.42	68.2	9.47	Peak	0.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.21	3.78	68.2	9.99	Peak	249.00	150	Horizontal	Pass
1**	5460.000	48.98	3.78	54.0	5.02	AV	249.00	150	Horizontal	Pass
2	5464.600	61.94	3.92	68.2	6.26	Peak	249.00	150	Horizontal	Pass
2**	5464.600	49.73	3.92	--	-49.73	AV	249.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.82	4.31	68.2	11.38	Peak	0.00	150	Vertical	Pass
2	5756.625	59.05	4.48	68.2	9.15	Peak	282.00	150	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.85	3.78	68.2	9.35	Peak	219.37	150	Vertical	Pass
1**	5460.000	50.16	3.78	54.0	3.84	AV	219.37	150	Vertical	Pass
2	5463.880	61.59	3.90	68.2	6.61	Peak	252.00	150	Vertical	Pass
2**	5463.880	50.00	3.90	--	-50.00	AV	252.00	150	Vertical	N/A

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.79	3.81	68.2	12.41	Peak	138.86	150	Vertical	Pass
2	5642.375	56.09	3.74	68.2	12.11	Peak	99.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.61	6.44	68.2	11.59	Peak	21.04	150	Horizontal	Pass
2	5933.400	57.90	6.23	68.2	10.30	Peak	317.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.68	3.81	68.2	13.52	Peak	60.29	150	Horizontal	Pass
2	5637.750	56.64	3.73	68.2	11.56	Peak	309.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.18	6.44	68.2	12.02	Peak	242.82	150	Vertical	Pass
2	5927.100	57.86	6.40	68.2	10.34	Peak	265.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.79	3.81	68.2	13.41	Peak	360.00	150	Vertical	Pass
2	5644.625	56.41	3.77	68.2	11.79	Peak	58.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.17	6.44	68.2	12.03	Peak	221.87	150	Horizontal	Pass
2	5935.650	58.88	6.16	68.2	9.32	Peak	308.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.61	3.81	68.2	13.59	Peak	194.99	150	Vertical	Pass
2	5646.500	56.00	3.78	68.2	12.20	Peak	254.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.25	3.81	68.2	13.95	Peak	224.93	150	Vertical	Pass
2	5646.250	56.05	3.78	68.2	12.15	Peak	311.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.04	6.44	68.2	11.16	Peak	155.81	150	Horizontal	Pass
2	5984.700	58.28	6.20	68.2	9.92	Peak	314.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.51	3.81	68.2	13.69	Peak	235.76	150	Horizontal	Pass
2	5646.750	56.63	3.79	68.2	11.57	Peak	261.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.12	6.44	68.2	12.08	Peak	288.95	150	Vertical	Pass
2	5967.900	58.54	6.30	68.2	9.66	Peak	357.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.23	3.81	68.2	13.97	Peak	82.28	150	Horizontal	Pass
2	5639.500	56.40	3.74	68.2	11.80	Peak	360.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2580981-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2580981-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2580981-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--