

Spurious Emission at Antenna Terminals


8.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.21	-13	52.21	Pass	401
0.15	30	0.01	RMS	0.17	-65.01	-13	52.01	Pass	2986
30	1000	0.1	RMS	997.498	-58.48	-13	45.48	Pass	9701
1000	1700	1	RMS	1700	-45.31	-13	32.31	Pass	701
1700	1790	1	RMS	1710.35	19.61	60	40.39	Pass	401
1790	3000	1	RMS	2949	-42.96	-13	29.96	Pass	1211
3000	7000	1	RMS	6979	-59.59	-13	46.59	Pass	4001
7000	20000	1	RMS	19334	-46.9	-13	33.9	Pass	13002




8.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.75	-13	51.75	Pass	401
0.15	30	0.01	RMS	0.24	-65.27	-13	52.27	Pass	2986
30	1000	0.1	RMS	876.018	-58.47	-13	45.47	Pass	9701
1000	1700	1	RMS	1678	-47.16	-13	34.16	Pass	701
1700	1790	1	RMS	1729.25	19.61	60	40.39	Pass	401
1790	3000	1	RMS	2942	-42.97	-13	29.97	Pass	1211
3000	7000	1	RMS	6977	-59.55	-13	46.55	Pass	4001
7000	20000	1	RMS	19351	-46.91	-13	33.91	Pass	13002




8.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.78	-13	52.78	Pass	401
0.15	30	0.01	RMS	0.15	-64.94	-13	51.94	Pass	2986
30	1000	0.1	RMS	927.852	-58.58	-13	45.58	Pass	9701
1000	1700	1	RMS	1671	-47.18	-13	34.18	Pass	701
1700	1790	1	RMS	1753.325	7.57	60	52.43	Pass	401
1790	3000	1	RMS	2937	-42.92	-13	29.92	Pass	1211
3000	7000	1	RMS	6981	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19345	-46.92	-13	33.92	Pass	13002




8.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.83	-13	52.83	Pass	401
0.15	30	0.01	RMS	0.18	-65.25	-13	52.25	Pass	2986
30	1000	0.1	RMS	855.604	-58.48	-13	45.48	Pass	9701
1000	1700	1	RMS	1683	-47.12	-13	34.12	Pass	701
1700	1790	1	RMS	1735.325	19.53	60	40.47	Pass	401
1790	3000	1	RMS	2957	-42.98	-13	29.98	Pass	1211
3000	7000	1	RMS	6973	-59.68	-13	46.68	Pass	4001
7000	20000	1	RMS	19371	-46.9	-13	33.9	Pass	13002




8.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.96	-13	52.96	Pass	401
0.15	30	0.01	RMS	0.19	-65.44	-13	52.44	Pass	2986
30	1000	0.1	RMS	978.386	-58.53	-13	45.53	Pass	9701
1000	1700	1	RMS	1672	-47.17	-13	34.17	Pass	701
1700	1790	1	RMS	1754.225	19.69	60	40.31	Pass	401
1790	3000	1	RMS	2942	-42.95	-13	29.95	Pass	1211
3000	7000	1	RMS	6975	-59.59	-13	46.59	Pass	4001
7000	20000	1	RMS	19476	-46.9	-13	33.9	Pass	13002




8.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.09	-13	51.09	Pass	401
0.15	30	0.01	RMS	0.15	-65.08	-13	52.08	Pass	2986
30	1000	0.1	RMS	841.5	-58.42	-13	45.42	Pass	9701
1000	1700	1	RMS	1680	-47.22	-13	34.22	Pass	701
1700	1790	1	RMS	1761.425	8.02	60	51.98	Pass	401
1790	3000	1	RMS	1790	-39.34	-13	26.34	Pass	1211
3000	7000	1	RMS	6972	-59.64	-13	46.64	Pass	4001
7000	20000	1	RMS	19336	-46.89	-13	33.89	Pass	13002




8.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.88	-13	51.88	Pass	401
0.15	30	0.01	RMS	0.16	-65.05	-13	52.05	Pass	2986
30	1000	0.1	RMS	979.887	-58.26	-13	45.26	Pass	9701
1000	1700	1	RMS	1674	-47.16	-13	34.16	Pass	701
1700	1790	1	RMS	1760.525	19.69	60	40.31	Pass	401
1790	3000	1	RMS	2937	-42.93	-13	29.93	Pass	1211
3000	7000	1	RMS	6978	-59.63	-13	46.63	Pass	4001
7000	20000	1	RMS	19429	-46.87	-13	33.87	Pass	13002



8.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.44	-13	52.44	Pass	401
0.15	30	0.01	RMS	0.15	-64.53	-13	51.53	Pass	2986
30	1000	0.1	RMS	978.486	-58.35	-13	45.35	Pass	9701
1000	1700	1	RMS	1677	-47.18	-13	34.18	Pass	701
1700	1790	1	RMS	1779.425	19.84	60	40.16	Pass	401
1790	3000	1	RMS	2935	-42.98	-13	29.98	Pass	1211
3000	7000	1	RMS	6979	-59.63	-13	46.63	Pass	4001
7000	20000	1	RMS	19354	-46.83	-13	33.83	Pass	13002



9. n71 15kHz


9.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.18	-13	53.18	Pass	401
0.15	30	0.01	RMS	0.15	-65.35	-13	52.35	Pass	2986
30	653	0.1	RMS	502.4	-59.13	-13	46.13	Pass	6231
653	708	0.1	RMS	664.1	5.31	60	54.69	Pass	551
708	1000	0.1	RMS	934.7	-58.24	-13	45.24	Pass	2921
1000	3000	1	RMS	2941	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8736	-58.95	-13	45.95	Pass	7001




9.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.16	-13	53.16	Pass	401
0.15	30	0.01	RMS	0.16	-65.23	-13	52.23	Pass	2986
30	653	0.1	RMS	619.8	-59.18	-13	46.18	Pass	6231
653	708	0.1	RMS	663.3	18.65	60	41.35	Pass	551
708	1000	0.1	RMS	853.2	-58.14	-13	45.14	Pass	2921
1000	3000	1	RMS	2935	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8742	-59.02	-13	46.02	Pass	7001




9.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.24	-13	52.24	Pass	401
0.15	30	0.01	RMS	0.22	-65.7	-13	52.7	Pass	2986
30	653	0.1	RMS	609.8	-59.27	-13	46.27	Pass	6231
653	708	0.1	RMS	667.7	17.74	60	42.26	Pass	551
708	1000	0.1	RMS	844.5	-58.24	-13	45.24	Pass	2921
1000	3000	1	RMS	2935	-43.02	-13	30.02	Pass	2001
3000	10000	1	RMS	8743	-59.02	-13	46.02	Pass	7001




9.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.63	-13	52.63	Pass	401
0.15	30	0.01	RMS	0.3	-66	-13	53	Pass	2986
30	653	0.1	RMS	491.9	-59.17	-13	46.17	Pass	6231
653	708	0.1	RMS	678.5	4.31	60	55.69	Pass	551
708	1000	0.1	RMS	874.3	-58.25	-13	45.25	Pass	2921
1000	3000	1	RMS	2940	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8746	-59	-13	46	Pass	7001




9.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.11	-13	52.11	Pass	401
0.15	30	0.01	RMS	0.16	-65.63	-13	52.63	Pass	2986
30	653	0.1	RMS	505.4	-59.21	-13	46.21	Pass	6231
653	708	0.1	RMS	678.3	17.47	60	42.53	Pass	551
708	1000	0.1	RMS	945.2	-58.2	-13	45.2	Pass	2921
1000	3000	1	RMS	2930	-43.01	-13	30.01	Pass	2001
3000	10000	1	RMS	8740	-59	-13	46	Pass	7001




9.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.9	-13	51.9	Pass	401
0.15	30	0.01	RMS	0.15	-65.1	-13	52.1	Pass	2986
30	653	0.1	RMS	501.6	-59.32	-13	46.32	Pass	6231
653	708	0.1	RMS	682.6	16.74	60	43.26	Pass	551
708	1000	0.1	RMS	946.7	-58.37	-13	45.37	Pass	2921
1000	3000	1	RMS	2936	-43.03	-13	30.03	Pass	2001
3000	10000	1	RMS	8743	-59.03	-13	46.03	Pass	7001




9.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.07	-13	52.07	Pass	401
0.15	30	0.01	RMS	0.17	-64.7	-13	51.7	Pass	2986
30	653	0.1	RMS	493.7	-59.21	-13	46.21	Pass	6231
653	708	0.1	RMS	694.2	4.34	60	55.66	Pass	551
708	1000	0.1	RMS	969.9	-58.4	-13	45.4	Pass	2921
1000	3000	1	RMS	2933	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8740	-58.99	-13	45.99	Pass	7001




9.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.31	-13	51.31	Pass	401
0.15	30	0.01	RMS	0.21	-65.56	-13	52.56	Pass	2986
30	653	0.1	RMS	491.4	-59.32	-13	46.32	Pass	6231
653	708	0.1	RMS	693.3	17.04	60	42.96	Pass	551
708	1000	0.1	RMS	897.3	-58.21	-13	45.21	Pass	2921
1000	3000	1	RMS	2936	-43	-13	30	Pass	2001
3000	10000	1	RMS	8746	-59	-13	46	Pass	7001




9.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.25	-13	52.25	Pass	401
0.15	30	0.01	RMS	0.17	-65.86	-13	52.86	Pass	2986
30	653	0.1	RMS	618.4	-59.16	-13	46.16	Pass	6231
653	708	0.1	RMS	697.7	16.8	60	43.2	Pass	551
708	1000	0.1	RMS	974.5	-58.39	-13	45.39	Pass	2921
1000	3000	1	RMS	2935	-43	-13	30	Pass	2001
3000	10000	1	RMS	8742	-58.97	-13	45.97	Pass	7001




**9.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.59	-13	52.59	Pass	401
0.15	30	0.01	RMS	0.21	-65.44	-13	52.44	Pass	2986
30	653	0.1	RMS	505.4	-59.32	-13	46.32	Pass	6231
653	708	0.1	RMS	677.3	0.23	60	59.77	Pass	551
708	1000	0.1	RMS	959.9	-58.1	-13	45.1	Pass	2921
1000	3000	1	RMS	2929	-43.01	-13	30.01	Pass	2001
3000	10000	1	RMS	8744	-59.02	-13	46.02	Pass	7001




**9.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.52	-13	51.52	Pass	401
0.15	30	0.01	RMS	0.2	-65.36	-13	52.36	Pass	2986
30	653	0.1	RMS	617.7	-59.27	-13	46.27	Pass	6231
653	708	0.1	RMS	663.5	18.31	60	41.69	Pass	551
708	1000	0.1	RMS	922.3	-58.14	-13	45.14	Pass	2921
1000	3000	1	RMS	2935	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	8747	-59.04	-13	46.04	Pass	7001




**9.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:134100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.52	-13	52.52	Pass	401
0.15	30	0.01	RMS	0.17	-65.73	-13	52.73	Pass	2986
30	653	0.1	RMS	620.6	-59.18	-13	46.18	Pass	6231
653	708	0.1	RMS	677.5	17.62	60	42.38	Pass	551
708	1000	0.1	RMS	857.1	-57.99	-13	44.99	Pass	2921
1000	3000	1	RMS	2949	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8742	-58.97	-13	45.97	Pass	7001




9.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.37	-13	52.37	Pass	401
0.15	30	0.01	RMS	0.25	-65.98	-13	52.98	Pass	2986
30	653	0.1	RMS	505.1	-59.21	-13	46.21	Pass	6231
653	708	0.1	RMS	677.4	-0.32	60	60.32	Pass	551
708	1000	0.1	RMS	891.4	-58.37	-13	45.37	Pass	2921
1000	3000	1	RMS	2937	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8746	-58.95	-13	45.95	Pass	7001




**9.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.6	-13	52.6	Pass	401
0.15	30	0.01	RMS	0.16	-64.85	-13	51.85	Pass	2986
30	653	0.1	RMS	492.5	-59.18	-13	46.18	Pass	6231
653	708	0.1	RMS	673.5	17.65	60	42.35	Pass	551
708	1000	0.1	RMS	927.8	-58.31	-13	45.31	Pass	2921
1000	3000	1	RMS	2943	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8745	-58.96	-13	45.96	Pass	7001




**9.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.69	-13	52.69	Pass	401
0.15	30	0.01	RMS	0.18	-65.48	-13	52.48	Pass	2986
30	653	0.1	RMS	475.8	-59.32	-13	46.32	Pass	6231
653	708	0.1	RMS	687.5	17.45	60	42.55	Pass	551
708	1000	0.1	RMS	977.7	-58.17	-13	45.17	Pass	2921
1000	3000	1	RMS	2932	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8746	-59.02	-13	46.02	Pass	7001




**9.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:138100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.45	-13	52.45	Pass	401
0.15	30	0.01	RMS	0.15	-65.55	-13	52.55	Pass	2986
30	653	0.1	RMS	500.3	-59.24	-13	46.24	Pass	6231
653	708	0.1	RMS	694.6	-0.61	60	60.61	Pass	551
708	1000	0.1	RMS	708	-54.92	-13	41.92	Pass	2921
1000	3000	1	RMS	2934	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8742	-59.04	-13	46.04	Pass	7001




**9.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:138100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.87	-13	51.87	Pass	401
0.15	30	0.01	RMS	0.17	-65.2	-13	52.2	Pass	2986
30	653	0.1	RMS	611.1	-59.32	-13	46.32	Pass	6231
653	708	0.1	RMS	683.5	17.25	60	42.75	Pass	551
708	1000	0.1	RMS	890.5	-58.26	-13	45.26	Pass	2921
1000	3000	1	RMS	2937	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8743	-58.99	-13	45.99	Pass	7001




**9.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.07	-13	52.07	Pass	401
0.15	30	0.01	RMS	0.15	-65.07	-13	52.07	Pass	2986
30	653	0.1	RMS	506.4	-59.24	-13	46.24	Pass	6231
653	708	0.1	RMS	697.5	17.56	60	42.44	Pass	551
708	1000	0.1	RMS	967	-58.15	-13	45.15	Pass	2921
1000	3000	1	RMS	2940	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8750	-59.04	-13	46.04	Pass	7001




**9.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.17	-13	52.17	Pass	401
0.15	30	0.01	RMS	0.15	-64.52	-13	51.52	Pass	2986
30	653	0.1	RMS	509.8	-59.22	-13	46.22	Pass	6231
653	708	0.1	RMS	676.4	-0.91	60	60.91	Pass	551
708	1000	0.1	RMS	840.3	-58.28	-13	45.28	Pass	2921
1000	3000	1	RMS	2936	-43.02	-13	30.02	Pass	2001
3000	10000	1	RMS	8744	-58.96	-13	45.96	Pass	7001




**9.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.42	-13	52.42	Pass	401
0.15	30	0.01	RMS	0.15	-65.86	-13	52.86	Pass	2986
30	653	0.1	RMS	599.5	-59.23	-13	46.23	Pass	6231
653	708	0.1	RMS	663.5	18.31	60	41.69	Pass	551
708	1000	0.1	RMS	954.3	-58.15	-13	45.15	Pass	2921
1000	3000	1	RMS	2941	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	8743	-58.95	-13	45.95	Pass	7001




**9.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.79	-13	50.79	Pass	401
0.15	30	0.01	RMS	0.16	-65.32	-13	52.32	Pass	2986
30	653	0.1	RMS	503.8	-59.06	-13	46.06	Pass	6231
653	708	0.1	RMS	682.4	17.11	60	42.89	Pass	551
708	1000	0.1	RMS	955	-58.3	-13	45.3	Pass	2921
1000	3000	1	RMS	2937	-43	-13	30	Pass	2001
3000	10000	1	RMS	8745	-58.99	-13	45.99	Pass	7001




9.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.25	-13	51.25	Pass	401
0.15	30	0.01	RMS	0.16	-65.21	-13	52.21	Pass	2986
30	653	0.1	RMS	493.6	-59.28	-13	46.28	Pass	6231
653	708	0.1	RMS	678.8	-1.38	60	61.38	Pass	551
708	1000	0.1	RMS	864.2	-58.28	-13	45.28	Pass	2921
1000	3000	1	RMS	2937	-43.01	-13	30.01	Pass	2001
3000	10000	1	RMS	8753	-58.99	-13	45.99	Pass	7001




9.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.59	-13	52.59	Pass	401
0.15	30	0.01	RMS	0.18	-65.63	-13	52.63	Pass	2986
30	653	0.1	RMS	496.2	-59.27	-13	46.27	Pass	6231
653	708	0.1	RMS	671	17.56	60	42.44	Pass	551
708	1000	0.1	RMS	960.5	-58.17	-13	45.17	Pass	2921
1000	3000	1	RMS	2929	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8738	-59.02	-13	46.02	Pass	7001




**9.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.47	-13	51.47	Pass	401
0.15	30	0.01	RMS	0.15	-64.81	-13	51.81	Pass	2986
30	653	0.1	RMS	510.4	-59.28	-13	46.28	Pass	6231
653	708	0.1	RMS	689.9	16.85	60	43.15	Pass	551
708	1000	0.1	RMS	840.3	-58.18	-13	45.18	Pass	2921
1000	3000	1	RMS	2930	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8743	-59.06	-13	46.06	Pass	7001




**9.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:137600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.44	-13	52.44	Pass	401
0.15	30	0.01	RMS	0.15	-64.87	-13	51.87	Pass	2986
30	653	0.1	RMS	498.2	-59.25	-13	46.25	Pass	6231
653	708	0.1	RMS	693.1	-1.95	60	61.95	Pass	551
708	1000	0.1	RMS	708.2	-53.12	-13	40.12	Pass	2921
1000	3000	1	RMS	2942	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8746	-59.01	-13	46.01	Pass	7001




**9.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:137600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.97	-13	51.97	Pass	401
0.15	30	0.01	RMS	0.16	-65.11	-13	52.11	Pass	2986
30	653	0.1	RMS	613.7	-59.23	-13	46.23	Pass	6231
653	708	0.1	RMS	678.5	17.29	60	42.71	Pass	551
708	1000	0.1	RMS	923.4	-58.38	-13	45.38	Pass	2921
1000	3000	1	RMS	2939	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	8740	-59	-13	46	Pass	7001



**9.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.38	-13	52.38	Pass	401
0.15	30	0.01	RMS	0.15	-65.26	-13	52.26	Pass	2986
30	653	0.1	RMS	500.1	-59.25	-13	46.25	Pass	6231
653	708	0.1	RMS	697.4	17.03	60	42.97	Pass	551
708	1000	0.1	RMS	894.6	-58.31	-13	45.31	Pass	2921
1000	3000	1	RMS	2939	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8752	-59.01	-13	46.01	Pass	7001




10. n38_PC3

10.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.95	-25	38.95	Pass	401
0.15	30	0.01	RMS	0.28	-63.19	-25	38.19	Pass	2986
30	1000	0.1	RMS	964.076	-56.2	-25	31.2	Pass	9701
1000	2550	1	RMS	2550	-40.36	-25	15.36	Pass	1551
2550	2640	1	RMS	2573.175	7.33	60	52.67	Pass	401
2640	3000	1	RMS	2937.9	-42.92	-25	17.92	Pass	401
3000	7000	1	RMS	6980	-59.28	-25	34.28	Pass	4001
7000	26500	1	RMS	25509	-43.03	-25	18.03	Pass	19503




**10.2 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.82	-25	39.82	Pass	401
0.15	30	0.01	RMS	0.24	-64.87	-25	39.87	Pass	2986
30	1000	0.1	RMS	997.498	-55.05	-25	30.05	Pass	9701
1000	2550	1	RMS	2519	-44.36	-25	19.36	Pass	1551
2550	2640	1	RMS	2570.925	19.42	60	40.58	Pass	401
2640	3000	1	RMS	2962.2	-42.89	-25	17.89	Pass	401
3000	7000	1	RMS	6980	-58.99	-25	33.99	Pass	4001
7000	26500	1	RMS	25518	-43.28	-25	18.28	Pass	19503




10.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.27	-25	38.27	Pass	401
0.15	30	0.01	RMS	0.15	-63.88	-25	38.88	Pass	2986
30	1000	0.1	RMS	969.48	-55.99	-25	30.99	Pass	9701
1000	2550	1	RMS	2537	-44.62	-25	19.62	Pass	1551
2550	2640	1	RMS	2588.925	19.3	60	40.7	Pass	401
2640	3000	1	RMS	2936.1	-42.91	-25	17.91	Pass	401
3000	7000	1	RMS	6980	-59.14	-25	34.14	Pass	4001
7000	26500	1	RMS	25893	-42.9	-25	17.9	Pass	19503




10.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.96	-25	37.96	Pass	401
0.15	30	0.01	RMS	1.31	-63.43	-25	38.43	Pass	2986
30	1000	0.1	RMS	913.142	-55.46	-25	30.46	Pass	9701
1000	2550	1	RMS	2549	-43.98	-25	18.98	Pass	1551
2550	2640	1	RMS	2602.425	7.48	60	52.52	Pass	401
2640	3000	1	RMS	2929.8	-42.87	-25	17.87	Pass	401
3000	7000	1	RMS	6981	-59.26	-25	34.26	Pass	4001
7000	26500	1	RMS	25480	-43.16	-25	18.16	Pass	19503




**10.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.68	-25	38.68	Pass	401
0.15	30	0.01	RMS	0.15	-63.66	-25	38.66	Pass	2986
30	1000	0.1	RMS	967.378	-55.84	-25	30.84	Pass	9701
1000	2550	1	RMS	2534	-44.11	-25	19.11	Pass	1551
2550	2640	1	RMS	2586	19.3	60	40.7	Pass	401
2640	3000	1	RMS	2936.1	-42.94	-25	17.94	Pass	401
3000	7000	1	RMS	7000	-59.4	-25	34.4	Pass	4001
7000	26500	1	RMS	25909	-42.83	-25	17.83	Pass	19503




**10.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.74	-25	39.74	Pass	401
0.15	30	0.01	RMS	1.24	-64.94	-25	39.94	Pass	2986
30	1000	0.1	RMS	846.1	-56.1	-25	31.1	Pass	9701
1000	2550	1	RMS	2537	-45.24	-25	20.24	Pass	1551
2550	2640	1	RMS	2604	19.59	60	40.41	Pass	401
2640	3000	1	RMS	2931.6	-42.9	-25	17.9	Pass	401
3000	7000	1	RMS	6973	-59.36	-25	34.36	Pass	4001
7000	26500	1	RMS	25491	-43.02	-25	18.02	Pass	19503




**10.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.92	-25	40.92	Pass	401
0.15	30	0.01	RMS	0.23	-63.85	-25	38.85	Pass	2986
30	1000	0.1	RMS	913.843	-56.12	-25	31.12	Pass	9701
1000	2550	1	RMS	2548	-45.05	-25	20.05	Pass	1551
2550	2640	1	RMS	2617.725	7.78	60	52.22	Pass	401
2640	3000	1	RMS	2640	-36.68	-25	11.68	Pass	401
3000	7000	1	RMS	6974	-59.28	-25	34.28	Pass	4001
7000	26500	1	RMS	25529	-42.91	-25	17.91	Pass	19503




10.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.09	-25	38.09	Pass	401
0.15	30	0.01	RMS	0.35	-63.71	-25	38.71	Pass	2986
30	1000	0.1	RMS	916.745	-54.9	-25	29.9	Pass	9701
1000	2550	1	RMS	2549	-44.63	-25	19.63	Pass	1551
2550	2640	1	RMS	2601.075	19.39	60	40.61	Pass	401
2640	3000	1	RMS	2947.8	-42.92	-25	17.92	Pass	401
3000	7000	1	RMS	6982	-59.28	-25	34.28	Pass	4001
7000	26500	1	RMS	25513	-42.88	-25	17.88	Pass	19503




**10.9 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.4	-25	39.4	Pass	401
0.15	30	0.01	RMS	0.31	-63.76	-25	38.76	Pass	2986
30	1000	0.1	RMS	860.107	-55.95	-25	30.95	Pass	9701
1000	2550	1	RMS	2541	-45.26	-25	20.26	Pass	1551
2550	2640	1	RMS	2619.075	19.66	60	40.34	Pass	401
2640	3000	1	RMS	2935.2	-42.93	-25	17.93	Pass	401
3000	7000	1	RMS	6974	-59.2	-25	34.2	Pass	4001
7000	26500	1	RMS	25900	-42.82	-25	17.82	Pass	19503




**10.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.39	-25	39.39	Pass	401
0.15	30	0.01	RMS	0.19	-63.9	-25	38.9	Pass	2986
30	1000	0.1	RMS	762.1	-55.97	-25	30.97	Pass	9701
1000	2540	1	RMS	2540	-40.6	-25	15.6	Pass	1541
2540	2650	1	RMS	2573.275	5.48	60	54.52	Pass	401
2650	3000	1	RMS	2962.375	-42.93	-25	17.93	Pass	401
3000	7000	1	RMS	6976	-59.44	-25	34.44	Pass	4001
7000	26500	1	RMS	25527	-42.81	-25	17.81	Pass	19503




**10.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.76	-25	38.76	Pass	401
0.15	30	0.01	RMS	0.15	-64.59	-25	39.59	Pass	2986
30	1000	0.1	RMS	851.502	-55.79	-25	30.79	Pass	9701
1000	2540	1	RMS	2492	-45.11	-25	20.11	Pass	1541
2540	2650	1	RMS	2571.075	19.41	60	40.59	Pass	401
2650	3000	1	RMS	2930	-42.9	-25	17.9	Pass	401
3000	7000	1	RMS	6974	-59.34	-25	34.34	Pass	4001
7000	26500	1	RMS	25512	-43	-25	18	Pass	19503




**10.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.91	-25	38.91	Pass	401
0.15	30	0.01	RMS	0.21	-63.58	-25	38.58	Pass	2986
30	1000	0.1	RMS	946.465	-56.1	-25	31.1	Pass	9701
1000	2540	1	RMS	2508	-45.1	-25	20.1	Pass	1541
2540	2650	1	RMS	2598.85	19.42	60	40.58	Pass	401
2650	3000	1	RMS	2937	-42.93	-25	17.93	Pass	401
3000	7000	1	RMS	6982	-59.41	-25	34.41	Pass	4001
7000	26500	1	RMS	25472	-43.14	-25	18.14	Pass	19503




**10.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.18	-25	40.18	Pass	401
0.15	30	0.01	RMS	0.17	-63.09	-25	38.09	Pass	2986
30	1000	0.1	RMS	930.954	-55.52	-25	30.52	Pass	9701
1000	2540	1	RMS	2540	-43.15	-25	18.15	Pass	1541
2540	2650	1	RMS	2607.925	5.76	60	54.24	Pass	401
2650	3000	1	RMS	2650	-41.52	-25	16.52	Pass	401
3000	7000	1	RMS	7000	-59.23	-25	34.23	Pass	4001
7000	26500	1	RMS	25840	-42.98	-25	17.98	Pass	19503




**10.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.24	-25	40.24	Pass	401
0.15	30	0.01	RMS	2.19	-63.97	-25	38.97	Pass	2986
30	1000	0.1	RMS	958.472	-54.73	-25	29.73	Pass	9701
1000	2540	1	RMS	2529	-45.1	-25	20.1	Pass	1541
2540	2650	1	RMS	2580.975	19.11	60	40.89	Pass	401
2650	3000	1	RMS	2932.625	-42.9	-25	17.9	Pass	401
3000	7000	1	RMS	6965	-59.33	-25	34.33	Pass	4001
7000	26500	1	RMS	25865	-43	-25	18	Pass	19503




**10.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.08	-25	39.08	Pass	401
0.15	30	0.01	RMS	0.41	-63.96	-25	38.96	Pass	2986
30	1000	0.1	RMS	963.376	-55.83	-25	30.83	Pass	9701
1000	2540	1	RMS	2511	-45.14	-25	20.14	Pass	1541
2540	2650	1	RMS	2608.75	19.54	60	40.46	Pass	401
2650	3000	1	RMS	2937.875	-42.93	-25	17.93	Pass	401
3000	7000	1	RMS	6968	-59.17	-25	34.17	Pass	4001
7000	26500	1	RMS	25487	-42.88	-25	17.88	Pass	19503




**10.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:521000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.24	-25	39.24	Pass	401
0.15	30	0.01	RMS	0.16	-61.8	-25	36.8	Pass	2986
30	1000	0.1	RMS	502.4	-55.86	-25	30.86	Pass	9701
1000	2540	1	RMS	2535	-44.35	-25	19.35	Pass	1541
2540	2650	1	RMS	2617.825	6.08	60	53.92	Pass	401
2650	3000	1	RMS	2650	-37.77	-25	12.77	Pass	401
3000	7000	1	RMS	6975	-59.28	-25	34.28	Pass	4001
7000	26500	1	RMS	25592	-42.95	-25	17.95	Pass	19503




**10.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:521000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.61	-25	39.61	Pass	401
0.15	30	0.01	RMS	0.5	-62.96	-25	37.96	Pass	2986
30	1000	0.1	RMS	915.044	-55.73	-25	30.73	Pass	9701
1000	2540	1	RMS	2539	-44.83	-25	19.83	Pass	1541
2540	2650	1	RMS	2591.15	19.33	60	40.67	Pass	401
2650	3000	1	RMS	2929.125	-42.93	-25	17.93	Pass	401
3000	7000	1	RMS	6968	-59.14	-25	34.14	Pass	4001
7000	26500	1	RMS	25547	-42.83	-25	17.83	Pass	19503




**10.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-65.08	-25	40.08	Pass	401
0.15	30	0.01	RMS	0.19	-62.85	-25	37.85	Pass	2986
30	1000	0.1	RMS	923.149	-55.53	-25	30.53	Pass	9701
1000	2540	1	RMS	2539	-45.15	-25	20.15	Pass	1541
2540	2650	1	RMS	2618.925	19.67	60	40.33	Pass	401
2650	3000	1	RMS	2935.25	-42.91	-25	17.91	Pass	401
3000	7000	1	RMS	6973	-59.22	-25	34.22	Pass	4001
7000	26500	1	RMS	25501	-42.63	-25	17.63	Pass	19503




**10.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.26	-25	39.26	Pass	401
0.15	30	0.01	RMS	0.4	-63.48	-25	38.48	Pass	2986
30	1000	0.1	RMS	821.6	-55.24	-25	30.24	Pass	9701
1000	2530	1	RMS	2530	-41.43	-25	16.43	Pass	1531
2530	2660	1	RMS	2607.675	4.5	60	55.5	Pass	401
2660	3000	1	RMS	2660	-41.7	-25	16.7	Pass	401
3000	7000	1	RMS	6967	-59.17	-25	34.17	Pass	4001
7000	26500	1	RMS	25528	-42.43	-25	17.43	Pass	19503




**10.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.84	-25	38.84	Pass	401
0.15	30	0.01	RMS	0.44	-63.97	-25	38.97	Pass	2986
30	1000	0.1	RMS	877.819	-55.4	-25	30.4	Pass	9701
1000	2530	1	RMS	2519	-44.9	-25	19.9	Pass	1531
2530	2660	1	RMS	2570.95	19.17	60	40.83	Pass	401
2660	3000	1	RMS	2936.25	-42.88	-25	17.88	Pass	401
3000	7000	1	RMS	6968	-59.05	-25	34.05	Pass	4001
7000	26500	1	RMS	25514	-42.57	-25	17.57	Pass	19503




**10.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.33	-25	40.33	Pass	401
0.15	30	0.01	RMS	0.65	-64.52	-25	39.52	Pass	2986
30	1000	0.1	RMS	927.852	-55.84	-25	30.84	Pass	9701
1000	2530	1	RMS	2528	-45.29	-25	20.29	Pass	1531
2530	2660	1	RMS	2608.975	19.37	60	40.63	Pass	401
2660	3000	1	RMS	2938.8	-42.87	-25	17.87	Pass	401
3000	7000	1	RMS	6972	-59.41	-25	34.41	Pass	4001
7000	26500	1	RMS	25436	-42.79	-25	17.79	Pass	19503




**10.22 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.95	-25	39.95	Pass	401
0.15	30	0.01	RMS	1.06	-64.22	-25	39.22	Pass	2986
30	1000	0.1	RMS	873.916	-55.16	-25	30.16	Pass	9701
1000	2530	1	RMS	2530	-42.19	-25	17.19	Pass	1531
2530	2660	1	RMS	2612.55	4.63	60	55.37	Pass	401
2660	3000	1	RMS	2660	-40.36	-25	15.36	Pass	401
3000	7000	1	RMS	6997	-59.52	-25	34.52	Pass	4001
7000	26500	1	RMS	25500	-42.86	-25	17.86	Pass	19503




**10.23 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.23	-25	39.23	Pass	401
0.15	30	0.01	RMS	0.9	-63.65	-25	38.65	Pass	2986
30	1000	0.1	RMS	758.8	-55.81	-25	30.81	Pass	9701
1000	2530	1	RMS	2524	-44.54	-25	19.54	Pass	1531
2530	2660	1	RMS	2576.15	19.36	60	40.64	Pass	401
2660	3000	1	RMS	2930.3	-42.87	-25	17.87	Pass	401
3000	7000	1	RMS	6981	-59.22	-25	34.22	Pass	4001
7000	26500	1	RMS	25844	-42.94	-25	17.94	Pass	19503




**10.24 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.17	-25	39.17	Pass	401
0.15	30	0.01	RMS	0.17	-63.29	-25	38.29	Pass	2986
30	1000	0.1	RMS	821.2	-55.79	-25	30.79	Pass	9701
1000	2530	1	RMS	2491	-45.14	-25	20.14	Pass	1531
2530	2660	1	RMS	2613.85	19.6	60	40.4	Pass	401
2660	3000	1	RMS	2931.15	-42.88	-25	17.88	Pass	401
3000	7000	1	RMS	6969	-59.39	-25	34.39	Pass	4001
7000	26500	1	RMS	25839	-43.01	-25	18.01	Pass	19503




**10.25 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.24	-25	40.24	Pass	401
0.15	30	0.01	RMS	0.66	-64	-25	39	Pass	2986
30	1000	0.1	RMS	840.2	-56.05	-25	31.05	Pass	9701
1000	2530	1	RMS	2530	-43	-25	18	Pass	1531
2530	2660	1	RMS	2617.75	4.94	60	55.06	Pass	401
2660	3000	1	RMS	2660	-38.53	-25	13.53	Pass	401
3000	7000	1	RMS	6985	-59.31	-25	34.31	Pass	4001
7000	26500	1	RMS	25448	-43.06	-25	18.06	Pass	19503




**10.26 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.59	-25	39.59	Pass	401
0.15	30	0.01	RMS	0.2	-63.32	-25	38.32	Pass	2986
30	1000	0.1	RMS	981.788	-56.14	-25	31.14	Pass	9701
1000	2530	1	RMS	2529	-45.03	-25	20.03	Pass	1531
2530	2660	1	RMS	2581.025	19.24	60	40.76	Pass	401
2660	3000	1	RMS	2936.25	-42.89	-25	17.89	Pass	401
3000	7000	1	RMS	6998	-59.21	-25	34.21	Pass	4001
7000	26500	1	RMS	25493	-42.88	-25	17.88	Pass	19503



**10.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.82	-25	38.82	Pass	401
0.15	30	0.01	RMS	0.26	-63.52	-25	38.52	Pass	2986
30	1000	0.1	RMS	924.95	-55.92	-25	30.92	Pass	9701
1000	2530	1	RMS	2499	-45.2	-25	20.2	Pass	1531
2530	2660	1	RMS	2618.725	19.39	60	40.61	Pass	401
2660	3000	1	RMS	2937.1	-42.91	-25	17.91	Pass	401
3000	7000	1	RMS	6977	-59.38	-25	34.38	Pass	4001
7000	26500	1	RMS	26185	-43.14	-25	18.14	Pass	19503




11. n41

11.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.01	-25	40.01	Pass	401
0.15	30	0.01	RMS	0.15	-65.69	-25	40.69	Pass	2986
30	1000	0.1	RMS	964.376	-58.5	-25	33.5	Pass	9701
1000	2476	1	RMS	2476	-45.55	-25	20.55	Pass	1477
2476	2710	1	RMS	2513.44	9.89	60	50.11	Pass	401
2710	3000	1	RMS	2941.275	-42.96	-25	17.96	Pass	401
3000	7000	1	RMS	6980	-59.6	-25	34.6	Pass	4001
7000	26500	1	RMS	25517	-43.8	-25	18.8	Pass	19503




11.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65	-25	40	Pass	401
0.15	30	0.01	RMS	0.16	-65.84	-25	40.84	Pass	2986
30	1000	0.1	RMS	960.274	-58.52	-25	33.52	Pass	9701
1000	2476	1	RMS	2475	-45.64	-25	20.64	Pass	1477
2476	2710	1	RMS	2496.475	20.41	60	39.59	Pass	401
2710	3000	1	RMS	2933.3	-42.97	-25	17.97	Pass	401
3000	7000	1	RMS	6975	-59.62	-25	34.62	Pass	4001
7000	26500	1	RMS	25499	-43.78	-25	18.78	Pass	19503




11.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.16	-25	41.16	Pass	401
0.15	30	0.01	RMS	0.2	-65.52	-25	40.52	Pass	2986
30	1000	0.1	RMS	993.195	-58.44	-25	33.44	Pass	9701
1000	2476	1	RMS	2476	-45.6	-25	20.6	Pass	1477
2476	2710	1	RMS	2514.61	20.98	60	39.02	Pass	401
2710	3000	1	RMS	2945.625	-42.99	-25	17.99	Pass	401
3000	7000	1	RMS	6972	-59.65	-25	34.65	Pass	4001
7000	26500	1	RMS	25499	-43.88	-25	18.88	Pass	19503




11.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.66	-25	40.66	Pass	401
0.15	30	0.01	RMS	0.2	-65.45	-25	40.45	Pass	2986
30	1000	0.1	RMS	971.481	-58.55	-25	33.55	Pass	9701
1000	2476	1	RMS	2476	-45.67	-25	20.67	Pass	1477
2476	2710	1	RMS	2600.02	8.92	60	51.08	Pass	401
2710	3000	1	RMS	2937.65	-42.96	-25	17.96	Pass	401
3000	7000	1	RMS	6971	-59.6	-25	34.6	Pass	4001
7000	26500	1	RMS	25501	-43.77	-25	18.77	Pass	19503




**11.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.33	-25	41.33	Pass	401
0.15	30	0.01	RMS	0.15	-65.38	-25	40.38	Pass	2986
30	1000	0.1	RMS	864.31	-58.46	-25	33.46	Pass	9701
1000	2476	1	RMS	2476	-45.59	-25	20.59	Pass	1477
2476	2710	1	RMS	2583.64	20.47	60	39.53	Pass	401
2710	3000	1	RMS	2940.55	-42.95	-25	17.95	Pass	401
3000	7000	1	RMS	6963	-59.65	-25	34.65	Pass	4001
7000	26500	1	RMS	25501	-43.92	-25	18.92	Pass	19503




11.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.39	-25	40.39	Pass	401
0.15	30	0.01	RMS	0.24	-65.42	-25	40.42	Pass	2986
30	1000	0.1	RMS	887.626	-58.49	-25	33.49	Pass	9701
1000	2476	1	RMS	2476	-45.64	-25	20.64	Pass	1477
2476	2710	1	RMS	2601.775	20.47	60	39.53	Pass	401
2710	3000	1	RMS	2939.825	-42.93	-25	17.93	Pass	401
3000	7000	1	RMS	6973	-59.61	-25	34.61	Pass	4001
7000	26500	1	RMS	25498	-43.77	-25	18.77	Pass	19503




11.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.2	-25	41.2	Pass	401
0.15	30	0.01	RMS	0.18	-65.6	-25	40.6	Pass	2986
30	1000	0.1	RMS	872.415	-58.46	-25	33.46	Pass	9701
1000	2476	1	RMS	2474	-45.61	-25	20.61	Pass	1477
2476	2710	1	RMS	2671.975	9.49	60	50.51	Pass	401
2710	3000	1	RMS	2710	-39.92	-25	14.92	Pass	401
3000	7000	1	RMS	6978	-59.55	-25	34.55	Pass	4001
7000	26500	1	RMS	25509	-43.86	-25	18.86	Pass	19503




11.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.71	-25	40.71	Pass	401
0.15	30	0.01	RMS	0.15	-65.57	-25	40.57	Pass	2986
30	1000	0.1	RMS	933.856	-58.47	-25	33.47	Pass	9701
1000	2476	1	RMS	2472	-45.55	-25	20.55	Pass	1477
2476	2710	1	RMS	2670.805	20.95	60	39.05	Pass	401
2710	3000	1	RMS	2936.2	-42.94	-25	17.94	Pass	401
3000	7000	1	RMS	6977	-59.6	-25	34.6	Pass	4001
7000	26500	1	RMS	25491	-43.9	-25	18.9	Pass	19503




11.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.41	-25	40.41	Pass	401
0.15	30	0.01	RMS	0.15	-65.14	-25	40.14	Pass	2986
30	1000	0.1	RMS	855.404	-58.5	-25	33.5	Pass	9701
1000	2476	1	RMS	2476	-45.6	-25	20.6	Pass	1477
2476	2710	1	RMS	2688.94	20.63	60	39.37	Pass	401
2710	3000	1	RMS	2931.125	-42.97	-25	17.97	Pass	401
3000	7000	1	RMS	6974	-59.57	-25	34.57	Pass	4001
7000	26500	1	RMS	25517	-43.89	-25	18.89	Pass	19503




**11.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.47	-25	40.47	Pass	401
0.15	30	0.01	RMS	0.15	-65.28	-25	40.28	Pass	2986
30	1000	0.1	RMS	971.181	-58.44	-25	33.44	Pass	9701
1000	2396	1	RMS	2186	-46.04	-25	21.04	Pass	1397
2396	2790	1	RMS	2522.08	2.79	60	57.21	Pass	401
2790	3000	1	RMS	2943.825	-42.98	-25	17.98	Pass	401
3000	7000	1	RMS	6980	-59.55	-25	34.55	Pass	4001
7000	26500	1	RMS	25506	-43.92	-25	18.92	Pass	19503




**11.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.86	-25	40.86	Pass	401
0.15	30	0.01	RMS	0.16	-65.79	-25	40.79	Pass	2986
30	1000	0.1	RMS	943.463	-58.49	-25	33.49	Pass	9701
1000	2396	1	RMS	2190	-46.01	-25	21.01	Pass	1397
2396	2790	1	RMS	2496.47	20.3	60	39.7	Pass	401
2790	3000	1	RMS	2936.475	-42.97	-25	17.97	Pass	401
3000	7000	1	RMS	6976	-59.61	-25	34.61	Pass	4001
7000	26500	1	RMS	25515	-43.86	-25	18.86	Pass	19503




**11.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.11	-25	41.11	Pass	401
0.15	30	0.01	RMS	0.18	-65.6	-25	40.6	Pass	2986
30	1000	0.1	RMS	976.284	-58.53	-25	33.53	Pass	9701
1000	2396	1	RMS	2185	-46	-25	21	Pass	1397
2396	2790	1	RMS	2593.985	18.17	60	41.83	Pass	401
2790	3000	1	RMS	2939.1	-42.99	-25	17.99	Pass	401
3000	7000	1	RMS	6978	-59.61	-25	34.61	Pass	4001
7000	26500	1	RMS	25498	-43.89	-25	18.89	Pass	19503




11.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.47	-25	40.47	Pass	401
0.15	30	0.01	RMS	0.16	-65.25	-25	40.25	Pass	2986
30	1000	0.1	RMS	870.514	-58.46	-25	33.46	Pass	9701
1000	2396	1	RMS	2203	-46.06	-25	21.06	Pass	1397
2396	2790	1	RMS	2640.28	2.55	60	57.45	Pass	401
2790	3000	1	RMS	2930.7	-42.98	-25	17.98	Pass	401
3000	7000	1	RMS	6975	-59.6	-25	34.6	Pass	4001
7000	26500	1	RMS	25496	-43.85	-25	18.85	Pass	19503




**11.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.82	-25	40.82	Pass	401
0.15	30	0.01	RMS	0.18	-65.93	-25	40.93	Pass	2986
30	1000	0.1	RMS	968.579	-58.45	-25	33.45	Pass	9701
1000	2396	1	RMS	2180	-46.03	-25	21.03	Pass	1397
2396	2790	1	RMS	2543.75	19.65	60	40.35	Pass	401
2790	3000	1	RMS	2941.2	-42.99	-25	17.99	Pass	401
3000	7000	1	RMS	6974	-59.61	-25	34.61	Pass	4001
7000	26500	1	RMS	25508	-43.83	-25	18.83	Pass	19503




**11.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.42	-25	40.42	Pass	401
0.15	30	0.01	RMS	0.16	-65.37	-25	40.37	Pass	2986
30	1000	0.1	RMS	974.983	-58.48	-25	33.48	Pass	9701
1000	2396	1	RMS	2178	-46.01	-25	21.01	Pass	1397
2396	2790	1	RMS	2641.265	20.06	60	39.94	Pass	401
2790	3000	1	RMS	2937	-42.97	-25	17.97	Pass	401
3000	7000	1	RMS	6975	-59.65	-25	34.65	Pass	4001
7000	26500	1	RMS	25500	-43.81	-25	18.81	Pass	19503




11.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.81	-25	40.81	Pass	401
0.15	30	0.01	RMS	0.17	-65.33	-25	40.33	Pass	2986
30	1000	0.1	RMS	915.944	-58.63	-25	33.63	Pass	9701
1000	2396	1	RMS	2174	-46.11	-25	21.11	Pass	1397
2396	2790	1	RMS	2659.98	2.16	60	57.84	Pass	401
2790	3000	1	RMS	2936.475	-42.99	-25	17.99	Pass	401
3000	7000	1	RMS	6976	-59.6	-25	34.6	Pass	4001
7000	26500	1	RMS	25496	-43.91	-25	18.91	Pass	19503




**11.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.71	-25	40.71	Pass	401
0.15	30	0.01	RMS	0.16	-64.97	-25	39.97	Pass	2986
30	1000	0.1	RMS	932.155	-58.63	-25	33.63	Pass	9701
1000	2396	1	RMS	2169	-46.08	-25	21.08	Pass	1397
2396	2790	1	RMS	2590.045	17.82	60	42.18	Pass	401
2790	3000	1	RMS	2929.65	-43.01	-25	18.01	Pass	401
3000	7000	1	RMS	6973	-59.68	-25	34.68	Pass	4001
7000	26500	1	RMS	25505	-43.85	-25	18.85	Pass	19503



**11.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.34	-25	40.34	Pass	401
0.15	30	0.01	RMS	0.15	-65.36	-25	40.36	Pass	2986
30	1000	0.1	RMS	981.288	-58.47	-25	33.47	Pass	9701
1000	2396	1	RMS	2176	-46.04	-25	21.04	Pass	1397
2396	2790	1	RMS	2688.545	20.32	60	39.68	Pass	401
2790	3000	1	RMS	2939.1	-42.98	-25	17.98	Pass	401
3000	7000	1	RMS	6972	-59.63	-25	34.63	Pass	4001
7000	26500	1	RMS	25514	-43.89	-25	18.89	Pass	19503



12. n77 30kHz(3450-3550)


**12.1 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.85	-13	51.85	Pass	401
0.15	30	0.01	RMS	0.43	-63.7	-13	50.7	Pass	2986
30	1000	0.1	RMS	768.3	-56.01	-13	43.01	Pass	9701
1000	3000	1	RMS	2948	-42.86	-13	29.86	Pass	2001
3000	3440	1	RMS	3440	-35.59	-13	22.59	Pass	441
3440	3560	1	RMS	3460.7	7.23	60	52.77	Pass	401
3560	7000	1	RMS	6974	-59.32	-13	46.32	Pass	3441
7000	26500	1	RMS	25913	-43.12	-13	30.12	Pass	19503




12.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.65	-13	51.65	Pass	401
0.15	30	0.01	RMS	0.24	-63.45	-13	50.45	Pass	2986
30	1000	0.1	RMS	793.6	-56.16	-13	43.16	Pass	9701
1000	3000	1	RMS	2940	-42.9	-13	29.9	Pass	2001
3000	3440	1	RMS	3158	-43.3	-13	30.3	Pass	441
3440	3560	1	RMS	3451.1	18.59	60	41.41	Pass	401
3560	7000	1	RMS	6902	-55.1	-13	42.1	Pass	3441
7000	26500	1	RMS	25491	-43.03	-13	30.03	Pass	19503




12.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.38	-13	51.38	Pass	401
0.15	30	0.01	RMS	0.16	-64.29	-13	51.29	Pass	2986
30	1000	0.1	RMS	802.7	-55.77	-13	42.77	Pass	9701
1000	3000	1	RMS	2930	-42.58	-13	29.58	Pass	2001
3000	3440	1	RMS	3158	-43.39	-13	30.39	Pass	441
3440	3560	1	RMS	3469.1	18.69	60	41.31	Pass	401
3560	7000	1	RMS	6938	-55.74	-13	42.74	Pass	3441
7000	26500	1	RMS	25903	-43.08	-13	30.08	Pass	19503




12.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.53	-13	50.53	Pass	401
0.15	30	0.01	RMS	0.21	-63.77	-13	50.77	Pass	2986
30	1000	0.1	RMS	988.893	-56.18	-13	43.18	Pass	9701
1000	3000	1	RMS	2937	-42.89	-13	29.89	Pass	2001
3000	3440	1	RMS	3158	-43.36	-13	30.36	Pass	441
3440	3560	1	RMS	3504.8	7.47	60	52.53	Pass	401
3560	7000	1	RMS	6997	-59.39	-13	46.39	Pass	3441
7000	26500	1	RMS	25887	-42.62	-13	29.62	Pass	19503




**12.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.43	-13	51.43	Pass	401
0.15	30	0.01	RMS	0.17	-61.95	-13	48.95	Pass	2986
30	1000	0.1	RMS	901.235	-55.34	-13	42.34	Pass	9701
1000	3000	1	RMS	2953	-42.8	-13	29.8	Pass	2001
3000	3440	1	RMS	3163	-43.29	-13	30.29	Pass	441
3440	3560	1	RMS	3491	18.97	60	41.03	Pass	401
3560	7000	1	RMS	6982	-56.7	-13	43.7	Pass	3441
7000	26500	1	RMS	25852	-42.68	-13	29.68	Pass	19503




12.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.9	-13	50.9	Pass	401
0.15	30	0.01	RMS	1.21	-63.77	-13	50.77	Pass	2986
30	1000	0.1	RMS	855.204	-56.12	-13	43.12	Pass	9701
1000	3000	1	RMS	2939	-42.69	-13	29.69	Pass	2001
3000	3440	1	RMS	3161	-43.4	-13	30.4	Pass	441
3440	3560	1	RMS	3509	19.06	60	40.94	Pass	401
3560	7000	1	RMS	6985	-59.45	-13	46.45	Pass	3441
7000	26500	1	RMS	25484	-42.92	-13	29.92	Pass	19503




**12.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.67	-13	51.67	Pass	401
0.15	30	0.01	RMS	0.6	-63.17	-13	50.17	Pass	2986
30	1000	0.1	RMS	890.027	-55.95	-13	42.95	Pass	9701
1000	3000	1	RMS	2957	-42.81	-13	29.81	Pass	2001
3000	3440	1	RMS	3159	-43.33	-13	30.33	Pass	441
3440	3560	1	RMS	3545	7.76	60	52.24	Pass	401
3560	7000	1	RMS	3560	-36.19	-13	23.19	Pass	3441
7000	26500	1	RMS	25521	-43.04	-13	30.04	Pass	19503




12.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.23	-13	52.23	Pass	401
0.15	30	0.01	RMS	0.21	-62.59	-13	49.59	Pass	2986
30	1000	0.1	RMS	929.854	-55.72	-13	42.72	Pass	9701
1000	3000	1	RMS	2946	-42.69	-13	29.69	Pass	2001
3000	3440	1	RMS	3160	-43.32	-13	30.32	Pass	441
3440	3560	1	RMS	3530.9	19.21	60	40.79	Pass	401
3560	7000	1	RMS	3567	-56.31	-13	43.31	Pass	3441
7000	26500	1	RMS	25880	-43.01	-13	30.01	Pass	19503




12.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.3	-13	51.3	Pass	401
0.15	30	0.01	RMS	0.36	-64.06	-13	51.06	Pass	2986
30	1000	0.1	RMS	761.1	-55.83	-13	42.83	Pass	9701
1000	3000	1	RMS	2938	-42.65	-13	29.65	Pass	2001
3000	3440	1	RMS	3160	-43.33	-13	30.33	Pass	441
3440	3560	1	RMS	3548.9	19.37	60	40.63	Pass	401
3560	7000	1	RMS	3567	-49.04	-13	36.04	Pass	3441
7000	26500	1	RMS	25515	-42.97	-13	29.97	Pass	19503



12.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.43	-64.27	-13	51.27	Pass	2986
30	1000	0.1	RMS	725.4	-55.84	-13	42.84	Pass	9701
1000	3000	1	RMS	2952	-42.71	-13	29.71	Pass	2001
3000	3440	1	RMS	3440	-36.77	-13	23.77	Pass	441
3440	3560	1	RMS	3502.1	2.37	60	57.63	Pass	401
3560	7000	1	RMS	3560	-50.14	-13	37.14	Pass	3441
7000	26500	1	RMS	26495	-42.88	-13	29.88	Pass	19503



12.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.32	-13	51.32	Pass	401
0.15	30	0.01	RMS	0.91	-63.41	-13	50.41	Pass	2986
30	1000	0.1	RMS	843.6	-55.78	-13	42.78	Pass	9701
1000	3000	1	RMS	2963	-42.72	-13	29.72	Pass	2001
3000	3440	1	RMS	3160	-43.37	-13	30.37	Pass	441
3440	3560	1	RMS	3451.1	18.41	60	41.59	Pass	401
3560	7000	1	RMS	3567	-55.77	-13	42.77	Pass	3441
7000	26500	1	RMS	25849	-43.18	-13	30.18	Pass	19503

