

Spurious Emission at Antenna Terminals


**15.4 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:1, Channel:650000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.08	-13	51.08	Pass	401
0.15	30	0.01	RMS	1.4	-64.31	-13	51.31	Pass	2986
30	1000	0.1	RMS	880.421	-55.76	-13	42.76	Pass	9701
1000	3000	1	RMS	2968	-42.75	-13	29.75	Pass	2001
3000	3690	1	RMS	3164	-43.37	-13	30.37	Pass	691
3690	3810	1	RMS	3746.1	7.46	60	52.54	Pass	401
3810	7000	1	RMS	6970	-59.34	-13	46.34	Pass	3191
7000	26500	1	RMS	25861	-43.27	-13	30.27	Pass	19503




**15.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:2, Channel:650000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.07	-13	51.07	Pass	401
0.15	30	0.01	RMS	0.68	-64.21	-13	51.21	Pass	2986
30	1000	0.1	RMS	958.172	-55.47	-13	42.47	Pass	9701
1000	3000	1	RMS	2948	-42.76	-13	29.76	Pass	2001
3000	3690	1	RMS	3159	-43.25	-13	30.25	Pass	691
3690	3810	1	RMS	3741	19.16	60	40.84	Pass	401
3810	7000	1	RMS	7000	-59.37	-13	46.37	Pass	3191
7000	26500	1	RMS	25854	-43.16	-13	30.16	Pass	19503




**15.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:3, Channel:650000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.81	-13	51.81	Pass	401
0.15	30	0.01	RMS	0.36	-64.25	-13	51.25	Pass	2986
30	1000	0.1	RMS	961.374	-55.81	-13	42.81	Pass	9701
1000	3000	1	RMS	2932	-42.83	-13	29.83	Pass	2001
3000	3690	1	RMS	3159	-43.32	-13	30.32	Pass	691
3690	3810	1	RMS	3759	18.75	60	41.25	Pass	401
3810	7000	1	RMS	6970	-59.25	-13	46.25	Pass	3191
7000	26500	1	RMS	25487	-42.79	-13	29.79	Pass	19503




**15.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:1, Channel:652666, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.4	-13	51.4	Pass	401
0.15	30	0.01	RMS	0.95	-64.8	-13	51.8	Pass	2986
30	1000	0.1	RMS	940.26	-56.14	-13	43.14	Pass	9701
1000	3000	1	RMS	2936	-42.85	-13	29.85	Pass	2001
3000	3690	1	RMS	3160	-43.37	-13	30.37	Pass	691
3690	3810	1	RMS	3797.7	6.99	60	53.01	Pass	401
3810	7000	1	RMS	3811	-35.9	-13	22.9	Pass	3191
7000	26500	1	RMS	25512	-43.09	-13	30.09	Pass	19503




**15.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:2, Channel:652666, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.77	-13	50.77	Pass	401
0.15	30	0.01	RMS	0.39	-64.73	-13	51.73	Pass	2986
30	1000	0.1	RMS	472.6	-56.16	-13	43.16	Pass	9701
1000	3000	1	RMS	2940	-42.75	-13	29.75	Pass	2001
3000	3690	1	RMS	3163	-43.31	-13	30.31	Pass	691
3690	3810	1	RMS	3780.9	18.33	60	41.67	Pass	401
3810	7000	1	RMS	3817	-56.01	-13	43.01	Pass	3191
7000	26500	1	RMS	25450	-42.96	-13	29.96	Pass	19503




**15.9 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.6	-13	51.6	Pass	401
0.15	30	0.01	RMS	0.33	-61.59	-13	48.59	Pass	2986
30	1000	0.1	RMS	819.6	-55.9	-13	42.9	Pass	9701
1000	3000	1	RMS	2954	-42.85	-13	29.85	Pass	2001
3000	3690	1	RMS	3162	-43.32	-13	30.32	Pass	691
3690	3810	1	RMS	3798.9	18.78	60	41.22	Pass	401
3810	7000	1	RMS	3817	-50.02	-13	37.02	Pass	3191
7000	26500	1	RMS	25457	-42.73	-13	29.73	Pass	19503




**15.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.07	-13	52.07	Pass	401
0.15	30	0.01	RMS	1.05	-63.53	-13	50.53	Pass	2986
30	1000	0.1	RMS	680.7	-56.15	-13	43.15	Pass	9701
1000	3000	1	RMS	2957	-42.81	-13	29.81	Pass	2001
3000	3690	1	RMS	3690	-35.95	-13	22.95	Pass	691
3690	3810	1	RMS	3702.9	3.2	60	56.8	Pass	401
3810	7000	1	RMS	3811	-49.48	-13	36.48	Pass	3191
7000	26500	1	RMS	25509	-42.9	-13	29.9	Pass	19503




**15.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.31	-13	51.31	Pass	401
0.15	30	0.01	RMS	0.66	-64.48	-13	51.48	Pass	2986
30	1000	0.1	RMS	934.457	-55.9	-13	42.9	Pass	9701
1000	3000	1	RMS	2954	-42.72	-13	29.72	Pass	2001
3000	3690	1	RMS	3672	-43.34	-13	30.34	Pass	691
3690	3810	1	RMS	3701.1	19.72	60	40.28	Pass	401
3810	7000	1	RMS	3817	-54.84	-13	41.84	Pass	3191
7000	26500	1	RMS	25495	-43.07	-13	30.07	Pass	19503




**15.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:3, Channel:648668, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.82	-13	52.82	Pass	401
0.15	30	0.01	RMS	0.88	-64.57	-13	51.57	Pass	2986
30	1000	0.1	RMS	894.13	-55.98	-13	42.98	Pass	9701
1000	3000	1	RMS	2955	-42.76	-13	29.76	Pass	2001
3000	3690	1	RMS	3643	-43.08	-13	30.08	Pass	691
3690	3810	1	RMS	3759	18.56	60	41.44	Pass	401
3810	7000	1	RMS	3817	-54.82	-13	41.82	Pass	3191
7000	26500	1	RMS	25501	-42.98	-13	29.98	Pass	19503




**15.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:1, Channel:650000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.62	-13	50.62	Pass	401
0.15	30	0.01	RMS	0.51	-63.53	-13	50.53	Pass	2986
30	1000	0.1	RMS	882.022	-55.31	-13	42.31	Pass	9701
1000	3000	1	RMS	2951	-42.77	-13	29.77	Pass	2001
3000	3690	1	RMS	3690	-39.23	-13	26.23	Pass	691
3690	3810	1	RMS	3722.7	2.71	60	57.29	Pass	401
3810	7000	1	RMS	3811	-40.7	-13	27.7	Pass	3191
7000	26500	1	RMS	25880	-42.6	-13	29.6	Pass	19503




**15.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:2, Channel:650000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.74	-13	51.74	Pass	401
0.15	30	0.01	RMS	0.55	-63.11	-13	50.11	Pass	2986
30	1000	0.1	RMS	814.7	-55.9	-13	42.9	Pass	9701
1000	3000	1	RMS	2928	-42.87	-13	29.87	Pass	2001
3000	3690	1	RMS	3160	-43.24	-13	30.24	Pass	691
3690	3810	1	RMS	3720.9	19.36	60	40.64	Pass	401
3810	7000	1	RMS	3837	-55.31	-13	42.31	Pass	3191
7000	26500	1	RMS	25828	-42.89	-13	29.89	Pass	19503




**15.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:3, Channel:650000, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.03	-13	51.03	Pass	401
0.15	30	0.01	RMS	0.35	-63.9	-13	50.9	Pass	2986
30	1000	0.1	RMS	892.729	-55.8	-13	42.8	Pass	9701
1000	3000	1	RMS	2933	-42.89	-13	29.89	Pass	2001
3000	3690	1	RMS	3164	-43.27	-13	30.27	Pass	691
3690	3810	1	RMS	3779.1	17.88	60	42.12	Pass	401
3810	7000	1	RMS	3837	-52.76	-13	39.76	Pass	3191
7000	26500	1	RMS	25521	-42.5	-13	29.5	Pass	19503




**15.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:1, Channel:651332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.83	-13	50.83	Pass	401
0.15	30	0.01	RMS	0.17	-62.83	-13	49.83	Pass	2986
30	1000	0.1	RMS	726.8	-55.81	-13	42.81	Pass	9701
1000	3000	1	RMS	2945	-42.72	-13	29.72	Pass	2001
3000	3690	1	RMS	3690	-43.18	-13	30.18	Pass	691
3690	3810	1	RMS	3749.1	2.03	60	57.97	Pass	401
3810	7000	1	RMS	3811	-35.3	-13	22.3	Pass	3191
7000	26500	1	RMS	25441	-43.09	-13	30.09	Pass	19503




**15.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:2, Channel:651332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.18	-61.38	-13	48.38	Pass	2986
30	1000	0.1	RMS	849.5	-56	-13	43	Pass	9701
1000	3000	1	RMS	2943	-42.81	-13	29.81	Pass	2001
3000	3690	1	RMS	3163	-43.24	-13	30.24	Pass	691
3690	3810	1	RMS	3741	18.85	60	41.15	Pass	401
3810	7000	1	RMS	3857	-54.38	-13	41.38	Pass	3191
7000	26500	1	RMS	25499	-43.01	-13	30.01	Pass	19503




**15.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:3, Channel:651332, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.88	-13	50.88	Pass	401
0.15	30	0.01	RMS	0.35	-64.09	-13	51.09	Pass	2986
30	1000	0.1	RMS	941.861	-56.13	-13	43.13	Pass	9701
1000	3000	1	RMS	2956	-42.67	-13	29.67	Pass	2001
3000	3690	1	RMS	3163	-43.36	-13	30.36	Pass	691
3690	3810	1	RMS	3798.9	18.66	60	41.34	Pass	401




**15.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.72	-13	50.72	Pass	401
0.15	30	0.01	RMS	0.15	-63.21	-13	50.21	Pass	2986
30	1000	0.1	RMS	907.339	-55.73	-13	42.73	Pass	9701
1000	3000	1	RMS	2935	-42.69	-13	29.69	Pass	2001
3000	3690	1	RMS	3688	-36.88	-13	23.88	Pass	691
3690	3810	1	RMS	3702.6	0.79	60	59.21	Pass	401
3810	7000	1	RMS	3814	-37.71	-13	24.71	Pass	3191
7000	26500	1	RMS	25492	-42.82	-13	29.82	Pass	19503




**15.20 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.08	-13	51.08	Pass	401
0.15	30	0.01	RMS	0.17	-63.3	-13	50.3	Pass	2986
30	1000	0.1	RMS	872.916	-55.56	-13	42.56	Pass	9701
1000	3000	1	RMS	2934	-42.81	-13	29.81	Pass	2001
3000	3690	1	RMS	3160	-43.32	-13	30.32	Pass	691
3690	3810	1	RMS	3701.1	19.71	60	40.29	Pass	401
3810	7000	1	RMS	3897	-57.1	-13	44.1	Pass	3191
7000	26500	1	RMS	25882	-43.18	-13	30.18	Pass	19503



**15.21 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTLV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.02	-13	50.02	Pass	401
0.15	30	0.01	RMS	0.29	-64.07	-13	51.07	Pass	2986
30	1000	0.1	RMS	830.5	-56.05	-13	43.05	Pass	9701
1000	3000	1	RMS	2933	-42.7	-13	29.7	Pass	2001
3000	3690	1	RMS	3159	-43.37	-13	30.37	Pass	691
3690	3810	1	RMS	3798.9	18.52	60	41.48	Pass	401
3810	7000	1	RMS	3897	-50.14	-13	37.14	Pass	3191
7000	26500	1	RMS	25483	-42.93	-13	29.93	Pass	19503




16. n13 15kHz

16.1 Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.37	-13	52.37	Pass	401
0.15	30	0.01	RMS	0.16	-65.24	-13	52.24	Pass	2986
30	767	0.1	RMS	750.3	-58.88	-13	45.88	Pass	7371
767	797	0.1	RMS	780.95	5.12	60	54.88	Pass	401
797	1000	0.1	RMS	932.2	-58.28	-13	45.28	Pass	2031
1000	3000	1	RMS	2935	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	5207	-58.35	-13	45.35	Pass	7001




**16.2 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:155900, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.84	-13	52.84	Pass	401
0.15	30	0.01	RMS	0.15	-65.38	-13	52.38	Pass	2986
30	767	0.1	RMS	748.7	-58.78	-13	45.78	Pass	7371
767	797	0.1	RMS	777.35	18.05	60	41.95	Pass	401
797	1000	0.1	RMS	799.7	-58.27	-13	45.27	Pass	2031
1000	3000	1	RMS	2940	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8746	-58.97	-13	45.97	Pass	7001




16.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.45	-13	51.45	Pass	401
0.15	30	0.01	RMS	0.17	-65.04	-13	52.04	Pass	2986
30	767	0.1	RMS	751	-58.94	-13	45.94	Pass	7371
767	797	0.1	RMS	781.625	18.12	60	41.88	Pass	401
797	1000	0.1	RMS	974.6	-58.39	-13	45.39	Pass	2031
1000	3000	1	RMS	2932	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8741	-58.91	-13	45.91	Pass	7001




16.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.97	-13	51.97	Pass	401
0.15	30	0.01	RMS	0.15	-64.88	-13	51.88	Pass	2986
30	767	0.1	RMS	764	-58.73	-13	45.73	Pass	7371
767	797	0.1	RMS	783.425	4.95	60	55.05	Pass	401
797	1000	0.1	RMS	797.2	-57.89	-13	44.89	Pass	2031
1000	3000	1	RMS	2936	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8744	-59	-13	46	Pass	7001




**16.5 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:156400, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.94	-13	50.94	Pass	401
0.15	30	0.01	RMS	0.21	-65.51	-13	52.51	Pass	2986
30	767	0.1	RMS	735.9	-58.86	-13	45.86	Pass	7371
767	797	0.1	RMS	779.825	18.41	60	41.59	Pass	401
797	1000	0.1	RMS	838.4	-58.41	-13	45.41	Pass	2031
1000	3000	1	RMS	2932	-42.92	-13	29.92	Pass	2001
3000	10000	1	RMS	8749	-58.92	-13	45.92	Pass	7001




**16.6 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:156400, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.18	-13	52.18	Pass	401
0.15	30	0.01	RMS	0.2	-65.19	-13	52.19	Pass	2986
30	767	0.1	RMS	737.9	-58.95	-13	45.95	Pass	7371
767	797	0.1	RMS	784.175	18.23	60	41.77	Pass	401
797	1000	0.1	RMS	991.9	-58.45	-13	45.45	Pass	2031
1000	3000	1	RMS	2932	-42.89	-13	29.89	Pass	2001
3000	10000	1	RMS	8743	-58.91	-13	45.91	Pass	7001




**16.7 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:156900, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.82	-13	51.82	Pass	401
0.15	30	0.01	RMS	0.15	-64.76	-13	51.76	Pass	2986
30	767	0.1	RMS	742.1	-58.81	-13	45.81	Pass	7371
767	797	0.1	RMS	783.05	4.82	60	55.18	Pass	401
797	1000	0.1	RMS	797.1	-56.34	-13	43.34	Pass	2031
1000	3000	1	RMS	2935	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8743	-58.96	-13	45.96	Pass	7001




**16.8 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:156900, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.92	-13	51.92	Pass	401
0.15	30	0.01	RMS	0.17	-65.63	-13	52.63	Pass	2986
30	767	0.1	RMS	737.2	-58.93	-13	45.93	Pass	7371
767	797	0.1	RMS	782.3	18.12	60	41.88	Pass	401
797	1000	0.1	RMS	980.7	-58.35	-13	45.35	Pass	2031
1000	3000	1	RMS	2940	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8733	-58.98	-13	45.98	Pass	7001




**16.9 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:156900, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.18	-65.64	-13	52.64	Pass	2986
30	767	0.1	RMS	762.6	-58.76	-13	45.76	Pass	7371
767	797	0.1	RMS	786.65	18.31	60	41.69	Pass	401
797	1000	0.1	RMS	986.6	-58.39	-13	45.39	Pass	2031
1000	3000	1	RMS	2935	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8752	-58.95	-13	45.95	Pass	7001




**16.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:156400, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.75	-13	51.75	Pass	401
0.15	30	0.01	RMS	0.19	-65.19	-13	52.19	Pass	2986
30	767	0.1	RMS	766.8	-58.9	-13	45.9	Pass	7371
767	797	0.1	RMS	784.25	2.02	60	57.98	Pass	401
797	1000	0.1	RMS	797	-45	-13	32	Pass	2031
1000	3000	1	RMS	2934	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8741	-58.88	-13	45.88	Pass	7001




**16.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:156400, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.52	-13	52.52	Pass	401
0.15	30	0.01	RMS	0.17	-65.31	-13	52.31	Pass	2986
30	767	0.1	RMS	748.7	-58.77	-13	45.77	Pass	7371
767	797	0.1	RMS	777.425	18.31	60	41.69	Pass	401
797	1000	0.1	RMS	851	-58.36	-13	45.36	Pass	2031
1000	3000	1	RMS	2939	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8742	-58.96	-13	45.96	Pass	7001



**16.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:156400, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.88	-13	51.88	Pass	401
0.15	30	0.01	RMS	0.15	-64.28	-13	51.28	Pass	2986
30	767	0.1	RMS	754.3	-58.81	-13	45.81	Pass	7371
767	797	0.1	RMS	786.575	18.37	60	41.63	Pass	401
797	1000	0.1	RMS	875.3	-58.43	-13	45.43	Pass	2031
1000	3000	1	RMS	2945	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8742	-58.96	-13	45.96	Pass	7001



1. n14 15kHz


1.1 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.51	-13	52.51	Pass	401
0.15	30	0.01	RMS	0.17	-64.92	-13	51.92	Pass	2986
30	778	0.1	RMS	778	-57.12	-13	44.12	Pass	7481
778	808	0.1	RMS	791.95	5.02	60	54.98	Pass	401
808	1000	0.1	RMS	840.1	-58.32	-13	45.32	Pass	1921
1000	3000	1	RMS	2932	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8743	-59.02	-13	46.02	Pass	7001




1.2 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.25	-13	52.25	Pass	401
0.15	30	0.01	RMS	0.19	-64.67	-13	51.67	Pass	2986
30	778	0.1	RMS	741.1	-58.78	-13	45.78	Pass	7481
778	808	0.1	RMS	788.35	17.52	60	42.48	Pass	401
808	1000	0.1	RMS	912.6	-58.45	-13	45.45	Pass	1921
1000	3000	1	RMS	2941	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8746	-59.01	-13	46.01	Pass	7001




1.3 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.92	-13	51.92	Pass	401
0.15	30	0.01	RMS	0.16	-65.6	-13	52.6	Pass	2986
30	778	0.1	RMS	764.2	-58.75	-13	45.75	Pass	7481
778	808	0.1	RMS	792.625	17.3	60	42.7	Pass	401
808	1000	0.1	RMS	974.6	-58.47	-13	45.47	Pass	1921
1000	3000	1	RMS	2933	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8746	-58.88	-13	45.88	Pass	7001




1.4 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.52	-13	51.52	Pass	401
0.15	30	0.01	RMS	0.15	-65.31	-13	52.31	Pass	2986
30	778	0.1	RMS	778	-58.5	-13	45.5	Pass	7481
778	808	0.1	RMS	791.35	5.19	60	54.81	Pass	401
808	1000	0.1	RMS	927.8	-58.35	-13	45.35	Pass	1921
1000	3000	1	RMS	2944	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8746	-58.9	-13	45.9	Pass	7001




1.5 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.57	-13	51.57	Pass	401
0.15	30	0.01	RMS	0.18	-64.8	-13	51.8	Pass	2986
30	778	0.1	RMS	775.7	-58.85	-13	45.85	Pass	7481
778	808	0.1	RMS	790.825	17.52	60	42.48	Pass	401
808	1000	0.1	RMS	957.2	-58.39	-13	45.39	Pass	1921
1000	3000	1	RMS	2953	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8740	-59.01	-13	46.01	Pass	7001




1.6 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.4	-13	52.4	Pass	401
0.15	30	0.01	RMS	0.15	-65.02	-13	52.02	Pass	2986
30	778	0.1	RMS	761.8	-58.82	-13	45.82	Pass	7481
778	808	0.1	RMS	795.175	17.17	60	42.83	Pass	401
808	1000	0.1	RMS	842.8	-58.29	-13	45.29	Pass	1921
1000	3000	1	RMS	2932	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8748	-58.96	-13	45.96	Pass	7001




1.7 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.92	-13	52.92	Pass	401
0.15	30	0.01	RMS	0.16	-65.11	-13	52.11	Pass	2986
30	778	0.1	RMS	765.8	-58.77	-13	45.77	Pass	7481
778	808	0.1	RMS	793.75	4.79	60	55.21	Pass	401
808	1000	0.1	RMS	851.2	-58.23	-13	45.23	Pass	1921
1000	3000	1	RMS	2935	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8754	-58.98	-13	45.98	Pass	7001




1.8 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.92	-13	50.92	Pass	401
0.15	30	0.01	RMS	0.19	-65.74	-13	52.74	Pass	2986
30	778	0.1	RMS	763.6	-58.76	-13	45.76	Pass	7481
778	808	0.1	RMS	793.3	17.29	60	42.71	Pass	401
808	1000	0.1	RMS	851.1	-58.31	-13	45.31	Pass	1921
1000	3000	1	RMS	2941	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8738	-59.01	-13	46.01	Pass	7001




1.9 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.61	-13	51.61	Pass	401
0.15	30	0.01	RMS	0.19	-65.45	-13	52.45	Pass	2986
30	778	0.1	RMS	747.9	-58.81	-13	45.81	Pass	7481
778	808	0.1	RMS	797.65	16.9	60	43.1	Pass	401
808	1000	0.1	RMS	904.1	-58.37	-13	45.37	Pass	1921
1000	3000	1	RMS	2944	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8742	-58.99	-13	45.99	Pass	7001




1.10 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.79	-13	52.79	Pass	401
0.15	30	0.01	RMS	0.2	-65.39	-13	52.39	Pass	2986
30	778	0.1	RMS	777.9	-47.21	-13	34.21	Pass	7481
778	808	0.1	RMS	790.975	1.93	60	58.07	Pass	401
808	1000	0.1	RMS	808	-57.93	-13	44.93	Pass	1921
1000	3000	1	RMS	2939	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8742	-58.98	-13	45.98	Pass	7001




1.11 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.03	-13	51.03	Pass	401
0.15	30	0.01	RMS	0.22	-65.47	-13	52.47	Pass	2986
30	778	0.1	RMS	777.5	-58.77	-13	45.77	Pass	7481
778	808	0.1	RMS	788.425	17.42	60	42.58	Pass	401
808	1000	0.1	RMS	947.8	-58.31	-13	45.31	Pass	1921
1000	3000	1	RMS	2934	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8745	-58.97	-13	45.97	Pass	7001



1.12 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.57	-13	51.57	Pass	401
0.15	30	0.01	RMS	0.17	-65.03	-13	52.03	Pass	2986
30	778	0.1	RMS	741.5	-58.76	-13	45.76	Pass	7481
778	808	0.1	RMS	797.575	17.02	60	42.98	Pass	401
808	1000	0.1	RMS	974.5	-58.33	-13	45.33	Pass	1921
1000	3000	1	RMS	2942	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8743	-58.91	-13	45.91	Pass	7001



2. n26 15kHz_Part90


2.1 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.66	-13	51.66	Pass	401
0.15	30	0.01	RMS	0.15	-64.66	-13	51.66	Pass	2986
30	804	0.1	RMS	732.7	-58.85	-13	45.85	Pass	7741
804	834	0.1	RMS	818.475	4.57	60	55.43	Pass	401
834	1000	0.1	RMS	880.5	-58.25	-13	45.25	Pass	1661
1000	3000	1	RMS	2938	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8741	-59.01	-13	46.01	Pass	7001




2.2 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.05	-13	52.05	Pass	401
0.15	30	0.01	RMS	0.16	-65.86	-13	52.86	Pass	2986
30	804	0.1	RMS	748.3	-58.9	-13	45.9	Pass	7741
804	834	0.1	RMS	814.35	17.45	60	42.55	Pass	401
834	1000	0.1	RMS	982.6	-58.43	-13	45.43	Pass	1661
1000	3000	1	RMS	2939	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8750	-58.92	-13	45.92	Pass	7001




2.3 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.91	-13	51.91	Pass	401
0.15	30	0.01	RMS	0.15	-64.72	-13	51.72	Pass	2986
30	804	0.1	RMS	737.9	-58.74	-13	45.74	Pass	7741
804	834	0.1	RMS	818.625	17.4	60	42.6	Pass	401
834	1000	0.1	RMS	835.9	-58.37	-13	45.37	Pass	1661
1000	3000	1	RMS	2934	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8738	-58.98	-13	45.98	Pass	7001




2.4 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.95	-13	52.95	Pass	401
0.15	30	0.01	RMS	0.26	-65.86	-13	52.86	Pass	2986
30	804	0.1	RMS	777.7	-58.83	-13	45.83	Pass	7741
804	834	0.1	RMS	820.35	4.55	60	55.45	Pass	401
834	1000	0.1	RMS	976.2	-58.32	-13	45.32	Pass	1661
1000	3000	1	RMS	2944	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	8739	-59.03	-13	46.03	Pass	7001




2.5 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.46	-13	51.46	Pass	401
0.15	30	0.01	RMS	0.15	-65.66	-13	52.66	Pass	2986
30	804	0.1	RMS	765	-58.88	-13	45.88	Pass	7741
804	834	0.1	RMS	816.825	17.61	60	42.39	Pass	401
834	1000	0.1	RMS	843.3	-58.46	-13	45.46	Pass	1661
1000	3000	1	RMS	2932	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8745	-58.98	-13	45.98	Pass	7001




2.6 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.6	-13	52.6	Pass	401
0.15	30	0.01	RMS	0.15	-64.98	-13	51.98	Pass	2986
30	804	0.1	RMS	785	-58.78	-13	45.78	Pass	7741
804	834	0.1	RMS	821.175	17.54	60	42.46	Pass	401
834	1000	0.1	RMS	879.4	-58.45	-13	45.45	Pass	1661
1000	3000	1	RMS	2937	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8745	-59	-13	46	Pass	7001




2.7 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.74	-13	51.74	Pass	401
0.15	30	0.01	RMS	0.27	-65.27	-13	52.27	Pass	2986
30	804	0.1	RMS	738.4	-58.82	-13	45.82	Pass	7741
804	834	0.1	RMS	822.9	4.31	60	55.69	Pass	401
834	1000	0.1	RMS	834.2	-57.83	-13	44.83	Pass	1661
1000	3000	1	RMS	2944	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8751	-59.02	-13	46.02	Pass	7001




2.8 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.1	-13	51.1	Pass	401
0.15	30	0.01	RMS	0.18	-65.25	-13	52.25	Pass	2986
30	804	0.1	RMS	786	-58.8	-13	45.8	Pass	7741
804	834	0.1	RMS	819.3	17.5	60	42.5	Pass	401
834	1000	0.1	RMS	834.4	-58.49	-13	45.49	Pass	1661
1000	3000	1	RMS	2933	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8745	-58.96	-13	45.96	Pass	7001




2.9 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.56	-13	52.56	Pass	401
0.15	30	0.01	RMS	0.15	-65.32	-13	52.32	Pass	2986
30	804	0.1	RMS	732	-58.88	-13	45.88	Pass	7741
804	834	0.1	RMS	823.65	17.75	60	42.25	Pass	401
834	1000	0.1	RMS	836.1	-58.43	-13	45.43	Pass	1661
1000	3000	1	RMS	2934	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8742	-58.99	-13	45.99	Pass	7001




2.10 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.76	-13	52.76	Pass	401
0.15	30	0.01	RMS	0.15	-64.56	-13	51.56	Pass	2986
30	804	0.1	RMS	775.5	-58.81	-13	45.81	Pass	7741
804	834	0.1	RMS	821.325	1.56	60	58.44	Pass	401
834	1000	0.1	RMS	834	-49.02	-13	36.02	Pass	1661
1000	3000	1	RMS	2951	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	8746	-58.98	-13	45.98	Pass	7001




2.11 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.68	-13	52.68	Pass	401
0.15	30	0.01	RMS	0.16	-65.6	-13	52.6	Pass	2986
30	804	0.1	RMS	777.5	-58.86	-13	45.86	Pass	7741
804	834	0.1	RMS	814.425	17.39	60	42.61	Pass	401
834	1000	0.1	RMS	939.9	-58.45	-13	45.45	Pass	1661
1000	3000	1	RMS	2938	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8753	-59.01	-13	46.01	Pass	7001



2.12 Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.39	-13	52.39	Pass	401
0.15	30	0.01	RMS	0.19	-64.89	-13	51.89	Pass	2986
30	804	0.1	RMS	733.8	-58.85	-13	45.85	Pass	7741
804	834	0.1	RMS	823.575	17.83	60	42.17	Pass	401
834	1000	0.1	RMS	881.7	-58.47	-13	45.47	Pass	1661
1000	3000	1	RMS	2935	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8740	-59.01	-13	46.01	Pass	7001



--BLANK BELOW--