

Spurious Emission at Antenna Terminals


2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.05	-13	58.05	Pass	401
0.15	30	0.01	RMS	0.15	-70.32	-13	57.32	Pass	2986
30	1000	0.1	RMS	940.461	-62.79	-13	49.79	Pass	9701
1000	1700	1	RMS	1685	-51.06	-13	38.06	Pass	701
1700	1765	1	RMS	1723.563	17.52	60	42.48	Pass	401
1765	3000	1	RMS	2974	-47.35	-13	34.35	Pass	1236
3000	12000	1	RMS	11988	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	19388	-27.9	-13	14.9	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	0.17	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	974.383	-62.74	-13	49.74	Pass	9701
1000	1700	1	RMS	1684	-50.92	-13	37.92	Pass	701
1700	1765	1	RMS	1736.075	18.4	60	41.6	Pass	401
1765	3000	1	RMS	2994	-47.31	-13	34.31	Pass	1236
3000	12000	1	RMS	11999	-36.11	-13	23.11	Pass	9002
12000	20000	1	RMS	19326	-27.92	-13	14.92	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	890.427	-62.89	-13	49.89	Pass	9701
1000	1700	1	RMS	1684	-50.86	-13	37.86	Pass	701
1700	1765	1	RMS	1736.075	17.48	60	42.52	Pass	401
1765	3000	1	RMS	2982	-47.29	-13	34.29	Pass	1236
3000	12000	1	RMS	11902	-36.09	-13	23.09	Pass	9002
12000	20000	1	RMS	19316	-27.93	-13	14.93	Pass	8001



3. LTE_Band7


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.57	-25	46.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-25	46.09	Pass	2986
30	1000	0.1	RMS	974.383	-62.88	-25	37.88	Pass	9701
1000	2490	1	RMS	2489	-48.53	-25	23.53	Pass	1491
2490	2580	1	RMS	2500.35	18.97	60	41.03	Pass	401
2580	3000	1	RMS	3000	-47.35	-25	22.35	Pass	421
3000	12000	1	RMS	11995	-57.04	-25	32.04	Pass	9002
12000	26000	1	RMS	25489	-49.76	-25	24.76	Pass	14002




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-25	45.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-25	46.09	Pass	2986
30	1000	0.1	RMS	931.355	-62.81	-25	37.81	Pass	9701
1000	2490	1	RMS	2488	-48.6	-25	23.6	Pass	1491
2490	2580	1	RMS	2500.35	18.15	60	41.85	Pass	401
2580	3000	1	RMS	2998	-47.33	-25	22.33	Pass	421
3000	12000	1	RMS	11988	-56.98	-25	31.98	Pass	9002
12000	26000	1	RMS	25500	-49.64	-25	24.64	Pass	14002




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-25	46.67	Pass	401
0.15	30	0.01	RMS	0.17	-71.03	-25	46.03	Pass	2986
30	1000	0.1	RMS	933.556	-62.88	-25	37.88	Pass	9701
1000	2490	1	RMS	2489	-48.6	-25	23.6	Pass	1491
2490	2580	1	RMS	2532.75	18.95	60	41.05	Pass	401
2580	3000	1	RMS	2654	-47.13	-25	22.13	Pass	421
3000	12000	1	RMS	11902	-57.04	-25	32.04	Pass	9002
12000	26000	1	RMS	25501	-49.74	-25	24.74	Pass	14002




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.71	-25	45.71	Pass	401
0.15	30	0.01	RMS	0.21	-70.7	-25	45.7	Pass	2986
30	1000	0.1	RMS	997.198	-62.89	-25	37.89	Pass	9701
1000	2490	1	RMS	2488	-48.6	-25	23.6	Pass	1491
2490	2580	1	RMS	2532.75	18.2	60	41.8	Pass	401
2580	3000	1	RMS	2654	-47.14	-25	22.14	Pass	421
3000	12000	1	RMS	11999	-56.96	-25	31.96	Pass	9002
12000	26000	1	RMS	25505	-49.8	-25	24.8	Pass	14002




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-25	46.68	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-25	45.85	Pass	2986
30	1000	0.1	RMS	987.592	-62.85	-25	37.85	Pass	9701
1000	2490	1	RMS	2490	-48.66	-25	23.66	Pass	1491
2490	2580	1	RMS	2565.375	19.01	60	40.99	Pass	401
2580	3000	1	RMS	3000	-47.33	-25	22.33	Pass	421
3000	12000	1	RMS	12000	-56.93	-25	31.93	Pass	9002
12000	26000	1	RMS	25506	-49.62	-25	24.62	Pass	14002




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-25	46.74	Pass	401
0.15	30	0.01	RMS	0.23	-71.47	-25	46.47	Pass	2986
30	1000	0.1	RMS	988.492	-62.68	-25	37.68	Pass	9701
1000	2490	1	RMS	2488	-48.58	-25	23.58	Pass	1491
2490	2580	1	RMS	2565.375	18.15	60	41.85	Pass	401
2580	3000	1	RMS	3000	-47.35	-25	22.35	Pass	421
3000	12000	1	RMS	12000	-56.98	-25	31.98	Pass	9002
12000	26000	1	RMS	25501	-49.6	-25	24.6	Pass	14002




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.58	-25	45.58	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-25	45.88	Pass	2986
30	1000	0.1	RMS	969.58	-62.77	-25	37.77	Pass	9701
1000	2490	1	RMS	2490	-48.5	-25	23.5	Pass	1491
2490	2580	1	RMS	2500.575	18.96	60	41.04	Pass	401
2580	3000	1	RMS	2987	-47.37	-25	22.37	Pass	421
3000	12000	1	RMS	11901	-57.02	-25	32.02	Pass	9002
12000	26000	1	RMS	25507	-49.61	-25	24.61	Pass	14002




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.99	-25	46.99	Pass	401
0.15	30	0.01	RMS	0.16	-70.96	-25	45.96	Pass	2986
30	1000	0.1	RMS	998.499	-62.92	-25	37.92	Pass	9701
1000	2490	1	RMS	2489	-48.66	-25	23.66	Pass	1491
2490	2580	1	RMS	2500.575	18.57	60	41.43	Pass	401
2580	3000	1	RMS	2999	-47.36	-25	22.36	Pass	421
3000	12000	1	RMS	11901	-56.97	-25	31.97	Pass	9002
12000	26000	1	RMS	25494	-49.72	-25	24.72	Pass	14002




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.03	-25	46.03	Pass	401
0.15	30	0.01	RMS	0.17	-71.14	-25	46.14	Pass	2986
30	1000	0.1	RMS	925.15	-62.82	-25	37.82	Pass	9701
1000	2490	1	RMS	2486	-48.59	-25	23.59	Pass	1491
2490	2580	1	RMS	2530.5	18.88	60	41.12	Pass	401
2580	3000	1	RMS	2653	-47.06	-25	22.06	Pass	421
3000	12000	1	RMS	11996	-56.97	-25	31.97	Pass	9002
12000	26000	1	RMS	25497	-49.7	-25	24.7	Pass	14002




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.1	-25	46.1	Pass	401
0.15	30	0.01	RMS	0.18	-71.51	-25	46.51	Pass	2986
30	1000	0.1	RMS	952.969	-62.83	-25	37.83	Pass	9701
1000	2490	1	RMS	2488	-48.63	-25	23.63	Pass	1491
2490	2580	1	RMS	2530.5	17.99	60	42.01	Pass	401
2580	3000	1	RMS	2651	-47.09	-25	22.09	Pass	421
3000	12000	1	RMS	11998	-56.95	-25	31.95	Pass	9002
12000	26000	1	RMS	25497	-49.72	-25	24.72	Pass	14002




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.77	-25	45.77	Pass	401
0.15	30	0.01	RMS	0.22	-71.22	-25	46.22	Pass	2986
30	1000	0.1	RMS	993.095	-62.84	-25	37.84	Pass	9701
1000	2490	1	RMS	2489	-48.63	-25	23.63	Pass	1491
2490	2580	1	RMS	2560.65	19.02	60	40.98	Pass	401
2580	3000	1	RMS	2969	-47.36	-25	22.36	Pass	421
3000	12000	1	RMS	11904	-57.03	-25	32.03	Pass	9002
12000	26000	1	RMS	25500	-49.77	-25	24.77	Pass	14002




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.62	-25	45.62	Pass	401
0.15	30	0.01	RMS	0.23	-71.54	-25	46.54	Pass	2986
30	1000	0.1	RMS	911.641	-62.91	-25	37.91	Pass	9701
1000	2490	1	RMS	2484	-48.66	-25	23.66	Pass	1491
2490	2580	1	RMS	2560.65	18.3	60	41.7	Pass	401
2580	3000	1	RMS	2998	-47.35	-25	22.35	Pass	421
3000	12000	1	RMS	11904	-56.99	-25	31.99	Pass	9002
12000	26000	1	RMS	25501	-49.72	-25	24.72	Pass	14002




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.25	-25	46.25	Pass	401
0.15	30	0.01	RMS	0.2	-71.41	-25	46.41	Pass	2986
30	1000	0.1	RMS	849.901	-62.92	-25	37.92	Pass	9701
1000	2490	1	RMS	2490	-48.54	-25	23.54	Pass	1491
2490	2580	1	RMS	2500.8	18.75	60	41.25	Pass	401
2580	3000	1	RMS	2633	-47.33	-25	22.33	Pass	421
3000	12000	1	RMS	12000	-56.98	-25	31.98	Pass	9002
12000	26000	1	RMS	25492	-49.65	-25	24.65	Pass	14002




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.65	-25	45.65	Pass	401
0.15	30	0.01	RMS	0.2	-71.27	-25	46.27	Pass	2986
30	1000	0.1	RMS	950.167	-62.92	-25	37.92	Pass	9701
1000	2490	1	RMS	2490	-48.58	-25	23.58	Pass	1491
2490	2580	1	RMS	2500.8	18.21	60	41.79	Pass	401
2580	3000	1	RMS	2632	-47.34	-25	22.34	Pass	421
3000	12000	1	RMS	11902	-56.93	-25	31.93	Pass	9002
12000	26000	1	RMS	25493	-49.7	-25	24.7	Pass	14002




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.12	-25	46.12	Pass	401
0.15	30	0.01	RMS	0.17	-71	-25	46	Pass	2986
30	1000	0.1	RMS	991.494	-62.95	-25	37.95	Pass	9701
1000	2490	1	RMS	2490	-48.64	-25	23.64	Pass	1491
2490	2580	1	RMS	2528.25	18.67	60	41.33	Pass	401
2580	3000	1	RMS	2650	-47.08	-25	22.08	Pass	421
3000	12000	1	RMS	11999	-56.95	-25	31.95	Pass	9002
12000	26000	1	RMS	25501	-49.72	-25	24.72	Pass	14002




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.7	-25	46.7	Pass	401
0.15	30	0.01	RMS	0.23	-71.61	-25	46.61	Pass	2986
30	1000	0.1	RMS	941.061	-62.92	-25	37.92	Pass	9701
1000	2490	1	RMS	2486	-48.68	-25	23.68	Pass	1491
2490	2580	1	RMS	2528.25	17.87	60	42.13	Pass	401
2580	3000	1	RMS	2650	-47.05	-25	22.05	Pass	421
3000	12000	1	RMS	11897	-57.05	-25	32.05	Pass	9002
12000	26000	1	RMS	25498	-49.67	-25	24.67	Pass	14002




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.6	-25	46.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-25	46.37	Pass	2986
30	1000	0.1	RMS	912.742	-62.85	-25	37.85	Pass	9701
1000	2490	1	RMS	2488	-48.66	-25	23.66	Pass	1491
2490	2580	1	RMS	2555.925	18.71	60	41.29	Pass	401
2580	3000	1	RMS	3000	-47.38	-25	22.38	Pass	421
3000	12000	1	RMS	11982	-57.03	-25	32.03	Pass	9002
12000	26000	1	RMS	25494	-49.7	-25	24.7	Pass	14002




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.25	-25	46.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-25	46.36	Pass	2986
30	1000	0.1	RMS	997.598	-62.9	-25	37.9	Pass	9701
1000	2490	1	RMS	2488	-48.59	-25	23.59	Pass	1491
2490	2580	1	RMS	2555.925	18.03	60	41.97	Pass	401
2580	3000	1	RMS	2985	-47.35	-25	22.35	Pass	421
3000	12000	1	RMS	11996	-57	-25	32	Pass	9002
12000	26000	1	RMS	25495	-49.72	-25	24.72	Pass	14002




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.17	-25	46.17	Pass	401
0.15	30	0.01	RMS	0.26	-71.11	-25	46.11	Pass	2986
30	1000	0.1	RMS	990.894	-62.84	-25	37.84	Pass	9701
1000	2490	1	RMS	2490	-48.14	-25	23.14	Pass	1491
2490	2580	1	RMS	2501.025	18.8	60	41.2	Pass	401
2580	3000	1	RMS	2637	-47.21	-25	22.21	Pass	421
3000	12000	1	RMS	11995	-56.97	-25	31.97	Pass	9002
12000	26000	1	RMS	25498	-49.74	-25	24.74	Pass	14002




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.82	-25	44.82	Pass	401
0.15	30	0.01	RMS	0.18	-70.73	-25	45.73	Pass	2986
30	1000	0.1	RMS	949.967	-62.86	-25	37.86	Pass	9701
1000	2490	1	RMS	2490	-48.49	-25	23.49	Pass	1491
2490	2580	1	RMS	2501.025	17.94	60	42.06	Pass	401
2580	3000	1	RMS	2636	-47.24	-25	22.24	Pass	421
3000	12000	1	RMS	11993	-57.01	-25	32.01	Pass	9002
12000	26000	1	RMS	25503	-49.66	-25	24.66	Pass	14002




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.48	-25	46.48	Pass	401
0.15	30	0.01	RMS	0.17	-71.08	-25	46.08	Pass	2986
30	1000	0.1	RMS	992.795	-62.83	-25	37.83	Pass	9701
1000	2490	1	RMS	2490	-48.64	-25	23.64	Pass	1491
2490	2580	1	RMS	2526	18.67	60	41.33	Pass	401
2580	3000	1	RMS	2649	-47.13	-25	22.13	Pass	421
3000	12000	1	RMS	11994	-57.01	-25	32.01	Pass	9002
12000	26000	1	RMS	25498	-49.73	-25	24.73	Pass	14002




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.05	-25	46.05	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-25	45.73	Pass	2986
30	1000	0.1	RMS	996.197	-62.88	-25	37.88	Pass	9701
1000	2490	1	RMS	2489	-48.62	-25	23.62	Pass	1491
2490	2580	1	RMS	2526	17.83	60	42.17	Pass	401
2580	3000	1	RMS	2647	-47.1	-25	22.1	Pass	421
3000	12000	1	RMS	11997	-56.97	-25	31.97	Pass	9002
12000	26000	1	RMS	25486	-49.7	-25	24.7	Pass	14002




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.15	-25	46.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-25	46.15	Pass	2986
30	1000	0.1	RMS	993.396	-62.93	-25	37.93	Pass	9701
1000	2490	1	RMS	2490	-48.65	-25	23.65	Pass	1491
2490	2580	1	RMS	2550.975	18.6	60	41.4	Pass	401
2580	3000	1	RMS	2995	-47.31	-25	22.31	Pass	421
3000	12000	1	RMS	11996	-56.95	-25	31.95	Pass	9002
12000	26000	1	RMS	25510	-49.66	-25	24.66	Pass	14002



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.95	-25	46.95	Pass	401
0.15	30	0.01	RMS	0.24	-71.18	-25	46.18	Pass	2986
30	1000	0.1	RMS	971.781	-62.92	-25	37.92	Pass	9701
1000	2490	1	RMS	2490	-48.62	-25	23.62	Pass	1491
2490	2580	1	RMS	2550.975	17.73	60	42.27	Pass	401
2580	3000	1	RMS	2995	-47.35	-25	22.35	Pass	421
3000	12000	1	RMS	11999	-56.91	-25	31.91	Pass	9002
12000	26000	1	RMS	25500	-49.76	-25	24.76	Pass	14002



4. LTE_Band12


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-13	57.79	Pass	2986
30	689	0.1	RMS	657.3	-63.93	-13	50.93	Pass	6591
689	726	0.1	RMS	699.268	15.83	60	44.17	Pass	401
726	1000	0.1	RMS	870.2	-62.67	-13	49.67	Pass	2741
1000	3000	1	RMS	2995	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	9707	-38.46	-13	25.46	Pass	7001




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	689	0.1	RMS	597	-63.97	-13	50.97	Pass	6591
689	726	0.1	RMS	699.268	14.85	60	45.15	Pass	401
726	1000	0.1	RMS	1000	-62.53	-13	49.53	Pass	2741
1000	3000	1	RMS	2999	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	9707	-38.52	-13	25.52	Pass	7001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.17	-70.63	-13	57.63	Pass	2986
30	689	0.1	RMS	486.9	-63.88	-13	50.88	Pass	6591
689	726	0.1	RMS	707.038	15.33	60	44.67	Pass	401
726	1000	0.1	RMS	957	-62.77	-13	49.77	Pass	2741
1000	3000	1	RMS	2989	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9701	-38.55	-13	25.55	Pass	7001




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	0.18	-71.35	-13	58.35	Pass	2986
30	689	0.1	RMS	613.7	-63.87	-13	50.87	Pass	6591
689	726	0.1	RMS	707.038	14.24	60	45.76	Pass	401
726	1000	0.1	RMS	888.6	-62.76	-13	49.76	Pass	2741
1000	3000	1	RMS	2997	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9700	-38.45	-13	25.45	Pass	7001




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	57.88	Pass	2986
30	689	0.1	RMS	685	-63.86	-13	50.86	Pass	6591
689	726	0.1	RMS	714.9	15.64	60	44.36	Pass	401
726	1000	0.1	RMS	975.3	-62.71	-13	49.71	Pass	2741
1000	3000	1	RMS	2990	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9704	-38.44	-13	25.44	Pass	7001




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.19	-71.11	-13	58.11	Pass	2986
30	689	0.1	RMS	601	-63.9	-13	50.9	Pass	6591
689	726	0.1	RMS	714.9	14.74	60	45.26	Pass	401
726	1000	0.1	RMS	969.9	-62.72	-13	49.72	Pass	2741
1000	3000	1	RMS	2996	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9706	-38.48	-13	25.48	Pass	7001




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	57.65	Pass	2986
30	689	0.1	RMS	686.9	-63.94	-13	50.94	Pass	6591
689	726	0.1	RMS	699.268	15.76	60	44.24	Pass	401
726	1000	0.1	RMS	853.4	-62.75	-13	49.75	Pass	2741
1000	3000	1	RMS	2998	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9699	-38.48	-13	25.48	Pass	7001




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	0.16	-70.82	-13	57.82	Pass	2986
30	689	0.1	RMS	622.3	-63.84	-13	50.84	Pass	6591
689	726	0.1	RMS	699.268	14.74	60	45.26	Pass	401
726	1000	0.1	RMS	972.9	-62.75	-13	49.75	Pass	2741
1000	3000	1	RMS	3000	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	9697	-38.49	-13	25.49	Pass	7001




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.18	-13	58.18	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	58.21	Pass	2986
30	689	0.1	RMS	483.2	-64	-13	51	Pass	6591
689	726	0.1	RMS	706.298	15.49	60	44.51	Pass	401
726	1000	0.1	RMS	991.2	-62.67	-13	49.67	Pass	2741
1000	3000	1	RMS	2998	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9698	-38.55	-13	25.55	Pass	7001




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	58.21	Pass	2986
30	689	0.1	RMS	514	-63.91	-13	50.91	Pass	6591
689	726	0.1	RMS	706.298	14.6	60	45.4	Pass	401
726	1000	0.1	RMS	969.1	-62.67	-13	49.67	Pass	2741
1000	3000	1	RMS	2999	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	9700	-38.51	-13	25.51	Pass	7001




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.17	-71.14	-13	58.14	Pass	2986
30	689	0.1	RMS	628.3	-63.99	-13	50.99	Pass	6591
689	726	0.1	RMS	713.235	15.63	60	44.37	Pass	401
726	1000	0.1	RMS	985.3	-62.64	-13	49.64	Pass	2741
1000	3000	1	RMS	2997	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	9705	-38.52	-13	25.52	Pass	7001




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	689	0.1	RMS	621.5	-63.99	-13	50.99	Pass	6591
689	726	0.1	RMS	713.235	14.77	60	45.23	Pass	401
726	1000	0.1	RMS	854.6	-62.64	-13	49.64	Pass	2741
1000	3000	1	RMS	2996	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9706	-38.46	-13	25.46	Pass	7001




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	57.65	Pass	2986
30	689	0.1	RMS	481.6	-64	-13	51	Pass	6591
689	726	0.1	RMS	699.36	15.62	60	44.38	Pass	401
726	1000	0.1	RMS	987.6	-62.61	-13	49.61	Pass	2741
1000	3000	1	RMS	2995	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	9699	-38.42	-13	25.42	Pass	7001




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.17	-70.96	-13	57.96	Pass	2986
30	689	0.1	RMS	624.3	-63.89	-13	50.89	Pass	6591
689	726	0.1	RMS	699.36	14.87	60	45.13	Pass	401
726	1000	0.1	RMS	940.8	-62.67	-13	49.67	Pass	2741
1000	3000	1	RMS	2984	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9697	-38.45	-13	25.45	Pass	7001




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.21	-70.98	-13	57.98	Pass	2986
30	689	0.1	RMS	611.5	-63.94	-13	50.94	Pass	6591
689	726	0.1	RMS	705.373	15.63	60	44.37	Pass	401
726	1000	0.1	RMS	850.3	-62.74	-13	49.74	Pass	2741
1000	3000	1	RMS	3000	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9702	-38.51	-13	25.51	Pass	7001




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.88	-13	57.88	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	58.83	Pass	2986
30	689	0.1	RMS	657.8	-63.97	-13	50.97	Pass	6591
689	726	0.1	RMS	705.373	14.8	60	45.2	Pass	401
726	1000	0.1	RMS	869.9	-62.76	-13	49.76	Pass	2741
1000	3000	1	RMS	3000	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9699	-38.46	-13	25.46	Pass	7001




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.15	-69.84	-13	56.84	Pass	2986
30	689	0.1	RMS	630.7	-63.93	-13	50.93	Pass	6591
689	726	0.1	RMS	711.385	15.49	60	44.51	Pass	401
726	1000	0.1	RMS	971.1	-62.64	-13	49.64	Pass	2741
1000	3000	1	RMS	2987	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	9706	-38.5	-13	25.5	Pass	7001




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-13	57.82	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	57.64	Pass	2986
30	689	0.1	RMS	658.2	-63.9	-13	50.9	Pass	6591
689	726	0.1	RMS	711.385	15.28	60	44.72	Pass	401
726	1000	0.1	RMS	849.2	-62.58	-13	49.58	Pass	2741
1000	3000	1	RMS	2993	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	9703	-38.52	-13	25.52	Pass	7001




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.28	-71.47	-13	58.47	Pass	2986
30	689	0.1	RMS	619.2	-63.95	-13	50.95	Pass	6591
689	726	0.1	RMS	699.638	15.45	60	44.55	Pass	401
726	1000	0.1	RMS	999.2	-62.78	-13	49.78	Pass	2741
1000	3000	1	RMS	2962	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9703	-38.5	-13	25.5	Pass	7001




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	689	0.1	RMS	649.9	-63.95	-13	50.95	Pass	6591
689	726	0.1	RMS	699.638	14.96	60	45.04	Pass	401
726	1000	0.1	RMS	996.9	-62.75	-13	49.75	Pass	2741
1000	3000	1	RMS	3000	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	9703	-38.47	-13	25.47	Pass	7001




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	57.94	Pass	2986
30	689	0.1	RMS	618.6	-63.88	-13	50.88	Pass	6591
689	726	0.1	RMS	703.153	15.39	60	44.61	Pass	401
726	1000	0.1	RMS	982.6	-62.67	-13	49.67	Pass	2741
1000	3000	1	RMS	2998	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9700	-38.5	-13	25.5	Pass	7001




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	58.09	Pass	2986
30	689	0.1	RMS	678.8	-63.81	-13	50.81	Pass	6591
689	726	0.1	RMS	703.153	14.34	60	45.66	Pass	401
726	1000	0.1	RMS	989.1	-62.75	-13	49.75	Pass	2741
1000	3000	1	RMS	2998	-47.3	-13	34.3	Pass	2001
3000	10000	1	RMS	9709	-38.54	-13	25.54	Pass	7001




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.17	-71.17	-13	58.17	Pass	2986
30	689	0.1	RMS	615.1	-63.94	-13	50.94	Pass	6591
689	726	0.1	RMS	706.575	15.55	60	44.45	Pass	401
726	1000	0.1	RMS	986.2	-62.68	-13	49.68	Pass	2741
1000	3000	1	RMS	2998	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9709	-38.48	-13	25.48	Pass	7001



4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.59	-13	57.59	Pass	401
0.15	30	0.01	RMS	0.22	-71.44	-13	58.44	Pass	2986
30	689	0.1	RMS	620.9	-63.95	-13	50.95	Pass	6591
689	726	0.1	RMS	706.575	14.36	60	45.64	Pass	401
726	1000	0.1	RMS	992.4	-62.8	-13	49.8	Pass	2741
1000	3000	1	RMS	2991	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9703	-38.44	-13	25.44	Pass	7001



5. LTE_Band13


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	57.84	Pass	2986
30	767	0.1	RMS	749.4	-63.28	-13	50.28	Pass	7371
767	797	0.1	RMS	777.35	15.61	60	44.39	Pass	401
797	1000	0.1	RMS	939.6	-62.82	-13	49.82	Pass	2031
1000	3000	1	RMS	2996	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9699	-38.4	-13	25.4	Pass	7001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.19	-71.17	-13	58.17	Pass	2986
30	767	0.1	RMS	750.3	-63.29	-13	50.29	Pass	7371
767	797	0.1	RMS	777.35	14.65	60	45.35	Pass	401
797	1000	0.1	RMS	971.2	-62.81	-13	49.81	Pass	2031
1000	3000	1	RMS	2998	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9696	-38.49	-13	25.49	Pass	7001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.12	-13	58.12	Pass	401
0.15	30	0.01	RMS	0.22	-70.69	-13	57.69	Pass	2986
30	767	0.1	RMS	751.7	-63.2	-13	50.2	Pass	7371
767	797	0.1	RMS	779.9	15.46	60	44.54	Pass	401
797	1000	0.1	RMS	938.4	-62.61	-13	49.61	Pass	2031
1000	3000	1	RMS	2998	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9697	-38.54	-13	25.54	Pass	7001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.12	-13	58.12	Pass	401
0.15	30	0.01	RMS	0.19	-71.54	-13	58.54	Pass	2986
30	767	0.1	RMS	752.2	-63.18	-13	50.18	Pass	7371
767	797	0.1	RMS	779.9	14.77	60	45.23	Pass	401
797	1000	0.1	RMS	874.2	-62.64	-13	49.64	Pass	2031
1000	3000	1	RMS	2996	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9700	-38.46	-13	25.46	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	57.88	Pass	2986
30	767	0.1	RMS	754.7	-62.97	-13	49.97	Pass	7371
767	797	0.1	RMS	782.375	15.69	60	44.31	Pass	401
797	1000	0.1	RMS	932.5	-62.81	-13	49.81	Pass	2031
1000	3000	1	RMS	2985	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9696	-38.52	-13	25.52	Pass	7001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.27	-71.65	-13	58.65	Pass	2986
30	767	0.1	RMS	754.2	-62.86	-13	49.86	Pass	7371
767	797	0.1	RMS	782.375	15.16	60	44.84	Pass	401
797	1000	0.1	RMS	970.6	-62.77	-13	49.77	Pass	2031
1000	3000	1	RMS	2998	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9700	-38.44	-13	25.44	Pass	7001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.21	-71.62	-13	58.62	Pass	2986
30	767	0.1	RMS	755.1	-63	-13	50	Pass	7371
767	797	0.1	RMS	777.65	15.45	60	44.55	Pass	401
797	1000	0.1	RMS	953.2	-62.87	-13	49.87	Pass	2031
1000	3000	1	RMS	2995	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9701	-38.49	-13	25.49	Pass	7001



5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.73	-13	57.73	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	57.91	Pass	2986
30	767	0.1	RMS	751.2	-63.08	-13	50.08	Pass	7371
767	797	0.1	RMS	777.65	14.94	60	45.06	Pass	401
797	1000	0.1	RMS	845.3	-62.95	-13	49.95	Pass	2031
1000	3000	1	RMS	2996	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9698	-38.49	-13	25.49	Pass	7001



6. LTE_Band5


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	814	0.1	RMS	813.5	-63.22	-13	50.22	Pass	7841
814	860	0.1	RMS	824.3	15.87	60	44.13	Pass	461
860	1000	0.1	RMS	910.6	-62.87	-13	49.87	Pass	1401
1000	3000	1	RMS	3000	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	9700	-38.51	-13	25.51	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	57.9	Pass	2986
30	814	0.1	RMS	810.6	-63.26	-13	50.26	Pass	7841
814	860	0.1	RMS	824.3	14.95	60	45.05	Pass	461
860	1000	0.1	RMS	943.9	-62.95	-13	49.95	Pass	1401
1000	3000	1	RMS	2996	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9697	-38.51	-13	25.51	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.55	-13	57.55	Pass	401
0.15	30	0.01	RMS	0.18	-71.82	-13	58.82	Pass	2986
30	814	0.1	RMS	813.5	-63.34	-13	50.34	Pass	7841
814	860	0.1	RMS	836.1	15.96	60	44.04	Pass	461
860	1000	0.1	RMS	881.5	-62.95	-13	49.95	Pass	1401
1000	3000	1	RMS	2997	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	9703	-38.46	-13	25.46	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.35	-13	58.35	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-13	57.22	Pass	2986
30	814	0.1	RMS	811.8	-63.37	-13	50.37	Pass	7841
814	860	0.1	RMS	836.1	14.98	60	45.02	Pass	461
860	1000	0.1	RMS	881.5	-62.94	-13	49.94	Pass	1401
1000	3000	1	RMS	2999	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	9709	-38.53	-13	25.53	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	58.28	Pass	2986
30	814	0.1	RMS	810.9	-63.34	-13	50.34	Pass	7841
814	860	0.1	RMS	847.9	16.01	60	43.99	Pass	461
860	1000	0.1	RMS	893.6	-62.87	-13	49.87	Pass	1401
1000	3000	1	RMS	2996	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9701	-38.48	-13	25.48	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.6	-13	58.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	814	0.1	RMS	814	-63.35	-13	50.35	Pass	7841
814	860	0.1	RMS	847.9	15.49	60	44.51	Pass	461
860	1000	0.1	RMS	892.9	-62.78	-13	49.78	Pass	1401
1000	3000	1	RMS	2974	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	9700	-38.54	-13	25.54	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.94	-13	57.94	Pass	401
0.15	30	0.01	RMS	0.16	-70.98	-13	57.98	Pass	2986
30	814	0.1	RMS	810.8	-63.22	-13	50.22	Pass	7841
814	860	0.1	RMS	824.3	15.88	60	44.12	Pass	461
860	1000	0.1	RMS	967.1	-62.95	-13	49.95	Pass	1401
1000	3000	1	RMS	2991	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9707	-38.58	-13	25.58	Pass	7001




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.83	-13	57.83	Pass	401
0.15	30	0.01	RMS	0.15	-70.01	-13	57.01	Pass	2986
30	814	0.1	RMS	809.9	-63.2	-13	50.2	Pass	7841
814	860	0.1	RMS	824.3	15.1	60	44.9	Pass	461
860	1000	0.1	RMS	870.8	-62.8	-13	49.8	Pass	1401
1000	3000	1	RMS	2999	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	9702	-38.52	-13	25.52	Pass	7001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.19	-71.39	-13	58.39	Pass	2986
30	814	0.1	RMS	812.5	-63.25	-13	50.25	Pass	7841
814	860	0.1	RMS	835.3	16.05	60	43.95	Pass	461
860	1000	0.1	RMS	880.6	-62.77	-13	49.77	Pass	1401
1000	3000	1	RMS	2999	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	9698	-38.37	-13	25.37	Pass	7001




6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.21	-71.41	-13	58.41	Pass	2986
30	814	0.1	RMS	812.7	-63.29	-13	50.29	Pass	7841
814	860	0.1	RMS	835.3	15.11	60	44.89	Pass	461
860	1000	0.1	RMS	882.2	-62.92	-13	49.92	Pass	1401
1000	3000	1	RMS	2995	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9707	-38.55	-13	25.55	Pass	7001




6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	57.96	Pass	2986
30	814	0.1	RMS	813.1	-63.26	-13	50.26	Pass	7841
814	860	0.1	RMS	846.3	16.02	60	43.98	Pass	461
860	1000	0.1	RMS	892.7	-62.86	-13	49.86	Pass	1401
1000	3000	1	RMS	2987	-47.4	-13	34.4	Pass	2001
3000	10000	1	RMS	9706	-38.56	-13	25.56	Pass	7001




6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	57.95	Pass	2986
30	814	0.1	RMS	813.2	-63.23	-13	50.23	Pass	7841
814	860	0.1	RMS	846.3	15.12	60	44.88	Pass	461
860	1000	0.1	RMS	892.6	-62.84	-13	49.84	Pass	1401
1000	3000	1	RMS	2995	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	9693	-38.51	-13	25.51	Pass	7001




6.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.22	-71.4	-13	58.4	Pass	2986
30	814	0.1	RMS	807.4	-63.22	-13	50.22	Pass	7841
814	860	0.1	RMS	824.4	15.63	60	44.37	Pass	461
860	1000	0.1	RMS	873.3	-62.77	-13	49.77	Pass	1401
1000	3000	1	RMS	2997	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	9707	-38.45	-13	25.45	Pass	7001




6.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	57.94	Pass	2986
30	814	0.1	RMS	809.5	-63.07	-13	50.07	Pass	7841
814	860	0.1	RMS	824.4	15.08	60	44.92	Pass	461
860	1000	0.1	RMS	979.4	-62.93	-13	49.93	Pass	1401
1000	3000	1	RMS	3000	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9703	-38.5	-13	25.5	Pass	7001



6.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.12	-13	58.12	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	57.94	Pass	2986
30	814	0.1	RMS	811	-63.23	-13	50.23	Pass	7841
814	860	0.1	RMS	834.4	16.15	60	43.85	Pass	461
860	1000	0.1	RMS	881.7	-62.66	-13	49.66	Pass	1401
1000	3000	1	RMS	2996	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	9700	-38.55	-13	25.55	Pass	7001



6.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.49	-13	56.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	58.05	Pass	2986
30	814	0.1	RMS	763.6	-63.31	-13	50.31	Pass	7841
814	860	0.1	RMS	834.4	15.08	60	44.92	Pass	461
860	1000	0.1	RMS	880	-62.82	-13	49.82	Pass	1401
1000	3000	1	RMS	2985	-47.4	-13	34.4	Pass	2001
3000	10000	1	RMS	9699	-38.56	-13	25.56	Pass	7001

