

Spurious Emission at Antenna Terminals


6.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	814	0.1	RMS	813.2	-63.31	-13	50.31	Pass	7841
814	860	0.1	RMS	844.4	15.86	60	44.14	Pass	461
860	1000	0.1	RMS	890.3	-62.79	-13	49.79	Pass	1401
1000	3000	1	RMS	3000	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	9699	-38.49	-13	25.49	Pass	7001




6.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.17	-71.25	-13	58.25	Pass	2986
30	814	0.1	RMS	812	-63.26	-13	50.26	Pass	7841
814	860	0.1	RMS	844.4	15.11	60	44.89	Pass	461
860	1000	0.1	RMS	893.3	-62.71	-13	49.71	Pass	1401
1000	3000	1	RMS	2987	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9698	-38.48	-13	25.48	Pass	7001




6.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.21	-70.93	-13	57.93	Pass	2986
30	814	0.1	RMS	807.1	-63.21	-13	50.21	Pass	7841
814	860	0.1	RMS	824.6	16.18	60	43.82	Pass	461
860	1000	0.1	RMS	878.2	-62.68	-13	49.68	Pass	1401
1000	3000	1	RMS	2999	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9697	-38.48	-13	25.48	Pass	7001




6.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	57.87	Pass	2986
30	814	0.1	RMS	811.6	-63.17	-13	50.17	Pass	7841
814	860	0.1	RMS	824.6	15.28	60	44.72	Pass	461
860	1000	0.1	RMS	874.4	-62.84	-13	49.84	Pass	1401
1000	3000	1	RMS	2995	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	9702	-38.53	-13	25.53	Pass	7001




6.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	814	0.1	RMS	809.9	-63.23	-13	50.23	Pass	7841
814	860	0.1	RMS	832.1	16.24	60	43.76	Pass	461
860	1000	0.1	RMS	881.5	-62.84	-13	49.84	Pass	1401
1000	3000	1	RMS	2990	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9702	-38.43	-13	25.43	Pass	7001




6.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.36	-13	57.36	Pass	401
0.15	30	0.01	RMS	0.27	-71.73	-13	58.73	Pass	2986
30	814	0.1	RMS	799.9	-63.37	-13	50.37	Pass	7841
814	860	0.1	RMS	832.1	15.19	60	44.81	Pass	461
860	1000	0.1	RMS	884.1	-62.54	-13	49.54	Pass	1401
1000	3000	1	RMS	3000	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	9705	-38.49	-13	25.49	Pass	7001




6.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	0.18	-70.97	-13	57.97	Pass	2986
30	814	0.1	RMS	811.2	-63.35	-13	50.35	Pass	7841
814	860	0.1	RMS	839.6	16.19	60	43.81	Pass	461
860	1000	0.1	RMS	889	-62.73	-13	49.73	Pass	1401
1000	3000	1	RMS	2995	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9706	-38.53	-13	25.53	Pass	7001



6.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.11	-13	58.11	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	57.97	Pass	2986
30	814	0.1	RMS	810.9	-63.26	-13	50.26	Pass	7841
814	860	0.1	RMS	839.6	15.24	60	44.76	Pass	461
860	1000	0.1	RMS	889.6	-62.73	-13	49.73	Pass	1401
1000	3000	1	RMS	2998	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9701	-38.52	-13	25.52	Pass	7001



7. LTE_Band17


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.87	-13	57.87	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	57.96	Pass	2986
30	694	0.1	RMS	613.8	-63.96	-13	50.96	Pass	6641
694	726	0.1	RMS	704.4	15.95	60	44.05	Pass	401
726	1000	0.1	RMS	974.4	-62.52	-13	49.52	Pass	2741
1000	3000	1	RMS	2999	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	9700	-38.48	-13	25.48	Pass	7001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.83	-13	57.83	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	57.75	Pass	2986
30	694	0.1	RMS	619.7	-63.93	-13	50.93	Pass	6641
694	726	0.1	RMS	704.4	15.16	60	44.84	Pass	401
726	1000	0.1	RMS	988.4	-62.63	-13	49.63	Pass	2741
1000	3000	1	RMS	3000	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	9701	-38.47	-13	25.47	Pass	7001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.19	-71.21	-13	58.21	Pass	2986
30	694	0.1	RMS	606.1	-63.87	-13	50.87	Pass	6641
694	726	0.1	RMS	707.84	16.17	60	43.83	Pass	401
726	1000	0.1	RMS	861.9	-62.65	-13	49.65	Pass	2741
1000	3000	1	RMS	2995	-47.4	-13	34.4	Pass	2001
3000	10000	1	RMS	9708	-38.52	-13	25.52	Pass	7001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.76	-13	57.76	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	694	0.1	RMS	692	-63.89	-13	50.89	Pass	6641
694	726	0.1	RMS	707.84	15.37	60	44.63	Pass	401
726	1000	0.1	RMS	952.5	-62.34	-13	49.34	Pass	2741
1000	3000	1	RMS	2995	-47.4	-13	34.4	Pass	2001
3000	10000	1	RMS	9699	-38.54	-13	25.54	Pass	7001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.24	-71.88	-13	58.88	Pass	2986
30	694	0.1	RMS	686.1	-63.98	-13	50.98	Pass	6641
694	726	0.1	RMS	711.36	16.42	60	43.58	Pass	401
726	1000	0.1	RMS	940.3	-62.73	-13	49.73	Pass	2741
1000	3000	1	RMS	3000	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9702	-38.49	-13	25.49	Pass	7001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.17	-70.82	-13	57.82	Pass	2986
30	694	0.1	RMS	642.1	-63.98	-13	50.98	Pass	6641
694	726	0.1	RMS	711.36	15.68	60	44.32	Pass	401
726	1000	0.1	RMS	990	-62.6	-13	49.6	Pass	2741
1000	3000	1	RMS	2988	-47.4	-13	34.4	Pass	2001
3000	10000	1	RMS	9701	-38.49	-13	25.49	Pass	7001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.94	-13	57.94	Pass	401
0.15	30	0.01	RMS	0.16	-70.49	-13	57.49	Pass	2986
30	694	0.1	RMS	585.7	-63.9	-13	50.9	Pass	6641
694	726	0.1	RMS	704.64	16.43	60	43.57	Pass	401
726	1000	0.1	RMS	932.5	-62.58	-13	49.58	Pass	2741
1000	3000	1	RMS	2989	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9697	-38.54	-13	25.54	Pass	7001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	57.88	Pass	2986
30	694	0.1	RMS	620.3	-63.95	-13	50.95	Pass	6641
694	726	0.1	RMS	704.64	15.49	60	44.51	Pass	401
726	1000	0.1	RMS	934.9	-62.72	-13	49.72	Pass	2741
1000	3000	1	RMS	2998	-47.37	-13	34.37	Pass	2001
3000	10000	1	RMS	9708	-38.5	-13	25.5	Pass	7001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	57.68	Pass	2986
30	694	0.1	RMS	687.8	-63.9	-13	50.9	Pass	6641
694	726	0.1	RMS	705.6	16.43	60	43.57	Pass	401
726	1000	0.1	RMS	923.2	-62.7	-13	49.7	Pass	2741
1000	3000	1	RMS	2994	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	9696	-38.53	-13	25.53	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.12	-13	58.12	Pass	401
0.15	30	0.01	RMS	0.25	-70.72	-13	57.72	Pass	2986
30	694	0.1	RMS	649.1	-63.87	-13	50.87	Pass	6641
694	726	0.1	RMS	705.6	15.36	60	44.64	Pass	401
726	1000	0.1	RMS	863.9	-62.69	-13	49.69	Pass	2741
1000	3000	1	RMS	2988	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9704	-38.51	-13	25.51	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.12	-13	58.12	Pass	401
0.15	30	0.01	RMS	0.15	-70.3	-13	57.3	Pass	2986
30	694	0.1	RMS	638	-63.78	-13	50.78	Pass	6641
694	726	0.1	RMS	706.64	16.24	60	43.76	Pass	401
726	1000	0.1	RMS	918	-62.63	-13	49.63	Pass	2741
1000	3000	1	RMS	2995	-47.38	-13	34.38	Pass	2001
3000	10000	1	RMS	9704	-38.58	-13	25.58	Pass	7001



7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.19	-71.56	-13	58.56	Pass	2986
30	694	0.1	RMS	614.5	-64.01	-13	51.01	Pass	6641
694	726	0.1	RMS	706.64	15.85	60	44.15	Pass	401
726	1000	0.1	RMS	949.8	-62.61	-13	49.61	Pass	2741
1000	3000	1	RMS	2998	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	9704	-38.52	-13	25.52	Pass	7001



8. LTE_Band71


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.28	-13	64.28	Pass	401
0.15	30	0.01	RMS	0.25	-78.41	-13	65.41	Pass	2986
30	653	0.1	RMS	616.4	-70.98	-13	57.98	Pass	6231
653	709	0.1	RMS	663.3	9.61	60	50.39	Pass	561
709	1000	0.1	RMS	936.1	-69.68	-13	56.68	Pass	2911
1000	3000	1	RMS	2997	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9704	-45.52	-13	32.52	Pass	7001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.57	-13	63.57	Pass	401
0.15	30	0.01	RMS	0.16	-77.38	-13	64.38	Pass	2986
30	653	0.1	RMS	618.2	-70.92	-13	57.92	Pass	6231
653	709	0.1	RMS	663.3	8.46	60	51.54	Pass	561
709	1000	0.1	RMS	921.4	-69.7	-13	56.7	Pass	2911
1000	3000	1	RMS	3000	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9701	-45.44	-13	32.44	Pass	7001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.66	-13	63.66	Pass	401
0.15	30	0.01	RMS	0.15	-78.33	-13	65.33	Pass	2986
30	653	0.1	RMS	621.3	-70.92	-13	57.92	Pass	6231
653	709	0.1	RMS	678.3	8.58	60	51.42	Pass	561
709	1000	0.1	RMS	961.4	-69.6	-13	56.6	Pass	2911
1000	3000	1	RMS	2987	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9698	-45.5	-13	32.5	Pass	7001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-77.63	-13	64.63	Pass	401
0.15	30	0.01	RMS	0.15	-78.38	-13	65.38	Pass	2986
30	653	0.1	RMS	638.1	-70.9	-13	57.9	Pass	6231
653	709	0.1	RMS	678.3	7.76	60	52.24	Pass	561
709	1000	0.1	RMS	978.1	-69.61	-13	56.61	Pass	2911
1000	3000	1	RMS	2992	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9701	-45.5	-13	32.5	Pass	7001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.97	-13	63.97	Pass	401
0.15	30	0.01	RMS	0.15	-77.74	-13	64.74	Pass	2986
30	653	0.1	RMS	634.7	-70.95	-13	57.95	Pass	6231
653	709	0.1	RMS	693.3	8.49	60	51.51	Pass	561
709	1000	0.1	RMS	839.1	-69.74	-13	56.74	Pass	2911
1000	3000	1	RMS	2998	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9702	-45.5	-13	32.5	Pass	7001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.59	-13	64.59	Pass	401
0.15	30	0.01	RMS	0.18	-77.76	-13	64.76	Pass	2986
30	653	0.1	RMS	505	-70.9	-13	57.9	Pass	6231
653	709	0.1	RMS	693.3	7.62	60	52.38	Pass	561
709	1000	0.1	RMS	936.2	-69.65	-13	56.65	Pass	2911
1000	3000	1	RMS	3000	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9700	-45.48	-13	32.48	Pass	7001




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.16	-77.76	-13	64.76	Pass	2986
30	653	0.1	RMS	620.2	-70.84	-13	57.84	Pass	6231
653	709	0.1	RMS	663.6	10.09	60	49.91	Pass	561
709	1000	0.1	RMS	871.7	-69.69	-13	56.69	Pass	2911
1000	3000	1	RMS	2999	-54.29	-13	41.29	Pass	2001
3000	10000	1	RMS	9699	-45.44	-13	32.44	Pass	7001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.24	-13	64.24	Pass	401
0.15	30	0.01	RMS	0.15	-76.66	-13	63.66	Pass	2986
30	653	0.1	RMS	514.3	-71.02	-13	58.02	Pass	6231
653	709	0.1	RMS	663.6	9.36	60	50.64	Pass	561
709	1000	0.1	RMS	941	-69.74	-13	56.74	Pass	2911
1000	3000	1	RMS	2986	-54.3	-13	41.3	Pass	2001
3000	10000	1	RMS	9702	-45.44	-13	32.44	Pass	7001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.84	-13	64.84	Pass	401
0.15	30	0.01	RMS	0.16	-77.64	-13	64.64	Pass	2986
30	653	0.1	RMS	608.7	-70.95	-13	57.95	Pass	6231
653	709	0.1	RMS	676.1	9.2	60	50.8	Pass	561
709	1000	0.1	RMS	964.8	-69.67	-13	56.67	Pass	2911
1000	3000	1	RMS	2993	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9710	-45.51	-13	32.51	Pass	7001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.15	-77.74	-13	64.74	Pass	2986
30	653	0.1	RMS	608.5	-70.92	-13	57.92	Pass	6231
653	709	0.1	RMS	676.1	8.32	60	51.68	Pass	561
709	1000	0.1	RMS	857.3	-69.66	-13	56.66	Pass	2911
1000	3000	1	RMS	2996	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9701	-45.41	-13	32.41	Pass	7001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.89	-13	63.89	Pass	401
0.15	30	0.01	RMS	0.15	-78.13	-13	65.13	Pass	2986
30	653	0.1	RMS	646.1	-71.01	-13	58.01	Pass	6231
653	709	0.1	RMS	688.6	8.92	60	51.08	Pass	561
709	1000	0.1	RMS	995.2	-69.55	-13	56.55	Pass	2911
1000	3000	1	RMS	2993	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9703	-45.46	-13	32.46	Pass	7001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.77	-13	64.77	Pass	401
0.15	30	0.01	RMS	0.15	-78.92	-13	65.92	Pass	2986
30	653	0.1	RMS	643.1	-70.92	-13	57.92	Pass	6231
653	709	0.1	RMS	688.6	8.04	60	51.96	Pass	561
709	1000	0.1	RMS	933	-69.48	-13	56.48	Pass	2911
1000	3000	1	RMS	2969	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9700	-45.43	-13	32.43	Pass	7001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.45	-13	63.45	Pass	401
0.15	30	0.01	RMS	0.3	-78.32	-13	65.32	Pass	2986
30	653	0.1	RMS	486	-70.95	-13	57.95	Pass	6231
653	709	0.1	RMS	663.8	9.42	60	50.58	Pass	561
709	1000	0.1	RMS	863.4	-69.54	-13	56.54	Pass	2911
1000	3000	1	RMS	2983	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9702	-45.45	-13	32.45	Pass	7001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.07	-13	64.07	Pass	401
0.15	30	0.01	RMS	0.17	-78.13	-13	65.13	Pass	2986
30	653	0.1	RMS	609.1	-70.94	-13	57.94	Pass	6231
653	709	0.1	RMS	663.8	8.62	60	51.38	Pass	561
709	1000	0.1	RMS	990.1	-69.63	-13	56.63	Pass	2911
1000	3000	1	RMS	2995	-54.36	-13	41.36	Pass	2001
3000	10000	1	RMS	9698	-45.51	-13	32.51	Pass	7001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.41	-13	64.41	Pass	401
0.15	30	0.01	RMS	0.19	-78.09	-13	65.09	Pass	2986
30	653	0.1	RMS	634.8	-70.95	-13	57.95	Pass	6231
653	709	0.1	RMS	673.8	8.61	60	51.39	Pass	561
709	1000	0.1	RMS	880.2	-69.7	-13	56.7	Pass	2911
1000	3000	1	RMS	2995	-54.34	-13	41.34	Pass	2001
3000	10000	1	RMS	9701	-45.48	-13	32.48	Pass	7001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.68	-13	63.68	Pass	401
0.15	30	0.01	RMS	0.15	-77.85	-13	64.85	Pass	2986
30	653	0.1	RMS	518.1	-70.81	-13	57.81	Pass	6231
653	709	0.1	RMS	673.8	7.88	60	52.12	Pass	561
709	1000	0.1	RMS	874.9	-69.53	-13	56.53	Pass	2911
1000	3000	1	RMS	2995	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9702	-45.41	-13	32.41	Pass	7001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.41	-13	64.41	Pass	401
0.15	30	0.01	RMS	0.17	-78.13	-13	65.13	Pass	2986
30	653	0.1	RMS	618	-70.9	-13	57.9	Pass	6231
653	709	0.1	RMS	683.8	8.17	60	51.83	Pass	561
709	1000	0.1	RMS	939.9	-69.56	-13	56.56	Pass	2911
1000	3000	1	RMS	2999	-54.32	-13	41.32	Pass	2001
3000	10000	1	RMS	9701	-45.4	-13	32.4	Pass	7001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.9	-13	64.9	Pass	401
0.15	30	0.01	RMS	0.15	-78.06	-13	65.06	Pass	2986
30	653	0.1	RMS	611.9	-70.9	-13	57.9	Pass	6231
653	709	0.1	RMS	683.8	7.36	60	52.64	Pass	561
709	1000	0.1	RMS	951.5	-69.78	-13	56.78	Pass	2911
1000	3000	1	RMS	2996	-54.36	-13	41.36	Pass	2001
3000	10000	1	RMS	9704	-45.45	-13	32.45	Pass	7001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.95	-13	63.95	Pass	401
0.15	30	0.01	RMS	0.15	-77.93	-13	64.93	Pass	2986
30	653	0.1	RMS	602.4	-70.95	-13	57.95	Pass	6231
653	709	0.1	RMS	664.1	9.78	60	50.22	Pass	561
709	1000	0.1	RMS	907.2	-69.72	-13	56.72	Pass	2911
1000	3000	1	RMS	2999	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9701	-45.48	-13	32.48	Pass	7001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.49	-13	64.49	Pass	401
0.15	30	0.01	RMS	0.18	-77.98	-13	64.98	Pass	2986
30	653	0.1	RMS	608.4	-70.88	-13	57.88	Pass	6231
653	709	0.1	RMS	664.1	9.05	60	50.95	Pass	561
709	1000	0.1	RMS	996.1	-69.45	-13	56.45	Pass	2911
1000	3000	1	RMS	2993	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.44	-13	64.44	Pass	401
0.15	30	0.01	RMS	0.2	-78.17	-13	65.17	Pass	2986
30	653	0.1	RMS	629.9	-71.01	-13	58.01	Pass	6231
653	709	0.1	RMS	671.6	9.14	60	50.86	Pass	561
709	1000	0.1	RMS	867.6	-69.69	-13	56.69	Pass	2911
1000	3000	1	RMS	3000	-54.31	-13	41.31	Pass	2001
3000	10000	1	RMS	9702	-45.48	-13	32.48	Pass	7001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133297, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.82	-13	64.82	Pass	401
0.15	30	0.01	RMS	0.16	-78.21	-13	65.21	Pass	2986
30	653	0.1	RMS	515.4	-70.98	-13	57.98	Pass	6231
653	709	0.1	RMS	671.6	8.31	60	51.69	Pass	561
709	1000	0.1	RMS	943.2	-69.68	-13	56.68	Pass	2911
1000	3000	1	RMS	2971	-54.33	-13	41.33	Pass	2001
3000	10000	1	RMS	9699	-45.51	-13	32.51	Pass	7001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.68	-13	64.68	Pass	401
0.15	30	0.01	RMS	0.18	-78.6	-13	65.6	Pass	2986
30	653	0.1	RMS	608.3	-70.91	-13	57.91	Pass	6231
653	709	0.1	RMS	679.1	8.99	60	51.01	Pass	561
709	1000	0.1	RMS	818.8	-69.65	-13	56.65	Pass	2911
1000	3000	1	RMS	2985	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9701	-45.49	-13	32.49	Pass	7001



8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.24	-13	65.24	Pass	401
0.15	30	0.01	RMS	0.18	-78.39	-13	65.39	Pass	2986
30	653	0.1	RMS	617.8	-71.03	-13	58.03	Pass	6231
653	709	0.1	RMS	679.1	8	60	52	Pass	561
709	1000	0.1	RMS	999.4	-69.62	-13	56.62	Pass	2911
1000	3000	1	RMS	2991	-54.35	-13	41.35	Pass	2001
3000	10000	1	RMS	9700	-45.41	-13	32.41	Pass	7001



9. LTE_Band25


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	58.05	Pass	2986
30	1000	0.1	RMS	984.29	-62.78	-13	49.78	Pass	9701
1000	1840	1	RMS	1838	-50.53	-13	37.53	Pass	841
1840	1925	1	RMS	1850.2	18.36	60	41.64	Pass	401
1925	3000	1	RMS	2983	-47.32	-13	34.32	Pass	1076
3000	12000	1	RMS	11898	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19376	-27.92	-13	14.92	Pass	8001




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.16	-70.56	-13	57.56	Pass	2986
30	1000	0.1	RMS	945.264	-62.92	-13	49.92	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	37.59	Pass	841
1840	1925	1	RMS	1850.2	17.56	60	42.44	Pass	401
1925	3000	1	RMS	2993	-47.34	-13	34.34	Pass	1076
3000	12000	1	RMS	11985	-36.11	-13	23.11	Pass	9002
12000	20000	1	RMS	19296	-27.86	-13	14.86	Pass	8001




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.16	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	955.37	-62.83	-13	49.83	Pass	9701
1000	1840	1	RMS	1839	-50.62	-13	37.62	Pass	841
1840	1925	1	RMS	1881.863	18.08	60	41.92	Pass	401
1925	3000	1	RMS	2993	-47.32	-13	34.32	Pass	1076
3000	12000	1	RMS	11895	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19391	-27.9	-13	14.9	Pass	8001




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.17	-71.4	-13	58.4	Pass	2986
30	1000	0.1	RMS	938.659	-62.7	-13	49.7	Pass	9701
1000	1840	1	RMS	1840	-50.63	-13	37.63	Pass	841
1840	1925	1	RMS	1881.863	17.17	60	42.83	Pass	401
1925	3000	1	RMS	3000	-47.28	-13	34.28	Pass	1076
3000	12000	1	RMS	11989	-36.16	-13	23.16	Pass	9002
12000	20000	1	RMS	19409	-27.93	-13	14.93	Pass	8001




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.17	-71.25	-13	58.25	Pass	2986
30	1000	0.1	RMS	957.972	-62.94	-13	49.94	Pass	9701
1000	1840	1	RMS	1840	-50.63	-13	37.63	Pass	841
1840	1925	1	RMS	1913.738	17.91	60	42.09	Pass	401
1925	3000	1	RMS	2959	-47.31	-13	34.31	Pass	1076
3000	12000	1	RMS	11999	-36.06	-13	23.06	Pass	9002
12000	20000	1	RMS	19387	-27.91	-13	14.91	Pass	8001




9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	971.581	-62.82	-13	49.82	Pass	9701
1000	1840	1	RMS	1840	-50.67	-13	37.67	Pass	841
1840	1925	1	RMS	1913.738	17	60	43	Pass	401
1925	3000	1	RMS	2993	-47.33	-13	34.33	Pass	1076
3000	12000	1	RMS	12000	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	19329	-27.92	-13	14.92	Pass	8001




9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	946.264	-62.87	-13	49.87	Pass	9701
1000	1840	1	RMS	1839	-50.59	-13	37.59	Pass	841
1840	1925	1	RMS	1850.2	18.53	60	41.47	Pass	401
1925	3000	1	RMS	2967	-47.33	-13	34.33	Pass	1076
3000	12000	1	RMS	12000	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19311	-27.93	-13	14.93	Pass	8001




9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.2	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	965.277	-62.9	-13	49.9	Pass	9701
1000	1840	1	RMS	1838	-50.54	-13	37.54	Pass	841
1840	1925	1	RMS	1850.2	17.76	60	42.24	Pass	401
1925	3000	1	RMS	2980	-47.36	-13	34.36	Pass	1076
3000	12000	1	RMS	11997	-36.06	-13	23.06	Pass	9002
12000	20000	1	RMS	19288	-27.9	-13	14.9	Pass	8001




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.22	-71.05	-13	58.05	Pass	2986
30	1000	0.1	RMS	948.666	-62.87	-13	49.87	Pass	9701
1000	1840	1	RMS	1840	-50.57	-13	37.57	Pass	841
1840	1925	1	RMS	1881.225	18.16	60	41.84	Pass	401
1925	3000	1	RMS	2993	-47.35	-13	34.35	Pass	1076
3000	12000	1	RMS	12000	-36.09	-13	23.09	Pass	9002
12000	20000	1	RMS	19440	-27.93	-13	14.93	Pass	8001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	983.089	-62.99	-13	49.99	Pass	9701
1000	1840	1	RMS	1830	-50.67	-13	37.67	Pass	841
1840	1925	1	RMS	1881.225	17.66	60	42.34	Pass	401
1925	3000	1	RMS	3000	-47.33	-13	34.33	Pass	1076
3000	12000	1	RMS	11907	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	19359	-27.93	-13	14.93	Pass	8001




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	58.03	Pass	2986
30	1000	0.1	RMS	864.91	-62.83	-13	49.83	Pass	9701
1000	1840	1	RMS	1838	-50.66	-13	37.66	Pass	841
1840	1925	1	RMS	1912.038	18.03	60	41.97	Pass	401
1925	3000	1	RMS	2983	-47.34	-13	34.34	Pass	1076
3000	12000	1	RMS	11999	-36.15	-13	23.15	Pass	9002
12000	20000	1	RMS	19381	-27.95	-13	14.95	Pass	8001




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.3	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	968.179	-62.8	-13	49.8	Pass	9701
1000	1840	1	RMS	1840	-50.66	-13	37.66	Pass	841
1840	1925	1	RMS	1912.038	17.23	60	42.77	Pass	401
1925	3000	1	RMS	2994	-47.33	-13	34.33	Pass	1076
3000	12000	1	RMS	11997	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19357	-27.9	-13	14.9	Pass	8001




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.15	-70.23	-13	57.23	Pass	2986
30	1000	0.1	RMS	957.072	-62.97	-13	49.97	Pass	9701
1000	1840	1	RMS	1839	-50.55	-13	37.55	Pass	841
1840	1925	1	RMS	1850.2	18.6	60	41.4	Pass	401
1925	3000	1	RMS	2988	-47.29	-13	34.29	Pass	1076
3000	12000	1	RMS	11997	-36.04	-13	23.04	Pass	9002
12000	20000	1	RMS	19368	-27.88	-13	14.88	Pass	8001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.19	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	978.286	-62.78	-13	49.78	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	37.56	Pass	841
1840	1925	1	RMS	1850.2	17.67	60	42.33	Pass	401
1925	3000	1	RMS	2995	-47.29	-13	34.29	Pass	1076
3000	12000	1	RMS	11904	-36.15	-13	23.15	Pass	9002
12000	20000	1	RMS	19311	-27.93	-13	14.93	Pass	8001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.2	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	954.77	-62.97	-13	49.97	Pass	9701
1000	1840	1	RMS	1839	-50.62	-13	37.62	Pass	841
1840	1925	1	RMS	1880.163	18.29	60	41.71	Pass	401
1925	3000	1	RMS	2993	-47.33	-13	34.33	Pass	1076
3000	12000	1	RMS	11996	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	19446	-27.91	-13	14.91	Pass	8001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	921.648	-62.96	-13	49.96	Pass	9701
1000	1840	1	RMS	1829	-50.64	-13	37.64	Pass	841
1840	1925	1	RMS	1880.375	17.2	60	42.8	Pass	401
1925	3000	1	RMS	2999	-47.31	-13	34.31	Pass	1076
3000	12000	1	RMS	11989	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	19347	-27.89	-13	14.89	Pass	8001




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.95	-13	57.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	828.7	-62.93	-13	49.93	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	37.64	Pass	841
1840	1925	1	RMS	1910.125	18.02	60	41.98	Pass	401
1925	3000	1	RMS	2993	-47.25	-13	34.25	Pass	1076
3000	12000	1	RMS	12000	-36.17	-13	23.17	Pass	9002
12000	20000	1	RMS	19432	-27.91	-13	14.91	Pass	8001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.25	-70.92	-13	57.92	Pass	2986
30	1000	0.1	RMS	994.696	-62.98	-13	49.98	Pass	9701
1000	1840	1	RMS	1839	-50.67	-13	37.67	Pass	841
1840	1925	1	RMS	1910.125	17.23	60	42.77	Pass	401
1925	3000	1	RMS	2999	-47.27	-13	34.27	Pass	1076
3000	12000	1	RMS	11900	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	19316	-27.91	-13	14.91	Pass	8001




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.17	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	982.789	-62.89	-13	49.89	Pass	9701
1000	1840	1	RMS	1836	-50.63	-13	37.63	Pass	841
1840	1925	1	RMS	1850.413	18.51	60	41.49	Pass	401
1925	3000	1	RMS	2999	-47.29	-13	34.29	Pass	1076
3000	12000	1	RMS	12000	-36.2	-13	23.2	Pass	9002
12000	20000	1	RMS	19409	-27.88	-13	14.88	Pass	8001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.83	-13	57.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	932.155	-62.93	-13	49.93	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	37.59	Pass	841
1840	1925	1	RMS	1850.413	18.04	60	41.96	Pass	401
1925	3000	1	RMS	2410	-44.71	-13	31.71	Pass	1076
3000	12000	1	RMS	11992	-36.16	-13	23.16	Pass	9002
12000	20000	1	RMS	19346	-27.91	-13	14.91	Pass	8001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.78	-13	57.78	Pass	401
0.15	30	0.01	RMS	0.19	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	969.38	-62.78	-13	49.78	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	37.56	Pass	841
1840	1925	1	RMS	1878.038	18.28	60	41.72	Pass	401
1925	3000	1	RMS	2425	-46.46	-13	33.46	Pass	1076
3000	12000	1	RMS	11991	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	17849	-27.93	-13	14.93	Pass	8001




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.19	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	933.156	-62.89	-13	49.89	Pass	9701
1000	1840	1	RMS	1837	-50.65	-13	37.65	Pass	841
1840	1925	1	RMS	1878.038	17.43	60	42.57	Pass	401
1925	3000	1	RMS	2993	-47.24	-13	34.24	Pass	1076
3000	12000	1	RMS	11899	-36.16	-13	23.16	Pass	9002
12000	20000	1	RMS	19454	-27.92	-13	14.92	Pass	8001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.22	-13	58.22	Pass	401
0.15	30	0.01	RMS	0.18	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	996.398	-62.81	-13	49.81	Pass	9701
1000	1840	1	RMS	1839	-50.63	-13	37.63	Pass	841
1840	1925	1	RMS	1905.45	17.96	60	42.04	Pass	401
1925	3000	1	RMS	2994	-47.32	-13	34.32	Pass	1076
3000	12000	1	RMS	11897	-36.15	-13	23.15	Pass	9002
12000	20000	1	RMS	19324	-27.88	-13	14.88	Pass	8001




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.16	-70.82	-13	57.82	Pass	2986
30	1000	0.1	RMS	942.062	-62.78	-13	49.78	Pass	9701
1000	1840	1	RMS	1840	-50.67	-13	37.67	Pass	841
1840	1925	1	RMS	1905.45	17.19	60	42.81	Pass	401
1925	3000	1	RMS	2990	-47.29	-13	34.29	Pass	1076
3000	12000	1	RMS	11997	-36.15	-13	23.15	Pass	9002
12000	20000	1	RMS	19342	-27.94	-13	14.94	Pass	8001




9.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.91	-13	57.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	58.04	Pass	2986
30	1000	0.1	RMS	911.541	-62.92	-13	49.92	Pass	9701
1000	1840	1	RMS	1837	-50.58	-13	37.58	Pass	841
1840	1925	1	RMS	1850.838	18.42	60	41.58	Pass	401
1925	3000	1	RMS	2996	-47.3	-13	34.3	Pass	1076
3000	12000	1	RMS	11999	-36.15	-13	23.15	Pass	9002
12000	20000	1	RMS	19441	-27.92	-13	14.92	Pass	8001




9.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	0.22	-70.58	-13	57.58	Pass	2986
30	1000	0.1	RMS	992.395	-62.96	-13	49.96	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	37.6	Pass	841
1840	1925	1	RMS	1850.838	17.65	60	42.35	Pass	401
1925	3000	1	RMS	2994	-47.35	-13	34.35	Pass	1076
3000	12000	1	RMS	11897	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	19323	-27.87	-13	14.87	Pass	8001




9.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	0.16	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	995.297	-62.97	-13	49.97	Pass	9701
1000	1840	1	RMS	1839	-50.65	-13	37.65	Pass	841
1840	1925	1	RMS	1875.7	18.24	60	41.76	Pass	401
1925	3000	1	RMS	3000	-47.29	-13	34.29	Pass	1076
3000	12000	1	RMS	11992	-36.09	-13	23.09	Pass	9002
12000	20000	1	RMS	19392	-27.92	-13	14.92	Pass	8001




9.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	58.17	Pass	2986
30	1000	0.1	RMS	965.977	-62.98	-13	49.98	Pass	9701
1000	1840	1	RMS	1834	-50.63	-13	37.63	Pass	841
1840	1925	1	RMS	1875.7	17.31	60	42.69	Pass	401
1925	3000	1	RMS	2999	-47.3	-13	34.3	Pass	1076
3000	12000	1	RMS	11995	-36.09	-13	23.09	Pass	9002
12000	20000	1	RMS	19309	-27.88	-13	14.88	Pass	8001




9.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.77	-13	57.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	970.881	-62.85	-13	49.85	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	37.64	Pass	841
1840	1925	1	RMS	1900.775	18.08	60	41.92	Pass	401
1925	3000	1	RMS	2984	-47.31	-13	34.31	Pass	1076
3000	12000	1	RMS	11899	-36.14	-13	23.14	Pass	9002
12000	20000	1	RMS	19392	-27.89	-13	14.89	Pass	8001




9.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.22	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	987.792	-62.83	-13	49.83	Pass	9701
1000	1840	1	RMS	1836	-50.62	-13	37.62	Pass	841
1840	1925	1	RMS	1900.775	17.28	60	42.72	Pass	401
1925	3000	1	RMS	3000	-47.37	-13	34.37	Pass	1076
3000	12000	1	RMS	11899	-36.11	-13	23.11	Pass	9002
12000	20000	1	RMS	19304	-27.88	-13	14.88	Pass	8001




9.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.2	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	970.781	-62.95	-13	49.95	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	37.51	Pass	841
1840	1925	1	RMS	1851.05	18.44	60	41.56	Pass	401
1925	3000	1	RMS	2989	-47.34	-13	34.34	Pass	1076
3000	12000	1	RMS	12000	-36.12	-13	23.12	Pass	9002
12000	20000	1	RMS	19304	-27.9	-13	14.9	Pass	8001




9.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.33	-13	57.33	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	962.575	-62.93	-13	49.93	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	37.53	Pass	841
1840	1925	1	RMS	1851.05	17.73	60	42.27	Pass	401
1925	3000	1	RMS	2998	-47.34	-13	34.34	Pass	1076
3000	12000	1	RMS	11899	-36.13	-13	23.13	Pass	9002
12000	20000	1	RMS	19375	-27.94	-13	14.94	Pass	8001




9.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.17	-70.75	-13	57.75	Pass	2986
30	1000	0.1	RMS	919.246	-62.93	-13	49.93	Pass	9701
1000	1840	1	RMS	1839	-50.65	-13	37.65	Pass	841
1840	1925	1	RMS	1873.575	18.11	60	41.89	Pass	401
1925	3000	1	RMS	2972	-47.28	-13	34.28	Pass	1076
3000	12000	1	RMS	11999	-36.16	-13	23.16	Pass	9002
12000	20000	1	RMS	19322	-27.88	-13	14.88	Pass	8001




9.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.85	-13	57.85	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	57.65	Pass	2986
30	1000	0.1	RMS	996.498	-62.93	-13	49.93	Pass	9701
1000	1840	1	RMS	1837	-50.59	-13	37.59	Pass	841
1840	1925	1	RMS	1873.575	17.26	60	42.74	Pass	401
1925	3000	1	RMS	2992	-47.27	-13	34.27	Pass	1076
3000	12000	1	RMS	11897	-36.11	-13	23.11	Pass	9002
12000	20000	1	RMS	19343	-27.91	-13	14.91	Pass	8001




9.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	0.24	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	976.685	-62.89	-13	49.89	Pass	9701
1000	1840	1	RMS	1837	-50.65	-13	37.65	Pass	841
1840	1925	1	RMS	1895.888	18.03	60	41.97	Pass	401
1925	3000	1	RMS	2984	-47.29	-13	34.29	Pass	1076
3000	12000	1	RMS	11996	-36.08	-13	23.08	Pass	9002
12000	20000	1	RMS	19461	-27.91	-13	14.91	Pass	8001



9.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.17	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	819.6	-62.87	-13	49.87	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	37.59	Pass	841
1840	1925	1	RMS	1896.1	17.07	60	42.93	Pass	401
1925	3000	1	RMS	3000	-47.3	-13	34.3	Pass	1076
3000	12000	1	RMS	11900	-36.09	-13	23.09	Pass	9002
12000	20000	1	RMS	19321	-27.91	-13	14.91	Pass	8001



10. LTE_Band26(part22)


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.19	-71.26	-13	58.26	Pass	2986
30	814	0.1	RMS	813.6	-63.26	-13	50.26	Pass	7841
814	860	0.1	RMS	824.2	15.24	60	44.76	Pass	461
860	1000	0.1	RMS	869.5	-62.91	-13	49.91	Pass	1401
1000	3000	1	RMS	2985	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9701	-38.46	-13	25.46	Pass	7001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.27	-71.46	-13	58.46	Pass	2986
30	814	0.1	RMS	810.8	-63.24	-13	50.24	Pass	7841
814	860	0.1	RMS	824.3	14.23	60	45.77	Pass	461
860	1000	0.1	RMS	870	-62.89	-13	49.89	Pass	1401
1000	3000	1	RMS	2998	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	9703	-38.46	-13	25.46	Pass	7001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.14	-13	58.14	Pass	401
0.15	30	0.01	RMS	0.15	-70.3	-13	57.3	Pass	2986
30	814	0.1	RMS	813.3	-63.35	-13	50.35	Pass	7841
814	860	0.1	RMS	836.1	15.41	60	44.59	Pass	461
860	1000	0.1	RMS	881.1	-62.94	-13	49.94	Pass	1401
1000	3000	1	RMS	3000	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	9696	-38.47	-13	25.47	Pass	7001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.17	-70.96	-13	57.96	Pass	2986
30	814	0.1	RMS	792.4	-63.24	-13	50.24	Pass	7841
814	860	0.1	RMS	836	14.44	60	45.56	Pass	461
860	1000	0.1	RMS	881.1	-62.83	-13	49.83	Pass	1401
1000	3000	1	RMS	2996	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	9697	-38.47	-13	25.47	Pass	7001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	814	0.1	RMS	812.7	-63.22	-13	50.22	Pass	7841
814	860	0.1	RMS	847.9	15.66	60	44.34	Pass	461
860	1000	0.1	RMS	893	-62.79	-13	49.79	Pass	1401
1000	3000	1	RMS	2998	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	9700	-38.44	-13	25.44	Pass	7001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.35	-13	57.35	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	57.61	Pass	2986
30	814	0.1	RMS	810.1	-63.27	-13	50.27	Pass	7841
814	860	0.1	RMS	847.9	14.81	60	45.19	Pass	461
860	1000	0.1	RMS	892.9	-62.89	-13	49.89	Pass	1401
1000	3000	1	RMS	2999	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	9700	-38.46	-13	25.46	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.23	-13	57.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	58.16	Pass	2986
30	814	0.1	RMS	811.8	-63.24	-13	50.24	Pass	7841
814	860	0.1	RMS	824.2	15.48	60	44.52	Pass	461
860	1000	0.1	RMS	864.5	-62.92	-13	49.92	Pass	1401
1000	3000	1	RMS	2992	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	9697	-38.47	-13	25.47	Pass	7001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.15	-70.26	-13	57.26	Pass	2986
30	814	0.1	RMS	812.3	-63.11	-13	50.11	Pass	7841
814	860	0.1	RMS	824.2	14.73	60	45.27	Pass	461
860	1000	0.1	RMS	871.6	-62.88	-13	49.88	Pass	1401
1000	3000	1	RMS	2994	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	9699	-38.5	-13	25.5	Pass	7001



10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	0.21	-71.32	-13	58.32	Pass	2986
30	814	0.1	RMS	810.1	-63.3	-13	50.3	Pass	7841
814	860	0.1	RMS	835.2	15.85	60	44.15	Pass	461
860	1000	0.1	RMS	882.2	-62.84	-13	49.84	Pass	1401
1000	3000	1	RMS	3000	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	9702	-38.49	-13	25.49	Pass	7001



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.16	-71.22	-13	58.22	Pass	2986
30	814	0.1	RMS	768.8	-63.35	-13	50.35	Pass	7841
814	860	0.1	RMS	835.2	15.17	60	44.83	Pass	461
860	1000	0.1	RMS	880.7	-62.89	-13	49.89	Pass	1401
1000	3000	1	RMS	2998	-47.31	-13	34.31	Pass	2001
3000	10000	1	RMS	9702	-38.44	-13	25.44	Pass	7001

