


Spurious Emission at Antenna Terminals

4.9 LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	880.521	-65.42	-13	52.42	Pass	9701
1000	1670	1	RMS	1668	-54.26	-13	41.26	Pass	671
1670	1820	1	RMS	1778.75	11.8	60	48.2	Pass	401
1820	3000	1	RMS	2990	-51.47	-13	38.47	Pass	1181
3000	20000	1	RMS	19440	-54.44	-13	41.44	Pass	17003



4.10 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	997.098	-65.39	-13	52.39	Pass	9701
1000	1670	1	RMS	1670	-54.22	-13	41.22	Pass	671
1670	1820	1	RMS	1775.75	12.2	60	47.8	Pass	401
1820	3000	1	RMS	2995	-51.48	-13	38.48	Pass	1181
3000	20000	1	RMS	19355	-54.41	-13	41.41	Pass	17003



4.11 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	987.292	-65.43	-13	52.43	Pass	9701
1000	1670	1	RMS	1670	-54.22	-13	41.22	Pass	671
1670	1820	1	RMS	1778.75	11.78	60	48.22	Pass	401
1820	3000	1	RMS	2995	-51.53	-13	38.53	Pass	1181
3000	20000	1	RMS	19297	-54.43	-13	41.43	Pass	17003



4.12 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.17	-73.03	-13	60.03	Pass	2986
30	1000	0.1	RMS	999.9	-65.41	-13	52.41	Pass	9701
1000	1670	1	RMS	1669	-54.26	-13	41.26	Pass	671
1670	1820	1	RMS	1776.125	11.16	60	48.84	Pass	401
1820	3000	1	RMS	2992	-51.48	-13	38.48	Pass	1181
3000	20000	1	RMS	19308	-54.44	-13	41.44	Pass	17003



4.13 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132072|132270,
Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	975.784	-65.28	-13	52.28	Pass	9701
1000	1670	1	RMS	1670	-54.27	-13	41.27	Pass	671
1670	1820	1	RMS	1748.375	11.75	60	48.25	Pass	401
1820	3000	1	RMS	2987	-51.5	-13	38.5	Pass	1181
3000	20000	1	RMS	19344	-54.41	-13	41.41	Pass	17003




4.14 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132072|132270,

Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	844.5	-65.39	-13	52.39	Pass	9701
1000	1670	1	RMS	1670	-54.21	-13	41.21	Pass	671
1670	1820	1	RMS	1727	6.44	60	53.56	Pass	401
1820	3000	1	RMS	2981	-51.5	-13	38.5	Pass	1181
3000	20000	1	RMS	19337	-54.4	-13	41.4	Pass	17003



4.15 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132072|132270,
Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	971.281	-65.51	-13	52.51	Pass	9701
1000	1670	1	RMS	1668	-54.3	-13	41.3	Pass	671
1670	1820	1	RMS	1748.375	11.72	60	48.28	Pass	401
1820	3000	1	RMS	2931	-51.51	-13	38.51	Pass	1181
3000	20000	1	RMS	19301	-54.46	-13	41.46	Pass	17003




4.16 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132072|132270,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.29	-13	60.29	Pass	401
0.15	30	0.01	RMS	0.4	-72.83	-13	59.83	Pass	2986
30	1000	0.1	RMS	824.1	-65.41	-13	52.41	Pass	9701
1000	1670	1	RMS	1670	-54.25	-13	41.25	Pass	671
1670	1820	1	RMS	1731.875	5.43	60	54.57	Pass	401
1820	3000	1	RMS	2995	-51.52	-13	38.52	Pass	1181
3000	20000	1	RMS	19391	-54.47	-13	41.47	Pass	17003



4.17 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132323|132521,
Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	841.1	-65.48	-13	52.48	Pass	9701
1000	1670	1	RMS	1667	-54.27	-13	41.27	Pass	671
1670	1820	1	RMS	1773.5	11.46	60	48.54	Pass	401
1820	3000	1	RMS	2986	-51.52	-13	38.52	Pass	1181
3000	20000	1	RMS	19354	-54.43	-13	41.43	Pass	17003




4.18 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132323|132521,

Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.2	-72.82	-13	59.82	Pass	2986
30	1000	0.1	RMS	980.887	-65.33	-13	52.33	Pass	9701
1000	1670	1	RMS	1670	-54.24	-13	41.24	Pass	671
1670	1820	1	RMS	1772.375	6.6	60	53.4	Pass	401
1820	3000	1	RMS	2994	-51.49	-13	38.49	Pass	1181
3000	20000	1	RMS	19394	-54.47	-13	41.47	Pass	17003



4.19 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132323|132521,
Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	979.386	-65.46	-13	52.46	Pass	9701
1000	1670	1	RMS	1669	-54.24	-13	41.24	Pass	671
1670	1820	1	RMS	1773.5	11.22	60	48.78	Pass	401
1820	3000	1	RMS	2997	-51.5	-13	38.5	Pass	1181
3000	20000	1	RMS	19389	-54.46	-13	41.46	Pass	17003




4.20 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132323|132521,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	858.006	-65.32	-13	52.32	Pass	9701
1000	1670	1	RMS	1670	-54.2	-13	41.2	Pass	671
1670	1820	1	RMS	1772.375	5.64	60	54.36	Pass	401
1820	3000	1	RMS	2982	-51.49	-13	38.49	Pass	1181
3000	20000	1	RMS	19383	-54.42	-13	41.42	Pass	17003



4.21 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132374|132572,
Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.19	-72.83	-13	59.83	Pass	2986
30	1000	0.1	RMS	843	-65.43	-13	52.43	Pass	9701
1000	1670	1	RMS	1666	-54.24	-13	41.24	Pass	671
1670	1820	1	RMS	1778.75	11.62	60	48.38	Pass	401
1820	3000	1	RMS	2977	-51.41	-13	38.41	Pass	1181
3000	20000	1	RMS	19408	-54.43	-13	41.43	Pass	17003




4.22 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132374|132572,

Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	975.083	-65.42	-13	52.42	Pass	9701
1000	1670	1	RMS	1669	-54.2	-13	41.2	Pass	671
1670	1820	1	RMS	1767.5	6.51	60	53.49	Pass	401
1820	3000	1	RMS	2983	-51.42	-13	38.42	Pass	1181
3000	20000	1	RMS	19382	-54.42	-13	41.42	Pass	17003




4.23 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132374|132572,

Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.19	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	855.604	-65.48	-13	52.48	Pass	9701
1000	1670	1	RMS	1670	-54.22	-13	41.22	Pass	671
1670	1820	1	RMS	1778.75	11.62	60	48.38	Pass	401
1820	3000	1	RMS	2981	-51.52	-13	38.52	Pass	1181
3000	20000	1	RMS	19382	-54.42	-13	41.42	Pass	17003




4.24 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132374|132572,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-13	59.69	Pass	2986
30	1000	0.1	RMS	836.2	-65.5	-13	52.5	Pass	9701
1000	1670	1	RMS	1670	-54.22	-13	41.22	Pass	671
1670	1820	1	RMS	1772	5.5	60	54.5	Pass	401
1820	3000	1	RMS	2981	-51.5	-13	38.5	Pass	1181
3000	20000	1	RMS	19324	-54.45	-13	41.45	Pass	17003



1. n2 15kHz


1.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.4	-13	52.4	Pass	401
0.15	30	0.01	RMS	0.18	-65.17	-13	52.17	Pass	2986
30	1000	0.1	RMS	869.714	-58.56	-13	45.56	Pass	9701
1000	1840	1	RMS	1840	-46.8	-13	33.8	Pass	841
1840	1920	1	RMS	1853.6	13.24	60	46.76	Pass	401
1920	3000	1	RMS	2938	-43	-13	30	Pass	1081
3000	7000	1	RMS	6979	-59.67	-13	46.67	Pass	4001
7000	20000	1	RMS	19381	-46.93	-13	33.93	Pass	13002




1.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.36	-13	52.36	Pass	401
0.15	30	0.01	RMS	0.18	-64.94	-13	51.94	Pass	2986
30	1000	0.1	RMS	929.253	-58.43	-13	45.43	Pass	9701
1000	1840	1	RMS	1840	-46.99	-13	33.99	Pass	841
1840	1920	1	RMS	1850.2	19.43	60	40.57	Pass	401
1920	3000	1	RMS	2930	-42.97	-13	29.97	Pass	1081
3000	7000	1	RMS	6979	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19381	-46.98	-13	33.98	Pass	13002




1.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.22	-13	52.22	Pass	401
0.15	30	0.01	RMS	0.24	-65.48	-13	52.48	Pass	2986
30	1000	0.1	RMS	889.327	-58.52	-13	45.52	Pass	9701
1000	1840	1	RMS	1838	-47.02	-13	34.02	Pass	841
1840	1920	1	RMS	1854.6	19.35	60	40.65	Pass	401
1920	3000	1	RMS	2939	-43.01	-13	30.01	Pass	1081
3000	7000	1	RMS	6967	-59.65	-13	46.65	Pass	4001
7000	20000	1	RMS	19336	-46.97	-13	33.97	Pass	13002




1.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.03	-13	52.03	Pass	401
0.15	30	0.01	RMS	0.17	-64.88	-13	51.88	Pass	2986
30	1000	0.1	RMS	966.278	-58.62	-13	45.62	Pass	9701
1000	1840	1	RMS	1840	-47.06	-13	34.06	Pass	841
1840	1920	1	RMS	1881.2	12.97	60	47.03	Pass	401
1920	3000	1	RMS	2944	-43.03	-13	30.03	Pass	1081
3000	7000	1	RMS	6978	-59.65	-13	46.65	Pass	4001
7000	20000	1	RMS	19435	-46.95	-13	33.95	Pass	13002




1.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.88	-13	51.88	Pass	401
0.15	30	0.01	RMS	0.18	-65.75	-13	52.75	Pass	2986
30	1000	0.1	RMS	984.89	-58.42	-13	45.42	Pass	9701
1000	1840	1	RMS	1840	-47.07	-13	34.07	Pass	841
1840	1920	1	RMS	1877.8	19.1	60	40.9	Pass	401
1920	3000	1	RMS	2941	-42.98	-13	29.98	Pass	1081
3000	7000	1	RMS	6977	-59.64	-13	46.64	Pass	4001
7000	20000	1	RMS	19351	-46.93	-13	33.93	Pass	13002




1.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.45	-13	53.45	Pass	401
0.15	30	0.01	RMS	0.41	-65.8	-13	52.8	Pass	2986
30	1000	0.1	RMS	933.156	-58.54	-13	45.54	Pass	9701
1000	1840	1	RMS	1838	-47.09	-13	34.09	Pass	841
1840	1920	1	RMS	1882	19.21	60	40.79	Pass	401
1920	3000	1	RMS	2938	-42.96	-13	29.96	Pass	1081
3000	7000	1	RMS	6970	-59.65	-13	46.65	Pass	4001
7000	20000	1	RMS	19304	-46.96	-13	33.96	Pass	13002




1.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.27	-13	52.27	Pass	401
0.15	30	0.01	RMS	0.17	-65.57	-13	52.57	Pass	2986
30	1000	0.1	RMS	932.155	-58.56	-13	45.56	Pass	9701
1000	1840	1	RMS	1838	-47.07	-13	34.07	Pass	841
1840	1920	1	RMS	1908.6	13.2	60	46.8	Pass	401
1920	3000	1	RMS	2930	-43	-13	30	Pass	1081
3000	7000	1	RMS	6973	-59.64	-13	46.64	Pass	4001
7000	20000	1	RMS	19299	-46.99	-13	33.99	Pass	13002




1.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.87	-13	52.87	Pass	401
0.15	30	0.01	RMS	0.16	-65.08	-13	52.08	Pass	2986
30	1000	0.1	RMS	902.335	-58.46	-13	45.46	Pass	9701
1000	1840	1	RMS	1839	-47.04	-13	34.04	Pass	841
1840	1920	1	RMS	1905.2	19.11	60	40.89	Pass	401
1920	3000	1	RMS	2943	-43	-13	30	Pass	1081
3000	7000	1	RMS	6975	-59.68	-13	46.68	Pass	4001
7000	20000	1	RMS	19329	-46.98	-13	33.98	Pass	13002




1.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.2	-13	53.2	Pass	401
0.15	30	0.01	RMS	0.25	-65.38	-13	52.38	Pass	2986
30	1000	0.1	RMS	826.9	-58.47	-13	45.47	Pass	9701
1000	1840	1	RMS	1827	-47.11	-13	34.11	Pass	841
1840	1920	1	RMS	1909.6	19.2	60	40.8	Pass	401
1920	3000	1	RMS	2942	-42.99	-13	29.99	Pass	1081
3000	7000	1	RMS	6973	-59.69	-13	46.69	Pass	4001
7000	20000	1	RMS	19325	-46.87	-13	33.87	Pass	13002




**1.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.68	-13	51.68	Pass	401
0.15	30	0.01	RMS	0.19	-65.58	-13	52.58	Pass	2986
30	1000	0.1	RMS	849.1	-58.52	-13	45.52	Pass	9701
1000	1840	1	RMS	1840	-41.77	-13	28.77	Pass	841
1840	1920	1	RMS	1863.2	7.19	60	52.81	Pass	401
1920	3000	1	RMS	2932	-42.98	-13	29.98	Pass	1081
3000	7000	1	RMS	6974	-59.67	-13	46.67	Pass	4001
7000	20000	1	RMS	19335	-46.88	-13	33.88	Pass	13002




**1.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.14	-13	52.14	Pass	401
0.15	30	0.01	RMS	0.19	-65.22	-13	52.22	Pass	2986
30	1000	0.1	RMS	818.6	-58.39	-13	45.39	Pass	9701
1000	1840	1	RMS	1839	-45.5	-13	32.5	Pass	841
1840	1920	1	RMS	1850.4	19.38	60	40.62	Pass	401
1920	3000	1	RMS	2930	-42.98	-13	29.98	Pass	1081
3000	7000	1	RMS	6971	-59.66	-13	46.66	Pass	4001
7000	20000	1	RMS	19383	-46.89	-13	33.89	Pass	13002




**1.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.16	-13	52.16	Pass	401
0.15	30	0.01	RMS	0.27	-65.92	-13	52.92	Pass	2986
30	1000	0.1	RMS	881.121	-58.42	-13	45.42	Pass	9701
1000	1840	1	RMS	1840	-46.99	-13	33.99	Pass	841
1840	1920	1	RMS	1869.4	19.18	60	40.82	Pass	401
1920	3000	1	RMS	2943	-42.97	-13	29.97	Pass	1081
3000	7000	1	RMS	6970	-59.64	-13	46.64	Pass	4001
7000	20000	1	RMS	19322	-46.9	-13	33.9	Pass	13002




**1.13 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.37	-13	52.37	Pass	401
0.15	30	0.01	RMS	0.15	-64.8	-13	51.8	Pass	2986
30	1000	0.1	RMS	869.614	-58.47	-13	45.47	Pass	9701
1000	1840	1	RMS	1839	-46.9	-13	33.9	Pass	841
1840	1920	1	RMS	1888.2	7.59	60	52.41	Pass	401
1920	3000	1	RMS	2951	-42.95	-13	29.95	Pass	1081
3000	7000	1	RMS	6969	-59.67	-13	46.67	Pass	4001
7000	20000	1	RMS	19383	-46.84	-13	33.84	Pass	13002




**1.14 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.73	-13	52.73	Pass	401
0.15	30	0.01	RMS	0.18	-65.66	-13	52.66	Pass	2986
30	1000	0.1	RMS	898.032	-58.49	-13	45.49	Pass	9701
1000	1840	1	RMS	1840	-47.07	-13	34.07	Pass	841
1840	1920	1	RMS	1870.4	19.19	60	40.81	Pass	401
1920	3000	1	RMS	2931	-42.99	-13	29.99	Pass	1081
3000	7000	1	RMS	6975	-59.67	-13	46.67	Pass	4001
7000	20000	1	RMS	19368	-46.96	-13	33.96	Pass	13002




**1.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.56	-13	52.56	Pass	401
0.15	30	0.01	RMS	0.15	-65.26	-13	52.26	Pass	2986
30	1000	0.1	RMS	888.726	-58.39	-13	45.39	Pass	9701
1000	1840	1	RMS	1838	-47.01	-13	34.01	Pass	841
1840	1920	1	RMS	1889.4	19.47	60	40.53	Pass	401
1920	3000	1	RMS	2935	-43	-13	30	Pass	1081
3000	7000	1	RMS	6977	-59.64	-13	46.64	Pass	4001
7000	20000	1	RMS	19307	-46.85	-13	33.85	Pass	13002




**1.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.38	-13	51.38	Pass	401
0.15	30	0.01	RMS	0.23	-65.46	-13	52.46	Pass	2986
30	1000	0.1	RMS	874.717	-58.41	-13	45.41	Pass	9701
1000	1840	1	RMS	1840	-47	-13	34	Pass	841
1840	1920	1	RMS	1891.6	7.62	60	52.38	Pass	401
1920	3000	1	RMS	1920	-42.72	-13	29.72	Pass	1081
3000	7000	1	RMS	6970	-59.62	-13	46.62	Pass	4001
7000	20000	1	RMS	19476	-46.84	-13	33.84	Pass	13002




**1.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.3	-13	52.3	Pass	401
0.15	30	0.01	RMS	0.15	-65.52	-13	52.52	Pass	2986
30	1000	0.1	RMS	897.232	-58.5	-13	45.5	Pass	9701
1000	1840	1	RMS	1838	-46.95	-13	33.95	Pass	841
1840	1920	1	RMS	1890.4	19.36	60	40.64	Pass	401
1920	3000	1	RMS	2937	-43	-13	30	Pass	1081
3000	7000	1	RMS	6972	-59.64	-13	46.64	Pass	4001
7000	20000	1	RMS	19437	-46.92	-13	33.92	Pass	13002



**1.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.2	-13	52.2	Pass	401
0.15	30	0.01	RMS	0.16	-65.64	-13	52.64	Pass	2986
30	1000	0.1	RMS	977.285	-58.51	-13	45.51	Pass	9701
1000	1840	1	RMS	1840	-47.01	-13	34.01	Pass	841
1840	1920	1	RMS	1909.4	19.28	60	40.72	Pass	401
1920	3000	1	RMS	2943	-42.97	-13	29.97	Pass	1081
3000	7000	1	RMS	6979	-59.63	-13	46.63	Pass	4001
7000	20000	1	RMS	19291	-46.93	-13	33.93	Pass	13002



2. n5


2.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.91	-13	52.91	Pass	401
0.15	30	0.01	RMS	0.15	-64.78	-13	51.78	Pass	2986
30	814	0.1	RMS	813.5	-57.91	-13	44.91	Pass	7841
814	859	0.1	RMS	825.1	4.99	60	55.01	Pass	451
859	1000	0.1	RMS	968.5	-58.47	-13	45.47	Pass	1411
1000	3000	1	RMS	2931	-43	-13	30	Pass	2001
3000	10000	1	RMS	8748	-59.04	-13	46.04	Pass	7001




2.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.01	-13	52.01	Pass	401
0.15	30	0.01	RMS	0.17	-65.08	-13	52.08	Pass	2986
30	814	0.1	RMS	811.3	-58.73	-13	45.73	Pass	7841
814	859	0.1	RMS	824.3	17.88	60	42.12	Pass	451
859	1000	0.1	RMS	889.3	-58.57	-13	45.57	Pass	1411
1000	3000	1	RMS	2940	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	8746	-58.87	-13	45.87	Pass	7001




2.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.2	-13	51.2	Pass	401
0.15	30	0.01	RMS	0.15	-65.3	-13	52.3	Pass	2986
30	814	0.1	RMS	795.6	-58.78	-13	45.78	Pass	7841
814	859	0.1	RMS	828.6	17.4	60	42.6	Pass	451
859	1000	0.1	RMS	885.9	-58.45	-13	45.45	Pass	1411
1000	3000	1	RMS	2937	-43	-13	30	Pass	2001
3000	10000	1	RMS	8747	-59.03	-13	46.03	Pass	7001




2.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.33	-13	52.33	Pass	401
0.15	30	0.01	RMS	0.16	-64.94	-13	51.94	Pass	2986
30	814	0.1	RMS	813.8	-58.78	-13	45.78	Pass	7841
814	859	0.1	RMS	837.9	4.85	60	55.15	Pass	451
859	1000	0.1	RMS	881.8	-58.5	-13	45.5	Pass	1411
1000	3000	1	RMS	2938	-42.91	-13	29.91	Pass	2001
3000	10000	1	RMS	8741	-59.01	-13	46.01	Pass	7001




2.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.59	-13	50.59	Pass	401
0.15	30	0.01	RMS	0.21	-64.8	-13	51.8	Pass	2986
30	814	0.1	RMS	771.1	-58.77	-13	45.77	Pass	7841
814	859	0.1	RMS	834.3	17.75	60	42.25	Pass	451
859	1000	0.1	RMS	881.9	-58.46	-13	45.46	Pass	1411
1000	3000	1	RMS	2942	-43.01	-13	30.01	Pass	2001
3000	10000	1	RMS	8746	-59.01	-13	46.01	Pass	7001




2.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.76	-13	50.76	Pass	401
0.15	30	0.01	RMS	0.18	-64.62	-13	51.62	Pass	2986
30	814	0.1	RMS	810.2	-58.83	-13	45.83	Pass	7841
814	859	0.1	RMS	838.7	17.37	60	42.63	Pass	451
859	1000	0.1	RMS	980	-58.5	-13	45.5	Pass	1411
1000	3000	1	RMS	2939	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	8741	-58.97	-13	45.97	Pass	7001




2.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.6	-13	52.6	Pass	401
0.15	30	0.01	RMS	0.16	-64.88	-13	51.88	Pass	2986
30	814	0.1	RMS	812.8	-58.84	-13	45.84	Pass	7841
814	859	0.1	RMS	844.4	4.75	60	55.25	Pass	451
859	1000	0.1	RMS	983.9	-58.53	-13	45.53	Pass	1411
1000	3000	1	RMS	2932	-43.02	-13	30.02	Pass	2001
3000	10000	1	RMS	8746	-58.95	-13	45.95	Pass	7001




2.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.99	-13	51.99	Pass	401
0.15	30	0.01	RMS	0.15	-65.16	-13	52.16	Pass	2986
30	814	0.1	RMS	776.5	-58.86	-13	45.86	Pass	7841
814	859	0.1	RMS	844.3	17.99	60	42.01	Pass	451
859	1000	0.1	RMS	891.4	-58.57	-13	45.57	Pass	1411
1000	3000	1	RMS	2936	-43	-13	30	Pass	2001
3000	10000	1	RMS	8746	-59.02	-13	46.02	Pass	7001




2.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.1	-13	52.1	Pass	401
0.15	30	0.01	RMS	0.18	-65.01	-13	52.01	Pass	2986
30	814	0.1	RMS	813	-58.81	-13	45.81	Pass	7841
814	859	0.1	RMS	848.6	17.41	60	42.59	Pass	451
859	1000	0.1	RMS	933.5	-58.51	-13	45.51	Pass	1411
1000	3000	1	RMS	2934	-43	-13	30	Pass	2001
3000	10000	1	RMS	8746	-58.93	-13	45.93	Pass	7001




2.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.99	-13	51.99	Pass	401
0.15	30	0.01	RMS	0.2	-65.63	-13	52.63	Pass	2986
30	814	0.1	RMS	814	-46.03	-13	33.03	Pass	7841
814	859	0.1	RMS	824.7	0.02	60	59.98	Pass	451
859	1000	0.1	RMS	982	-58.52	-13	45.52	Pass	1411
1000	3000	1	RMS	2933	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8745	-59	-13	46	Pass	7001




2.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.22	-13	52.22	Pass	401
0.15	30	0.01	RMS	0.28	-65.26	-13	52.26	Pass	2986
30	814	0.1	RMS	814	-57.74	-13	44.74	Pass	7841
814	859	0.1	RMS	824.5	17.93	60	42.07	Pass	451
859	1000	0.1	RMS	870.2	-58.57	-13	45.57	Pass	1411
1000	3000	1	RMS	2936	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	8748	-58.98	-13	45.98	Pass	7001




2.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.95	-13	51.95	Pass	401
0.15	30	0.01	RMS	0.24	-65.19	-13	52.19	Pass	2986
30	814	0.1	RMS	812.7	-58.86	-13	45.86	Pass	7841
814	859	0.1	RMS	838.5	18.04	60	41.96	Pass	451
859	1000	0.1	RMS	965.8	-58.55	-13	45.55	Pass	1411
1000	3000	1	RMS	2945	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8742	-59	-13	46	Pass	7001




2.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.89	-13	52.89	Pass	401
0.15	30	0.01	RMS	0.26	-65.24	-13	52.24	Pass	2986
30	814	0.1	RMS	813.1	-51.34	-13	38.34	Pass	7841
814	859	0.1	RMS	839.3	-0.09	60	60.09	Pass	451
859	1000	0.1	RMS	897.8	-58.58	-13	45.58	Pass	1411
1000	3000	1	RMS	2938	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8756	-59.05	-13	46.05	Pass	7001




2.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.63	-13	52.63	Pass	401
0.15	30	0.01	RMS	0.17	-65.52	-13	52.52	Pass	2986
30	814	0.1	RMS	741.3	-58.74	-13	45.74	Pass	7841
814	859	0.1	RMS	829.5	17.77	60	42.23	Pass	451
859	1000	0.1	RMS	876.1	-58.44	-13	45.44	Pass	1411
1000	3000	1	RMS	2940	-43.01	-13	30.01	Pass	2001
3000	10000	1	RMS	8747	-58.92	-13	45.92	Pass	7001




**2.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.08	-13	51.08	Pass	401
0.15	30	0.01	RMS	0.15	-65.47	-13	52.47	Pass	2986
30	814	0.1	RMS	811.2	-58.89	-13	45.89	Pass	7841
814	859	0.1	RMS	843.5	18.04	60	41.96	Pass	451
859	1000	0.1	RMS	893.5	-58.51	-13	45.51	Pass	1411
1000	3000	1	RMS	2940	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8739	-59	-13	46	Pass	7001




2.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.49	-13	51.49	Pass	401
0.15	30	0.01	RMS	0.15	-64.66	-13	51.66	Pass	2986
30	814	0.1	RMS	814	-55.4	-13	42.4	Pass	7841
814	859	0.1	RMS	839.5	0.09	60	59.91	Pass	451
859	1000	0.1	RMS	868.8	-58.51	-13	45.51	Pass	1411
1000	3000	1	RMS	2940	-43	-13	30	Pass	2001
3000	10000	1	RMS	8748	-58.99	-13	45.99	Pass	7001




**2.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.67	-13	51.67	Pass	401
0.15	30	0.01	RMS	0.15	-65.61	-13	52.61	Pass	2986
30	814	0.1	RMS	813.3	-58.79	-13	45.79	Pass	7841
814	859	0.1	RMS	834.5	17.78	60	42.22	Pass	451
859	1000	0.1	RMS	982.3	-58.51	-13	45.51	Pass	1411
1000	3000	1	RMS	2934	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8737	-59	-13	46	Pass	7001




**2.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.06	-13	52.06	Pass	401
0.15	30	0.01	RMS	0.18	-65.02	-13	52.02	Pass	2986
30	814	0.1	RMS	812.1	-58.77	-13	45.77	Pass	7841
814	859	0.1	RMS	848.5	18.11	60	41.89	Pass	451
859	1000	0.1	RMS	881.2	-58.44	-13	45.44	Pass	1411
1000	3000	1	RMS	2931	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8747	-59.01	-13	46.01	Pass	7001




**2.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.67	-13	52.67	Pass	401
0.15	30	0.01	RMS	0.22	-65.78	-13	52.78	Pass	2986
30	814	0.1	RMS	813.7	-46.58	-13	33.58	Pass	7841
814	859	0.1	RMS	839.1	-1.28	60	61.28	Pass	451
859	1000	0.1	RMS	895.2	-58.56	-13	45.56	Pass	1411
1000	3000	1	RMS	2940	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8743	-59.02	-13	46.02	Pass	7001




2.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.27	-13	52.27	Pass	401
0.15	30	0.01	RMS	0.19	-65.46	-13	52.46	Pass	2986
30	814	0.1	RMS	813.3	-56.93	-13	43.93	Pass	7841
814	859	0.1	RMS	824.5	17.72	60	42.28	Pass	451
859	1000	0.1	RMS	991.8	-58.51	-13	45.51	Pass	1411
1000	3000	1	RMS	2943	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8746	-58.98	-13	45.98	Pass	7001




2.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.32	-13	52.32	Pass	401
0.15	30	0.01	RMS	0.22	-65.4	-13	52.4	Pass	2986
30	814	0.1	RMS	810.1	-58.72	-13	45.72	Pass	7841
814	859	0.1	RMS	843.4	17.47	60	42.53	Pass	451
859	1000	0.1	RMS	949.2	-58.55	-13	45.55	Pass	1411
1000	3000	1	RMS	2939	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8737	-59.01	-13	46.01	Pass	7001




2.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.52	-13	52.52	Pass	401
0.15	30	0.01	RMS	0.15	-64.32	-13	51.32	Pass	2986
30	814	0.1	RMS	814	-48.58	-13	35.58	Pass	7841
814	859	0.1	RMS	839.3	-1.05	60	61.05	Pass	451
859	1000	0.1	RMS	968.3	-58.44	-13	45.44	Pass	1411
1000	3000	1	RMS	2945	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8747	-59	-13	46	Pass	7001




2.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.77	-13	51.77	Pass	401
0.15	30	0.01	RMS	0.2	-65.1	-13	52.1	Pass	2986
30	814	0.1	RMS	813.9	-57.69	-13	44.69	Pass	7841
814	859	0.1	RMS	827	17.62	60	42.38	Pass	451
859	1000	0.1	RMS	972.2	-58.58	-13	45.58	Pass	1411
1000	3000	1	RMS	2936	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8746	-59.05	-13	46.05	Pass	7001




2.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.05	-13	52.05	Pass	401
0.15	30	0.01	RMS	0.17	-65.59	-13	52.59	Pass	2986
30	814	0.1	RMS	813.9	-58.77	-13	45.77	Pass	7841
814	859	0.1	RMS	845.9	17.64	60	42.36	Pass	451
859	1000	0.1	RMS	969.6	-58.61	-13	45.61	Pass	1411
1000	3000	1	RMS	2931	-43	-13	30	Pass	2001
3000	10000	1	RMS	8743	-58.96	-13	45.96	Pass	7001




2.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.7	-13	52.7	Pass	401
0.15	30	0.01	RMS	0.24	-65.86	-13	52.86	Pass	2986
30	814	0.1	RMS	813.6	-50.32	-13	37.32	Pass	7841
814	859	0.1	RMS	839.1	-0.81	60	60.81	Pass	451
859	1000	0.1	RMS	877.9	-58.42	-13	45.42	Pass	1411
1000	3000	1	RMS	2942	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8744	-58.99	-13	45.99	Pass	7001




2.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.68	-13	50.68	Pass	401
0.15	30	0.01	RMS	0.15	-64.69	-13	51.69	Pass	2986
30	814	0.1	RMS	813.5	-58.24	-13	45.24	Pass	7841
814	859	0.1	RMS	829.5	17.11	60	42.89	Pass	451
859	1000	0.1	RMS	877.8	-58.48	-13	45.48	Pass	1411
1000	3000	1	RMS	2932	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8746	-58.99	-13	45.99	Pass	7001



**2.27 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.2	-13	52.2	Pass	401
0.15	30	0.01	RMS	0.19	-65.6	-13	52.6	Pass	2986
30	814	0.1	RMS	809.7	-58.85	-13	45.85	Pass	7841
814	859	0.1	RMS	848.4	17.67	60	42.33	Pass	451
859	1000	0.1	RMS	892.4	-58.52	-13	45.52	Pass	1411
1000	3000	1	RMS	2934	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8743	-59.02	-13	46.02	Pass	7001



3. n7


3.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.23	-25	39.23	Pass	401
0.15	30	0.01	RMS	0.15	-65.57	-25	40.57	Pass	2986
30	1000	0.1	RMS	964.076	-58.49	-25	33.49	Pass	9701
1000	2495	1	RMS	2495	-34.82	-25	9.82	Pass	1496
2495	2575	1	RMS	2503.6	13.42	60	46.58	Pass	401
2575	3000	1	RMS	2942	-42.99	-25	17.99	Pass	426
3000	7000	1	RMS	6969	-59.64	-25	34.64	Pass	4001
7000	26000	1	RMS	25509	-43.87	-25	18.87	Pass	19003




3.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.87	-25	40.87	Pass	401
0.15	30	0.01	RMS	0.17	-64.38	-25	39.38	Pass	2986
30	1000	0.1	RMS	841.8	-58.34	-25	33.34	Pass	9701
1000	2495	1	RMS	2495	-44.88	-25	19.88	Pass	1496
2495	2575	1	RMS	2500.2	19.42	60	40.58	Pass	401
2575	3000	1	RMS	2946	-42.96	-25	17.96	Pass	426
3000	7000	1	RMS	6969	-59.59	-25	34.59	Pass	4001
7000	26000	1	RMS	25494	-43.96	-25	18.96	Pass	19003




3.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.25	-25	40.25	Pass	401
0.15	30	0.01	RMS	0.19	-65.33	-25	40.33	Pass	2986
30	1000	0.1	RMS	967.478	-58.54	-25	33.54	Pass	9701
1000	2495	1	RMS	2495	-45.33	-25	20.33	Pass	1496
2495	2575	1	RMS	2504.6	19.48	60	40.52	Pass	401
2575	3000	1	RMS	2937	-42.99	-25	17.99	Pass	426
3000	7000	1	RMS	6977	-59.56	-25	34.56	Pass	4001
7000	26000	1	RMS	25517	-43.91	-25	18.91	Pass	19003




3.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.33	-25	40.33	Pass	401
0.15	30	0.01	RMS	0.15	-64.71	-25	39.71	Pass	2986
30	1000	0.1	RMS	958.773	-58.51	-25	33.51	Pass	9701
1000	2495	1	RMS	2494	-45.4	-25	20.4	Pass	1496
2495	2575	1	RMS	2536.2	12.99	60	47.01	Pass	401
2575	3000	1	RMS	2941	-42.96	-25	17.96	Pass	426
3000	7000	1	RMS	6978	-59.62	-25	34.62	Pass	4001
7000	26000	1	RMS	25491	-43.93	-25	18.93	Pass	19003




3.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.28	-25	40.28	Pass	401
0.15	30	0.01	RMS	0.15	-64.72	-25	39.72	Pass	2986
30	1000	0.1	RMS	881.822	-58.53	-25	33.53	Pass	9701
1000	2495	1	RMS	2493	-45.44	-25	20.44	Pass	1496
2495	2575	1	RMS	2532.8	19.14	60	40.86	Pass	401
2575	3000	1	RMS	2943	-42.97	-25	17.97	Pass	426
3000	7000	1	RMS	6976	-59.6	-25	34.6	Pass	4001
7000	26000	1	RMS	25508	-43.86	-25	18.86	Pass	19003




3.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.72	-25	40.72	Pass	401
0.15	30	0.01	RMS	0.4	-65.7	-25	40.7	Pass	2986
30	1000	0.1	RMS	967.879	-58.39	-25	33.39	Pass	9701
1000	2495	1	RMS	2493	-45.37	-25	20.37	Pass	1496
2495	2575	1	RMS	2537	19.2	60	40.8	Pass	401
2575	3000	1	RMS	2936	-42.95	-25	17.95	Pass	426
3000	7000	1	RMS	6979	-59.59	-25	34.59	Pass	4001
7000	26000	1	RMS	25512	-43.84	-25	18.84	Pass	19003




3.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.62	-25	40.62	Pass	401
0.15	30	0.01	RMS	0.18	-65.16	-25	40.16	Pass	2986
30	1000	0.1	RMS	877.819	-58.49	-25	33.49	Pass	9701
1000	2495	1	RMS	2495	-45.49	-25	20.49	Pass	1496
2495	2575	1	RMS	2566.2	13.07	60	46.93	Pass	401
2575	3000	1	RMS	2575	-39.17	-25	14.17	Pass	426
3000	7000	1	RMS	6974	-59.54	-25	34.54	Pass	4001
7000	26000	1	RMS	25502	-43.8	-25	18.8	Pass	19003




3.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.11	-25	40.11	Pass	401
0.15	30	0.01	RMS	0.19	-65.27	-25	40.27	Pass	2986
30	1000	0.1	RMS	821	-58.49	-25	33.49	Pass	9701
1000	2495	1	RMS	2494	-45.42	-25	20.42	Pass	1496
2495	2575	1	RMS	2565.2	19.12	60	40.88	Pass	401
2575	3000	1	RMS	2934	-42.97	-25	17.97	Pass	426
3000	7000	1	RMS	6977	-59.62	-25	34.62	Pass	4001
7000	26000	1	RMS	25496	-43.86	-25	18.86	Pass	19003




3.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.57	-25	40.57	Pass	401
0.15	30	0.01	RMS	0.21	-65.97	-25	40.97	Pass	2986
30	1000	0.1	RMS	837.3	-58.38	-25	33.38	Pass	9701
1000	2495	1	RMS	2489	-45.39	-25	20.39	Pass	1496
2495	2575	1	RMS	2569.6	19.29	60	40.71	Pass	401
2575	3000	1	RMS	2938	-42.98	-25	17.98	Pass	426
3000	7000	1	RMS	6975	-59.59	-25	34.59	Pass	4001
7000	26000	1	RMS	25495	-43.92	-25	18.92	Pass	19003




3.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.87	-25	40.87	Pass	401
0.15	30	0.01	RMS	0.31	-65.24	-25	40.24	Pass	2986
30	1000	0.1	RMS	901.335	-58.43	-25	33.43	Pass	9701
1000	2485	1	RMS	2485	-41.5	-25	16.5	Pass	1486
2485	2585	1	RMS	2506	8.13	60	51.87	Pass	401
2585	3000	1	RMS	2933	-42.97	-25	17.97	Pass	416
3000	7000	1	RMS	6979	-59.58	-25	34.58	Pass	4001
7000	26000	1	RMS	25500	-43.87	-25	18.87	Pass	19003




3.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.46	-25	40.46	Pass	401
0.15	30	0.01	RMS	0.21	-65.31	-25	40.31	Pass	2986
30	1000	0.1	RMS	857.706	-58.49	-25	33.49	Pass	9701
1000	2485	1	RMS	2483	-45.55	-25	20.55	Pass	1486
2485	2585	1	RMS	2500.25	19.23	60	40.77	Pass	401
2585	3000	1	RMS	2940	-42.96	-25	17.96	Pass	416
3000	7000	1	RMS	6976	-59.62	-25	34.62	Pass	4001
7000	26000	1	RMS	25501	-43.92	-25	18.92	Pass	19003




3.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.76	-25	40.76	Pass	401
0.15	30	0.01	RMS	0.24	-65.52	-25	40.52	Pass	2986
30	1000	0.1	RMS	860.007	-58.42	-25	33.42	Pass	9701
1000	2485	1	RMS	2472	-45.58	-25	20.58	Pass	1486
2485	2585	1	RMS	2514.5	19.08	60	40.92	Pass	401
2585	3000	1	RMS	2943	-42.97	-25	17.97	Pass	416
3000	7000	1	RMS	6972	-59.57	-25	34.57	Pass	4001
7000	26000	1	RMS	25503	-43.87	-25	18.87	Pass	19003




3.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.44	-25	40.44	Pass	401
0.15	30	0.01	RMS	0.31	-65.5	-25	40.5	Pass	2986
30	1000	0.1	RMS	844.1	-58.45	-25	33.45	Pass	9701
1000	2485	1	RMS	2484	-45.49	-25	20.49	Pass	1486
2485	2585	1	RMS	2540.75	8.46	60	51.54	Pass	401
2585	3000	1	RMS	2935	-42.98	-25	17.98	Pass	416
3000	7000	1	RMS	6970	-59.55	-25	34.55	Pass	4001
7000	26000	1	RMS	25498	-43.88	-25	18.88	Pass	19003




3.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.95	-25	39.95	Pass	401
0.15	30	0.01	RMS	0.25	-65.79	-25	40.79	Pass	2986
30	1000	0.1	RMS	966.378	-58.51	-25	33.51	Pass	9701
1000	2485	1	RMS	2476	-45.54	-25	20.54	Pass	1486
2485	2585	1	RMS	2527.75	18.88	60	41.12	Pass	401
2585	3000	1	RMS	2935	-42.96	-25	17.96	Pass	416
3000	7000	1	RMS	6980	-59.6	-25	34.6	Pass	4001
7000	26000	1	RMS	25502	-43.89	-25	18.89	Pass	19003




3.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.09	-25	40.09	Pass	401
0.15	30	0.01	RMS	0.15	-65.52	-25	40.52	Pass	2986
30	1000	0.1	RMS	973.683	-58.43	-25	33.43	Pass	9701
1000	2485	1	RMS	2485	-45.48	-25	20.48	Pass	1486
2485	2585	1	RMS	2541.75	18.86	60	41.14	Pass	401
2585	3000	1	RMS	2933	-42.96	-25	17.96	Pass	416
3000	7000	1	RMS	6978	-59.62	-25	34.62	Pass	4001
7000	26000	1	RMS	25498	-43.84	-25	18.84	Pass	19003




3.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.35	-25	40.35	Pass	401
0.15	30	0.01	RMS	0.15	-65.17	-25	40.17	Pass	2986
30	1000	0.1	RMS	854.303	-58.47	-25	33.47	Pass	9701
1000	2485	1	RMS	2485	-45.53	-25	20.53	Pass	1486
2485	2585	1	RMS	2556.5	8.59	60	51.41	Pass	401
2585	3000	1	RMS	2932	-42.97	-25	17.97	Pass	416
3000	7000	1	RMS	6971	-59.55	-25	34.55	Pass	4001
7000	26000	1	RMS	25499	-43.9	-25	18.9	Pass	19003




3.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.69	-25	39.69	Pass	401
0.15	30	0.01	RMS	0.18	-64.85	-25	39.85	Pass	2986
30	1000	0.1	RMS	833.5	-58.36	-25	33.36	Pass	9701
1000	2485	1	RMS	2475	-45.51	-25	20.51	Pass	1486
2485	2585	1	RMS	2555.25	18.88	60	41.12	Pass	401
2585	3000	1	RMS	2929	-42.95	-25	17.95	Pass	416
3000	7000	1	RMS	6969	-59.61	-25	34.61	Pass	4001
7000	26000	1	RMS	25500	-43.83	-25	18.83	Pass	19003




3.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.1	-25	40.1	Pass	401
0.15	30	0.01	RMS	0.15	-65.08	-25	40.08	Pass	2986
30	1000	0.1	RMS	923.95	-58.52	-25	33.52	Pass	9701
1000	2485	1	RMS	2485	-45.52	-25	20.52	Pass	1486
2485	2585	1	RMS	2569.5	18.95	60	41.05	Pass	401
2585	3000	1	RMS	2936	-42.99	-25	17.99	Pass	416
3000	7000	1	RMS	6974	-59.55	-25	34.55	Pass	4001
7000	26000	1	RMS	25510	-43.8	-25	18.8	Pass	19003




3.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.76	-25	40.76	Pass	401
0.15	30	0.01	RMS	0.22	-65.67	-25	40.67	Pass	2986
30	1000	0.1	RMS	943.463	-58.41	-25	33.41	Pass	9701
1000	2480	1	RMS	2480	-43.12	-25	18.12	Pass	1481
2480	2590	1	RMS	2505.85	7.12	60	52.88	Pass	401
2590	3000	1	RMS	2932	-42.96	-25	17.96	Pass	411
3000	7000	1	RMS	6973	-59.56	-25	34.56	Pass	4001
7000	26000	1	RMS	25505	-43.89	-25	18.89	Pass	19003




3.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.74	-25	40.74	Pass	401
0.15	30	0.01	RMS	0.16	-65.71	-25	40.71	Pass	2986
30	1000	0.1	RMS	929.153	-58.33	-25	33.33	Pass	9701
1000	2480	1	RMS	2473	-45.56	-25	20.56	Pass	1481
2480	2590	1	RMS	2500.35	19.28	60	40.72	Pass	401
2590	3000	1	RMS	2930	-42.99	-25	17.99	Pass	411
3000	7000	1	RMS	6979	-59.58	-25	34.58	Pass	4001
7000	26000	1	RMS	25506	-43.88	-25	18.88	Pass	19003




3.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.48	-25	40.48	Pass	401
0.15	30	0.01	RMS	0.17	-65.26	-25	40.26	Pass	2986
30	1000	0.1	RMS	945.064	-58.45	-25	33.45	Pass	9701
1000	2480	1	RMS	2476	-45.57	-25	20.57	Pass	1481
2480	2590	1	RMS	2519.325	19.17	60	40.83	Pass	401
2590	3000	1	RMS	2934	-42.95	-25	17.95	Pass	411
3000	7000	1	RMS	6972	-59.52	-25	34.52	Pass	4001
7000	26000	1	RMS	25498	-43.9	-25	18.9	Pass	19003




3.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.06	-25	41.06	Pass	401
0.15	30	0.01	RMS	0.18	-65.38	-25	40.38	Pass	2986
30	1000	0.1	RMS	844	-58.46	-25	33.46	Pass	9701
1000	2480	1	RMS	2480	-45.5	-25	20.5	Pass	1481
2480	2590	1	RMS	2543.25	7.42	60	52.58	Pass	401
2590	3000	1	RMS	2945	-42.98	-25	17.98	Pass	411
3000	7000	1	RMS	6979	-59.59	-25	34.59	Pass	4001
7000	26000	1	RMS	25500	-43.83	-25	18.83	Pass	19003




3.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.98	-25	40.98	Pass	401
0.15	30	0.01	RMS	0.17	-65.75	-25	40.75	Pass	2986
30	1000	0.1	RMS	893.329	-58.41	-25	33.41	Pass	9701
1000	2480	1	RMS	2479	-45.61	-25	20.61	Pass	1481
2480	2590	1	RMS	2525.375	18.98	60	41.02	Pass	401
2590	3000	1	RMS	2930	-42.95	-25	17.95	Pass	411
3000	7000	1	RMS	6977	-59.56	-25	34.56	Pass	4001
7000	26000	1	RMS	25511	-43.84	-25	18.84	Pass	19003




3.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.84	-25	39.84	Pass	401
0.15	30	0.01	RMS	0.17	-65.23	-25	40.23	Pass	2986
30	1000	0.1	RMS	947.565	-58.42	-25	33.42	Pass	9701
1000	2480	1	RMS	2476	-45.56	-25	20.56	Pass	1481
2480	2590	1	RMS	2544.35	18.98	60	41.02	Pass	401
2590	3000	1	RMS	2944	-42.97	-25	17.97	Pass	411
3000	7000	1	RMS	6976	-59.62	-25	34.62	Pass	4001
7000	26000	1	RMS	25506	-43.88	-25	18.88	Pass	19003




3.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.29	-25	40.29	Pass	401
0.15	30	0.01	RMS	0.15	-65.5	-25	40.5	Pass	2986
30	1000	0.1	RMS	846.9	-58.39	-25	33.39	Pass	9701
1000	2480	1	RMS	2479	-45.5	-25	20.5	Pass	1481
2480	2590	1	RMS	2551.5	7.5	60	52.5	Pass	401
2590	3000	1	RMS	2935	-42.93	-25	17.93	Pass	411
3000	7000	1	RMS	6971	-59.65	-25	34.65	Pass	4001
7000	26000	1	RMS	25504	-43.84	-25	18.84	Pass	19003




3.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.1	-25	40.1	Pass	401
0.15	30	0.01	RMS	0.15	-64.82	-25	39.82	Pass	2986
30	1000	0.1	RMS	902.635	-58.29	-25	33.29	Pass	9701
1000	2480	1	RMS	2475	-45.64	-25	20.64	Pass	1481
2480	2590	1	RMS	2550.4	18.98	60	41.02	Pass	401
2590	3000	1	RMS	2937	-42.97	-25	17.97	Pass	411
3000	7000	1	RMS	6976	-59.55	-25	34.55	Pass	4001
7000	26000	1	RMS	25501	-43.85	-25	18.85	Pass	19003



3.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.74	-25	39.74	Pass	401
0.15	30	0.01	RMS	0.15	-64.98	-25	39.98	Pass	2986
30	1000	0.1	RMS	846.6	-58.49	-25	33.49	Pass	9701
1000	2480	1	RMS	2480	-45.57	-25	20.57	Pass	1481
2480	2590	1	RMS	2569.375	19.29	60	40.71	Pass	401
2590	3000	1	RMS	2931	-42.95	-25	17.95	Pass	411
3000	7000	1	RMS	6970	-59.6	-25	34.6	Pass	4001
7000	26000	1	RMS	25502	-43.82	-25	18.82	Pass	19003



4. n12 15kHz

4.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.4	-13	53.4	Pass	401
0.15	30	0.01	RMS	0.15	-64.18	-13	51.18	Pass	2986
30	689	0.1	RMS	490.1	-59.14	-13	46.14	Pass	6591
689	726	0.1	RMS	702.875	5.55	60	54.45	Pass	401
726	1000	0.1	RMS	847.6	-58.26	-13	45.26	Pass	2741
1000	3000	1	RMS	2935	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8743	-59.03	-13	46.03	Pass	7001



4.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.64	-13	51.64	Pass	401
0.15	30	0.01	RMS	0.15	-64.93	-13	51.93	Pass	2986
30	689	0.1	RMS	515.5	-59.16	-13	46.16	Pass	6591
689	726	0.1	RMS	699.36	17.8	60	42.2	Pass	401
726	1000	0.1	RMS	921.8	-57.86	-13	44.86	Pass	2741
1000	3000	1	RMS	2948	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8747	-58.93	-13	45.93	Pass	7001

