


Spurious Emission at Antenna Terminals


4.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.33	-13	51.33	Pass	401
0.15	30	0.01	RMS	0.19	-65.43	-13	52.43	Pass	2986
30	689	0.1	RMS	612.4	-59.11	-13	46.11	Pass	6591
689	726	0.1	RMS	703.615	17.89	60	42.11	Pass	401
726	1000	0.1	RMS	977	-58.19	-13	45.19	Pass	2741
1000	3000	1	RMS	2930	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8746	-58.98	-13	45.98	Pass	7001




4.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.65	-13	52.65	Pass	401
0.15	30	0.01	RMS	0.18	-64.77	-13	51.77	Pass	2986
30	689	0.1	RMS	611.8	-59.12	-13	46.12	Pass	6591
689	726	0.1	RMS	706.205	5.72	60	54.28	Pass	401
726	1000	0.1	RMS	813.1	-58.31	-13	45.31	Pass	2741
1000	3000	1	RMS	2935	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8750	-59.03	-13	46.03	Pass	7001




4.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.17	-13	51.17	Pass	401
0.15	30	0.01	RMS	0.15	-65.26	-13	52.26	Pass	2986
30	689	0.1	RMS	511.4	-59.1	-13	46.1	Pass	6591
689	726	0.1	RMS	705.373	17.85	60	42.15	Pass	401
726	1000	0.1	RMS	978.1	-58.07	-13	45.07	Pass	2741
1000	3000	1	RMS	2936	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8743	-58.97	-13	45.97	Pass	7001




4.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.43	-13	51.43	Pass	401
0.15	30	0.01	RMS	0.18	-65.55	-13	52.55	Pass	2986
30	689	0.1	RMS	489	-59.04	-13	46.04	Pass	6591
689	726	0.1	RMS	709.628	18.25	60	41.75	Pass	401
726	1000	0.1	RMS	865.1	-58.15	-13	45.15	Pass	2741
1000	3000	1	RMS	2932	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8744	-59.05	-13	46.05	Pass	7001




4.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.72	-13	51.72	Pass	401
0.15	30	0.01	RMS	0.16	-64.71	-13	51.71	Pass	2986
30	689	0.1	RMS	655.1	-59.22	-13	46.22	Pass	6591
689	726	0.1	RMS	715.085	5.64	60	54.36	Pass	401
726	1000	0.1	RMS	960.6	-58.37	-13	45.37	Pass	2741
1000	3000	1	RMS	2942	-42.92	-13	29.92	Pass	2001
3000	10000	1	RMS	8742	-59.01	-13	46.01	Pass	7001




4.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.85	-13	51.85	Pass	401
0.15	30	0.01	RMS	0.21	-64.96	-13	51.96	Pass	2986
30	689	0.1	RMS	496.6	-59.25	-13	46.25	Pass	6591
689	726	0.1	RMS	711.293	17.95	60	42.05	Pass	401
726	1000	0.1	RMS	872.2	-58.33	-13	45.33	Pass	2741
1000	3000	1	RMS	2931	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8746	-59.01	-13	46.01	Pass	7001




4.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.51	-13	50.51	Pass	401
0.15	30	0.01	RMS	0.15	-64.76	-13	51.76	Pass	2986
30	689	0.1	RMS	609.6	-59.23	-13	46.23	Pass	6591
689	726	0.1	RMS	715.64	18.32	60	41.68	Pass	401
726	1000	0.1	RMS	849.5	-58.26	-13	45.26	Pass	2741
1000	3000	1	RMS	2937	-42.91	-13	29.91	Pass	2001
3000	10000	1	RMS	8748	-58.97	-13	45.97	Pass	7001




4.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.3	-13	52.3	Pass	401
0.15	30	0.01	RMS	0.15	-65.63	-13	52.63	Pass	2986
30	689	0.1	RMS	688.9	-59.06	-13	46.06	Pass	6591
689	726	0.1	RMS	706.39	2.71	60	57.29	Pass	401
726	1000	0.1	RMS	980.4	-58.3	-13	45.3	Pass	2741
1000	3000	1	RMS	2943	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8741	-59.01	-13	46.01	Pass	7001




4.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.84	-13	51.84	Pass	401
0.15	30	0.01	RMS	0.16	-64.88	-13	51.88	Pass	2986
30	689	0.1	RMS	510.1	-59.12	-13	46.12	Pass	6591
689	726	0.1	RMS	699.36	17.69	60	42.31	Pass	401
726	1000	0.1	RMS	843.3	-58.13	-13	45.13	Pass	2741
1000	3000	1	RMS	2938	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8743	-59.03	-13	46.03	Pass	7001




4.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.22	-13	51.22	Pass	401
0.15	30	0.01	RMS	0.15	-64.34	-13	51.34	Pass	2986
30	689	0.1	RMS	603.7	-59.21	-13	46.21	Pass	6591
689	726	0.1	RMS	708.61	18.3	60	41.7	Pass	401
726	1000	0.1	RMS	976.2	-58.38	-13	45.38	Pass	2741
1000	3000	1	RMS	2936	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8745	-58.91	-13	45.91	Pass	7001




4.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.21	-13	52.21	Pass	401
0.15	30	0.01	RMS	0.17	-65.26	-13	52.26	Pass	2986
30	689	0.1	RMS	497.3	-59.24	-13	46.24	Pass	6591
689	726	0.1	RMS	706.113	2.72	60	57.28	Pass	401
726	1000	0.1	RMS	998.5	-58.29	-13	45.29	Pass	2741
1000	3000	1	RMS	2937	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8744	-58.91	-13	45.91	Pass	7001




4.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.69	-13	51.69	Pass	401
0.15	30	0.01	RMS	0.24	-65.21	-13	52.21	Pass	2986
30	689	0.1	RMS	485	-59.25	-13	46.25	Pass	6591
689	726	0.1	RMS	702.875	18.21	60	41.79	Pass	401
726	1000	0.1	RMS	907.4	-58.27	-13	45.27	Pass	2741
1000	3000	1	RMS	2934	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8746	-58.98	-13	45.98	Pass	7001




4.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.34	-13	51.34	Pass	401
0.15	30	0.01	RMS	0.15	-65.78	-13	52.78	Pass	2986
30	689	0.1	RMS	500.1	-59.24	-13	46.24	Pass	6591
689	726	0.1	RMS	712.125	17.9	60	42.1	Pass	401
726	1000	0.1	RMS	932.6	-58.21	-13	45.21	Pass	2741
1000	3000	1	RMS	2941	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8741	-58.99	-13	45.99	Pass	7001




4.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.88	-13	52.88	Pass	401
0.15	30	0.01	RMS	0.24	-65.38	-13	52.38	Pass	2986
30	689	0.1	RMS	608.8	-59.22	-13	46.22	Pass	6591
689	726	0.1	RMS	707.315	2.55	60	57.45	Pass	401
726	1000	0.1	RMS	880.2	-58.29	-13	45.29	Pass	2741
1000	3000	1	RMS	2935	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8748	-59.02	-13	46.02	Pass	7001




4.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.62	-13	51.62	Pass	401
0.15	30	0.01	RMS	0.15	-64.82	-13	51.82	Pass	2986
30	689	0.1	RMS	606.4	-59.22	-13	46.22	Pass	6591
689	726	0.1	RMS	706.39	18.31	60	41.69	Pass	401
726	1000	0.1	RMS	978.5	-58.23	-13	45.23	Pass	2741
1000	3000	1	RMS	2941	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	8732	-58.95	-13	45.95	Pass	7001




4.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.83	-13	51.83	Pass	401
0.15	30	0.01	RMS	0.24	-65.45	-13	52.45	Pass	2986
30	689	0.1	RMS	659.8	-59.19	-13	46.19	Pass	6591
689	726	0.1	RMS	715.548	18.09	60	41.91	Pass	401
726	1000	0.1	RMS	934.3	-58.27	-13	45.27	Pass	2741
1000	3000	1	RMS	2933	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8734	-58.96	-13	45.96	Pass	7001




4.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.7	-13	52.7	Pass	401
0.15	30	0.01	RMS	0.15	-64.45	-13	51.45	Pass	2986
30	689	0.1	RMS	688.5	-58.57	-13	45.57	Pass	6591
689	726	0.1	RMS	706.113	0.81	60	59.19	Pass	401
726	1000	0.1	RMS	946	-58.43	-13	45.43	Pass	2741
1000	3000	1	RMS	2940	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8743	-58.97	-13	45.97	Pass	7001




4.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.51	-13	52.51	Pass	401
0.15	30	0.01	RMS	0.15	-64.32	-13	51.32	Pass	2986
30	689	0.1	RMS	483.7	-59.1	-13	46.1	Pass	6591
689	726	0.1	RMS	699.453	18.07	60	41.93	Pass	401
726	1000	0.1	RMS	984.2	-58.17	-13	45.17	Pass	2741
1000	3000	1	RMS	2936	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8747	-58.98	-13	45.98	Pass	7001




4.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.2	-13	52.2	Pass	401
0.15	30	0.01	RMS	0.15	-64.03	-13	51.03	Pass	2986
30	689	0.1	RMS	507	-59.15	-13	46.15	Pass	6591
689	726	0.1	RMS	713.513	18.5	60	41.5	Pass	401
726	1000	0.1	RMS	852.5	-58.27	-13	45.27	Pass	2741
1000	3000	1	RMS	2936	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8741	-58.98	-13	45.98	Pass	7001




4.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.59	-13	52.59	Pass	401
0.15	30	0.01	RMS	0.15	-65.43	-13	52.43	Pass	2986
30	689	0.1	RMS	688.2	-58.45	-13	45.45	Pass	6591
689	726	0.1	RMS	706.205	0.8	60	59.2	Pass	401
726	1000	0.1	RMS	884.6	-58.13	-13	45.13	Pass	2741
1000	3000	1	RMS	2941	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8741	-58.98	-13	45.98	Pass	7001




4.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.23	-13	50.23	Pass	401
0.15	30	0.01	RMS	0.16	-65.66	-13	52.66	Pass	2986
30	689	0.1	RMS	492	-59.1	-13	46.1	Pass	6591
689	726	0.1	RMS	700.47	18.18	60	41.82	Pass	401
726	1000	0.1	RMS	949.2	-58.38	-13	45.38	Pass	2741
1000	3000	1	RMS	2942	-42.94	-13	29.94	Pass	2001
3000	10000	1	RMS	8734	-58.98	-13	45.98	Pass	7001




4.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.34	-13	51.34	Pass	401
0.15	30	0.01	RMS	0.22	-65.02	-13	52.02	Pass	2986
30	689	0.1	RMS	479.6	-59.23	-13	46.23	Pass	6591
689	726	0.1	RMS	714.53	18.48	60	41.52	Pass	401
726	1000	0.1	RMS	910.6	-58.31	-13	45.31	Pass	2741
1000	3000	1	RMS	2938	-42.93	-13	29.93	Pass	2001
3000	10000	1	RMS	8734	-58.99	-13	45.99	Pass	7001




4.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.89	-13	52.89	Pass	401
0.15	30	0.01	RMS	0.2	-65.49	-13	52.49	Pass	2986
30	689	0.1	RMS	688.9	-58.58	-13	45.58	Pass	6591
689	726	0.1	RMS	706.575	0.9	60	59.1	Pass	401
726	1000	0.1	RMS	839.5	-58.08	-13	45.08	Pass	2741
1000	3000	1	RMS	2939	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8752	-58.94	-13	45.94	Pass	7001




4.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.95	-13	52.95	Pass	401
0.15	30	0.01	RMS	0.15	-64.73	-13	51.73	Pass	2986
30	689	0.1	RMS	602.8	-59.28	-13	46.28	Pass	6591
689	726	0.1	RMS	701.488	18.19	60	41.81	Pass	401
726	1000	0.1	RMS	931.1	-58.33	-13	45.33	Pass	2741
1000	3000	1	RMS	2945	-42.92	-13	29.92	Pass	2001
3000	10000	1	RMS	8743	-58.99	-13	45.99	Pass	7001



4.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.11	-13	51.11	Pass	401
0.15	30	0.01	RMS	0.2	-65.27	-13	52.27	Pass	2986
30	689	0.1	RMS	489.9	-59.17	-13	46.17	Pass	6591
689	726	0.1	RMS	715.548	18	60	42	Pass	401
726	1000	0.1	RMS	849.9	-58.37	-13	45.37	Pass	2741
1000	3000	1	RMS	2938	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8744	-58.95	-13	45.95	Pass	7001



5. n25 15kHz


5.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.09	-13	53.09	Pass	401
0.15	30	0.01	RMS	0.25	-65.16	-13	52.16	Pass	2986
30	1000	0.1	RMS	921.748	-58.54	-13	45.54	Pass	9701
1000	1840	1	RMS	1840	-46.83	-13	33.83	Pass	841
1840	1925	1	RMS	1853.6	13.25	60	46.75	Pass	401
1925	3000	1	RMS	2941	-42.95	-13	29.95	Pass	1076
3000	7000	1	RMS	6973	-59.63	-13	46.63	Pass	4001
7000	20000	1	RMS	19341	-46.93	-13	33.93	Pass	13002




5.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.99	-13	52.99	Pass	401
0.15	30	0.01	RMS	0.16	-65.57	-13	52.57	Pass	2986
30	1000	0.1	RMS	863.61	-58.49	-13	45.49	Pass	9701
1000	1840	1	RMS	1837	-47.02	-13	34.02	Pass	841
1840	1925	1	RMS	1850.2	19.43	60	40.57	Pass	401
1925	3000	1	RMS	2934	-42.97	-13	29.97	Pass	1076
3000	7000	1	RMS	6979	-59.62	-13	46.62	Pass	4001
7000	20000	1	RMS	19414	-46.86	-13	33.86	Pass	13002




5.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.02	-13	53.02	Pass	401
0.15	30	0.01	RMS	0.17	-65.7	-13	52.7	Pass	2986
30	1000	0.1	RMS	847.3	-58.53	-13	45.53	Pass	9701
1000	1840	1	RMS	1840	-47	-13	34	Pass	841
1840	1925	1	RMS	1854.45	19.4	60	40.6	Pass	401
1925	3000	1	RMS	2946	-42.94	-13	29.94	Pass	1076
3000	7000	1	RMS	6968	-59.63	-13	46.63	Pass	4001
7000	20000	1	RMS	19430	-46.86	-13	33.86	Pass	13002




5.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.42	-13	53.42	Pass	401
0.15	30	0.01	RMS	0.18	-65.14	-13	52.14	Pass	2986
30	1000	0.1	RMS	990.694	-58.47	-13	45.47	Pass	9701
1000	1840	1	RMS	1838	-47.02	-13	34.02	Pass	841
1840	1925	1	RMS	1883.563	13.38	60	46.62	Pass	401
1925	3000	1	RMS	2934	-42.93	-13	29.93	Pass	1076
3000	7000	1	RMS	6981	-59.69	-13	46.69	Pass	4001
7000	20000	1	RMS	19324	-46.89	-13	33.89	Pass	13002




5.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.73	-13	52.73	Pass	401
0.15	30	0.01	RMS	0.15	-65.5	-13	52.5	Pass	2986
30	1000	0.1	RMS	970.28	-58.45	-13	45.45	Pass	9701
1000	1840	1	RMS	1840	-46.98	-13	33.98	Pass	841
1840	1925	1	RMS	1880.163	19.3	60	40.7	Pass	401
1925	3000	1	RMS	2938	-42.93	-13	29.93	Pass	1076
3000	7000	1	RMS	6978	-59.55	-13	46.55	Pass	4001
7000	20000	1	RMS	19323	-46.9	-13	33.9	Pass	13002




5.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.94	-13	52.94	Pass	401
0.15	30	0.01	RMS	0.15	-65.35	-13	52.35	Pass	2986
30	1000	0.1	RMS	919.246	-58.46	-13	45.46	Pass	9701
1000	1840	1	RMS	1840	-46.94	-13	33.94	Pass	841
1840	1925	1	RMS	1884.625	19.4	60	40.6	Pass	401
1925	3000	1	RMS	2941	-42.92	-13	29.92	Pass	1076
3000	7000	1	RMS	6972	-59.62	-13	46.62	Pass	4001
7000	20000	1	RMS	19316	-46.81	-13	33.81	Pass	13002




5.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.27	-13	52.27	Pass	401
0.15	30	0.01	RMS	0.16	-65.52	-13	52.52	Pass	2986
30	1000	0.1	RMS	848.3	-58.55	-13	45.55	Pass	9701
1000	1840	1	RMS	1832	-47.02	-13	34.02	Pass	841
1840	1925	1	RMS	1910.975	13.43	60	46.57	Pass	401
1925	3000	1	RMS	2936	-42.92	-13	29.92	Pass	1076
3000	7000	1	RMS	6969	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19412	-46.89	-13	33.89	Pass	13002




5.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.45	-13	52.45	Pass	401
0.15	30	0.01	RMS	0.31	-65.62	-13	52.62	Pass	2986
30	1000	0.1	RMS	897.332	-58.35	-13	45.35	Pass	9701
1000	1840	1	RMS	1836	-47.01	-13	34.01	Pass	841
1840	1925	1	RMS	1910.125	19.13	60	40.87	Pass	401
1925	3000	1	RMS	2946	-42.94	-13	29.94	Pass	1076
3000	7000	1	RMS	6977	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19325	-46.92	-13	33.92	Pass	13002




5.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.08	-13	53.08	Pass	401
0.15	30	0.01	RMS	0.19	-64.88	-13	51.88	Pass	2986
30	1000	0.1	RMS	882.822	-58.4	-13	45.4	Pass	9701
1000	1840	1	RMS	1835	-47.01	-13	34.01	Pass	841
1840	1925	1	RMS	1914.588	19.04	60	40.96	Pass	401
1925	3000	1	RMS	2942	-42.97	-13	29.97	Pass	1076
3000	7000	1	RMS	6970	-59.52	-13	46.52	Pass	4001
7000	20000	1	RMS	19421	-46.92	-13	33.92	Pass	13002




**5.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.84	-13	51.84	Pass	401
0.15	30	0.01	RMS	0.22	-65.32	-13	52.32	Pass	2986
30	1000	0.1	RMS	843.4	-58.41	-13	45.41	Pass	9701
1000	1840	1	RMS	1840	-42.7	-13	29.7	Pass	841
1840	1925	1	RMS	1862.313	8.54	60	51.46	Pass	401
1925	3000	1	RMS	2937	-42.9	-13	29.9	Pass	1076
3000	7000	1	RMS	6971	-59.67	-13	46.67	Pass	4001
7000	20000	1	RMS	19413	-46.9	-13	33.9	Pass	13002




5.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.54	-13	52.54	Pass	401
0.15	30	0.01	RMS	0.15	-65.06	-13	52.06	Pass	2986
30	1000	0.1	RMS	863.61	-58.56	-13	45.56	Pass	9701
1000	1840	1	RMS	1840	-46.31	-13	33.31	Pass	841
1840	1925	1	RMS	1850.413	19.48	60	40.52	Pass	401
1925	3000	1	RMS	2938	-42.95	-13	29.95	Pass	1076
3000	7000	1	RMS	6971	-59.62	-13	46.62	Pass	4001
7000	20000	1	RMS	19411	-46.93	-13	33.93	Pass	13002




5.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.56	-13	52.56	Pass	401
0.15	30	0.01	RMS	0.2	-65.59	-13	52.59	Pass	2986
30	1000	0.1	RMS	929.353	-58.46	-13	45.46	Pass	9701
1000	1840	1	RMS	1836	-46.95	-13	33.95	Pass	841
1840	1925	1	RMS	1864.438	19.44	60	40.56	Pass	401
1925	3000	1	RMS	2940	-42.94	-13	29.94	Pass	1076
3000	7000	1	RMS	6974	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19301	-46.84	-13	33.84	Pass	13002




5.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.59	-13	52.59	Pass	401
0.15	30	0.01	RMS	0.2	-65.43	-13	52.43	Pass	2986
30	1000	0.1	RMS	971.381	-58.49	-13	45.49	Pass	9701
1000	1840	1	RMS	1838	-46.96	-13	33.96	Pass	841
1840	1925	1	RMS	1888.238	8.91	60	51.09	Pass	401
1925	3000	1	RMS	2935	-42.9	-13	29.9	Pass	1076
3000	7000	1	RMS	6972	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19346	-46.9	-13	33.9	Pass	13002




5.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.76	-13	52.76	Pass	401
0.15	30	0.01	RMS	0.17	-65.04	-13	52.04	Pass	2986
30	1000	0.1	RMS	839.9	-58.53	-13	45.53	Pass	9701
1000	1840	1	RMS	1839	-46.92	-13	33.92	Pass	841
1840	1925	1	RMS	1875.488	19.25	60	40.75	Pass	401
1925	3000	1	RMS	2944	-42.95	-13	29.95	Pass	1076
3000	7000	1	RMS	6974	-59.66	-13	46.66	Pass	4001
7000	20000	1	RMS	19380	-46.92	-13	33.92	Pass	13002




**5.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.63	-13	52.63	Pass	401
0.15	30	0.01	RMS	0.2	-65.79	-13	52.79	Pass	2986
30	1000	0.1	RMS	928.853	-58.42	-13	45.42	Pass	9701
1000	1840	1	RMS	1837	-46.96	-13	33.96	Pass	841
1840	1925	1	RMS	1889.513	19.5	60	40.5	Pass	401
1925	3000	1	RMS	2937	-42.95	-13	29.95	Pass	1076
3000	7000	1	RMS	6972	-59.59	-13	46.59	Pass	4001
7000	20000	1	RMS	19349	-46.92	-13	33.92	Pass	13002




**5.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.26	-13	51.26	Pass	401
0.15	30	0.01	RMS	0.2	-65.51	-13	52.51	Pass	2986
30	1000	0.1	RMS	827.9	-58.53	-13	45.53	Pass	9701
1000	1840	1	RMS	1840	-47.01	-13	34.01	Pass	841
1840	1925	1	RMS	1909.488	8.43	60	51.57	Pass	401
1925	3000	1	RMS	2938	-42.96	-13	29.96	Pass	1076
3000	7000	1	RMS	6970	-59.58	-13	46.58	Pass	4001
7000	20000	1	RMS	19354	-46.9	-13	33.9	Pass	13002




**5.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.16	-65.2	-13	52.2	Pass	2986
30	1000	0.1	RMS	845.9	-58.48	-13	45.48	Pass	9701
1000	1840	1	RMS	1840	-47.06	-13	34.06	Pass	841
1840	1925	1	RMS	1900.35	19.07	60	40.93	Pass	401
1925	3000	1	RMS	2938	-42.97	-13	29.97	Pass	1076
3000	7000	1	RMS	6979	-59.59	-13	46.59	Pass	4001
7000	20000	1	RMS	19367	-46.87	-13	33.87	Pass	13002



5.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.5	-13	51.5	Pass	401
0.15	30	0.01	RMS	0.19	-65.54	-13	52.54	Pass	2986
30	1000	0.1	RMS	921.448	-58.13	-13	45.13	Pass	9701
1000	1840	1	RMS	1838	-47.03	-13	34.03	Pass	841
1840	1925	1	RMS	1914.375	19.03	60	40.97	Pass	401
1925	3000	1	RMS	2941	-42.92	-13	29.92	Pass	1076
3000	7000	1	RMS	6973	-59.54	-13	46.54	Pass	4001
7000	20000	1	RMS	19339	-46.85	-13	33.85	Pass	13002



6. n26 15kHz_Part22


6.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.44	-13	52.44	Pass	401
0.15	30	0.01	RMS	0.15	-64.86	-13	51.86	Pass	2986
30	814	0.1	RMS	813.8	-58.04	-13	45.04	Pass	7841
814	859	0.1	RMS	825.1	4.73	60	55.27	Pass	451
859	1000	0.1	RMS	985	-58.39	-13	45.39	Pass	1411
1000	3000	1	RMS	2937	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8745	-58.95	-13	45.95	Pass	7001




6.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.45	-13	51.45	Pass	401
0.15	30	0.01	RMS	0.23	-65.4	-13	52.4	Pass	2986
30	814	0.1	RMS	813.2	-58.68	-13	45.68	Pass	7841
814	859	0.1	RMS	824.3	17.56	60	42.44	Pass	451
859	1000	0.1	RMS	926.5	-58.51	-13	45.51	Pass	1411
1000	3000	1	RMS	2939	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8748	-59.01	-13	46.01	Pass	7001




6.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.39	-13	51.39	Pass	401
0.15	30	0.01	RMS	0.15	-64.84	-13	51.84	Pass	2986
30	814	0.1	RMS	793.8	-58.73	-13	45.73	Pass	7841
814	859	0.1	RMS	828.6	17.12	60	42.88	Pass	451
859	1000	0.1	RMS	983.9	-58.5	-13	45.5	Pass	1411
1000	3000	1	RMS	2936	-43	-13	30	Pass	2001
3000	10000	1	RMS	8746	-59.02	-13	46.02	Pass	7001




6.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.19	-13	52.19	Pass	401
0.15	30	0.01	RMS	0.19	-65.08	-13	52.08	Pass	2986
30	814	0.1	RMS	812.4	-58.93	-13	45.93	Pass	7841
814	859	0.1	RMS	837.9	4.86	60	55.14	Pass	451
859	1000	0.1	RMS	923.9	-58.47	-13	45.47	Pass	1411
1000	3000	1	RMS	2934	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	8737	-59.04	-13	46.04	Pass	7001




6.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.23	-13	52.23	Pass	401
0.15	30	0.01	RMS	0.18	-64.63	-13	51.63	Pass	2986
30	814	0.1	RMS	809.8	-58.71	-13	45.71	Pass	7841
814	859	0.1	RMS	834.3	17.67	60	42.33	Pass	451
859	1000	0.1	RMS	991.2	-58.49	-13	45.49	Pass	1411
1000	3000	1	RMS	2941	-42.98	-13	29.98	Pass	2001
3000	10000	1	RMS	8746	-58.96	-13	45.96	Pass	7001




6.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.76	-13	51.76	Pass	401
0.15	30	0.01	RMS	0.15	-64.41	-13	51.41	Pass	2986
30	814	0.1	RMS	786	-58.73	-13	45.73	Pass	7841
814	859	0.1	RMS	838.7	17.35	60	42.65	Pass	451
859	1000	0.1	RMS	958.6	-58.56	-13	45.56	Pass	1411
1000	3000	1	RMS	2934	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8745	-58.93	-13	45.93	Pass	7001




6.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.24	-13	53.24	Pass	401
0.15	30	0.01	RMS	0.19	-65.19	-13	52.19	Pass	2986
30	814	0.1	RMS	768	-58.72	-13	45.72	Pass	7841
814	859	0.1	RMS	844.8	4.79	60	55.21	Pass	451
859	1000	0.1	RMS	892.5	-58.45	-13	45.45	Pass	1411
1000	3000	1	RMS	2949	-43	-13	30	Pass	2001
3000	10000	1	RMS	8744	-58.96	-13	45.96	Pass	7001




6.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.02	-13	51.02	Pass	401
0.15	30	0.01	RMS	0.21	-65.46	-13	52.46	Pass	2986
30	814	0.1	RMS	802.5	-58.87	-13	45.87	Pass	7841
814	859	0.1	RMS	844.3	17.91	60	42.09	Pass	451
859	1000	0.1	RMS	975.2	-58.51	-13	45.51	Pass	1411
1000	3000	1	RMS	2937	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8746	-59.03	-13	46.03	Pass	7001




6.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.42	-13	51.42	Pass	401
0.15	30	0.01	RMS	0.22	-65.41	-13	52.41	Pass	2986
30	814	0.1	RMS	787.7	-58.79	-13	45.79	Pass	7841
814	859	0.1	RMS	848.6	17.36	60	42.64	Pass	451
859	1000	0.1	RMS	971.6	-58.52	-13	45.52	Pass	1411
1000	3000	1	RMS	2933	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8744	-58.96	-13	45.96	Pass	7001




6.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.8	-13	52.8	Pass	401
0.15	30	0.01	RMS	0.15	-65.16	-13	52.16	Pass	2986
30	814	0.1	RMS	814	-46.24	-13	33.24	Pass	7841
814	859	0.1	RMS	824.7	0.04	60	59.96	Pass	451
859	1000	0.1	RMS	876.8	-58.52	-13	45.52	Pass	1411
1000	3000	1	RMS	2938	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8746	-58.95	-13	45.95	Pass	7001




6.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.03	-13	51.03	Pass	401
0.15	30	0.01	RMS	0.24	-65.69	-13	52.69	Pass	2986
30	814	0.1	RMS	812.5	-57.75	-13	44.75	Pass	7841
814	859	0.1	RMS	824.5	17.78	60	42.22	Pass	451
859	1000	0.1	RMS	905.8	-58.55	-13	45.55	Pass	1411
1000	3000	1	RMS	2933	-43	-13	30	Pass	2001
3000	10000	1	RMS	8745	-59.06	-13	46.06	Pass	7001




6.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.6	-13	51.6	Pass	401
0.15	30	0.01	RMS	0.18	-65.56	-13	52.56	Pass	2986
30	814	0.1	RMS	780.9	-58.62	-13	45.62	Pass	7841
814	859	0.1	RMS	838.5	17.98	60	42.02	Pass	451
859	1000	0.1	RMS	865.6	-58.56	-13	45.56	Pass	1411
1000	3000	1	RMS	2944	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8742	-59.04	-13	46.04	Pass	7001




6.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.34	-13	52.34	Pass	401
0.15	30	0.01	RMS	0.16	-65.59	-13	52.59	Pass	2986
30	814	0.1	RMS	813.1	-51.8	-13	38.8	Pass	7841
814	859	0.1	RMS	839.3	-0.12	60	60.12	Pass	451
859	1000	0.1	RMS	968.7	-58.48	-13	45.48	Pass	1411
1000	3000	1	RMS	2943	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8739	-59.03	-13	46.03	Pass	7001




6.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.01	-13	52.01	Pass	401
0.15	30	0.01	RMS	0.15	-65.45	-13	52.45	Pass	2986
30	814	0.1	RMS	808.5	-58.83	-13	45.83	Pass	7841
814	859	0.1	RMS	829.5	17.71	60	42.29	Pass	451
859	1000	0.1	RMS	974.3	-58.64	-13	45.64	Pass	1411
1000	3000	1	RMS	2931	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8747	-58.97	-13	45.97	Pass	7001




**6.15 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.3	-13	51.3	Pass	401
0.15	30	0.01	RMS	0.17	-65.05	-13	52.05	Pass	2986
30	814	0.1	RMS	811.5	-58.79	-13	45.79	Pass	7841
814	859	0.1	RMS	843.5	18.04	60	41.96	Pass	451
859	1000	0.1	RMS	959.2	-58.54	-13	45.54	Pass	1411
1000	3000	1	RMS	2929	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8748	-59.01	-13	46.01	Pass	7001




6.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.84	-13	51.84	Pass	401
0.15	30	0.01	RMS	0.18	-64.82	-13	51.82	Pass	2986
30	814	0.1	RMS	814	-55.26	-13	42.26	Pass	7841
814	859	0.1	RMS	839.5	0.15	60	59.85	Pass	451
859	1000	0.1	RMS	880.6	-58.52	-13	45.52	Pass	1411
1000	3000	1	RMS	2938	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8744	-59.03	-13	46.03	Pass	7001




**6.17 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.75	-13	51.75	Pass	401
0.15	30	0.01	RMS	0.15	-65.73	-13	52.73	Pass	2986
30	814	0.1	RMS	757.3	-58.76	-13	45.76	Pass	7841
814	859	0.1	RMS	834.5	17.73	60	42.27	Pass	451
859	1000	0.1	RMS	881.6	-58.34	-13	45.34	Pass	1411
1000	3000	1	RMS	2931	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8744	-58.96	-13	45.96	Pass	7001




**6.18 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.07	-13	52.07	Pass	401
0.15	30	0.01	RMS	0.23	-64.97	-13	51.97	Pass	2986
30	814	0.1	RMS	738.9	-58.87	-13	45.87	Pass	7841
814	859	0.1	RMS	848.5	18.03	60	41.97	Pass	451
859	1000	0.1	RMS	957.9	-58.58	-13	45.58	Pass	1411
1000	3000	1	RMS	2940	-43.01	-13	30.01	Pass	2001
3000	10000	1	RMS	8746	-58.95	-13	45.95	Pass	7001




**6.19 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.78	-13	52.78	Pass	401
0.15	30	0.01	RMS	0.23	-65.5	-13	52.5	Pass	2986
30	814	0.1	RMS	812.9	-46.11	-13	33.11	Pass	7841
814	859	0.1	RMS	839.1	-1.36	60	61.36	Pass	451
859	1000	0.1	RMS	868.4	-58.51	-13	45.51	Pass	1411
1000	3000	1	RMS	2938	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8746	-58.94	-13	45.94	Pass	7001




6.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.67	-13	52.67	Pass	401
0.15	30	0.01	RMS	0.15	-65.73	-13	52.73	Pass	2986
30	814	0.1	RMS	813.6	-56.83	-13	43.83	Pass	7841
814	859	0.1	RMS	824.5	17.66	60	42.34	Pass	451
859	1000	0.1	RMS	927.9	-58.58	-13	45.58	Pass	1411
1000	3000	1	RMS	2938	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8743	-59	-13	46	Pass	7001




6.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.92	-13	51.92	Pass	401
0.15	30	0.01	RMS	0.17	-65.05	-13	52.05	Pass	2986
30	814	0.1	RMS	812.5	-58.81	-13	45.81	Pass	7841
814	859	0.1	RMS	843.4	17.61	60	42.39	Pass	451
859	1000	0.1	RMS	928.8	-58.61	-13	45.61	Pass	1411
1000	3000	1	RMS	2938	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8746	-58.99	-13	45.99	Pass	7001




6.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.78	-13	52.78	Pass	401
0.15	30	0.01	RMS	0.16	-64.91	-13	51.91	Pass	2986
30	814	0.1	RMS	813.6	-47.94	-13	34.94	Pass	7841
814	859	0.1	RMS	839.3	-1.06	60	61.06	Pass	451
859	1000	0.1	RMS	986.4	-58.5	-13	45.5	Pass	1411
1000	3000	1	RMS	2937	-42.97	-13	29.97	Pass	2001
3000	10000	1	RMS	8749	-59.04	-13	46.04	Pass	7001




6.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.97	-13	50.97	Pass	401
0.15	30	0.01	RMS	0.16	-64.6	-13	51.6	Pass	2986
30	814	0.1	RMS	813.9	-57.64	-13	44.64	Pass	7841
814	859	0.1	RMS	827	17.55	60	42.45	Pass	451
859	1000	0.1	RMS	871.1	-58.57	-13	45.57	Pass	1411
1000	3000	1	RMS	2934	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	8743	-59.02	-13	46.02	Pass	7001




6.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.1	-13	51.1	Pass	401
0.15	30	0.01	RMS	0.23	-66.04	-13	53.04	Pass	2986
30	814	0.1	RMS	813.5	-58.71	-13	45.71	Pass	7841
814	859	0.1	RMS	845.9	17.59	60	42.41	Pass	451
859	1000	0.1	RMS	879.8	-58.53	-13	45.53	Pass	1411
1000	3000	1	RMS	2944	-42.92	-13	29.92	Pass	2001
3000	10000	1	RMS	8744	-59.02	-13	46.02	Pass	7001




6.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.01	-13	52.01	Pass	401
0.15	30	0.01	RMS	0.2	-65.79	-13	52.79	Pass	2986
30	814	0.1	RMS	813.3	-50.18	-13	37.18	Pass	7841
814	859	0.1	RMS	839.1	-0.78	60	60.78	Pass	451
859	1000	0.1	RMS	975.9	-58.57	-13	45.57	Pass	1411
1000	3000	1	RMS	2943	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8749	-58.99	-13	45.99	Pass	7001




6.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.15	-13	52.15	Pass	401
0.15	30	0.01	RMS	0.15	-64.96	-13	51.96	Pass	2986
30	814	0.1	RMS	813.7	-58.07	-13	45.07	Pass	7841
814	859	0.1	RMS	829.5	17.46	60	42.54	Pass	451
859	1000	0.1	RMS	973.9	-58.51	-13	45.51	Pass	1411
1000	3000	1	RMS	2936	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	8744	-59	-13	46	Pass	7001



6.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.3	-13	52.3	Pass	401
0.15	30	0.01	RMS	0.15	-64.96	-13	51.96	Pass	2986
30	814	0.1	RMS	813.8	-58.79	-13	45.79	Pass	7841
814	859	0.1	RMS	848.4	17.66	60	42.34	Pass	451
859	1000	0.1	RMS	876.8	-58.49	-13	45.49	Pass	1411
1000	3000	1	RMS	2945	-42.96	-13	29.96	Pass	2001
3000	10000	1	RMS	8754	-58.99	-13	45.99	Pass	7001



7. n30 15kHz


7.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.81	-40	23.81	Pass	401
0.15	30	0.01	RMS	1.37	-63.61	-40	23.61	Pass	2986
30	1000	0.1	RMS	852.002	-56.23	-40	16.23	Pass	9701
1000	2295	1	RMS	2295	-45.51	-40	5.51	Pass*	1296
2295	2325	1	RMS	2306.25	13.12	60	46.88	Pass	401
2325	3000	1	RMS	2935	-42.89	-40	2.89	Pass*	676
3000	7000	1	RMS	6979	-59.3	-40	19.3	Pass	4001
7000	24000	1	RMS	23867	-44.8	-40	4.8	Pass*	17003




7.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.25	-40	25.25	Pass	401
0.15	30	0.01	RMS	0.39	-64.46	-40	24.46	Pass	2986
30	1000	0.1	RMS	846.3	-55.84	-40	15.84	Pass	9701
1000	2295	1	RMS	2181	-45.82	-40	5.82	Pass*	1296
2295	2325	1	RMS	2305.275	19.15	60	40.85	Pass	401
2325	3000	1	RMS	2930	-42.83	-40	2.83	Pass*	676
3000	7000	1	RMS	6961	-59.41	-40	19.41	Pass	4001
7000	24000	1	RMS	21116	-45	-40	5	Pass*	17003




7.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.93	-40	22.93	Pass	401
0.15	30	0.01	RMS	0.15	-62.94	-40	22.94	Pass	2986
30	1000	0.1	RMS	904.537	-55.85	-40	15.85	Pass	9701
1000	2295	1	RMS	2192	-45.83	-40	5.83	Pass*	1296
2295	2325	1	RMS	2309.625	19.27	60	40.73	Pass	401
2325	3000	1	RMS	2931	-42.63	-40	2.63	Pass*	676
3000	7000	1	RMS	6976	-59.29	-40	19.29	Pass	4001
7000	24000	1	RMS	22802	-45.03	-40	5.03	Pass*	17003




7.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.51	-40	22.51	Pass	401
0.15	30	0.01	RMS	0.44	-64.06	-40	24.06	Pass	2986
30	1000	0.1	RMS	949.266	-55.59	-40	15.59	Pass	9701
1000	2295	1	RMS	2295	-45.8	-40	5.8	Pass*	1296
2295	2325	1	RMS	2308.725	13.3	60	46.7	Pass	401
2325	3000	1	RMS	2943	-42.87	-40	2.87	Pass*	676
3000	7000	1	RMS	6971	-59.32	-40	19.32	Pass	4001
7000	24000	1	RMS	23880	-45.04	-40	5.04	Pass*	17003




7.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.59	-40	24.59	Pass	401
0.15	30	0.01	RMS	0.57	-63.1	-40	23.1	Pass	2986
30	1000	0.1	RMS	951.468	-55.18	-40	15.18	Pass	9701
1000	2295	1	RMS	2293	-45.93	-40	5.93	Pass*	1296
2295	2325	1	RMS	2307.825	19.21	60	40.79	Pass	401
2325	3000	1	RMS	2930	-42.9	-40	2.9	Pass*	676
3000	7000	1	RMS	6966	-59.16	-40	19.16	Pass	4001
7000	24000	1	RMS	23832	-44.55	-40	4.55	Pass*	17003




7.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.73	-40	22.73	Pass	401
0.15	30	0.01	RMS	0.41	-62.28	-40	22.28	Pass	2986
30	1000	0.1	RMS	782.3	-56.13	-40	16.13	Pass	9701
1000	2295	1	RMS	2189	-45.87	-40	5.87	Pass*	1296
2295	2325	1	RMS	2312.175	19.25	60	40.75	Pass	401
2325	3000	1	RMS	2936	-42.89	-40	2.89	Pass*	676
3000	7000	1	RMS	6969	-59.15	-40	19.15	Pass	4001
7000	24000	1	RMS	23947	-45.06	-40	5.06	Pass*	17003




7.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-63.63	-40	23.63	Pass	401
0.15	30	0.01	RMS	0.16	-61.21	-40	21.21	Pass	2986
30	1000	0.1	RMS	835.3	-55.69	-40	15.69	Pass	9701
1000	2295	1	RMS	2176	-45.84	-40	5.84	Pass*	1296
2295	2325	1	RMS	2311.35	13.19	60	46.81	Pass	401
2325	3000	1	RMS	2949	-42.82	-40	2.82	Pass*	676
3000	7000	1	RMS	6973	-59.25	-40	19.25	Pass	4001
7000	24000	1	RMS	23524	-44.57	-40	4.57	Pass*	17003




7.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.68	-40	23.68	Pass	401
0.15	30	0.01	RMS	0.47	-62.68	-40	22.68	Pass	2986
30	1000	0.1	RMS	957.972	-56.22	-40	16.22	Pass	9701
1000	2295	1	RMS	2181	-45.81	-40	5.81	Pass*	1296
2295	2325	1	RMS	2310.3	19.32	60	40.68	Pass	401
2325	3000	1	RMS	2934	-42.92	-40	2.92	Pass*	676
3000	7000	1	RMS	6978	-59.15	-40	19.15	Pass	4001
7000	24000	1	RMS	23624	-44.87	-40	4.87	Pass*	17003




7.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.84	-40	23.84	Pass	401
0.15	30	0.01	RMS	0.15	-62.55	-40	22.55	Pass	2986
30	1000	0.1	RMS	980.687	-56.09	-40	16.09	Pass	9701
1000	2295	1	RMS	2190	-45.89	-40	5.89	Pass*	1296
2295	2325	1	RMS	2314.65	19.15	60	40.85	Pass	401
2325	3000	1	RMS	2942	-42.85	-40	2.85	Pass*	676
3000	7000	1	RMS	6976	-59.31	-40	19.31	Pass	4001
7000	24000	1	RMS	21779	-44.92	-40	4.92	Pass*	17003




**7.10 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:462000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.57	-40	24.57	Pass	401
0.15	30	0.01	RMS	0.19	-62.38	-40	22.38	Pass	2986
30	1000	0.1	RMS	896.932	-55.91	-40	15.91	Pass	9701
1000	2295	1	RMS	2295	-41.24	-40	1.24	Pass*	1296
2295	2325	1	RMS	2306.325	10.38	60	49.62	Pass	401
2325	3000	1	RMS	2325	-40.75	-40	0.75	Pass*	676
3000	7000	1	RMS	6995	-59.55	-40	19.55	Pass	4001
7000	24000	1	RMS	22786	-45.04	-40	5.04	Pass*	17003




**7.11 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:462000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.62	-40	24.62	Pass	401
0.15	30	0.01	RMS	0.19	-61.82	-40	21.82	Pass	2986
30	1000	0.1	RMS	787	-56.02	-40	16.02	Pass	9701
1000	2295	1	RMS	2181	-45.94	-40	5.94	Pass*	1296
2295	2325	1	RMS	2305.425	19.27	60	40.73	Pass	401
2325	3000	1	RMS	2939	-42.81	-40	2.81	Pass*	676
3000	7000	1	RMS	6974	-59.31	-40	19.31	Pass	4001
7000	24000	1	RMS	22737	-44.91	-40	4.91	Pass*	17003



**7.12 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:462000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.52	-40	24.52	Pass	401
0.15	30	0.01	RMS	0.29	-63.89	-40	23.89	Pass	2986
30	1000	0.1	RMS	888.226	-56.3	-40	16.3	Pass	9701
1000	2295	1	RMS	2174	-45.89	-40	5.89	Pass*	1296
2295	2325	1	RMS	2314.575	19.36	60	40.64	Pass	401
2325	3000	1	RMS	2947	-42.84	-40	2.84	Pass*	676
3000	7000	1	RMS	6971	-59.09	-40	19.09	Pass	4001
7000	24000	1	RMS	23473	-45.11	-40	5.11	Pass*	17003



8. n66 15kHz


8.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.93	-13	52.93	Pass	401
0.15	30	0.01	RMS	0.17	-64.8	-13	51.8	Pass	2986
30	1000	0.1	RMS	995.997	-58.53	-13	45.53	Pass	9701
1000	1700	1	RMS	1700	-46.99	-13	33.99	Pass	701
1700	1790	1	RMS	1713.5	13.53	60	46.47	Pass	401
1790	3000	1	RMS	2949	-42.96	-13	29.96	Pass	1211
3000	7000	1	RMS	6975	-59.62	-13	46.62	Pass	4001
7000	20000	1	RMS	19307	-46.89	-13	33.89	Pass	13002




8.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.82	-13	52.82	Pass	401
0.15	30	0.01	RMS	0.17	-65.32	-13	52.32	Pass	2986
30	1000	0.1	RMS	967.579	-58.48	-13	45.48	Pass	9701
1000	1700	1	RMS	1670	-47.17	-13	34.17	Pass	701
1700	1790	1	RMS	1710.125	19.45	60	40.55	Pass	401
1790	3000	1	RMS	2929	-42.98	-13	29.98	Pass	1211
3000	7000	1	RMS	6973	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19321	-46.89	-13	33.89	Pass	13002




8.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.68	-13	52.68	Pass	401
0.15	30	0.01	RMS	0.17	-65.03	-13	52.03	Pass	2986
30	1000	0.1	RMS	978.386	-58.38	-13	45.38	Pass	9701
1000	1700	1	RMS	1674	-47.14	-13	34.14	Pass	701
1700	1790	1	RMS	1714.625	19.5	60	40.5	Pass	401
1790	3000	1	RMS	2934	-42.98	-13	29.98	Pass	1211
3000	7000	1	RMS	6973	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19378	-46.85	-13	33.85	Pass	13002




8.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.33	-13	52.33	Pass	401
0.15	30	0.01	RMS	0.15	-65.38	-13	52.38	Pass	2986
30	1000	0.1	RMS	991.995	-58.43	-13	45.43	Pass	9701
1000	1700	1	RMS	1673	-47.16	-13	34.16	Pass	701
1700	1790	1	RMS	1746.125	13.53	60	46.47	Pass	401
1790	3000	1	RMS	2930	-42.87	-13	29.87	Pass	1211
3000	7000	1	RMS	6973	-59.64	-13	46.64	Pass	4001
7000	20000	1	RMS	19448	-46.92	-13	33.92	Pass	13002




8.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.24	-13	52.24	Pass	401
0.15	30	0.01	RMS	0.23	-64.8	-13	51.8	Pass	2986
30	1000	0.1	RMS	970.38	-58.52	-13	45.52	Pass	9701
1000	1700	1	RMS	1691	-47.01	-13	34.01	Pass	701
1700	1790	1	RMS	1742.75	19.6	60	40.4	Pass	401
1790	3000	1	RMS	2938	-42.9	-13	29.9	Pass	1211
3000	7000	1	RMS	6970	-59.64	-13	46.64	Pass	4001
7000	20000	1	RMS	19303	-46.9	-13	33.9	Pass	13002




8.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.34	-13	52.34	Pass	401
0.15	30	0.01	RMS	0.16	-64.99	-13	51.99	Pass	2986
30	1000	0.1	RMS	993.496	-58.5	-13	45.5	Pass	9701
1000	1700	1	RMS	1695	-47.04	-13	34.04	Pass	701
1700	1790	1	RMS	1747.025	19.67	60	40.33	Pass	401
1790	3000	1	RMS	2930	-42.9	-13	29.9	Pass	1211
3000	7000	1	RMS	6976	-59.62	-13	46.62	Pass	4001
7000	20000	1	RMS	19419	-46.9	-13	33.9	Pass	13002




8.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.9	-13	51.9	Pass	401
0.15	30	0.01	RMS	0.21	-64.98	-13	51.98	Pass	2986
30	1000	0.1	RMS	984.59	-58.38	-13	45.38	Pass	9701
1000	1700	1	RMS	1672	-47.17	-13	34.17	Pass	701
1700	1790	1	RMS	1778.75	13.61	60	46.39	Pass	401
1790	3000	1	RMS	2936	-42.92	-13	29.92	Pass	1211
3000	7000	1	RMS	6974	-59.57	-13	46.57	Pass	4001
7000	20000	1	RMS	19441	-46.91	-13	33.91	Pass	13002




8.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.42	-13	51.42	Pass	401
0.15	30	0.01	RMS	0.31	-65.6	-13	52.6	Pass	2986
30	1000	0.1	RMS	839.2	-58.44	-13	45.44	Pass	9701
1000	1700	1	RMS	1678	-47.17	-13	34.17	Pass	701
1700	1790	1	RMS	1775.15	19.71	60	40.29	Pass	401
1790	3000	1	RMS	2931	-42.93	-13	29.93	Pass	1211
3000	7000	1	RMS	6980	-59.59	-13	46.59	Pass	4001
7000	20000	1	RMS	19380	-46.88	-13	33.88	Pass	13002




8.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.46	-13	51.46	Pass	401
0.15	30	0.01	RMS	0.15	-65.11	-13	52.11	Pass	2986
30	1000	0.1	RMS	858.006	-58.43	-13	45.43	Pass	9701
1000	1700	1	RMS	1670	-47.17	-13	34.17	Pass	701
1700	1790	1	RMS	1779.65	19.72	60	40.28	Pass	401
1790	3000	1	RMS	2947	-42.91	-13	29.91	Pass	1211
3000	7000	1	RMS	6973	-59.63	-13	46.63	Pass	4001
7000	20000	1	RMS	19318	-46.86	-13	33.86	Pass	13002




8.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.8	-13	52.8	Pass	401
0.15	30	0.01	RMS	0.19	-65.36	-13	52.36	Pass	2986
30	1000	0.1	RMS	868.513	-58.48	-13	45.48	Pass	9701
1000	1700	1	RMS	1700	-42.76	-13	29.76	Pass	701
1700	1790	1	RMS	1723.175	9.18	60	50.82	Pass	401
1790	3000	1	RMS	2937	-42.9	-13	29.9	Pass	1211
3000	7000	1	RMS	6979	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19334	-46.94	-13	33.94	Pass	13002




8.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.13	-13	52.13	Pass	401
0.15	30	0.01	RMS	0.3	-65.61	-13	52.61	Pass	2986
30	1000	0.1	RMS	964.276	-58.42	-13	45.42	Pass	9701
1000	1700	1	RMS	1700	-46.48	-13	33.48	Pass	701
1700	1790	1	RMS	1710.35	19.63	60	40.37	Pass	401
1790	3000	1	RMS	2936	-42.89	-13	29.89	Pass	1211
3000	7000	1	RMS	6970	-59.61	-13	46.61	Pass	4001
7000	20000	1	RMS	19339	-46.86	-13	33.86	Pass	13002




8.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.42	-13	52.42	Pass	401
0.15	30	0.01	RMS	0.19	-65.64	-13	52.64	Pass	2986
30	1000	0.1	RMS	922.148	-58.45	-13	45.45	Pass	9701
1000	1700	1	RMS	1678	-47.18	-13	34.18	Pass	701
1700	1790	1	RMS	1724.3	19.74	60	40.26	Pass	401
1790	3000	1	RMS	2937	-42.94	-13	29.94	Pass	1211
3000	7000	1	RMS	6973	-59.63	-13	46.63	Pass	4001
7000	20000	1	RMS	19326	-46.91	-13	33.91	Pass	13002




8.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.64	-13	51.64	Pass	401
0.15	30	0.01	RMS	0.15	-65.47	-13	52.47	Pass	2986
30	1000	0.1	RMS	989.993	-58.39	-13	45.39	Pass	9701
1000	1700	1	RMS	1680	-47.22	-13	34.22	Pass	701
1700	1790	1	RMS	1750.85	8.7	60	51.3	Pass	401
1790	3000	1	RMS	2937	-42.93	-13	29.93	Pass	1211
3000	7000	1	RMS	6974	-59.66	-13	46.66	Pass	4001
7000	20000	1	RMS	19384	-46.9	-13	33.9	Pass	13002




8.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.8	-13	52.8	Pass	401
0.15	30	0.01	RMS	0.23	-65.66	-13	52.66	Pass	2986
30	1000	0.1	RMS	976.084	-58.53	-13	45.53	Pass	9701
1000	1700	1	RMS	1686	-47.17	-13	34.17	Pass	701
1700	1790	1	RMS	1737.8	19.53	60	40.47	Pass	401
1790	3000	1	RMS	2933	-42.98	-13	29.98	Pass	1211
3000	7000	1	RMS	6973	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19295	-46.83	-13	33.83	Pass	13002




8.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.65	-13	52.65	Pass	401
0.15	30	0.01	RMS	0.18	-65.81	-13	52.81	Pass	2986
30	1000	0.1	RMS	903.636	-58.48	-13	45.48	Pass	9701
1000	1700	1	RMS	1700	-47.12	-13	34.12	Pass	701
1700	1790	1	RMS	1751.975	19.68	60	40.32	Pass	401
1790	3000	1	RMS	2959	-42.91	-13	29.91	Pass	1211
3000	7000	1	RMS	6973	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19449	-46.83	-13	33.83	Pass	13002




8.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.84	-13	51.84	Pass	401
0.15	30	0.01	RMS	0.19	-65.83	-13	52.83	Pass	2986
30	1000	0.1	RMS	894.83	-58.47	-13	45.47	Pass	9701
1000	1700	1	RMS	1672	-47.21	-13	34.21	Pass	701
1700	1790	1	RMS	1766.6	9.07	60	50.93	Pass	401
1790	3000	1	RMS	1790	-38.99	-13	25.99	Pass	1211
3000	7000	1	RMS	6977	-59.6	-13	46.6	Pass	4001
7000	20000	1	RMS	19398	-46.87	-13	33.87	Pass	13002




8.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.77	-13	51.77	Pass	401
0.15	30	0.01	RMS	0.15	-64.9	-13	51.9	Pass	2986
30	1000	0.1	RMS	954.97	-58.46	-13	45.46	Pass	9701
1000	1700	1	RMS	1671	-47.21	-13	34.21	Pass	701
1700	1790	1	RMS	1765.25	19.66	60	40.34	Pass	401
1790	3000	1	RMS	2939	-42.89	-13	29.89	Pass	1211
3000	7000	1	RMS	6973	-59.64	-13	46.64	Pass	4001
7000	20000	1	RMS	19303	-46.86	-13	33.86	Pass	13002



8.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.56	-13	52.56	Pass	401
0.15	30	0.01	RMS	0.15	-64.77	-13	51.77	Pass	2986
30	1000	0.1	RMS	835	-58.35	-13	45.35	Pass	9701
1000	1700	1	RMS	1678	-47.18	-13	34.18	Pass	701
1700	1790	1	RMS	1779.425	19.97	60	40.03	Pass	401
1790	3000	1	RMS	2937	-42.93	-13	29.93	Pass	1211
3000	7000	1	RMS	6978	-59.63	-13	46.63	Pass	4001
7000	20000	1	RMS	19392	-46.88	-13	33.88	Pass	13002



8.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.52	-13	52.52	Pass	401
0.15	30	0.01	RMS	0.19	-65.73	-13	52.73	Pass	2986
30	1000	0.1	RMS	993.896	-58.49	-13	45.49	Pass	9701
1000	1700	1	RMS	1700	-41.59	-13	28.59	Pass	701
1700	1790	1	RMS	1727.225	7.87	60	52.13	Pass	401
1790	3000	1	RMS	2939	-42.95	-13	29.95	Pass	1211
3000	7000	1	RMS	6970	-59.62	-13	46.62	Pass	4001
7000	20000	1	RMS	19305	-46.87	-13	33.87	Pass	13002

