


Band Edge


14.5 Band Edge for SA_Part22-24-27(NTLV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3444.85	-43.29	-13	30.29	Pass	401
3445	3449	0.62	RMS	3448.99	-37.8	-13	24.8	Pass	401
3449	3450	0.2	RMS	3449.995	-23.18	-13	10.18	Pass	401
3450	3510	1	RMS	3451.05	18.64	40	21.36	Pass	401




14.6 Band Edge for SA_Part22-24-27(NTLV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3445	-34.76	-13	21.76	Pass	401
3445	3449	0.62	RMS	3448.96	-34.91	-13	21.91	Pass	401
3449	3450	0.2	RMS	3449.805	-38.65	-13	25.65	Pass	401
3450	3510	1	RMS	3497.7	2.4	40	37.6	Pass	401




14.7 Band Edge for SA_Part22-24-27(NTLV)(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3548.95	19.33	40	20.67	Pass	401
3550	3551	0.2	RMS	3550	-23.13	-13	10.13	Pass	401
3551	3555	0.62	RMS	3551.02	-38.13	-13	25.13	Pass	401
3555	3615	1	RMS	3606.75	-41.44	-13	28.44	Pass	401




14.8 Band Edge for SA_Part22-24-27(NTLV)(Subtest:4, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3537.7	2.61	40	37.39	Pass	401
3550	3551	0.2	RMS	3550.013	-34.99	-13	21.99	Pass	401
3551	3555	0.62	RMS	3551.01	-31.13	-13	18.13	Pass	401
3555	3615	1	RMS	3555	-30.91	-13	17.91	Pass	401




14.9 Band Edge for SA_Part22-24-27(NTLV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3353	-42.98	-13	29.98	Pass	401
3445	3449	0.62	RMS	3448.98	-37.33	-13	24.33	Pass	401
3449	3450	0.051	RMS	3449.988	-30.4	-13	17.4	Pass	401
3450	3550	1	RMS	3451	18.32	40	21.68	Pass	401




14.10 Band Edge for SA_Part22-24-27(NTLV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-35.35	-13	22.35	Pass	401
3445	3449	0.62	RMS	3448.72	-36.32	-13	23.32	Pass	401
3449	3450	0.2	RMS	3449.993	-39.52	-13	26.52	Pass	401
3450	3550	1	RMS	3531.75	0.23	40	39.77	Pass	401




14.11 Band Edge for SA_Part22-24-27(NTLV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.16	40	20.84	Pass	401
3550	3551	0.2	RMS	3550.003	-25.48	-13	12.48	Pass	401
3551	3555	0.62	RMS	3551	-38.81	-13	25.81	Pass	401
3555	3655	1	RMS	3646.75	-40.21	-13	27.21	Pass	401



14.12 Band Edge for SA_Part22-24-27(NTLV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3550	3551	0.2	RMS	3550.163	-37.54	-13	24.54	Pass	401
3551	3555	0.62	RMS	3551.14	-33.79	-13	20.79	Pass	401
3555	3655	1	RMS	3555	-33.38	-13	20.38	Pass	401



15. n77 30kHz(3700-3980)


15.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3691.9	-41.96	-13	28.96	Pass	401
3695	3699	0.62	RMS	3699	-37.08	-13	24.08	Pass	401
3699	3700	0.051	RMS	3700	-28.38	-13	15.38	Pass	401
3700	3720	1	RMS	3700.95	19.71	40	20.29	Pass	401




15.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3695	-30.09	-13	17.09	Pass	401
3695	3699	0.62	RMS	3698.96	-27.31	-13	14.31	Pass	401
3699	3700	0.39	RMS	3699.998	-27.05	-13	14.05	Pass	401
3700	3720	1	RMS	3703.85	8.02	40	31.98	Pass	401



15.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3979	19.55	40	20.45	Pass	401
3980	3981	0.051	RMS	3980.003	-29.06	-13	16.06	Pass	401
3981	3985	0.62	RMS	3981.02	-35.54	-13	22.54	Pass	401
3985	4005	1	RMS	3996.95	-36.06	-13	23.06	Pass	401




15.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3966.6	7.82	40	32.18	Pass	401
3980	3981	0.39	RMS	3980.018	-25.68	-13	12.68	Pass	401
3981	3985	0.62	RMS	3981.04	-24.88	-13	11.88	Pass	401
3985	4005	1	RMS	3985.05	-26.86	-13	13.86	Pass	401




15.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3671.9	-41.98	-13	28.98	Pass	401
3695	3699	0.62	RMS	3698.99	-36.85	-13	23.85	Pass	401
3699	3700	0.051	RMS	3699.988	-29.16	-13	16.16	Pass	401
3700	3760	1	RMS	3701.05	19.81	40	20.19	Pass	401




15.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3694.85	-33.58	-13	20.58	Pass	401
3695	3699	0.62	RMS	3698.89	-33.94	-13	20.94	Pass	401
3699	3700	0.39	RMS	3699.985	-34.53	-13	21.53	Pass	401
3700	3760	1	RMS	3703	3	40	37	Pass	401




15.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3978.95	19.09	40	20.91	Pass	401
3980	3981	0.051	RMS	3980.005	-28.54	-13	15.54	Pass	401
3981	3985	0.62	RMS	3981	-36.66	-13	23.66	Pass	401
3985	4045	1	RMS	4036.75	-40.27	-13	27.27	Pass	401




15.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3934.1	2.48	40	37.52	Pass	401
3980	3981	0.39	RMS	3980.005	-32.57	-13	19.57	Pass	401
3981	3985	0.62	RMS	3981.03	-31.21	-13	18.21	Pass	401
3985	4045	1	RMS	3985	-30.8	-13	17.8	Pass	401




15.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-42.28	-13	29.28	Pass	401
3695	3699	0.62	RMS	3698.99	-37.8	-13	24.8	Pass	401
3699	3700	0.051	RMS	3699.988	-29.41	-13	16.41	Pass	401
3700	3800	1	RMS	3701	19.61	40	20.39	Pass	401




15.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.5	-34.62	-13	21.62	Pass	401
3695	3699	0.62	RMS	3698.77	-35.89	-13	22.89	Pass	401
3699	3700	0.39	RMS	3700	-35.55	-13	22.55	Pass	401
3700	3800	1	RMS	3703.75	0.5	40	39.5	Pass	401



15.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	18.95	40	21.05	Pass	401
3980	3981	0.051	RMS	3980.01	-30.18	-13	17.18	Pass	401
3981	3985	0.62	RMS	3981	-37.86	-13	24.86	Pass	401
3985	4085	1	RMS	4076.75	-40.31	-13	27.31	Pass	401



15.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3891.25	0.61	40	39.39	Pass	401
3980	3981	0.39	RMS	3980.005	-34.07	-13	21.07	Pass	401
3981	3985	0.62	RMS	3981.02	-33.01	-13	20.01	Pass	401
3985	4085	1	RMS	3985.5	-31.68	-13	18.68	Pass	401



16. n78 30kHz(3700-3800)


16.1 Band Edge for SA_Part22-24-27(NTLV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3683.15	-41.93	-13	28.93	Pass	401
3695	3699	0.62	RMS	3699	-36.37	-13	23.37	Pass	401
3699	3700	0.051	RMS	3699.988	-26.78	-13	13.78	Pass	401
3700	3720	1	RMS	3701.05	20.24	40	19.76	Pass	401




16.2 Band Edge for SA_Part22-24-27(NTLV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3695	-29.09	-13	16.09	Pass	401
3695	3699	0.62	RMS	3698.99	-27.15	-13	14.15	Pass	401
3699	3700	0.39	RMS	3699.998	-27.06	-13	14.06	Pass	401
3700	3720	1	RMS	3703.5	8.39	40	31.61	Pass	401




16.3 Band Edge for SA_Part22-24-27(NTLV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3799	18.89	40	21.11	Pass	401
3800	3801	0.051	RMS	3800.013	-29.63	-13	16.63	Pass	401
3801	3805	0.62	RMS	3801.02	-37.93	-13	24.93	Pass	401
3805	3825	1	RMS	3807.9	-42.05	-13	29.05	Pass	401




16.4 Band Edge for SA_Part22-24-27(NTLV)(Subtest:4, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3797.55	6.98	40	33.02	Pass	401
3800	3801	0.39	RMS	3800.003	-27.2	-13	14.2	Pass	401
3801	3805	0.62	RMS	3801.01	-26.62	-13	13.62	Pass	401
3805	3825	1	RMS	3805	-29.08	-13	16.08	Pass	401




16.5 Band Edge for SA_Part22-24-27(NTLV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3671.75	-41.91	-13	28.91	Pass	401
3695	3699	0.62	RMS	3699	-36.74	-13	23.74	Pass	401
3699	3700	0.051	RMS	3699.988	-29.14	-13	16.14	Pass	401
3700	3760	1	RMS	3701.05	19.86	40	20.14	Pass	401




16.6 Band Edge for SA_Part22-24-27(NTLV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3695	-33.14	-13	20.14	Pass	401
3695	3699	0.62	RMS	3698.77	-33.53	-13	20.53	Pass	401
3699	3700	0.39	RMS	3699.983	-34.27	-13	21.27	Pass	401
3700	3760	1	RMS	3702.1	3.21	40	36.79	Pass	401




16.7 Band Edge for SA_Part22-24-27(NTLV)(Subtest:3, Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3740	3800	1	RMS	3798.95	18.83	40	21.17	Pass	401
3800	3801	0.051	RMS	3800.005	-29.6	-13	16.6	Pass	401
3801	3805	0.62	RMS	3801	-37.95	-13	24.95	Pass	401
3805	3865	1	RMS	3805.3	-42.65	-13	29.65	Pass	401




16.8 Band Edge for SA_Part22-24-27(NTLV)(Subtest:4, Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3740	3800	1	RMS	3752.75	2.28	40	37.72	Pass	401
3800	3801	0.39	RMS	3800	-33.8	-13	20.8	Pass	401
3801	3805	0.62	RMS	3801.04	-32.65	-13	19.65	Pass	401
3805	3865	1	RMS	3805.15	-32.36	-13	19.36	Pass	401




16.9 Band Edge for SA_Part22-24-27(NTLV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-42.22	-13	29.22	Pass	401
3695	3699	0.62	RMS	3699	-36.69	-13	23.69	Pass	401
3699	3700	0.051	RMS	3699.988	-29.15	-13	16.15	Pass	401
3700	3800	1	RMS	3701	19.69	40	20.31	Pass	401




16.10 Band Edge for SA_Part22-24-27(NTLV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-32.97	-13	19.97	Pass	401
3695	3699	0.62	RMS	3698.97	-33.85	-13	20.85	Pass	401
3699	3700	0.39	RMS	3699.995	-33.99	-13	20.99	Pass	401
3700	3800	1	RMS	3703.5	0.8	40	39.2	Pass	401




16.11 Band Edge for SA_Part22-24-27(NTLV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	18.66	40	21.34	Pass	401
3800	3801	0.051	RMS	3800.003	-31.95	-13	18.95	Pass	401
3801	3805	0.62	RMS	3801.03	-38.92	-13	25.92	Pass	401
3805	3905	1	RMS	3897	-41.91	-13	28.91	Pass	401



16.12 Band Edge for SA_Part22-24-27(NTLV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3800	3801	0.39	RMS	3800.008	-35	-13	22	Pass	401
3801	3805	0.62	RMS	3801.02	-34.49	-13	21.49	Pass	401
3805	3905	1	RMS	3805.75	-33.55	-13	20.55	Pass	401



17. n13 15kHz


17.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	776.9	0.1	RMS	776.9	-23.34	-13	10.34	Pass	401
776.9	777	0.03	RMS	776.999	-22.9	-13	9.9	Pass	401
777	782	0.1	RMS	777.363	18.3	30	11.7	Pass	401




17.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	776.9	0.1	RMS	776.9	-31.02	-13	18.02	Pass	401
776.9	777	0.03	RMS	777	-34.09	-13	21.09	Pass	401
777	782	0.1	RMS	780.938	5.2	30	24.8	Pass	401




17.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
782	787	0.1	RMS	786.675	18.31	30	11.69	Pass	401
787	787.1	0.03	RMS	787.001	-20.01	-13	7.01	Pass	401
787.1	797	0.1	RMS	787.1	-20.4	-13	7.4	Pass	401




17.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
782	787	0.1	RMS	783.088	4.74	30	25.26	Pass	401
787	787.1	0.03	RMS	787.001	-32.78	-13	19.78	Pass	401
787.1	797	0.1	RMS	787.1	-30.91	-13	17.91	Pass	401




17.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
762	776.9	0.1	RMS	776.9	-24.68	-13	11.68	Pass	401
776.9	777	0.03	RMS	777	-24.77	-13	11.77	Pass	401
777	787	0.1	RMS	777.425	18.26	30	11.74	Pass	401




17.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
762	776.9	0.1	RMS	776.9	-35.61	-13	22.61	Pass	401
776.9	777	0.03	RMS	776.969	-39.54	-13	26.54	Pass	401
777	787	0.1	RMS	784.275	1.93	30	28.07	Pass	401




17.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.1	RMS	786.6	18.34	30	11.66	Pass	401
787	787.1	0.03	RMS	787.001	-22.07	-13	9.07	Pass	401
787.1	802	0.1	RMS	787.1	-21.63	-13	8.63	Pass	401



17.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
787	787.1	0.03	RMS	787.002	-33.89	-13	20.89	Pass	401
787.1	802	0.1	RMS	787.1	-31.93	-13	18.93	Pass	401



5. n14 15kHz


5.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-20.74	-13	7.74	Pass	401
787.9	788	0.051	RMS	787.999	-17.85	-13	4.85	Pass*	401
788	793	0.1	RMS	788.325	17.71	30	12.29	Pass	401




5.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-30.73	-13	17.73	Pass	401
787.9	788	0.051	RMS	787.999	-30.07	-13	17.07	Pass	401
788	793	0.1	RMS	789.338	5.08	30	24.92	Pass	401




5.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	797.65	17.14	30	12.86	Pass	401
798	798.1	0.051	RMS	798	-20.63	-13	7.63	Pass	401
798.1	808	0.1	RMS	798.1	-23.62	-13	10.62	Pass	401




5.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	793.775	4.84	30	25.16	Pass	401
798	798.1	0.051	RMS	798	-30.91	-13	17.91	Pass	401
798.1	808	0.1	RMS	798.1	-30.42	-13	17.42	Pass	401




5.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-22.16	-13	9.16	Pass	401
787.9	788	0.1	RMS	787.999	-16.97	-13	3.97	Pass*	401
788	798	0.1	RMS	788.4	17.76	30	12.24	Pass	401




5.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-32.31	-13	19.31	Pass	401
787.9	788	0.1	RMS	788	-30.08	-13	17.08	Pass	401
788	798	0.1	RMS	790	1.94	30	28.06	Pass	401




5.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.575	17.22	30	12.78	Pass	401
798	798.1	0.1	RMS	798	-19.38	-13	6.38	Pass	401
798.1	813	0.1	RMS	798.1	-24.59	-13	11.59	Pass	401




5.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)



2. n26 15kHz_Part90


2.1 Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-19.86	-13	6.86	Pass	401
813.9625	814	0.002	RMS	813.994	-29.04	-20	9.04	Pass	401
814	819	0.1	RMS	814.325	17.9	30	12.1	Pass	401




2.2 Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-34.28	-13	21.28	Pass	401
813.9625	814	0.051	RMS	813.999	-32.08	-20	12.08	Pass	401
814	819	0.1	RMS	818.513	4.61	30	25.39	Pass	401




2.3 Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	18.06	30	11.94	Pass	401
824	824.0375	0.002	RMS	824.007	-31.65	-20	11.65	Pass	401
824.0375	829	0.051	RMS	824.038	-21.52	-13	8.52	Pass	401




2.4 Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.925	4.53	30	25.47	Pass	401
824	824.0375	0.051	RMS	824.001	-31.43	-20	11.43	Pass	401
824.0375	829	0.051	RMS	824.038	-32.63	-13	19.63	Pass	401




2.5 Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-18.37	-13	5.37	Pass*	401
813.9625	814	0.002	RMS	813.994	-31.39	-20	11.39	Pass	401
814	824	0.1	RMS	814.4	17.77	30	12.23	Pass	401




2.6 Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-33.75	-13	20.75	Pass	401
813.9625	814	0.1	RMS	813.999	-32.59	-20	12.59	Pass	401
814	824	0.1	RMS	821.425	1.7	30	28.3	Pass	401



2.7 Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	18.07	30	11.93	Pass	401
824	824.0375	0.002	RMS	824.001	-33.75	-20	13.75	Pass	401
824.0375	834	0.1	RMS	824.038	-20.2	-13	7.2	Pass	401



2.8 Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
824	824.0375	0.1	RMS	824.002	-31.31	-20	11.31	Pass	401
824.0375	834	0.1	RMS	824.038	-32.44	-13	19.44	Pass	401



--BLANK BELOW--