



Field Strength of Spurious Radiation

Band: NSA DC-7A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.165	-72.75	-1.84	-13.0	59.75	22.00	Horizontal	Horizontal	Pass
353.253	-74.74	-4.55	-13.0	61.74	227.00	Horizontal	Horizontal	Pass
1680.000	-53.29	6.51	-13.0	40.29	359.00	Horizontal	Horizontal	Pass
2576.100	-46.10	11.36	-13.0	33.10	304.00	Horizontal	Horizontal	Pass
3781.250	-40.30	18.46	-13.0	27.30	111.00	Horizontal	Horizontal	N/A
7740.000	-34.12	27.95	-13.0	21.12	342.00	Horizontal	Horizontal	Pass

4.41 NSA Band DC-7A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
107.697	-72.09	-1.34	-13.0	59.09	203.00	Vertical	Horizontal	Pass
362.516	-73.58	-6.41	-13.0	60.58	0.00	Vertical	Horizontal	Pass
1557.700	-51.89	7.72	-13.0	38.89	97.00	Vertical	Horizontal	Pass
2575.900	-48.06	11.36	-13.0	35.06	13.00	Vertical	Horizontal	Pass
3594.000	-42.66	20.00	-13.0	29.66	207.00	Vertical	Horizontal	Pass
7481.000	-34.61	27.59	-13.0	21.61	96.00	Vertical	Horizontal	Pass

Band: NSA DC-7A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.068	-72.11	-1.78	-13.0	59.11	11.00	Horizontal	Horizontal	Pass
902.563	-62.66	5.11	-13.0	49.66	359.00	Horizontal	Horizontal	Pass
1561.100	-51.96	7.77	-13.0	38.96	87.00	Horizontal	Horizontal	Pass
2652.200	-47.81	10.97	-13.0	34.81	57.00	Horizontal	Horizontal	N/A
3541.000	-40.95	18.38	-13.0	27.95	335.00	Horizontal	Horizontal	Pass
7750.750	-34.06	28.27	-13.0	21.06	126.00	Horizontal	Horizontal	Pass

4.42 NSA Band DC-7A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.096	-71.74	-1.18	-13.0	58.74	281.00	Vertical	Horizontal	Pass
362.516	-71.75	-6.41	-13.0	58.75	165.00	Vertical	Horizontal	Pass
1506.800	-51.93	7.19	-13.0	38.93	346.00	Vertical	Horizontal	Pass
2649.500	-47.75	10.82	-13.0	34.75	39.00	Vertical	Horizontal	N/A
3781.000	-39.86	18.46	-13.0	26.86	68.00	Vertical	Horizontal	N/A
7748.500	-33.55	28.30	-13.0	20.55	359.00	Vertical	Horizontal	Pass

Band: NSA DC-7A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
109.831	-72.26	-1.55	-13.0	59.26	286.00	Horizontal	Horizontal	Pass
428.427	-75.40	-5.19	-13.0	62.40	114.00	Horizontal	Horizontal	Pass
1498.400	-52.78	7.25	-13.0	39.78	187.00	Horizontal	Horizontal	Pass
2655.300	-48.07	11.20	-13.0	35.07	100.00	Horizontal	Horizontal	N/A
3781.000	-38.03	18.46	-13.0	25.03	115.00	Horizontal	Horizontal	N/A
7744.750	-34.06	28.20	-13.0	21.06	115.00	Horizontal	Horizontal	Pass

4.43 NSA Band DC-12A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
703.277	-65.00	2.80	-13.0	52.00	265.00	Vertical	Horizontal	N/A
1407.000	-38.94	1.14	-13.0	25.94	300.00	Vertical	Horizontal	Pass
1881.200	-47.53	4.71	-13.0	34.53	209.00	Vertical	Horizontal	N/A
1958.800	-43.00	4.00	-13.0	30.00	59.00	Vertical	Horizontal	N/A
2110.200	-36.64	5.01	-13.0	23.64	21.00	Vertical	Horizontal	Pass
2813.300	-40.62	9.53	-13.0	27.62	86.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
703.131	-54.97	2.79	-13.0	41.97	83.00	Horizontal	Horizontal	N/A
1407.100	-34.26	1.14	-13.0	21.26	0.00	Horizontal	Horizontal	Pass
1879.000	-47.36	4.71	-13.0	34.36	278.00	Horizontal	Horizontal	N/A
1958.000	-41.67	3.99	-13.0	28.67	148.00	Horizontal	Horizontal	N/A
2110.100	-32.34	5.01	-13.0	19.34	76.00	Horizontal	Horizontal	Pass
7915.000	-35.84	19.31	-13.0	22.84	1.00	Horizontal	Horizontal	Pass

4.44 NSA Band DC-12A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
36.062	-73.94	-13.40	-13.0	60.94	1.00	Vertical	Horizontal	Pass
156.342	-76.19	-18.79	-13.0	63.19	7.00	Vertical	Horizontal	Pass
440.019	-59.16	-5.10	-13.0	46.16	360.00	Vertical	Horizontal	Pass
1878.000	-46.74	4.71	-13.0	33.74	0.00	Vertical	Horizontal	Pass
7979.250	-35.64	19.86	-13.0	22.64	106.00	Vertical	Horizontal	Pass
13415.175	-46.35	10.84	-13.0	33.35	222.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
36.111	-76.21	-13.40	-13.0	63.21	56.00	Horizontal	Horizontal	Pass
138.301	-70.98	-20.87	-13.0	57.98	105.00	Horizontal	Horizontal	Pass
252.518	-62.23	-11.41	-13.0	49.23	258.00	Horizontal	Horizontal	Pass
1875.400	-47.09	4.71	-13.0	34.09	10.00	Horizontal	Horizontal	Pass
7380.250	-36.82	18.43	-13.0	23.82	168.00	Horizontal	Horizontal	Pass
12778.087	-46.20	8.86	-13.0	33.20	56.00	Horizontal	Horizontal	Pass

4.45 NSA Band DC-12A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
381.867	-73.00	-6.56	-13.0	60.00	328.00	Vertical	Horizontal	Pass
1407.000	-38.90	1.19	-13.0	25.90	307.00	Vertical	Horizontal	Pass
2110.200	-36.54	5.09	-13.0	23.54	49.00	Vertical	Horizontal	Pass
2531.300	-42.70	9.25	-13.0	29.70	221.00	Vertical	Horizontal	N/A
2653.600	-38.15	8.49	-13.0	25.15	132.00	Vertical	Horizontal	N/A
7372.000	-36.32	18.30	-13.0	23.32	45.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
703.131	-53.49	2.79	-13.0	40.49	38.00	Horizontal	Horizontal	N/A
1406.900	-36.90	1.19	-13.0	23.90	145.00	Horizontal	Horizontal	Pass
2110.000	-34.70	5.09	-13.0	21.70	49.00	Horizontal	Horizontal	Pass
2531.300	-38.96	9.25	-13.0	25.96	311.00	Horizontal	Horizontal	N/A
2655.300	-41.73	8.37	-13.0	28.73	132.00	Horizontal	Horizontal	N/A
7961.750	-36.77	19.79	-13.0	23.77	1.00	Horizontal	Horizontal	Pass

4.46 NSA Band DC-12A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
703.131	-63.18	2.79	-13.0	50.18	44.00	Vertical	Horizontal	N/A
1407.100	-33.86	1.14	-13.0	20.86	106.00	Vertical	Horizontal	Pass
1955.600	-36.23	3.96	-13.0	23.23	223.00	Vertical	Horizontal	N/A
2110.300	-36.83	5.02	-13.0	23.83	134.00	Vertical	Horizontal	Pass
2813.000	-41.86	9.53	-13.0	28.86	355.00	Vertical	Horizontal	Pass
3516.250	-47.13	5.33	-13.0	34.13	258.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
81.604	-83.61	-18.40	-13.0	70.61	309.00	Horizontal	Horizontal	Pass
703.180	-55.42	2.79	-13.0	42.42	302.00	Horizontal	Horizontal	N/A
1407.100	-30.52	1.14	-13.0	17.52	48.00	Horizontal	Horizontal	Pass
1956.700	-37.53	3.97	-13.0	24.53	172.00	Horizontal	Horizontal	N/A
2110.000	-36.78	5.01	-13.0	23.78	182.00	Horizontal	Horizontal	Pass
7906.250	-36.60	19.28	-13.0	23.60	252.00	Horizontal	Horizontal	Pass

4.47 NSA Band DC-12A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
67.782	-79.99	-16.43	-13.0	66.99	136.00	Vertical	Horizontal	Pass
507.046	-69.47	-3.47	-13.0	56.47	74.00	Vertical	Horizontal	Pass
1406.900	-39.22	1.13	-13.0	26.22	286.00	Vertical	Horizontal	Pass
2110.200	-36.68	5.19	-13.0	23.68	52.00	Vertical	Horizontal	Pass
3516.250	-46.38	5.33	-13.0	33.38	148.00	Vertical	Horizontal	Pass
7992.250	-36.24	19.97	-13.0	23.24	349.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
703.131	-55.04	2.79	-13.0	42.04	60.00	Horizontal	Horizontal	N/A
1407.100	-34.73	1.13	-13.0	21.73	1.00	Horizontal	Horizontal	Pass
2110.100	-32.26	5.19	-13.0	19.26	68.00	Horizontal	Horizontal	Pass
2306.200	-42.73	8.33	-13.0	29.73	360.00	Horizontal	Horizontal	N/A
2361.400	-43.26	8.69	-13.0	30.26	145.00	Horizontal	Horizontal	N/A
7986.000	-36.57	19.89	-13.0	23.57	39.00	Horizontal	Horizontal	Pass

4.48 NSA Band DC-12A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
36.062	-75.90	-14.20	-25.0	50.90	44.00	Vertical	Horizontal	Pass
252.518	-71.16	-14.11	-25.0	46.16	157.00	Vertical	Horizontal	Pass
439.970	-60.42	-8.87	-25.0	35.42	354.00	Vertical	Horizontal	Pass
2190.600	-53.84	5.85	-25.0	28.84	84.00	Vertical	Horizontal	Pass
7905.250	-43.52	19.26	-25.0	18.52	56.00	Vertical	Horizontal	Pass
14827.688	-39.95	24.28	-25.0	14.95	166.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
36.062	-79.15	-14.20	-25.0	54.15	0.00	Horizontal	Horizontal	Pass
138.301	-72.52	-22.68	-25.0	47.52	113.00	Horizontal	Horizontal	Pass
252.518	-63.53	-14.11	-25.0	38.53	263.00	Horizontal	Horizontal	Pass
1917.100	-55.63	4.17	-25.0	30.63	236.00	Horizontal	Horizontal	Pass
7953.250	-43.80	19.75	-25.0	18.80	290.00	Horizontal	Horizontal	Pass
14819.812	-40.18	24.55	-25.0	15.18	221.00	Horizontal	Horizontal	Pass

4.49 NSA Band DC-12A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
703.083	-62.26	2.79	-13.0	49.26	351.00	Vertical	Horizontal	N/A
1407.000	-41.11	1.19	-13.0	28.11	71.00	Vertical	Horizontal	Pass
2110.200	-37.80	5.09	-13.0	24.80	151.00	Vertical	Horizontal	Pass
2572.200	-28.47	8.98	-13.0	15.47	196.00	Vertical	Horizontal	Pass
2813.300	-41.98	9.55	-13.0	28.98	9.00	Vertical	Horizontal	Pass
7907.750	-36.50	19.31	-13.0	23.50	1.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
76.511	-81.38	-18.20	-13.0	68.38	40.00	Horizontal	Horizontal	Pass
703.131	-52.48	2.79	-13.0	39.48	112.00	Horizontal	Horizontal	N/A
1407.000	-37.05	1.19	-13.0	24.05	65.00	Horizontal	Horizontal	Pass
2110.200	-35.41	5.09	-13.0	22.41	23.00	Horizontal	Horizontal	Pass
2572.200	-28.75	8.98	-13.0	15.75	61.00	Horizontal	Horizontal	Pass
7379.750	-36.94	18.43	-13.0	23.94	23.00	Horizontal	Horizontal	Pass

4.50 NSA Band DC-12A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
703.180	-63.57	2.79	-13.0	50.57	34.00	Vertical	Horizontal	N/A
1407.100	-33.52	1.16	-13.0	20.52	101.00	Vertical	Horizontal	Pass
1736.100	-45.78	3.81	-13.0	32.78	296.00	Vertical	Horizontal	N/A
2143.100	-31.97	5.66	-13.0	18.97	251.00	Vertical	Horizontal	N/A
3516.000	-45.02	5.33	-13.0	32.02	287.00	Vertical	Horizontal	Pass
7441.750	-37.03	18.22	-13.0	24.03	238.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
703.131	-56.12	2.79	-13.0	43.12	309.00	Horizontal	Horizontal	N/A
745.957	-62.25	4.68	-13.0	49.25	50.00	Horizontal	Horizontal	N/A
1407.100	-30.71	1.16	-13.0	17.71	46.00	Horizontal	Horizontal	Pass
1736.400	-44.53	3.80	-13.0	31.53	53.00	Horizontal	Horizontal	N/A
2153.600	-34.49	5.97	-13.0	21.49	231.00	Horizontal	Horizontal	N/A
7236.250	-36.28	18.17	-13.0	23.28	238.00	Horizontal	Horizontal	Pass

4.51 NSA Band DC-12A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
203.388	-64.08	-15.85	-13.0	51.08	334.00	Vertical	Horizontal	Pass
703.131	-63.12	2.79	-13.0	50.12	355.00	Vertical	Horizontal	N/A
1407.100	-43.50	-3.72	-13.0	30.50	77.00	Vertical	Horizontal	Pass
2110.200	-40.02	-0.89	-13.0	27.02	129.00	Vertical	Horizontal	Pass
2813.300	-45.21	2.15	-13.0	32.21	0.00	Vertical	Horizontal	Pass
7917.000	-36.33	19.29	-13.0	23.33	137.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
203.388	-77.78	-15.85	-13.0	64.78	98.00	Horizontal	Horizontal	Pass
703.083	-52.70	2.79	-13.0	39.70	125.00	Horizontal	Horizontal	N/A
1407.100	-37.50	-3.72	-13.0	24.50	59.00	Horizontal	Horizontal	Pass
2110.100	-37.01	-0.89	-13.0	24.01	304.00	Horizontal	Horizontal	Pass
2826.600	-45.45	2.65	-13.0	32.45	6.00	Horizontal	Horizontal	Pass
7901.500	-35.63	19.19	-13.0	22.63	102.00	Horizontal	Horizontal	Pass

4.52 NSA Band DC-12A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
203.388	-70.75	-15.85	-13.0	57.75	46.00	Vertical	Horizontal	Pass
694.062	-62.78	2.56	-13.0	49.78	1.00	Vertical	Horizontal	N/A
1407.000	-43.28	-3.72	-13.0	30.28	92.00	Vertical	Horizontal	Pass
2110.200	-40.15	-0.89	-13.0	27.15	174.00	Vertical	Horizontal	Pass
2813.100	-45.25	2.15	-13.0	32.25	0.00	Vertical	Horizontal	Pass
7325.250	-36.66	17.68	-13.0	23.66	230.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
76.754	-80.65	-18.21	-13.0	67.65	59.00	Horizontal	Horizontal	Pass
703.131	-52.39	2.79	-13.0	39.39	112.00	Horizontal	Horizontal	N/A
1406.900	-37.54	-3.72	-13.0	24.54	47.00	Horizontal	Horizontal	Pass
2110.000	-38.20	-0.89	-13.0	25.20	190.00	Horizontal	Horizontal	Pass
2826.800	-43.88	2.66	-13.0	30.88	347.00	Horizontal	Horizontal	Pass
7905.250	-36.83	19.26	-13.0	23.83	177.00	Horizontal	Horizontal	Pass

4.53 NSA Band DC-12A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
703.083	-61.89	2.79	-13.0	48.89	38.00	Vertical	Horizontal	N/A
1407.100	-32.84	-3.72	-13.0	19.84	104.00	Vertical	Horizontal	Pass
2110.200	-31.14	-0.89	-13.0	18.14	223.00	Vertical	Horizontal	Pass
2823.800	-36.39	2.47	-13.0	23.39	247.00	Vertical	Horizontal	Pass
3527.000	-45.77	5.37	-13.0	32.77	24.00	Vertical	Horizontal	Pass
4229.750	-44.15	7.94	-13.0	31.15	360.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
703.180	-55.48	2.79	-13.0	42.48	309.00	Horizontal	Horizontal	N/A
1407.200	-30.39	-3.72	-13.0	17.39	45.00	Horizontal	Horizontal	Pass
2121.200	-31.78	-0.78	-13.0	18.78	285.00	Horizontal	Horizontal	Pass
2824.000	-35.39	2.48	-13.0	22.39	347.00	Horizontal	Horizontal	Pass
3527.000	-45.32	5.37	-13.0	32.32	346.00	Horizontal	Horizontal	Pass
7407.500	-36.22	19.07	-13.0	23.22	0.00	Horizontal	Horizontal	Pass

4.54 NSA Band DC-12A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
76.657	-80.78	-18.21	-13.0	67.78	124.00	Vertical	Horizontal	Pass
703.034	-62.09	2.79	-13.0	49.09	0.00	Vertical	Horizontal	N/A
1407.100	-41.71	-3.72	-13.0	28.71	92.00	Vertical	Horizontal	Pass
2110.200	-38.81	-0.89	-13.0	25.81	165.00	Vertical	Horizontal	Pass
2813.100	-44.12	2.15	-13.0	31.12	360.00	Vertical	Horizontal	Pass
7891.750	-36.59	18.98	-13.0	23.59	39.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
703.131	-52.39	2.79	-13.0	39.39	128.00	Horizontal	Horizontal	N/A
755.511	-61.26	4.97	-13.0	48.26	299.00	Horizontal	Horizontal	N/A
1407.000	-36.57	-3.72	-13.0	23.57	71.00	Horizontal	Horizontal	Pass
2110.300	-36.70	-0.89	-13.0	23.70	309.00	Horizontal	Horizontal	Pass
2812.900	-48.89	2.15	-13.0	35.89	5.00	Horizontal	Horizontal	Pass
7889.000	-36.21	18.90	-13.0	23.21	241.00	Horizontal	Horizontal	Pass

4.55 NSA Band DC-13A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
82.865	-81.61	-18.50	-13.0	68.61	129.00	Vertical	Horizontal	Pass
369.548	-76.14	-8.15	-13.0	63.14	157.00	Vertical	Horizontal	Pass
747.412	-37.17	2.87	-13.0	24.17	271.00	Vertical	Horizontal	N/A
1958.300	-45.60	4.00	-13.0	32.60	162.00	Vertical	Horizontal	N/A
3885.000	-47.96	8.69	-13.0	34.96	228.00	Vertical	Horizontal	Pass
7902.250	-36.76	19.21	-13.0	23.76	172.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
288.602	-77.04	-10.56	-13.0	64.04	189.00	Horizontal	Horizontal	Pass
747.558	-49.82	2.88	-13.0	36.82	344.00	Horizontal	Horizontal	Pass
1555.800	-46.55	1.28	-13.0	33.55	125.00	Horizontal	Horizontal	Pass
1891.100	-32.37	4.73	-13.0	19.37	192.00	Horizontal	Horizontal	N/A
1961.200	-46.26	3.91	-13.0	33.26	151.00	Horizontal	Horizontal	N/A
7974.500	-36.79	19.82	-13.0	23.79	177.00	Horizontal	Horizontal	Pass

4.56 NSA Band DC-13A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
749.789	-34.12	13.30	-13.0	21.12	155.00	Vertical	Horizontal	N/A
777.530	12.44	14.08	-13.0	-25.44	42.00	Vertical	Horizontal	N/A
889.905	-44.77	16.18	-13.0	31.77	201.00	Vertical	Horizontal	N/A
1555.900	-47.04	-3.85	-13.0	34.04	22.00	Vertical	Horizontal	Pass
2333.600	-36.33	0.65	-13.0	23.33	295.00	Vertical	Horizontal	Pass
7897.750	-36.86	19.11	-13.0	23.86	326.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
746.782	-39.61	13.12	-13.0	26.61	34.00	Horizontal	Horizontal	N/A
777.628	19.96	14.09	-13.0	-32.96	100.00	Horizontal	Horizontal	N/A
874.919	-46.28	15.80	-13.0	33.28	280.00	Horizontal	Horizontal	N/A
1556.000	-45.13	-3.85	-13.0	32.13	91.00	Horizontal	Horizontal	Pass
2333.700	-34.75	0.66	-13.0	21.75	24.00	Horizontal	Horizontal	Pass
7917.000	-36.71	19.29	-13.0	23.71	85.00	Horizontal	Horizontal	Pass

4.57 NSA Band DC-13A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
749.158	-38.98	3.09	-13.0	25.98	248.00	Vertical	Horizontal	N/A
773.748	-59.52	6.62	-13.0	46.52	234.00	Vertical	Horizontal	N/A
1555.700	-46.79	1.32	-13.0	33.79	298.00	Vertical	Horizontal	Pass
2333.700	-32.45	7.05	-13.0	19.45	208.00	Vertical	Horizontal	Pass
2647.000	-29.29	8.53	-13.0	16.29	134.00	Vertical	Horizontal	N/A
7380.500	-35.81	18.43	-13.0	22.81	85.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
748.818	-46.42	3.04	-13.0	33.42	21.00	Horizontal	Horizontal	N/A
777.628	-59.96	6.53	-13.0	46.96	91.00	Horizontal	Horizontal	N/A
1556.100	-43.49	1.31	-13.0	30.49	238.00	Horizontal	Horizontal	Pass
2333.500	-35.00	7.05	-13.0	22.00	281.00	Horizontal	Horizontal	Pass
2647.800	-32.37	8.58	-13.0	19.37	160.00	Horizontal	Horizontal	N/A
7366.500	-37.00	18.14	-13.0	24.00	120.00	Horizontal	Horizontal	Pass

4.58 NSA Band DC-13A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
67.685	-87.50	-16.05	-13.0	74.50	250.00	Vertical	Horizontal	Pass
755.221	-34.22	-2.41	-13.0	21.22	18.00	Vertical	Horizontal	N/A
1556.000	-46.18	1.28	-13.0	33.18	152.00	Vertical	Horizontal	Pass
1960.300	-37.50	3.99	-13.0	24.50	257.00	Vertical	Horizontal	N/A
2333.500	-36.94	6.93	-13.0	23.94	244.00	Vertical	Horizontal	Pass
7429.750	-36.85	18.27	-13.0	23.85	41.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
104.496	-88.79	-17.35	-13.0	75.79	256.00	Horizontal	Horizontal	Pass
755.026	-38.14	-2.41	-13.0	25.14	48.00	Horizontal	Horizontal	N/A
1556.000	-47.59	1.28	-13.0	34.59	49.00	Horizontal	Horizontal	Pass
1960.900	-39.84	3.94	-13.0	26.84	28.00	Horizontal	Horizontal	N/A
2333.600	-29.15	6.93	-13.0	16.15	150.00	Horizontal	Horizontal	Pass
7917.500	-36.22	19.28	-13.0	23.22	124.00	Horizontal	Horizontal	Pass

4.59 NSA Band DC-13A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
76.948	-77.69	-18.45	-13.0	64.69	353.00	Vertical	Horizontal	Pass
278.029	-78.53	-10.32	-13.0	65.53	324.00	Vertical	Horizontal	Pass
752.893	-35.68	3.49	-13.0	22.68	253.00	Vertical	Horizontal	N/A
1560.200	-43.89	1.38	-13.0	30.89	79.00	Vertical	Horizontal	Pass
2145.500	-44.30	5.75	-13.0	31.30	278.00	Vertical	Horizontal	N/A
7895.000	-37.31	19.05	-13.0	24.31	15.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
172.105	-85.20	-17.04	-13.0	72.20	57.00	Horizontal	Horizontal	Pass
747.412	-39.38	2.87	-13.0	26.38	241.00	Horizontal	Horizontal	N/A
1556.000	-40.10	1.41	-13.0	27.10	89.00	Horizontal	Horizontal	Pass
1736.500	-44.87	3.80	-13.0	31.87	51.00	Horizontal	Horizontal	N/A
2137.700	-37.31	5.44	-13.0	24.31	323.00	Horizontal	Horizontal	N/A
7910.750	-36.92	19.34	-13.0	23.92	144.00	Horizontal	Horizontal	Pass

4.60 NSA Band DC-13A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
60.846	-82.59	-15.47	-13.0	69.59	27.00	Vertical	Horizontal	Pass
203.436	-78.34	-16.32	-13.0	65.34	165.00	Vertical	Horizontal	Pass
751.825	-37.32	3.47	-13.0	24.32	133.00	Vertical	Horizontal	N/A
780.780	-54.05	6.43	-13.0	41.05	44.00	Vertical	Horizontal	N/A
2986.700	-48.81	4.14	-13.0	35.81	348.00	Vertical	Horizontal	Pass
7376.000	-36.03	18.36	-13.0	23.03	113.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
234.379	-79.81	-12.47	-13.0	66.81	255.00	Horizontal	Horizontal	Pass
749.982	-49.32	3.22	-13.0	36.32	346.00	Horizontal	Horizontal	N/A
785.775	-49.77	6.15	-13.0	36.77	171.00	Horizontal	Horizontal	N/A
1911.700	-54.90	-2.79	-13.0	41.90	95.00	Horizontal	Horizontal	Pass
3501.250	-46.67	5.52	-13.0	33.67	166.00	Horizontal	Horizontal	Pass
7903.750	-36.50	19.23	-13.0	23.50	318.00	Horizontal	Horizontal	Pass

4.61 NSA Band DC-13A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
64.823	-84.35	-16.25	-13.0	71.35	152.00	Vertical	Horizontal	Pass
264.886	-79.01	-11.56	-13.0	66.01	33.00	Vertical	Horizontal	Pass
750.516	-37.81	3.29	-13.0	24.81	252.00	Vertical	Horizontal	N/A
781.847	-53.03	6.37	-13.0	40.03	51.00	Vertical	Horizontal	N/A
2177.900	-51.44	-0.03	-13.0	38.44	169.00	Vertical	Horizontal	Pass
7903.000	-37.16	19.22	-13.0	24.16	32.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
99.985	-85.16	-17.59	-13.0	72.16	44.00	Horizontal	Horizontal	Pass
748.721	-49.72	3.03	-13.0	36.72	341.00	Horizontal	Horizontal	N/A
785.242	-51.03	6.18	-13.0	38.03	168.00	Horizontal	Horizontal	N/A
1779.800	-55.44	-3.61	-13.0	42.44	223.00	Horizontal	Horizontal	Pass
3627.500	-47.98	7.45	-13.0	34.98	0.00	Horizontal	Horizontal	Pass
7956.500	-37.04	19.77	-13.0	24.04	100.00	Horizontal	Horizontal	Pass

4.62 NSA Band DC-13A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
280.939	-78.18	-10.35	-13.0	65.18	135.00	Vertical	Horizontal	Pass
748.285	-37.74	2.96	-13.0	24.74	271.00	Vertical	Horizontal	N/A
785.824	-54.41	6.15	-13.0	41.41	183.00	Vertical	Horizontal	N/A
1726.400	-55.33	-3.31	-13.0	42.33	0.00	Vertical	Horizontal	Pass
3501.500	-44.90	5.52	-13.0	31.90	347.00	Vertical	Horizontal	N/A
7378.750	-36.60	18.41	-13.0	23.60	303.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
283.752	-77.76	-10.45	-13.0	64.76	261.00	Horizontal	Horizontal	Pass
747.897	-49.52	2.91	-13.0	36.52	348.00	Horizontal	Horizontal	N/A
781.119	-50.36	6.41	-13.0	37.36	174.00	Horizontal	Horizontal	N/A
1435.300	-53.91	-2.69	-13.0	40.91	328.00	Horizontal	Horizontal	Pass
3501.750	-45.66	5.52	-13.0	32.66	353.00	Horizontal	Horizontal	N/A
7985.000	-36.88	19.88	-13.0	23.88	210.00	Horizontal	Horizontal	Pass

4.63 NSA Band DC-13A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
62.252	-84.51	-15.23	-13.0	71.51	149.00	Vertical	Horizontal	Pass
278.417	-78.80	-10.32	-13.0	65.80	70.00	Vertical	Horizontal	Pass
747.315	-37.47	2.86	-13.0	24.47	139.00	Vertical	Horizontal	N/A
780.683	-54.16	6.43	-13.0	41.16	53.00	Vertical	Horizontal	N/A
2078.900	-53.16	-1.52	-13.0	40.16	0.00	Vertical	Horizontal	Pass
7900.250	-36.34	19.17	-13.0	23.34	328.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
62.834	-83.53	-15.48	-13.0	70.53	360.00	Horizontal	Horizontal	Pass
269.784	-78.75	-11.00	-13.0	65.75	35.00	Horizontal	Horizontal	Pass
749.789	-49.14	3.19	-13.0	36.14	343.00	Horizontal	Horizontal	N/A
785.727	-51.49	6.15	-13.0	38.49	164.00	Horizontal	Horizontal	N/A
2887.900	-49.89	2.71	-13.0	36.89	339.00	Horizontal	Horizontal	Pass
7921.500	-36.90	19.24	-13.0	23.90	250.00	Horizontal	Horizontal	Pass

4.64 NSA Band DC-14A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
122.005	-34.55	18.53	-13.0	21.55	225.00	Vertical	Horizontal	Pass
761.768	2.78	36.34	-13.0	-15.78	228.00	Vertical	Horizontal	N/A
788.686	-28.49	36.24	-13.0	15.49	255.00	Vertical	Horizontal	N/A
1961.500	-37.53	3.89	-13.0	24.53	256.00	Vertical	Horizontal	N/A
2989.900	-42.44	11.28	-13.0	29.44	360.00	Vertical	Horizontal	Pass
7983.000	-37.00	19.88	-13.0	24.00	273.00	Vertical	Horizontal	Pass

Band: NSA DC-14A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
62.931	-44.50	23.74	-13.0	31.50	235.00	Horizontal	Horizontal	Pass
760.119	-0.39	36.33	-13.0	-12.61	79.00	Horizontal	Horizontal	N/A
788.540	-20.09	36.25	-13.0	7.09	344.00	Horizontal	Horizontal	N/A
1960.000	-38.95	4.02	-13.0	25.95	30.00	Horizontal	Horizontal	N/A
4264.000	-46.97	8.38	-13.0	33.97	214.00	Horizontal	Horizontal	Pass
7366.500	-36.87	18.14	-13.0	23.87	182.00	Horizontal	Horizontal	Pass

4.65 NSA Band DC-14A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
35.965	-35.82	26.49	-13.0	22.82	11.00	Vertical	Horizontal	Pass
760.555	2.23	36.33	-13.0	-15.23	8.00	Vertical	Horizontal	N/A
788.637	-27.25	36.25	-13.0	14.25	157.00	Vertical	Horizontal	N/A
1578.200	-47.36	1.15	-13.0	34.36	162.00	Vertical	Horizontal	Pass
2980.400	-43.39	11.23	-13.0	30.39	360.00	Vertical	Horizontal	Pass
7987.000	-37.00	19.89	-13.0	24.00	214.00	Vertical	Horizontal	Pass

Band: NSA DC-14A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
62.398	-44.63	23.97	-13.0	31.63	0.00	Horizontal	Horizontal	Pass
766.715	-0.62	36.38	-13.0	-12.38	68.00	Horizontal	Horizontal	N/A
788.540	-18.98	36.25	-13.0	5.98	338.00	Horizontal	Horizontal	N/A
1578.200	-48.65	1.15	-13.0	35.65	49.00	Horizontal	Horizontal	Pass
2966.700	-43.08	10.89	-13.0	30.08	303.00	Horizontal	Horizontal	Pass
7779.750	-36.59	18.55	-13.0	23.59	0.00	Horizontal	Horizontal	Pass

4.66 NSA Band DC-14A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
61.864	-44.61	24.11	-13.0	31.61	95.00	Vertical	Horizontal	Pass
758.858	1.46	36.31	-13.0	-14.46	0.00	Vertical	Horizontal	N/A
788.588	-27.90	36.25	-13.0	14.90	152.00	Vertical	Horizontal	N/A
1741.000	-46.64	3.72	-13.0	33.64	335.00	Vertical	Horizontal	N/A
2144.600	-34.65	5.72	-13.0	21.65	249.00	Vertical	Horizontal	N/A
7407.750	-36.13	19.07	-13.0	23.13	342.00	Vertical	Horizontal	Pass

Band: NSA DC-14A-N66A



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
64.969	-44.87	22.90	-13.0	31.87	301.00	Horizontal	Horizontal	Pass
760.604	-0.56	36.33	-13.0	-12.44	75.00	Horizontal	Horizontal	N/A
788.540	-19.61	36.25	-13.0	6.61	327.00	Horizontal	Horizontal	N/A
1741.300	-43.57	3.72	-13.0	30.57	143.00	Horizontal	Horizontal	N/A
2148.700	-35.59	5.86	-13.0	22.59	34.00	Horizontal	Horizontal	N/A
7965.750	-36.69	19.79	-13.0	23.69	230.00	Horizontal	Horizontal	Pass

4.67 NSA Band DC-14A-N77A (3450-3550)



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
122.053	-42.87	18.53	-13.0	29.87	165.00	Vertical	Horizontal	Pass
765.794	-7.76	36.37	-13.0	-5.24	347.00	Vertical	Horizontal	N/A
788.637	-26.49	36.25	-13.0	13.49	307.00	Vertical	Horizontal	N/A
1578.000	-47.12	-4.09	-13.0	34.12	155.00	Vertical	Horizontal	Pass
2366.500	-35.57	0.21	-13.0	22.57	233.00	Vertical	Horizontal	Pass
7427.250	-36.82	18.37	-13.0	23.82	35.00	Vertical	Horizontal	Pass