


Field Strength of Spurious Radiation

Band: NSA DC-14A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
122.053	-38.52	18.53	-13.0	25.52	124.00	Horizontal	Horizontal	Pass
764.969	-16.05	36.36	-13.0	3.05	34.00	Horizontal	Horizontal	N/A
788.540	-20.68	36.25	-13.0	7.68	358.00	Horizontal	Horizontal	N/A
1578.100	-46.98	-4.08	-13.0	33.98	168.00	Horizontal	Horizontal	Pass
2366.400	-30.70	0.21	-13.0	17.70	301.00	Horizontal	Horizontal	Pass
3441.500	-40.00	5.04	-13.0	27.00	115.00	Horizontal	Horizontal	N/A

4.68 NSA Band DC-14A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
122.053	-38.57	18.53	-13.0	25.57	235.00	Vertical	Horizontal	Pass
758.858	-6.98	36.31	-13.0	-6.02	358.00	Vertical	Horizontal	N/A
788.588	-26.93	36.25	-13.0	13.93	291.00	Vertical	Horizontal	N/A
1578.000	-48.18	-4.09	-13.0	35.18	162.00	Vertical	Horizontal	Pass
2366.400	-47.21	0.21	-13.0	34.21	234.00	Vertical	Horizontal	Pass
7420.750	-36.99	18.64	-13.0	23.99	319.00	Vertical	Horizontal	Pass

Band: NSA DC-14A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
122.053	-35.71	18.53	-13.0	22.71	9.00	Horizontal	Horizontal	Pass
758.713	-16.90	36.30	-13.0	3.90	38.00	Horizontal	Horizontal	N/A
788.540	-20.54	36.25	-13.0	7.54	355.00	Horizontal	Horizontal	N/A
1578.000	-52.09	-4.09	-13.0	39.09	30.00	Horizontal	Horizontal	Pass
2366.500	-36.49	0.21	-13.0	23.49	306.00	Horizontal	Horizontal	Pass
7929.750	-36.54	19.12	-13.0	23.54	286.00	Horizontal	Horizontal	Pass

4.69 NSA Band DC-25A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
35.820	-70.12	-14.39	-13.0	57.12	119.00	Vertical	Horizontal	Pass
705.847	-61.84	-3.95	-13.0	48.84	132.00	Vertical	Horizontal	Pass
1883.600	-45.27	4.25	-13.0	32.27	62.00	Vertical	Horizontal	N/A
1960.400	-33.52	3.30	-13.0	20.52	6.00	Vertical	Horizontal	N/A
2584.600	-43.48	8.54	-13.0	30.48	294.00	Vertical	Horizontal	N/A
7410.750	-36.91	19.08	-13.0	23.91	150.00	Vertical	Horizontal	Pass

Band: NSA DC-25A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
122.053	-75.44	-21.74	-13.0	62.44	334.00	Horizontal	Horizontal	Pass
705.896	-53.75	-3.95	-13.0	40.75	228.00	Horizontal	Horizontal	Pass
1878.900	-44.47	4.23	-13.0	31.47	158.00	Horizontal	Horizontal	N/A
1960.300	-25.02	3.31	-13.0	12.02	35.00	Horizontal	Horizontal	N/A
2584.600	-41.07	8.54	-13.0	28.07	347.00	Horizontal	Horizontal	N/A
7328.500	-36.68	17.62	-13.0	23.68	215.00	Horizontal	Horizontal	Pass

4.70 NSA Band DC-25A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
60.603	-85.56	-16.48	-13.0	72.56	114.00	Vertical	Horizontal	Pass
522.760	-75.97	-6.73	-13.0	62.97	151.00	Vertical	Horizontal	Pass
1878.200	-52.88	4.71	-13.0	39.88	302.00	Vertical	Horizontal	N/A
1960.300	-45.33	3.99	-13.0	32.33	125.00	Vertical	Horizontal	N/A
3441.000	-49.18	5.06	-13.0	36.18	316.00	Vertical	Horizontal	N/A
7998.000	-43.66	20.15	-13.0	30.66	301.00	Vertical	Horizontal	Pass

Band: NSA DC-25A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
62.786	-88.29	-16.44	-13.0	75.29	178.00	Horizontal	Horizontal	Pass
699.979	-69.60	-3.48	-13.0	56.60	215.00	Horizontal	Horizontal	Pass
1878.200	-52.05	4.71	-13.0	39.05	360.00	Horizontal	Horizontal	N/A
1959.900	-45.77	4.02	-13.0	32.77	151.00	Horizontal	Horizontal	N/A
3441.000	-48.74	5.06	-13.0	35.74	158.00	Horizontal	Horizontal	N/A
7997.500	-43.58	20.13	-13.0	30.58	210.00	Horizontal	Horizontal	Pass

4.71 NSA Band DC-25A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
34.656	-80.81	-14.76	-13.0	67.81	63.00	Vertical	Horizontal	Pass
420.813	-79.57	-9.45	-13.0	66.57	0.00	Vertical	Horizontal	Pass
1878.100	-53.59	4.71	-13.0	40.59	67.00	Vertical	Horizontal	N/A
1959.300	-44.40	4.01	-13.0	31.40	125.00	Vertical	Horizontal	N/A
4796.500	-51.39	10.67	-13.0	38.39	162.00	Vertical	Horizontal	Pass
7998.250	-42.96	20.15	-13.0	29.96	357.00	Vertical	Horizontal	Pass

Band: NSA DC-25A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.925	-88.92	-19.75	-13.0	75.92	190.00	Horizontal	Horizontal	Pass
670.006	-68.10	-4.08	-13.0	55.10	112.00	Horizontal	Horizontal	Pass
1878.000	-52.80	4.71	-13.0	39.80	10.00	Horizontal	Horizontal	N/A
1960.600	-45.52	3.97	-13.0	32.52	153.00	Horizontal	Horizontal	N/A
4486.000	-53.28	9.46	-13.0	40.28	253.00	Horizontal	Horizontal	Pass
7975.000	-43.17	19.83	-13.0	30.17	72.00	Horizontal	Horizontal	Pass

4.72 NSA Band DC-25A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
81.362	-85.21	-19.72	-13.0	72.21	38.00	Vertical	Horizontal	Pass
501.711	-69.92	-7.84	-13.0	56.92	235.00	Vertical	Horizontal	Pass
1877.900	-53.41	4.71	-13.0	40.41	56.00	Vertical	Horizontal	N/A
1959.600	-35.30	4.01	-13.0	22.30	82.00	Vertical	Horizontal	N/A
7992.000	-43.18	19.97	-13.0	30.18	176.00	Vertical	Horizontal	Pass
14849.475	-40.53	23.49	-13.0	27.53	104.00	Vertical	Horizontal	Pass

Band: NSA DC-25A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
122.005	-73.54	-21.43	-13.0	60.54	347.00	Horizontal	Horizontal	Pass
699.979	-67.08	-3.48	-13.0	54.08	38.00	Horizontal	Horizontal	Pass
1877.900	-53.00	4.71	-13.0	40.00	360.00	Horizontal	Horizontal	N/A
1959.200	-36.39	4.01	-13.0	23.39	168.00	Horizontal	Horizontal	N/A
3441.000	-52.56	5.13	-13.0	39.56	145.00	Horizontal	Horizontal	N/A
7986.250	-43.34	19.89	-13.0	30.34	330.00	Horizontal	Horizontal	Pass

4.73 NSA Band DC-25A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
81.071	-86.43	-19.74	-13.0	73.43	240.00	Vertical	Horizontal	Pass
601.815	-73.64	-4.06	-13.0	60.64	360.00	Vertical	Horizontal	Pass
1878.000	-52.90	4.71	-13.0	39.90	270.00	Vertical	Horizontal	N/A
1958.800	-45.24	4.00	-13.0	32.24	124.00	Vertical	Horizontal	N/A
7967.750	-43.67	19.79	-13.0	30.67	145.00	Vertical	Horizontal	Pass
14821.125	-40.94	24.51	-13.0	27.94	26.00	Vertical	Horizontal	Pass

Band: NSA DC-25A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
122.005	-73.96	-21.43	-13.0	60.96	0.00	Horizontal	Horizontal	Pass
719.961	-71.04	-2.64	-13.0	58.04	314.00	Horizontal	Horizontal	Pass
1878.100	-52.45	4.71	-13.0	39.45	356.00	Horizontal	Horizontal	N/A
1959.400	-34.06	4.01	-13.0	21.06	133.00	Horizontal	Horizontal	N/A
7413.500	-43.39	18.96	-13.0	30.39	37.00	Horizontal	Horizontal	Pass
14906.700	-40.72	24.13	-13.0	27.72	356.00	Horizontal	Horizontal	Pass

4.74 NSA Band DC-26A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
63.029	-84.57	-15.43	-13.0	71.57	187.00	Vertical	Horizontal	Pass
875.549	-37.89	5.87	-13.0	24.89	327.00	Vertical	Horizontal	N/A
1655.100	-45.42	1.80	-13.0	32.42	61.00	Vertical	Horizontal	Pass
1960.400	-43.46	3.98	-13.0	30.46	124.00	Vertical	Horizontal	N/A
3885.250	-48.07	8.67	-13.0	35.07	82.00	Vertical	Horizontal	Pass
7903.000	-36.15	19.22	-13.0	23.15	234.00	Vertical	Horizontal	Pass

Band: NSA DC-26A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
61.962	-84.01	-14.99	-13.0	71.01	306.00	Horizontal	Horizontal	Pass
827.097	-57.19	5.46	-13.0	44.19	35.00	Horizontal	Horizontal	N/A
878.362	-46.73	5.95	-13.0	33.73	137.00	Horizontal	Horizontal	N/A
1654.800	-45.75	1.79	-13.0	32.75	360.00	Horizontal	Horizontal	Pass
1960.200	-43.79	4.00	-13.0	30.79	156.00	Horizontal	Horizontal	N/A
7903.750	-35.62	19.23	-13.0	22.62	325.00	Horizontal	Horizontal	Pass

4.75 NSA Band DC-26A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
81.168	-83.24	-18.45	-25.0	58.24	225.00	Vertical	Horizontal	Pass
880.108	-37.97	5.83	-25.0	12.97	337.00	Vertical	Horizontal	N/A
1655.100	-44.32	1.76	-25.0	19.32	76.00	Vertical	Horizontal	Pass
2584.800	-41.12	9.13	-25.0	16.12	88.00	Vertical	Horizontal	N/A
5085.000	-44.08	10.97	-25.0	19.08	64.00	Vertical	Horizontal	Pass
7920.250	-36.52	19.26	-25.0	11.52	69.00	Vertical	Horizontal	Pass

Band: NSA DC-26A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
55.462	-84.33	-16.35	-25.0	59.33	291.00	Horizontal	Horizontal	Pass
827.146	-55.92	5.46	-25.0	30.92	29.00	Horizontal	Horizontal	N/A
875.355	-47.20	5.85	-25.0	22.20	128.00	Horizontal	Horizontal	N/A
1655.200	-43.26	1.76	-25.0	18.26	134.00	Horizontal	Horizontal	N/A
2584.600	-40.70	9.13	-25.0	15.70	207.00	Horizontal	Horizontal	Pass
7232.000	-36.09	18.42	-25.0	11.09	121.00	Horizontal	Horizontal	Pass

4.76 NSA Band DC-26A-N78A(3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
32.377	-80.64	-16.44	-13.0	67.64	347.00	Vertical	Horizontal	Pass
874.094	-40.51	5.72	-13.0	27.51	324.00	Vertical	Horizontal	N/A
1654.100	-49.67	-3.63	-13.0	36.67	79.00	Vertical	Horizontal	Pass
3441.000	-53.39	5.13	-13.0	40.39	39.00	Vertical	Horizontal	N/A
7905.750	-42.85	19.27	-13.0	29.85	294.00	Vertical	Horizontal	Pass
14826.375	-40.71	24.32	-13.0	27.71	334.00	Vertical	Horizontal	Pass

Band: NSA DC-26A-N78A(3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
62.834	-86.42	-15.34	-13.0	73.42	346.00	Horizontal	Horizontal	Pass
827.049	-57.73	5.46	-13.0	44.73	3.00	Horizontal	Horizontal	N/A
878.604	-49.74	5.93	-13.0	36.74	136.00	Horizontal	Horizontal	N/A
1654.300	-47.04	-3.63	-13.0	34.04	127.00	Horizontal	Horizontal	Pass
3441.250	-50.22	5.12	-13.0	37.22	130.00	Horizontal	Horizontal	N/A
7908.750	-43.25	19.33	-13.0	30.25	102.00	Horizontal	Horizontal	Pass

4.77 NSA Band DC-26A-N78A(3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.398	-86.61	-18.33	-13.0	73.61	30.00	Vertical	Horizontal	Pass
837.865	-64.42	5.75	-13.0	51.42	80.00	Vertical	Horizontal	N/A
876.422	-40.24	5.93	-13.0	27.24	331.00	Vertical	Horizontal	N/A
1653.900	-48.54	-3.63	-13.0	35.54	75.00	Vertical	Horizontal	Pass
3887.000	-54.51	8.58	-13.0	41.51	175.00	Vertical	Horizontal	Pass
14823.224	-41.11	24.44	-13.0	28.11	44.00	Vertical	Horizontal	Pass

Band: NSA DC-26A-N78A(3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
62.204	-86.48	-15.07	-13.0	73.48	170.00	Horizontal	Horizontal	Pass
827.097	-57.84	5.46	-13.0	44.84	12.00	Horizontal	Horizontal	N/A
879.235	-49.52	5.88	-13.0	36.52	135.00	Horizontal	Horizontal	N/A
1654.300	-46.77	-3.63	-13.0	33.77	132.00	Horizontal	Horizontal	Pass
3876.750	-54.47	8.75	-13.0	41.47	130.00	Horizontal	Horizontal	Pass
7996.000	-43.18	20.09	-13.0	30.18	265.00	Horizontal	Horizontal	Pass

4.78 NSA Band DC-30A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
37.227	-79.85	-14.16	-40.0	39.85	188.00	Vertical	Horizontal	Pass
405.487	-77.16	-9.56	-40.0	37.16	215.00	Vertical	Horizontal	Pass
1956.500	-43.09	3.39	-40.0	3.09	125.00	Vertical	Horizontal	N/A
2306.400	-37.28	7.67	-40.0	-2.72	83.00	Vertical	Horizontal	N/A
7380.750	-58.42	-3.57	-40.0	18.42	96.00	Vertical	Horizontal	Pass
14849.738	-56.04	1.48	-40.0	16.04	109.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
60.943	-85.65	-16.39	-40.0	45.65	44.00	Horizontal	Horizontal	Pass
699.930	-64.84	-3.48	-40.0	24.84	44.00	Horizontal	Horizontal	Pass
1958.600	-44.36	3.34	-40.0	4.36	155.00	Horizontal	Horizontal	N/A
2306.400	-34.14	7.67	-40.0	-5.86	29.00	Horizontal	Horizontal	N/A
7890.250	-58.62	-3.06	-40.0	18.62	336.00	Horizontal	Horizontal	Pass
15266.588	-55.61	0.59	-40.0	15.61	306.00	Horizontal	Horizontal	Pass

4.79 NSA Band DC-30A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
49.691	-82.45	-17.53	-40.0	42.45	351.00	Vertical	Horizontal	Pass
874.773	-46.93	4.98	-40.0	6.93	74.00	Vertical	Horizontal	N/A
1423.900	-49.14	1.97	-40.0	9.14	57.00	Vertical	Horizontal	Pass
2306.300	-37.51	8.33	-40.0	-2.49	90.00	Vertical	Horizontal	N/A
7411.250	-58.69	-2.94	-40.0	18.69	24.00	Vertical	Horizontal	Pass
14727.675	-55.99	1.56	-40.0	15.99	274.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
37.954	-81.71	-13.19	-40.0	41.71	92.00	Horizontal	Horizontal	Pass
882.921	-53.18	5.05	-40.0	13.18	137.00	Horizontal	Horizontal	N/A
1438.000	-49.11	2.19	-40.0	9.11	8.00	Horizontal	Horizontal	Pass
2306.400	-33.68	8.33	-40.0	-6.32	28.00	Horizontal	Horizontal	N/A
7244.750	-58.80	-4.27	-40.0	18.80	46.00	Horizontal	Horizontal	Pass
14822.438	-54.89	2.47	-40.0	14.89	275.00	Horizontal	Horizontal	Pass

4.80 NSA Band DC-30A-N12A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
36.353	-73.86	-14.22	-40.0	33.86	249.00	Vertical	Horizontal	Pass
116.670	-75.13	-20.54	-40.0	35.13	310.00	Vertical	Horizontal	Pass
440.019	-59.00	-8.87	-40.0	19.00	330.00	Vertical	Horizontal	Pass
1715.600	-60.15	-9.40	-40.0	20.15	331.00	Vertical	Horizontal	Pass
4750.500	-53.83	1.23	-40.0	13.83	132.00	Vertical	Horizontal	Pass
14826.637	-54.74	2.31	-40.0	14.74	7.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N12A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
36.062	-77.40	-14.20	-40.0	37.40	61.00	Horizontal	Horizontal	Pass
252.518	-63.08	-14.11	-40.0	23.08	258.00	Horizontal	Horizontal	Pass
679.997	-58.92	-3.63	-40.0	18.92	346.00	Horizontal	Horizontal	Pass
1740.500	-60.21	-8.88	-40.0	20.21	149.00	Horizontal	Horizontal	Pass
5980.250	-51.74	2.98	-40.0	11.74	260.00	Horizontal	Horizontal	Pass
14833.988	-55.08	2.05	-40.0	15.08	145.00	Horizontal	Horizontal	Pass

4.81 NSA Band DC-30A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
36.160	-77.62	-14.21	-40.0	37.62	162.00	Vertical	Horizontal	Pass
1300.000	-50.89	1.60	-40.0	10.89	228.00	Vertical	Horizontal	Pass
2138.100	-39.00	5.00	-40.0	-1.00	238.00	Vertical	Horizontal	N/A
2306.400	-37.03	7.62	-40.0	-2.97	88.00	Vertical	Horizontal	N/A
7383.750	-58.39	-3.55	-40.0	18.39	110.00	Vertical	Horizontal	Pass
14808.787	-56.06	2.42	-40.0	16.06	27.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
36.935	-82.73	-14.25	-40.0	42.73	228.00	Horizontal	Horizontal	Pass
700.124	-67.88	-3.47	-40.0	27.88	3.00	Horizontal	Horizontal	Pass
2150.500	-40.16	5.37	-40.0	0.16	132.00	Horizontal	Horizontal	N/A
2306.600	-33.30	7.62	-40.0	-6.70	26.00	Horizontal	Horizontal	N/A
7236.250	-58.87	-3.83	-40.0	18.87	206.00	Horizontal	Horizontal	Pass
15262.913	-56.14	0.65	-40.0	16.14	215.00	Horizontal	Horizontal	Pass

4.82 NSA Band DC-30A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
35.723	-77.75	-14.26	-40.0	37.75	188.00	Vertical	Horizontal	Pass
590.272	-72.29	-4.88	-40.0	32.29	262.00	Vertical	Horizontal	Pass
2306.400	-36.71	7.01	-40.0	-3.29	82.00	Vertical	Horizontal	N/A
3441.500	-68.42	-16.96	-40.0	28.42	184.00	Vertical	Horizontal	N/A
7904.000	-58.18	-2.76	-40.0	18.18	18.00	Vertical	Horizontal	Pass
15243.750	-56.39	0.66	-40.0	16.39	36.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
60.749	-84.58	-16.44	-40.0	44.58	299.00	Horizontal	Horizontal	Pass
700.076	-61.59	-3.48	-40.0	21.59	49.00	Horizontal	Horizontal	Pass
2306.500	-33.24	7.01	-40.0	-6.76	28.00	Horizontal	Horizontal	Fail
3441.500	-66.47	-16.96	-40.0	26.47	150.00	Horizontal	Horizontal	Pass
7885.750	-58.76	-3.19	-40.0	18.76	104.00	Horizontal	Horizontal	Pass
14819.287	-56.41	2.55	-40.0	16.41	324.00	Horizontal	Horizontal	Pass

4.83 NSA Band DC-30A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
57.257	-82.87	-17.43	-40.0	42.87	359.00	Vertical	Horizontal	Pass
601.185	-72.26	-4.05	-40.0	32.26	54.00	Vertical	Horizontal	Pass
1364.900	-51.29	0.37	-40.0	11.29	16.00	Vertical	Horizontal	Pass
2306.300	-38.02	7.01	-40.0	-1.98	74.00	Vertical	Horizontal	N/A
7962.250	-57.73	-2.21	-40.0	17.73	323.00	Vertical	Horizontal	Pass
14826.375	-55.84	2.32	-40.0	15.84	235.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
63.029	-84.51	-16.54	-40.0	44.51	298.00	Horizontal	Horizontal	Pass
435.072	-75.56	-9.08	-40.0	35.56	323.00	Horizontal	Horizontal	Pass
1296.100	-51.25	0.92	-40.0	11.25	360.00	Horizontal	Horizontal	Pass
2306.300	-35.81	7.01	-40.0	-4.19	52.00	Horizontal	Horizontal	N/A
7403.500	-58.41	-3.01	-40.0	18.41	156.00	Horizontal	Horizontal	Pass
14843.437	-54.93	1.71	-40.0	14.93	296.00	Horizontal	Horizontal	Pass

4.84 NSA Band DC-38A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
82.574	-66.59	-19.65	-13.0	53.59	16.00	Vertical	Horizontal	Pass
308.584	-76.71	-13.37	-13.0	63.71	134.00	Vertical	Horizontal	Pass
679.997	-71.28	-3.63	-13.0	58.28	107.00	Vertical	Horizontal	Pass
1378.000	-57.64	1.85	-13.0	44.64	299.00	Vertical	Horizontal	Pass
2586.200	-41.37	9.13	-13.0	28.37	348.00	Vertical	Horizontal	N/A
7886.750	-43.93	18.84	-13.0	30.93	63.00	Vertical	Horizontal	Pass

Band: NSA DC-38A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.367	-68.62	-18.75	-13.0	55.62	43.00	Horizontal	Horizontal	Pass
308.293	-74.37	-13.37	-13.0	61.37	118.00	Horizontal	Horizontal	Pass
731.698	-70.67	-2.00	-13.0	57.67	125.00	Horizontal	Horizontal	Pass
1297.500	-58.05	2.24	-13.0	45.05	62.00	Horizontal	Horizontal	Pass
2586.100	-35.84	9.13	-13.0	22.84	158.00	Horizontal	Horizontal	N/A
7962.250	-43.53	19.79	-13.0	30.53	91.00	Horizontal	Horizontal	Pass

4.85 NSA Band DC-38A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
84.320	-67.05	-19.59	-13.0	54.05	43.00	Vertical	Horizontal	Pass
270.463	-80.12	-13.30	-13.0	67.12	302.00	Vertical	Horizontal	Pass
754.687	-71.00	-1.18	-13.0	58.00	205.00	Vertical	Horizontal	Pass
1289.000	-57.38	2.14	-13.0	44.38	259.00	Vertical	Horizontal	Pass
2586.100	-40.49	9.13	-13.0	27.49	156.00	Vertical	Horizontal	N/A
7905.250	-43.69	19.26	-13.0	30.69	246.00	Vertical	Horizontal	Pass

Band: NSA DC-38A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.980	-70.28	-19.59	-13.0	57.28	55.00	Horizontal	Horizontal	Pass
338.994	-76.17	-11.73	-13.0	63.17	142.00	Horizontal	Horizontal	Pass
669.958	-72.22	-4.08	-13.0	59.22	288.00	Horizontal	Horizontal	Pass
1297.200	-57.82	2.24	-13.0	44.82	59.00	Horizontal	Horizontal	Pass
2585.900	-35.16	9.13	-13.0	22.16	157.00	Horizontal	Horizontal	N/A
7998.250	-43.13	20.15	-13.0	30.13	322.00	Horizontal	Horizontal	Pass

4.86 NSA Band DC-41A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.925	-64.50	-19.75	-13.0	51.50	0.00	Vertical	Horizontal	Pass
318.769	-78.97	-13.21	-13.0	65.97	145.00	Vertical	Horizontal	Pass
620.002	-72.99	-4.41	-13.0	59.99	75.00	Vertical	Horizontal	Pass
1228.900	-57.22	1.71	-13.0	44.22	93.00	Vertical	Horizontal	Pass
2561.700	-39.55	9.21	-13.0	26.55	0.00	Vertical	Horizontal	N/A
7993.500	-43.78	20.01	-13.0	30.78	258.00	Vertical	Horizontal	Pass

Band: NSA DC-41A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.592	-69.66	-19.61	-13.0	56.66	37.00	Horizontal	Horizontal	Pass
318.332	-76.78	-13.22	-13.0	63.78	114.00	Horizontal	Horizontal	Pass
700.076	-69.64	-3.48	-13.0	56.64	37.00	Horizontal	Horizontal	Pass
1439.300	-57.67	2.24	-13.0	44.67	276.00	Horizontal	Horizontal	Pass
2560.300	-32.19	9.23	-13.0	19.19	168.00	Horizontal	Horizontal	N/A
7994.500	-43.30	20.04	-13.0	30.30	250.00	Horizontal	Horizontal	Pass

4.87 NSA Band DC-41A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.586	-64.32	-19.78	-13.0	51.32	39.00	Vertical	Horizontal	Pass
322.116	-78.75	-13.06	-13.0	65.75	128.00	Vertical	Horizontal	Pass
674.953	-74.31	-3.91	-13.0	61.31	278.00	Vertical	Horizontal	Pass
1422.100	-57.64	2.06	-13.0	44.64	264.00	Vertical	Horizontal	Pass
2560.200	-39.63	9.23	-13.0	26.63	360.00	Vertical	Horizontal	N/A
7998.750	-43.42	20.17	-13.0	30.42	297.00	Vertical	Horizontal	Pass

Band: NSA DC-41A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
84.562	-69.68	-19.59	-13.0	56.68	44.00	Horizontal	Horizontal	Pass
321.097	-76.86	-13.12	-13.0	63.86	126.00	Horizontal	Horizontal	Pass
671.024	-73.78	-4.05	-13.0	60.78	142.00	Horizontal	Horizontal	Pass
1421.900	-57.44	2.05	-13.0	44.44	72.00	Horizontal	Horizontal	Pass
2555.100	-34.19	8.65	-13.0	21.19	161.00	Horizontal	Horizontal	N/A
7981.000	-43.88	19.87	-13.0	30.88	94.00	Horizontal	Horizontal	Pass

4.88 NSA Band DC-41A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
78.694	-66.48	-19.66	-13.0	53.48	45.00	Vertical	Horizontal	Pass
308.826	-79.51	-13.38	-13.0	66.51	120.00	Vertical	Horizontal	Pass
649.976	-72.31	-4.41	-13.0	59.31	56.00	Vertical	Horizontal	Pass
1307.700	-57.80	2.33	-13.0	44.80	30.00	Vertical	Horizontal	Pass
2584.100	-42.72	9.13	-13.0	29.72	0.00	Vertical	Horizontal	N/A
8000.000	-43.76	20.21	-13.0	30.76	239.00	Vertical	Horizontal	Pass

Band: NSA DC-41A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
84.708	-69.16	-19.59	-13.0	56.16	47.00	Horizontal	Horizontal	Pass
319.157	-77.34	-13.20	-13.0	64.34	251.00	Horizontal	Horizontal	Pass
711.716	-73.42	-3.00	-13.0	60.42	205.00	Horizontal	Horizontal	Pass
1302.000	-58.09	2.27	-13.0	45.09	93.00	Horizontal	Horizontal	Pass
2561.400	-33.25	9.21	-13.0	20.25	164.00	Horizontal	Horizontal	N/A
7997.750	-43.59	20.14	-13.0	30.59	360.00	Horizontal	Horizontal	Pass

4.89 NSA Band DC-41A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
81.071	-64.45	-19.74	-13.0	51.45	17.00	Vertical	Horizontal	Pass
316.780	-80.39	-13.25	-13.0	67.39	151.00	Vertical	Horizontal	Pass
657.542	-73.40	-4.20	-13.0	60.40	64.00	Vertical	Horizontal	Pass
1309.300	-57.19	2.34	-13.0	44.19	54.00	Vertical	Horizontal	Pass
2584.100	-43.87	9.13	-13.0	30.87	0.00	Vertical	Horizontal	N/A
7900.750	-43.66	19.18	-13.0	30.66	252.00	Vertical	Horizontal	Pass

Band: NSA DC-41A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.301	-69.63	-19.62	-13.0	56.63	45.00	Horizontal	Horizontal	Pass
171.668	-72.19	-18.82	-13.0	59.19	235.00	Horizontal	Horizontal	Pass
699.979	-67.14	-3.48	-13.0	54.14	53.00	Horizontal	Horizontal	Pass
1323.000	-57.93	1.69	-13.0	44.93	198.00	Horizontal	Horizontal	Pass
2584.000	-37.71	9.13	-13.0	24.71	160.00	Horizontal	Horizontal	N/A
8000.000	-43.69	20.21	-13.0	30.69	260.00	Horizontal	Horizontal	Pass

4.90 NSA Band DC-66A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.198	-59.54	-20.04	-13.0	46.54	20.00	Vertical	Horizontal	Pass
309.311	-77.02	-13.89	-13.0	64.02	284.00	Vertical	Horizontal	Pass
619.954	-71.87	-5.14	-13.0	58.87	242.00	Vertical	Horizontal	Pass
1746.700	-47.62	3.94	-13.0	34.62	359.00	Vertical	Horizontal	N/A
2154.700	-36.99	5.41	-13.0	23.99	360.00	Vertical	Horizontal	N/A
7936.500	-36.01	19.26	-13.0	23.01	343.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.495	-65.51	-19.85	-13.0	52.51	31.00	Horizontal	Horizontal	Pass
173.609	-68.65	-18.94	-13.0	55.65	236.00	Horizontal	Horizontal	Pass
501.759	-72.28	-8.38	-13.0	59.28	116.00	Horizontal	Horizontal	Pass
1747.300	-46.52	3.94	-13.0	33.52	340.00	Horizontal	Horizontal	N/A
2159.200	-39.92	5.43	-13.0	26.92	23.00	Horizontal	Horizontal	N/A
7904.750	-36.74	19.25	-13.0	23.74	236.00	Horizontal	Horizontal	Pass

4.91 NSA Band DC-66A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.537	-61.41	-18.49	-13.0	48.41	8.00	Vertical	Horizontal	Pass
309.311	-75.05	-10.59	-13.0	62.05	324.00	Vertical	Horizontal	Pass
832.820	-43.36	5.61	-13.0	30.36	360.00	Vertical	Horizontal	N/A
889.905	-46.50	6.18	-13.0	33.50	309.00	Vertical	Horizontal	N/A
2153.700	-36.91	5.97	-13.0	23.91	193.00	Vertical	Horizontal	N/A
7997.500	-36.95	20.13	-13.0	23.95	40.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
82.719	-65.58	-18.36	-13.0	52.58	43.00	Horizontal	Horizontal	Pass
834.470	-61.48	5.66	-13.0	48.48	360.00	Horizontal	Horizontal	N/A
882.484	-55.52	5.74	-13.0	42.52	254.00	Horizontal	Horizontal	N/A
1746.900	-47.44	3.63	-13.0	34.44	12.00	Horizontal	Horizontal	N/A
2153.000	-41.16	5.96	-13.0	28.16	23.00	Horizontal	Horizontal	N/A
7917.000	-36.34	19.29	-13.0	23.34	243.00	Horizontal	Horizontal	Pass

4.92 NSA Band DC-66A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
79.616	-62.53	-19.77	-13.0	49.53	23.00	Vertical	Horizontal	Pass
606.617	-74.29	-4.08	-13.0	61.29	51.00	Vertical	Horizontal	Pass
1745.900	-51.28	3.73	-13.0	38.28	159.00	Vertical	Horizontal	N/A
2152.500	-45.39	5.39	-13.0	32.39	1.00	Vertical	Horizontal	N/A
2661.700	-44.10	7.68	-13.0	31.10	139.00	Vertical	Horizontal	N/A
7993.750	-43.08	20.02	-13.0	30.08	205.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.447	-69.49	-19.61	-13.0	56.49	34.00	Horizontal	Horizontal	Pass
279.290	-78.57	-13.12	-13.0	65.57	93.00	Horizontal	Horizontal	Pass
616.947	-74.50	-4.32	-13.0	61.50	278.00	Horizontal	Horizontal	Pass
1746.200	-47.02	3.73	-13.0	34.02	181.00	Horizontal	Horizontal	N/A
2161.300	-46.93	5.54	-13.0	33.93	37.00	Horizontal	Horizontal	N/A
7990.500	-42.96	19.92	-13.0	29.96	181.00	Horizontal	Horizontal	Pass

4.93 NSA Band DC-66A-N12A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
38.681	-59.09	-16.39	-13.0	46.09	23.00	Vertical	Horizontal	Pass
83.447	-63.30	-18.30	-13.0	50.30	133.00	Vertical	Horizontal	Pass
182.920	-62.80	-15.76	-13.0	49.80	165.00	Vertical	Horizontal	Pass
2133.300	-48.76	-0.80	-13.0	35.76	164.00	Vertical	Horizontal	Pass
7407.500	-37.04	19.07	-13.0	24.04	237.00	Vertical	Horizontal	Pass
13386.299	-46.41	10.75	-13.0	33.41	250.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N12A



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.997	-61.43	-17.15	-13.0	48.43	196.00	Horizontal	Horizontal	Pass
183.794	-65.78	-15.72	-13.0	52.78	312.00	Horizontal	Horizontal	Pass
754.057	-62.13	4.92	-13.0	49.13	136.00	Horizontal	Horizontal	Pass
2153.700	-51.67	0.07	-13.0	38.67	133.00	Horizontal	Horizontal	Pass
7229.750	-36.86	18.54	-13.0	23.86	100.00	Horizontal	Horizontal	Pass
13384.200	-46.32	10.71	-13.0	33.32	111.00	Horizontal	Horizontal	Pass

4.94 NSA Band DC-66A-N14A



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
40.767	-64.61	-17.27	-13.0	51.61	248.00	Vertical	Horizontal	Pass
107.066	-70.48	-18.87	-13.0	57.48	126.00	Vertical	Horizontal	Pass
184.036	-66.27	-17.93	-13.0	53.27	30.00	Vertical	Horizontal	Pass
1601.100	-54.79	1.38	-13.0	41.79	48.00	Vertical	Horizontal	Pass
7901.250	-43.02	19.19	-13.0	30.02	154.00	Vertical	Horizontal	Pass
14831.625	-40.32	24.13	-13.0	27.32	135.00	Vertical	Horizontal	Pass