



Field Strength of Spurious Radiation

Band: NSA DC-66A-N14A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
100.034	-65.08	-18.87	-13.0	52.08	208.00	Horizontal	Horizontal	Pass
185.588	-69.64	-17.87	-13.0	56.64	307.00	Horizontal	Horizontal	Pass
448.506	-69.98	-9.06	-13.0	56.98	316.00	Horizontal	Horizontal	Pass
1728.900	-54.15	3.89	-13.0	41.15	262.00	Horizontal	Horizontal	Pass
7996.500	-42.92	20.10	-13.0	29.92	355.00	Horizontal	Horizontal	Pass
14800.912	-40.74	24.33	-13.0	27.74	116.00	Horizontal	Horizontal	Pass

4.95 NSA Band DC-66A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.198	-63.04	-19.81	-13.0	50.04	6.00	Vertical	Horizontal	Pass
280.211	-80.16	-13.13	-13.0	67.16	1.00	Vertical	Horizontal	Pass
822.199	-70.70	-0.38	-13.0	57.70	298.00	Vertical	Horizontal	Pass
1746.000	-50.11	3.94	-13.0	37.11	155.00	Vertical	Horizontal	N/A
2152.800	-44.32	5.40	-13.0	31.32	360.00	Vertical	Horizontal	N/A
7983.750	-43.77	19.88	-13.0	30.77	262.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.398	-68.91	-19.61	-13.0	55.91	23.00	Horizontal	Horizontal	Pass
280.114	-79.40	-13.13	-13.0	66.40	118.00	Horizontal	Horizontal	Pass
689.891	-71.23	-3.45	-13.0	58.23	227.00	Horizontal	Horizontal	Pass
1745.800	-45.58	3.94	-13.0	32.58	183.00	Horizontal	Horizontal	N/A
2160.800	-48.12	5.46	-13.0	35.12	44.00	Horizontal	Horizontal	N/A
7994.750	-43.23	20.05	-13.0	30.23	360.00	Horizontal	Horizontal	Pass

4.96 NSA Band DC-66A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
81.265	-64.70	-19.73	-13.0	51.70	8.00	Vertical	Horizontal	Pass
597.596	-74.54	-4.29	-13.0	61.54	23.00	Vertical	Horizontal	Pass
1746.200	-49.73	3.68	-13.0	36.73	166.00	Vertical	Horizontal	N/A
2152.700	-44.36	5.39	-13.0	31.36	9.00	Vertical	Horizontal	N/A
2305.400	-47.92	7.62	-13.0	34.92	351.00	Vertical	Horizontal	N/A
7899.250	-43.77	19.15	-13.0	30.77	225.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.447	-69.74	-19.61	-13.0	56.74	33.00	Horizontal	Horizontal	Pass
700.028	-66.66	-3.48	-13.0	53.66	88.00	Horizontal	Horizontal	Pass
1746.300	-47.64	3.68	-13.0	34.64	159.00	Horizontal	Horizontal	N/A
2162.700	-48.54	5.57	-13.0	35.54	32.00	Horizontal	Horizontal	N/A
2305.400	-45.09	7.62	-13.0	32.09	47.00	Horizontal	Horizontal	N/A
7973.750	-43.11	19.82	-13.0	30.11	175.00	Horizontal	Horizontal	Pass

4.97 NSA Band DC-66A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.683	-58.77	-19.77	-25.0	33.77	2.00	Vertical	Horizontal	Pass
602.930	-71.01	-4.06	-25.0	46.01	194.00	Vertical	Horizontal	Pass
1753.500	-38.53	3.60	-25.0	13.53	158.00	Vertical	Horizontal	N/A
2157.100	-33.45	5.44	-25.0	8.45	337.00	Vertical	Horizontal	N/A
2587.100	-34.93	8.51	-25.0	9.93	320.00	Vertical	Horizontal	N/A
7386.500	-36.81	18.46	-25.0	11.81	62.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.738	-65.77	-19.60	-25.0	40.77	24.00	Horizontal	Horizontal	Pass
620.002	-69.32	-4.41	-25.0	44.32	260.00	Horizontal	Horizontal	Pass
1753.700	-34.90	3.61	-25.0	9.90	182.00	Horizontal	Horizontal	N/A
2155.200	-36.72	5.42	-25.0	11.72	324.00	Horizontal	Horizontal	N/A
2586.900	-35.98	8.51	-25.0	10.98	230.00	Horizontal	Horizontal	N/A
7922.750	-36.72	19.22	-25.0	11.72	125.00	Horizontal	Horizontal	Pass

4.98 NSA Band DC-66A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.343	-59.65	-19.79	-25.0	34.65	10.00	Vertical	Horizontal	Pass
537.019	-72.37	-6.31	-25.0	47.37	182.00	Vertical	Horizontal	Pass
1753.800	-38.05	3.61	-25.0	13.05	152.00	Vertical	Horizontal	N/A
2156.800	-33.88	5.44	-25.0	8.88	359.00	Vertical	Horizontal	N/A
2584.800	-40.55	8.50	-25.0	15.55	14.00	Vertical	Horizontal	N/A
7914.250	-36.76	19.31	-25.0	11.76	0.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
84.320	-65.69	-19.59	-25.0	40.69	29.00	Horizontal	Horizontal	Pass
611.030	-72.40	-4.15	-25.0	47.40	114.00	Horizontal	Horizontal	Pass
1753.800	-34.68	3.61	-25.0	9.68	190.00	Horizontal	Horizontal	N/A
2157.100	-36.87	5.44	-25.0	11.87	41.00	Horizontal	Horizontal	N/A
2585.100	-41.05	8.50	-25.0	16.05	214.00	Horizontal	Horizontal	N/A
7933.500	-36.77	19.20	-25.0	11.77	155.00	Horizontal	Horizontal	Pass

4.99 NSA Band DC-66A-N71A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.343	-59.23	-18.49	-13.0	46.23	32.00	Vertical	Horizontal	Pass
253.585	-78.03	-11.49	-13.0	65.03	92.00	Vertical	Horizontal	Pass
627.811	-35.87	0.14	-13.0	22.87	204.00	Vertical	Horizontal	N/A
1394.000	-48.06	1.37	-13.0	35.06	143.00	Vertical	Horizontal	Pass
2159.500	-35.92	6.06	-13.0	22.92	3.00	Vertical	Horizontal	N/A
7911.750	-36.38	19.33	-13.0	23.38	324.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N71A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.398	-66.54	-18.30	-13.0	53.54	30.00	Horizontal	Horizontal	Pass
643.137	-44.31	0.92	-13.0	31.31	288.00	Horizontal	Horizontal	N/A
671.024	-62.61	2.87	-13.0	49.61	284.00	Horizontal	Horizontal	N/A
1746.800	-48.08	3.63	-13.0	35.08	62.00	Horizontal	Horizontal	N/A
2153.500	-37.96	5.96	-13.0	24.96	42.00	Horizontal	Horizontal	N/A
7924.250	-36.69	19.20	-13.0	23.69	349.00	Horizontal	Horizontal	Pass

4.100 NSA Band DC-66A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
79.810	-62.39	-19.80	-13.0	49.39	21.00	Vertical	Horizontal	Pass
309.214	-80.87	-13.39	-13.0	67.87	286.00	Vertical	Horizontal	Pass
1750.700	-40.04	3.59	-13.0	27.04	165.00	Vertical	Horizontal	N/A
2158.400	-42.62	6.04	-13.0	29.62	10.00	Vertical	Horizontal	N/A
3474.500	-46.23	5.24	-13.0	33.23	39.00	Vertical	Horizontal	N/A
7991.500	-43.44	19.95	-13.0	30.44	205.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
84.077	-69.69	-19.59	-13.0	56.69	15.00	Horizontal	Horizontal	Pass
474.599	-71.49	-8.39	-13.0	58.49	340.00	Horizontal	Horizontal	Pass
1750.700	-36.33	3.59	-13.0	23.33	182.00	Horizontal	Horizontal	N/A
2157.100	-45.89	6.02	-13.0	32.89	319.00	Horizontal	Horizontal	N/A
3474.250	-46.86	5.24	-13.0	33.86	327.00	Horizontal	Horizontal	N/A
7995.500	-43.24	20.07	-13.0	30.24	234.00	Horizontal	Horizontal	Pass

4.101 NSA Band DC-66A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
79.713	-62.46	-19.79	-13.0	49.46	39.00	Vertical	Horizontal	Pass
259.502	-82.51	-14.11	-13.0	69.51	80.00	Vertical	Horizontal	Pass
611.466	-74.26	-4.16	-13.0	61.26	127.00	Vertical	Horizontal	Pass
1750.500	-40.58	3.58	-13.0	27.58	152.00	Vertical	Horizontal	N/A
2158.800	-43.11	6.05	-13.0	30.11	3.00	Vertical	Horizontal	N/A
7980.000	-43.32	19.87	-13.0	30.32	355.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.398	-68.91	-19.61	-13.0	55.91	33.00	Horizontal	Horizontal	Pass
177.731	-73.07	-18.23	-13.0	60.07	225.00	Horizontal	Horizontal	Pass
699.979	-66.74	-3.48	-13.0	53.74	104.00	Horizontal	Horizontal	Pass
1750.500	-37.36	3.58	-13.0	24.36	184.00	Horizontal	Horizontal	N/A
2157.100	-45.49	6.02	-13.0	32.49	46.00	Horizontal	Horizontal	N/A
7958.000	-43.76	19.77	-13.0	30.76	198.00	Horizontal	Horizontal	Pass

4.102 NSA Band DC-66A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
79.373	-62.63	-19.74	-13.0	49.63	14.00	Vertical	Horizontal	Pass
436.091	-77.79	-9.03	-13.0	64.79	359.00	Vertical	Horizontal	Pass
1753.000	-41.75	3.61	-13.0	28.75	160.00	Vertical	Horizontal	N/A
2154.800	-40.23	5.98	-13.0	27.23	10.00	Vertical	Horizontal	N/A
3541.250	-51.91	5.58	-13.0	38.91	130.00	Vertical	Horizontal	N/A
7903.500	-43.29	19.23	-13.0	30.29	98.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
83.301	-69.48	-19.62	-13.0	56.48	44.00	Horizontal	Horizontal	Pass
442.347	-78.32	-8.92	-13.0	65.32	208.00	Horizontal	Horizontal	Pass
1752.900	-38.54	3.61	-13.0	25.54	182.00	Horizontal	Horizontal	N/A
2155.600	-44.07	6.00	-13.0	31.07	35.00	Horizontal	Horizontal	N/A
3540.750	-52.86	5.58	-13.0	39.86	324.00	Horizontal	Horizontal	N/A
7997.250	-43.49	20.12	-13.0	30.49	273.00	Horizontal	Horizontal	Pass

4.103 NSA Band DC-66A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
79.228	-62.34	-19.73	-13.0	49.34	10.00	Vertical	Horizontal	Pass
317.508	-80.68	-13.23	-13.0	67.68	272.00	Vertical	Horizontal	Pass
728.109	-72.38	-2.20	-13.0	59.38	360.00	Vertical	Horizontal	Pass
1752.800	-42.12	3.61	-13.0	29.12	160.00	Vertical	Horizontal	N/A
2155.700	-40.76	6.00	-13.0	27.76	5.00	Vertical	Horizontal	N/A
7950.250	-43.72	19.73	-13.0	30.72	344.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
84.465	-68.88	-19.59	-13.0	55.88	43.00	Horizontal	Horizontal	Pass
280.211	-79.30	-13.13	-13.0	66.30	255.00	Horizontal	Horizontal	Pass
720.010	-68.63	-2.64	-13.0	55.63	242.00	Horizontal	Horizontal	Pass
1753.000	-38.09	3.61	-13.0	25.09	183.00	Horizontal	Horizontal	N/A
2155.200	-43.89	5.99	-13.0	30.89	333.00	Horizontal	Horizontal	N/A
7997.500	-43.54	20.13	-13.0	30.54	171.00	Horizontal	Horizontal	Pass

4.104 NSA Band DC-71A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
631.157	-40.55	0.36	-13.0	27.55	159.00	Vertical	Horizontal	N/A
671.655	-54.67	2.89	-13.0	41.67	104.00	Vertical	Horizontal	N/A
1344.100	-44.45	1.17	-13.0	31.45	337.00	Vertical	Horizontal	Pass
1957.600	-35.94	3.99	-13.0	22.94	193.00	Vertical	Horizontal	N/A
2015.600	-16.44	4.53	-13.0	3.44	66.00	Vertical	Horizontal	Pass
2687.200	-29.53	8.33	-13.0	16.53	66.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
627.423	-44.78	0.11	-13.0	31.78	193.00	Horizontal	Horizontal	N/A
671.655	-51.28	2.89	-13.0	38.28	189.00	Horizontal	Horizontal	N/A
1343.200	-36.23	1.17	-13.0	23.23	360.00	Horizontal	Horizontal	Pass
1951.900	-40.31	3.91	-13.0	27.31	259.00	Horizontal	Horizontal	N/A
2014.800	-17.13	4.55	-13.0	4.13	29.00	Horizontal	Horizontal	Pass
2686.200	-34.70	8.27	-13.0	21.70	26.00	Horizontal	Horizontal	Pass

4.105 NSA Band DC-71A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
80.537	-62.50	-18.48	-13.0	49.50	0.00	Vertical	Horizontal	Pass
637.657	-40.84	0.34	-13.0	27.84	186.00	Vertical	Horizontal	N/A
671.607	-60.34	2.89	-13.0	47.34	89.00	Vertical	Horizontal	N/A
887.529	-41.02	5.99	-13.0	28.02	140.00	Vertical	Horizontal	N/A
2015.400	-37.93	4.54	-13.0	24.93	83.00	Vertical	Horizontal	Pass
7909.750	-36.56	19.35	-13.0	23.56	299.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
627.520	-44.90	0.12	-13.0	31.90	204.00	Horizontal	Horizontal	N/A
671.655	-56.94	2.89	-13.0	43.94	342.00	Horizontal	Horizontal	N/A
875.549	-45.95	5.53	-13.0	32.95	281.00	Horizontal	Horizontal	N/A
1344.200	-44.06	1.17	-13.0	31.06	331.00	Horizontal	Horizontal	Pass
2015.500	-41.38	4.53	-13.0	28.38	309.00	Horizontal	Horizontal	Pass
7909.500	-36.95	19.34	-13.0	23.95	61.00	Horizontal	Horizontal	Pass

4.106 NSA Band DC-71A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
637.705	-40.50	0.34	-13.0	27.50	206.00	Vertical	Horizontal	N/A
671.607	-54.99	2.89	-13.0	41.99	102.00	Vertical	Horizontal	N/A
1344.000	-43.31	1.01	-13.0	30.31	336.00	Vertical	Horizontal	Pass
2015.700	-15.77	4.47	-13.0	2.77	101.00	Vertical	Horizontal	Pass
2648.000	-36.64	8.59	-13.0	23.64	203.00	Vertical	Horizontal	N/A
2687.000	-31.12	8.21	-13.0	18.12	63.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
637.705	-46.89	0.34	-13.0	33.89	306.00	Horizontal	Horizontal	N/A
671.558	-51.04	2.89	-13.0	38.04	192.00	Horizontal	Horizontal	N/A
1344.100	-35.82	1.01	-13.0	22.82	355.00	Horizontal	Horizontal	Pass
2015.600	-17.43	4.47	-13.0	4.43	30.00	Horizontal	Horizontal	Pass
2687.100	-35.08	8.21	-13.0	22.08	26.00	Horizontal	Horizontal	Pass
3358.500	-40.75	4.61	-13.0	27.75	128.00	Horizontal	Horizontal	Pass

4.107 NSA Band DC-71A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
632.321	-41.60	0.39	-13.0	28.60	180.00	Vertical	Horizontal	N/A
671.655	-53.53	2.89	-13.0	40.53	107.00	Vertical	Horizontal	N/A
1344.000	-42.78	1.17	-13.0	29.78	338.00	Vertical	Horizontal	Pass
1956.100	-35.97	3.97	-13.0	22.97	196.00	Vertical	Horizontal	N/A
2015.600	-16.09	4.53	-13.0	3.09	72.00	Vertical	Horizontal	Pass
2687.100	-31.02	8.32	-13.0	18.02	61.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
628.538	-47.75	0.19	-13.0	34.75	289.00	Horizontal	Horizontal	N/A
671.655	-51.94	2.89	-13.0	38.94	360.00	Horizontal	Horizontal	N/A
1344.100	-37.78	1.17	-13.0	24.78	346.00	Horizontal	Horizontal	Pass
1957.100	-43.77	3.98	-13.0	30.77	6.00	Horizontal	Horizontal	N/A
2015.500	-17.41	4.53	-13.0	4.41	30.00	Horizontal	Horizontal	Pass
2687.100	-35.14	8.32	-13.0	22.14	33.00	Horizontal	Horizontal	Pass

4.108 NSA Band DC-71A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
636.492	-38.86	0.33	-13.0	25.86	79.00	Vertical	Horizontal	N/A
676.166	-53.81	3.02	-13.0	40.81	54.00	Vertical	Horizontal	N/A
1352.900	-42.02	1.18	-13.0	29.02	110.00	Vertical	Horizontal	Pass
2029.000	-17.28	4.03	-13.0	4.28	51.00	Vertical	Horizontal	Pass
2586.800	-35.53	9.14	-13.0	22.53	96.00	Vertical	Horizontal	N/A
2705.300	-31.12	8.47	-13.0	18.12	66.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
633.049	-43.63	0.38	-13.0	30.63	193.00	Horizontal	Horizontal	N/A
676.068	-53.44	3.02	-13.0	40.44	123.00	Horizontal	Horizontal	N/A
1353.000	-37.08	1.19	-13.0	24.08	322.00	Horizontal	Horizontal	Pass
2029.100	-17.73	4.03	-13.0	4.73	179.00	Horizontal	Horizontal	Pass
2586.700	-34.71	9.14	-13.0	21.71	179.00	Horizontal	Horizontal	N/A
2705.100	-33.79	8.47	-13.0	20.79	20.00	Horizontal	Horizontal	Pass

4.109 NSA Band DC-71A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
635.620	-37.82	0.34	-13.0	24.82	1.00	Vertical	Horizontal	N/A
676.068	-53.54	3.02	-13.0	40.54	49.00	Vertical	Horizontal	N/A
1352.900	-42.75	1.18	-13.0	29.75	121.00	Vertical	Horizontal	Pass
2029.100	-16.91	4.03	-13.0	3.91	48.00	Vertical	Horizontal	Pass
2584.800	-38.70	9.13	-13.0	25.70	79.00	Vertical	Horizontal	N/A
2705.100	-31.08	8.47	-13.0	18.08	68.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
638.190	-43.41	0.35	-13.0	30.41	42.00	Horizontal	Horizontal	N/A
676.068	-52.90	3.02	-13.0	39.90	112.00	Horizontal	Horizontal	N/A
1352.900	-37.90	1.18	-13.0	24.90	339.00	Horizontal	Horizontal	Pass
2029.100	-17.47	4.03	-13.0	4.47	179.00	Horizontal	Horizontal	Pass
2584.600	-38.95	9.13	-13.0	25.95	186.00	Horizontal	Horizontal	N/A
2705.100	-32.11	8.47	-13.0	19.11	16.00	Horizontal	Horizontal	Pass

4.110 NSA Band DC-71A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
626.938	-41.67	0.08	-13.0	28.67	0.00	Vertical	Horizontal	Pass
671.607	-54.71	2.89	-13.0	41.71	82.00	Vertical	Horizontal	Pass
1343.900	-42.99	1.04	-13.0	29.99	340.00	Vertical	Horizontal	Pass
1736.200	-46.75	3.80	-13.0	33.75	75.00	Vertical	Horizontal	Pass
2015.700	-16.82	4.63	-13.0	3.82	82.00	Vertical	Horizontal	Pass
2140.800	-33.12	5.58	-13.0	20.12	191.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
632.952	-47.34	0.38	-13.0	34.34	299.00	Horizontal	Horizontal	N/A
671.655	-50.75	2.89	-13.0	37.75	192.00	Horizontal	Horizontal	N/A
1344.100	-37.08	1.05	-13.0	24.08	345.00	Horizontal	Horizontal	Pass
1736.500	-42.61	3.80	-13.0	29.61	345.00	Horizontal	Horizontal	N/A
2015.700	-17.34	4.63	-13.0	4.34	26.00	Horizontal	Horizontal	Pass
2149.800	-40.09	5.90	-13.0	27.09	278.00	Horizontal	Horizontal	N/A

4.111 NSA Band DC-71A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
637.705	-38.77	0.34	-13.0	25.77	59.00	Vertical	Horizontal	N/A
676.117	-53.76	3.02	-13.0	40.76	46.00	Vertical	Horizontal	N/A
1352.900	-42.24	1.31	-13.0	29.24	110.00	Vertical	Horizontal	Pass
2029.100	-17.38	3.89	-13.0	4.38	43.00	Vertical	Horizontal	Pass
2705.200	-30.98	8.41	-13.0	17.98	64.00	Vertical	Horizontal	Pass
3441.500	-41.72	5.04	-13.0	28.72	309.00	Vertical	Horizontal	N/A

Band: NSA DC-71A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
114.778	-66.10	-18.45	-13.0	53.10	263.00	Horizontal	Horizontal	Pass
630.915	-42.89	0.35	-13.0	29.89	197.00	Horizontal	Horizontal	N/A
676.117	-53.14	3.02	-13.0	40.14	117.00	Horizontal	Horizontal	N/A
1352.900	-35.81	-3.56	-13.0	22.81	332.00	Horizontal	Horizontal	Pass
2029.200	-17.91	-2.11	-13.0	4.91	175.00	Horizontal	Horizontal	Pass
2705.200	-33.68	1.59	-13.0	20.68	23.00	Horizontal	Horizontal	Pass

4.112 NSA Band DC-71A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
631.303	-37.83	0.36	-13.0	24.83	356.00	Vertical	Horizontal	N/A
676.068	-53.99	3.02	-13.0	40.99	49.00	Vertical	Horizontal	N/A
1353.000	-42.19	-3.55	-13.0	29.19	111.00	Vertical	Horizontal	Pass
2029.100	-17.04	-2.11	-13.0	4.04	100.00	Vertical	Horizontal	Pass
2705.100	-30.95	1.59	-13.0	17.95	65.00	Vertical	Horizontal	Pass
3381.000	-38.44	4.10	-13.0	25.44	119.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
635.038	-43.36	0.35	-13.0	30.36	201.00	Horizontal	Horizontal	N/A
676.166	-53.03	3.02	-13.0	40.03	114.00	Horizontal	Horizontal	N/A
1353.100	-38.04	-3.54	-13.0	25.04	334.00	Horizontal	Horizontal	Pass
2029.100	-17.82	-2.11	-13.0	4.82	182.00	Horizontal	Horizontal	Pass
2705.200	-33.89	1.59	-13.0	20.89	21.00	Horizontal	Horizontal	Pass
3381.250	-43.27	4.11	-13.0	30.27	173.00	Horizontal	Horizontal	Pass

4.113 NSA Band DC-71A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
635.620	-38.29	0.34	-13.0	25.29	346.00	Vertical	Horizontal	N/A
676.117	-54.31	3.02	-13.0	41.31	51.00	Vertical	Horizontal	N/A
1353.000	-41.73	-3.55	-13.0	28.73	116.00	Vertical	Horizontal	Pass
2029.200	-17.25	-2.11	-13.0	4.25	56.00	Vertical	Horizontal	Pass
2705.100	-30.81	1.59	-13.0	17.81	64.00	Vertical	Horizontal	Pass
3441.750	-42.80	5.04	-13.0	29.80	282.00	Vertical	Horizontal	N/A

Band: NSA DC-71A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
630.964	-42.90	0.35	-13.0	29.90	199.00	Horizontal	Horizontal	N/A
676.020	-53.50	3.01	-13.0	40.50	115.00	Horizontal	Horizontal	N/A
1353.100	-37.66	-3.54	-13.0	24.66	337.00	Horizontal	Horizontal	Pass
2029.200	-17.30	-2.11	-13.0	4.30	179.00	Horizontal	Horizontal	Pass
2705.200	-33.53	1.59	-13.0	20.53	20.00	Horizontal	Horizontal	Pass
3441.500	-45.29	5.04	-13.0	32.29	113.00	Horizontal	Horizontal	N/A

4.114 NSA Band DC-71A-N78A (3700-3800)



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
637.948	-38.33	0.34	-13.0	25.33	64.00	Vertical	Horizontal	N/A
676.068	-54.48	3.02	-13.0	41.48	47.00	Vertical	Horizontal	N/A
1353.100	-41.99	-3.54	-13.0	28.99	106.00	Vertical	Horizontal	Pass
2029.200	-17.12	-2.11	-13.0	4.12	57.00	Vertical	Horizontal	Pass
2705.200	-31.14	1.59	-13.0	18.14	64.00	Vertical	Horizontal	Pass
3381.000	-38.49	4.10	-13.0	25.49	294.00	Vertical	Horizontal	Pass

Band: NSA DC-71A-N78A (3700-3800)



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
637.899	-42.69	0.34	-13.0	29.69	36.00	Horizontal	Horizontal	N/A
676.117	-54.04	3.02	-13.0	41.04	123.00	Horizontal	Horizontal	N/A
1353.100	-37.12	-3.54	-13.0	24.12	322.00	Horizontal	Horizontal	Pass
2029.100	-17.81	-2.11	-13.0	4.81	179.00	Horizontal	Horizontal	Pass
2705.200	-33.63	1.59	-13.0	20.63	23.00	Horizontal	Horizontal	Pass
3381.000	-43.31	4.10	-13.0	30.31	171.00	Horizontal	Horizontal	Pass