



11ax20 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.42	6824.58	-57.05	-71.41	17.05	Pass
-30	-20	0.2	-29.76	6825.24	-57.35	-71.71	17.64	Pass
-20	-11	0.2	-11	6844	-36.65	-51.01	16.65	Pass
-11	-10	0.2	-11	6844	-36.13	-50.49	16.13	Pass
10	11	0.2	11	6866	-36.54	-50.9	16.54	Pass
11	20	0.2	11.04	6866.04	-34.91	-49.28	14.88	Pass
20	30	0.2	29.82	6884.82	-57.79	-72.15	18.01	Pass
30	60	0.2	34.8	6889.8	-57.09	-71.45	17.09	Pass

11ax40 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63.96	6501.04	-57.11	-67.18	17.11	Pass
-60	-40	0.4	-59.64	6505.36	-57.56	-67.64	17.78	Pass
-40	-21	0.4	-21	6544	-38.29	-48.37	18.29	Pass
-21	-20	0.4	-21	6544	-38.29	-48.37	18.29	Pass
20	21	0.4	21	6586	-38.93	-49	18.93	Pass
21	40	0.4	21	6586	-38.93	-49	18.93	Pass
40	60	0.4	59.16	6624.16	-57.57	-67.65	18.08	Pass
60	120	0.4	89.52	6654.52	-57.23	-67.3	17.23	Pass

11ax40 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-66.84	6658.16	-57.99	-68.33	17.99	Pass
-60	-40	0.4	-60	6665	-58.66	-69	18.66	Pass
-40	-21	0.4	-21	6704	-38.55	-48.89	18.55	Pass
-21	-20	0.4	-21	6704	-38.55	-48.89	18.55	Pass
20	21	0.4	21	6746	-39.96	-50.3	19.96	Pass
21	40	0.4	21	6746	-39.96	-50.3	19.96	Pass
40	60	0.4	59.52	6784.52	-58.6	-68.95	18.89	Pass
60	120	0.4	82.2	6807.2	-58.21	-68.55	18.21	Pass

11ax40 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-85.44	6759.56	-56.6	-68.48	16.6	Pass
-60	-40	0.4	-60	6785	-57.47	-69.34	17.47	Pass
-40	-21	0.4	-	6823.8305	-38.63	-50.51	18.56	Pass
-21	-20	0.4	21.169415	85	-38.68	-50.56	18.68	Pass
20	21	0.4	21	6866	-39.29	-51.17	19.29	Pass
21	40	0.4	21	6866	-39.29	-51.17	19.29	Pass
40	60	0.4	58.56	6903.56	-56.78	-68.66	17.64	Pass
60	120	0.4	62.64	6907.64	-56.87	-68.74	16.87	Pass

11ax80 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-125.04	6499.96	-54.31	-61.53	14.31	Pass
-120	-80	0.8	-120	6505	-54.67	-61.89	14.67	Pass
-80	-41	0.8	-41	6584	-34.07	-41.29	14.07	Pass
-41	-40	0.8	-41	6584	-34.07	-41.29	14.07	Pass
40	41	0.8	41	6666	-34.08	-41.31	14.08	Pass
41	80	0.8	41	6666	-34.08	-41.31	14.08	Pass
80	120	0.8	118.8	6743.8	-55.57	-62.8	15.93	Pass
120	240	0.8	126.24	6751.24	-55.54	-62.76	15.54	Pass

11ax80 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-256.14	-128.07	0.8	-134.98578	6570.01422	-54.63	-62.31	14.63	Pass
-128.07	-85.38	0.8	-127.81386	6577.18614	-54.68	-62.37	14.76	Pass
-85.38	-43.69	0.8	-44.162069	6660.837931	-42.7	-50.39	22.61	Pass
-43.69	-42.69	0.8	-43.69	6661.31	-43.14	-50.82	23.14	Pass
42.69	43.69	0.8	43.69	6748.69	-42.25	-49.93	22.25	Pass
43.69	85.38	0.8	43.906057	6748.906057	-41.72	-49.4	21.67	Pass
85.38	128.07	0.8	127.30158	6832.30158	-55.29	-62.97	15.51	Pass
128.07	256.14	0.8	138.82788	6843.82788	-55	-62.69	15	Pass

11ax80 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-256.14	-128.07	0.8	-129.3507	6655.6493	-54.23	-62.46	14.23	Pass
-128.07	-85.38	0.8	-	6657.6984	-54.28	-62.51	14.5	Pass
-85.38	-43.69	0.8	-	6741.0939	-42.72	-50.96	22.68	Pass
-43.69	-42.69	0.8	-43.69	6741.31	-42.82	-51.05	22.82	Pass
42.69	43.69	0.8	43.69	6828.69	-42.87	-51.1	22.87	Pass
43.69	85.38	0.8	43.69	6828.69	-42.87	-51.1	22.87	Pass
85.38	128.07	0.8	128.07	6913.07	-54.8	-63.03	14.8	Pass
128.07	256.14	0.8	131.65596	6916.6559	-54.14	-62.37	14.14	Pass

11ax160 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-498	-249	1.6	-254.478	6410.522	-53.36	-60	13.36	Pass
-249	-166	1.6	-248.502	6416.498	-53.71	-60.34	13.78	Pass
-166	-84	1.6	165.502249	6499.497751	-44.08	-50.72	16.13	Pass
-84	-83	1.6	-84	6581	-36.91	-43.55	16.91	Pass
83	84	1.6	84	6749	-36.5	-43.14	16.5	Pass
84	166	1.6	84	6749	-35.64	-42.27	15.64	Pass
166	249	1.6	249	6914	-54.85	-61.48	14.85	Pass
249	498	1.6	273.9	6938.9	-53.77	-60.41	13.77	Pass

11ax160 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-496.8	-248.4	1.6	-450.1008	6374.8992	-54.42	-60.05	14.42	Pass
-248.4	-165.6	1.6	-248.4	6576.6	-54.65	-60.28	14.65	Pass
-165.6	-83.8	1.6	-165.6	6659.4	-43.32	-48.95	15.32	Pass
-83.8	-82.8	1.6	-83.8	6741.2	-34.51	-40.14	14.51	Pass
82.8	83.8	1.6	83.8	6908.8	-35.49	-41.12	15.49	Pass
83.8	165.6	1.6	83.8	6908.8	-33.99	-39.62	13.99	Pass
165.6	248.4	1.6	247.9032	7072.9032	-55.13	-60.76	15.2	Pass
248.4	496.8	1.6	270.2592	7095.2592	-54.88	-60.52	14.88	Pass

11ax20 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.3	6844.7	-57.37	-71.39	17.37	Pass
-30	-20	0.2	-30	6845	-57.95	-71.97	17.95	Pass
-20	-11	0.2	-11	6864	-36.55	-50.57	16.55	Pass
-11	-10	0.2	-11	6864	-36.09	-50.1	16.09	Pass
10	11	0.2	11	6886	-36.32	-50.34	16.32	Pass
11	20	0.2	11	6886	-35.49	-49.51	15.49	Pass
20	30	0.2	29.64	6904.64	-57.58	-71.6	18.01	Pass
30	60	0.2	30.9	6905.9	-56.92	-70.94	16.92	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-37.62	6977.38	-58	-72.26	18	Pass
-30	-20	0.2	-29.94	6985.06	-58.56	-72.82	18.63	Pass
-20	-11	0.2	-11	7004	-35.33	-49.59	15.33	Pass
-11	-10	0.2	-11	7004	-36.52	-50.79	16.52	Pass
10	11	0.2	11	7026	-36.65	-50.91	16.65	Pass
11	20	0.2	11	7026	-35.97	-50.23	15.97	Pass
20	30	0.2	29.82	7044.82	-58.66	-72.93	18.88	Pass
30	60	0.2	44.28	7059.28	-58.34	-72.6	18.34	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.96	7061.04	-57.68	-72.29	17.68	Pass
-30	-20	0.2	-30	7065	-58.68	-73.3	18.68	Pass
-20	-11	0.2	-11.04	7083.96	-35.05	-49.66	15.01	Pass
-11	-10	0.2	-	7084.0599	-34.88	-49.5	16.08	Pass
10	11	0.2	11	7106	-36.56	-51.17	16.56	Pass
11	20	0.2	11	7106	-34.6	-49.22	14.6	Pass
20	30	0.2	29.88	7124.88	-58.72	-73.34	18.86	Pass
30	60	0.2	33.24	7128.24	-58.22	-72.84	18.22	Pass

11ax20 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-59.7	7055.3	-57.68	-72.74	17.68	Pass
-30	-20	0.2	-29.88	7085.12	-58.13	-73.19	18.27	Pass
-20	-11	0.2	-11	7104	-36.04	-51.11	16.04	Pass
-11	-10	0.2	-11	7104	-35.73	-50.8	15.73	Pass
10	11	0.2	11	7126	-36.8	-51.87	16.8	Pass
11	20	0.2	11	7126	-36.85	-51.91	16.85	Pass
20	30	0.2	30	7145	-58.02	-73.09	18.02	Pass
30	60	0.2	52.5	7167.5	-57.56	-72.63	17.56	Pass

11ax40 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-99.24	6785.76	-57.59	-68.31	17.59	Pass
-60	-40	0.4	-59.52	6825.48	-58.14	-68.85	18.43	Pass
-40	-21	0.4	-	6863.8305	-38.95	-49.67	18.88	Pass
-21	-20	0.4	21.169415	85	-38.89	-49.6	18.89	Pass
20	21	0.4	21	6906	-39.64	-50.35	19.64	Pass
21	40	0.4	21	6906	-39.64	-50.35	19.64	Pass
40	60	0.4	60	6945	-58.96	-69.68	18.96	Pass
60	120	0.4	65.4	6950.4	-57.36	-68.07	17.36	Pass

11ax40 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-93.96	6911.04	-56.04	-67.22	16.04	Pass
-60	-40	0.4	-59.64	6945.36	-57.03	-68.2	17.25	Pass
-40	-21	0.4	-21	6984	-38.46	-49.63	18.46	Pass
-21	-20	0.4	-21	6984	-38.46	-49.63	18.46	Pass
20	21	0.4	21	7026	-39.49	-50.66	19.49	Pass
21	40	0.4	21.049475	7026.049475	-39.48	-50.65	19.46	Pass
40	60	0.4	60	7065	-57.48	-68.65	17.48	Pass
60	120	0.4	70.68	7075.68	-56.95	-68.13	16.95	Pass

11ax40 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.72	7024.28	-56.25	-67.95	16.25	Pass
-60	-40	0.4	-59.52	7025.48	-57.32	-69.02	17.61	Pass
-40	-21	0.4	-21	7064	-37.51	-49.21	17.51	Pass
-21	-20	0.4	-21	7064	-37.51	-49.21	17.51	Pass
20	21	0.4	21	7106	-38.91	-50.61	18.91	Pass
21	40	0.4	21	7106	-38.91	-50.61	18.91	Pass
40	60	0.4	60	7145	-58.02	-69.72	18.02	Pass
60	120	0.4	79.68	7164.68	-57.18	-68.88	17.18	Pass

11ax80 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-144	6721	-52.41	-60.42	12.41	Pass
-120	-80	0.8	-119.76	6745.24	-53.25	-61.25	13.32	Pass
-80	-41	0.8	-41	6824	-33.25	-41.25	13.25	Pass
-41	-40	0.8	-41	6824	-33.25	-41.25	13.25	Pass
40	41	0.8	41	6906	-34.5	-42.51	14.5	Pass
41	80	0.8	41	6906	-34.5	-42.51	14.5	Pass
80	120	0.8	120	6985	-53.52	-61.52	13.52	Pass
120	240	0.8	132.96	6997.96	-52.89	-60.89	12.89	Pass

11ax80 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-135.84	6809.16	-53.81	-61.45	13.81	Pass
-120	-80	0.8	-119.04	6825.96	-54.53	-62.17	14.82	Pass
-80	-41	0.8	-41	6904	-34.02	-41.66	14.02	Pass
-41	-40	0.8	-41	6904	-34.02	-41.66	14.02	Pass
40	41	0.8	41	6986	-34.9	-42.54	14.9	Pass
41	80	0.8	41.37931	6986.37931	-34.05	-41.7	13.97	Pass
80	120	0.8	119.52	7064.52	-54.52	-62.16	14.66	Pass
120	240	0.8	125.04	7070.04	-54.14	-61.78	14.14	Pass

11ax80 (SU), U-NII-8, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.44	6903.56	-51.82	-60.03	11.82	Pass
-120	-80	0.8	-119.04	6905.96	-52.17	-60.38	12.46	Pass
-80	-41	0.8	-41	6984	-32.93	-41.15	12.93	Pass
-41	-40	0.8	-41	6984	-32.93	-41.15	12.93	Pass
40	41	0.8	41	7066	-33.37	-41.58	13.37	Pass
41	80	0.8	41	7066	-33.37	-41.58	13.37	Pass
80	120	0.8	120	7145	-53.2	-61.41	13.2	Pass
120	240	0.8	120.48	7145.48	-52.32	-60.53	12.32	Pass


11ax160 (SU), U-NII-8, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-497.1	-248.55	1.6	-270.4224	6714.5776	-53.58	-59.32	13.58	Pass
-248.55	-165.7	1.6	-247.5558	6737.4442	-53.3	-59.04	13.44	Pass
-165.7	-83.85	1.6	163.712594	6821.287406	-44.08	-49.82	16.27	Pass
-83.85	-82.85	1.6	-83.85	6901.15	-35.17	-40.91	15.17	Pass
82.85	83.85	1.6	83.85	7068.85	-35.76	-41.5	15.76	Pass
83.85	165.7	1.6	83.85	7068.85	-35.45	-41.19	15.45	Pass
165.7	248.55	1.6	247.0587	7232.0587	-54.71	-60.45	14.92	Pass
248.55	497.1	1.6	260.9775	7245.9775	-54.56	-60.3	14.56	Pass


Aux. Antenna

11ax20 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-51.78	5903.22	-57.44	-71.79	17.44	Pass
-30	-20	0.2	-30	5925	-57.93	-72.28	17.93	Pass
-20	-11	0.2	-11.1	5943.9	-36.44	-50.79	16.35	Pass
-11	-10	0.2	-11	5944	-35.58	-49.93	15.58	Pass
10	11	0.2	11	5966	-37.44	-51.79	17.44	Pass
11	20	0.2	11.16	5966.16	-35.41	-49.76	15.27	Pass
20	30	0.2	29.94	5984.94	-58.4	-72.75	18.47	Pass
30	60	0.2	49.86	6004.86	-57.68	-72.03	17.68	Pass

11ax20 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.66	6141.34	-56.21	-73.4	16.21	Pass
-30	-20	0.2	-29.7	6145.3	-56.49	-73.69	16.85	Pass
-20	-11	0.2	-11.04	6163.96	-36.32	-53.52	16.29	Pass
-11	-10	0.2	-11	6164	-35.3	-52.5	15.3	Pass
10	11	0.2	11	6186	-36.31	-53.51	16.31	Pass
11	20	0.2	11.04	6186.04	-34.88	-52.08	14.85	Pass
20	30	0.2	29.94	6204.94	-57.04	-74.24	17.11	Pass
30	60	0.2	32.16	6207.16	-55.97	-73.17	15.97	Pass

11ax20 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.68	6383.32	-55.04	-73.09	15.04	Pass
-30	-20	0.2	-29.94	6385.06	-55.94	-73.99	16.01	Pass
-20	-11	0.2	-11	6404	-36.25	-54.3	16.25	Pass
-11	-10	0.2	-11	6404	-35.95	-54	15.95	Pass
10	11	0.2	11	6426	-36.59	-54.64	16.59	Pass
11	20	0.2	11.1	6426.1	-36.45	-54.5	16.37	Pass
20	30	0.2	29.94	6444.94	-55.57	-73.62	15.64	Pass
30	60	0.2	35.04	6450.04	-55.08	-73.13	15.08	Pass

11ax40 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-107.16	5857.84	-55.79	-67.99	15.79	Pass
-60	-40	0.4	-59.76	5905.24	-57.17	-69.37	17.31	Pass
-40	-21	0.4	-	5943.9505	-37.46	-49.66	17.44	Pass
-21	-20	0.4	21.049475	25	-37.48	-49.68	17.48	Pass
20	21	0.4	21	5986	-39.11	-51.31	19.11	Pass
21	40	0.4	21	5986	-39.11	-51.31	19.11	Pass
40	60	0.4	59.76	6024.76	-57.67	-69.87	17.81	Pass
60	120	0.4	64.44	6029.44	-56.89	-69.09	16.89	Pass

11ax40 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-83.16	6081.84	-55	-68.56	15	Pass
-60	-40	0.4	-59.76	6105.24	-55.89	-69.46	16.03	Pass
-40	-21	0.4	-21	6144	-37.23	-50.79	17.23	Pass
-21	-20	0.4	-	6144.0704	-35.81	-49.37	17.22	Pass
20	21	0.4	21	6186	-38.67	-52.24	18.67	Pass
21	40	0.4	21.049475	6186.0494	-38.44	-52.01	18.42	Pass
40	60	0.4	59.04	6224.04	-56	-69.57	16.58	Pass
60	120	0.4	75.6	6240.6	-55.6	-69.17	15.6	Pass

11ax40 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-82.32	6322.68	-53.5	-69.05	13.5	Pass
-60	-40	0.4	-59.28	6345.72	-54.46	-70.02	14.89	Pass
-40	-21	0.4	-21	6384	-37.32	-52.87	17.32	Pass
-21	-20	0.4	-21	6384	-37.32	-52.87	17.32	Pass
20	21	0.4	21	6426	-38.68	-54.24	18.68	Pass
21	40	0.4	21	6426	-38.68	-54.24	18.68	Pass
40	60	0.4	59.88	6464.88	-55.09	-70.65	15.16	Pass
60	120	0.4	77.64	6482.64	-53.75	-69.3	13.75	Pass

11ax80 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-224.4	5760.6	-50.85	-59.26	10.85	Pass
-120	-80	0.8	-117.12	5867.88	-52.53	-60.94	13.39	Pass
-80	-41	0.8	-41.13943	5943.86057	-32.83	-41.24	12.8	Pass
-41	-40	0.8	-41	5944	-33.72	-42.13	13.72	Pass
40	41	0.8	41	6026	-33.82	-42.23	13.82	Pass
41	80	0.8	41	6026	-33.82	-42.23	13.82	Pass
80	120	0.8	119.04	6104.04	-54.38	-62.79	14.67	Pass
120	240	0.8	141.36	6126.36	-54.36	-62.77	14.36	Pass

11ax80 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-142.08	6002.92	-52.03	-61.75	12.03	Pass
-120	-80	0.8	-119.76	6025.24	-52.84	-62.55	12.91	Pass
-80	-41	0.8	-41	6104	-32.52	-42.24	12.52	Pass
-41	-40	0.8	-41	6104	-32.52	-42.24	12.52	Pass
40	41	0.8	41	6186	-35.56	-45.27	15.56	Pass
41	80	0.8	41	6186	-35.56	-45.27	15.56	Pass
80	120	0.8	120	6265	-54.23	-63.95	14.23	Pass
120	240	0.8	158.88	6303.88	-52.7	-62.41	12.7	Pass

11ax80 (SU), U-NII-5, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-135.84	6249.16	-50.42	-62.61	10.42	Pass
-120	-80	0.8	-119.52	6265.48	-50.93	-63.13	11.07	Pass
-80	-41	0.8	-41	6344	-33.5	-45.7	13.5	Pass
-41	-40	0.8	-41	6344	-33.5	-45.7	13.5	Pass
40	41	0.8	41	6426	-33.91	-46.11	13.91	Pass
41	80	0.8	41	6426	-33.91	-46.11	13.91	Pass
80	120	0.8	120	6505	-51.37	-63.56	11.37	Pass
120	240	0.8	125.28	6510.28	-50.78	-62.97	10.78	Pass

11ax160 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-493.8	-246.9	1.6	-263.6892	5761.3108	-51.43	-58.73	11.43	Pass
-246.9	-164.6	1.6	-245.4186	5779.5814	-52.49	-59.8	12.71	Pass
-164.6	-83.3	1.6	-83.657271	5941.342729	-34.12	-41.43	14.08	Pass
-83.3	-82.3	1.6	-83.3	5941.7	-36.55	-43.85	16.55	Pass
82.3	83.3	1.6	83.3	6108.3	-35.87	-43.18	15.87	Pass
83.3	164.6	1.6	83.657271	6108.657271	-35.72	-43.03	15.68	Pass
164.6	246.9	1.6	246.9	6271.9	-53.96	-61.26	13.96	Pass
246.9	493.8	1.6	317.0196	6342.0196	-53.21	-60.52	13.21	Pass

11ax160 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-496.8	-248.4	1.6	-424.2672	5760.7328	-50.22	-59.2	10.22	Pass
-248.4	-165.6	1.6	-248.4	5936.6	-50.84	-59.81	10.84	Pass
-165.6	-83.8	1.6	159.144828	6025.855172	-43.06	-52.03	15.69	Pass
-83.8	-82.8	1.6	-83.8	6101.2	-36.57	-45.54	16.57	Pass
82.8	83.8	1.6	83.8	6268.8	-36.24	-45.22	16.24	Pass
83.8	165.6	1.6	83.8	6268.8	-37.6	-46.58	17.6	Pass
165.6	248.4	1.6	246.4128	6431.4128	-51.87	-60.84	12.15	Pass
248.4	496.8	1.6	304.0416	6489.0416	-51.63	-60.61	11.63	Pass

11ax160 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-499.2	-249.6	1.6	-470.7456	5874.2544	-50.07	-59.72	10.07	Pass
-249.6	-166.4	1.6	-248.6016	6096.3984	-51.29	-60.94	11.44	Pass
-166.4	-84.2	1.6	165.901049	6179.09895	-43.6	-53.25	15.65	Pass
-84.2	-83.2	1.6	-84.2	6260.8	-35.1	-44.75	15.1	Pass
83.2	84.2	1.6	84.2	6429.2	-36.29	-45.94	16.29	Pass
84.2	166.4	1.6	84.2	6429.2	-35.9	-45.55	15.9	Pass
166.4	249.6	1.6	249.1008	6594.1008	-51.73	-61.38	11.8	Pass
249.6	499.2	1.6	497.7024	6842.7024	-51.69	-61.34	11.69	Pass

11ax20 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-40.14	6394.86	-57.28	-72.87	17.28	Pass
-30	-20	0.2	-29.82	6405.18	-58.43	-74.02	18.64	Pass
-20	-11	0.2	-11.28	6423.72	-35.75	-51.34	15.5	Pass
-11	-10	0.2	-11	6424	-35.54	-51.13	15.54	Pass
10	11	0.2	11	6446	-36.68	-52.27	16.68	Pass
11	20	0.2	11.1	6446.1	-36.6	-52.19	16.52	Pass
20	30	0.2	29.64	6464.64	-57.86	-73.45	18.29	Pass
30	60	0.2	31.62	6466.62	-57.55	-73.14	17.55	Pass

11ax20 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-34.5	6440.5	-56.57	-72.47	16.57	Pass
-30	-20	0.2	-29.58	6445.42	-56.62	-72.52	17.12	Pass
-20	-11	0.2	-11.1	6463.9	-35.72	-51.62	15.63	Pass
-11	-10	0.2	-11	6464	-34.46	-50.36	14.46	Pass
10	11	0.2	10.940055	6485.940054	-35.58	-51.48	16.78	Pass
11	20	0.2	11	6486	-35.91	-51.81	15.91	Pass
20	30	0.2	29.94	6504.94	-57.26	-73.16	17.33	Pass
30	60	0.2	30.12	6505.12	-57.04	-72.94	17.04	Pass

11ax20 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-40.02	6474.98	-56.29	-72.34	16.29	Pass
-30	-20	0.2	-29.82	6485.18	-56.13	-72.17	16.34	Pass
-20	-11	0.2	-11	6504	-34.71	-50.76	14.71	Pass
-11	-10	0.2	-	6504.0599	-33.96	-50.01	15.16	Pass
10	11	0.2	10.940055	6526	-36.12	-52.17	16.12	Pass
11	20	0.2	11	6526	-34.54	-50.59	14.54	Pass
20	30	0.2	29.94	6544.94	-57.13	-73.18	17.2	Pass
30	60	0.2	31.14	6546.14	-56.7	-72.75	16.7	Pass

11ax40 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-108.6	6336.4	-55.67	-68.31	15.67	Pass
-60	-40	0.4	-59.52	6385.48	-55.88	-68.53	16.17	Pass
-40	-21	0.4	-	6423.9505	-36.75	-49.39	16.73	Pass
-21	-20	0.4	21.049475	25	-36.92	-49.56	16.92	Pass
20	21	0.4	21	6466	-38.47	-51.12	18.47	Pass
21	40	0.4	21	6466	-38.47	-51.12	18.47	Pass
40	60	0.4	59.76	6504.76	-56.56	-69.2	16.7	Pass
60	120	0.4	81.6	6526.6	-56.51	-69.15	16.51	Pass

11ax40 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-70.32	6414.68	-56.01	-68.6	16.01	Pass
-60	-40	0.4	-60	6425	-56.31	-68.9	16.31	Pass
-40	-21	0.4	-21	6464	-37.9	-50.49	17.9	Pass
-21	-20	0.4	-21	6464	-37.9	-50.49	17.9	Pass
20	21	0.4	21	6506	-38.9	-51.49	18.9	Pass
21	40	0.4	21	6506	-38.9	-51.49	18.9	Pass
40	60	0.4	59.64	6544.64	-57	-69.6	17.22	Pass
60	120	0.4	90.96	6575.96	-56.5	-69.09	16.5	Pass

11ax40 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-101.4	6423.6	-56.21	-68.79	16.21	Pass
-60	-40	0.4	-60	6465	-57.15	-69.74	17.15	Pass
-40	-21	0.4	-21	6504	-37.61	-50.19	17.61	Pass
-21	-20	0.4	-21	6504	-37.61	-50.19	17.61	Pass
20	21	0.4	21	6546	-38.08	-50.66	18.08	Pass
21	40	0.4	21.049475	6546.049475	-37.92	-50.5	17.9	Pass
40	60	0.4	59.64	6584.64	-57.18	-69.76	17.39	Pass
60	120	0.4	90.96	6615.96	-56.97	-69.55	16.97	Pass

11ax80 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-122.16	6342.84	-52.79	-61.51	12.79	Pass
-120	-80	0.8	-120	6345	-53.23	-61.95	13.23	Pass
-80	-41	0.8	-41.13943	6423.86057	-33.58	-42.31	13.56	Pass
-41	-40	0.8	-41	6424	-33.9	-42.62	13.9	Pass
40	41	0.8	41	6506	-34.06	-42.78	14.06	Pass
41	80	0.8	41	6506	-34.06	-42.78	14.06	Pass
80	120	0.8	119.76	6584.76	-54.19	-62.91	14.26	Pass
120	240	0.8	126.24	6591.24	-54.03	-62.75	14.03	Pass

11ax80 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-138.72	6406.28	-52.51	-61.28	12.51	Pass
-120	-80	0.8	-120	6425	-53.33	-62.09	13.33	Pass
-80	-41	0.8	-41	6504	-34.44	-43.2	14.44	Pass
-41	-40	0.8	-41	6504	-34.44	-43.2	14.44	Pass
40	41	0.8	41	6586	-33.89	-42.66	13.89	Pass
41	80	0.8	41.13943	6586.13943	-33.87	-42.64	13.85	Pass
80	120	0.8	119.76	6664.76	-54.44	-63.2	14.51	Pass
120	240	0.8	123.36	6668.36	-54.01	-62.77	14.01	Pass

11ax160 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-498	-249	1.6	-488.04	6016.96	-52.62	-60.4	12.62	Pass
-249	-166	1.6	-246.51	6258.49	-52.65	-60.42	13.01	Pass
-166	-84	1.6	-84	6421	-36.64	-44.42	16.64	Pass
-84	-83	1.6	-84	6421	-36.43	-44.2	16.43	Pass
83	84	1.6	84	6589	-35.11	-42.88	15.11	Pass
84	166	1.6	84	6589	-35.65	-43.42	15.65	Pass
166	249	1.6	249	6754	-53.78	-61.56	13.78	Pass
249	498	1.6	328.182	6833.182	-53.14	-60.92	13.14	Pass

11ax20 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33	6502	-56.85	-72.18	16.85	Pass
-30	-20	0.2	-30	6505	-57.65	-72.97	17.65	Pass
-20	-11	0.2	-11	6524	-35.32	-50.65	15.32	Pass
-11	-10	0.2	-11	6524	-34.73	-50.06	14.73	Pass
10	11	0.2	11	6546	-36.02	-51.35	16.02	Pass
11	20	0.2	11	6546	-35.8	-51.13	15.8	Pass
20	30	0.2	29.88	6564.88	-57.78	-73.11	17.93	Pass
30	60	0.2	32.1	6567.1	-57.41	-72.73	17.41	Pass

11ax20 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-39.42	6675.58	-57.96	-73.02	17.96	Pass
-30	-20	0.2	-29.94	6685.06	-58.72	-73.79	18.8	Pass
-20	-11	0.2	-11	6704	-35.15	-50.21	15.15	Pass
-11	-10	0.2	-11	6704	-35.76	-50.83	15.76	Pass
10	11	0.2	11	6726	-36.04	-51.11	16.04	Pass
11	20	0.2	11	6726	-34.12	-49.19	14.12	Pass
20	30	0.2	29.94	6744.94	-58.68	-73.74	18.75	Pass
30	60	0.2	39.6	6754.6	-57.85	-72.92	17.85	Pass

11ax20 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.18	6824.82	-58.69	-72.87	18.69	Pass
-30	-20	0.2	-29.76	6825.24	-59.05	-73.22	19.33	Pass
-20	-11	0.2	-11	6844	-35.89	-50.07	15.89	Pass
-11	-10	0.2	-11	6844	-35.36	-49.54	15.36	Pass
10	11	0.2	11	6866	-37.53	-51.71	17.53	Pass
11	20	0.2	11.1	6866.1	-36.52	-50.7	16.43	Pass
20	30	0.2	30	6885	-58.2	-72.38	18.2	Pass
30	60	0.2	30	6885	-58.2	-72.38	18.2	Pass

11ax40 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-113.28	6451.72	-56.03	-68.54	16.03	Pass
-60	-40	0.4	-59.88	6505.12	-57.38	-69.89	17.45	Pass
-40	-21	0.4	-21	6544	-37.67	-50.18	17.67	Pass
-21	-20	0.4	-21	6544	-37.67	-50.18	17.67	Pass
20	21	0.4	21	6586	-38.15	-50.66	18.15	Pass
21	40	0.4	21	6586	-38.15	-50.66	18.15	Pass
40	60	0.4	60	6625	-58	-70.51	18	Pass
60	120	0.4	68.28	6633.28	-56.73	-69.25	16.73	Pass

11ax40 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-79.8	6645.2	-56.58	-69.03	16.58	Pass
-60	-40	0.4	-60	6665	-57.9	-70.35	17.9	Pass
-40	-21	0.4	-21	6704	-38.72	-51.17	18.72	Pass
-21	-20	0.4	-21	6704	-38.72	-51.17	18.72	Pass
20	21	0.4	21	6746	-38.81	-51.26	18.81	Pass
21	40	0.4	21.049475	6746.049475	-38.82	-51.27	18.8	Pass
40	60	0.4	59.88	6784.88	-57.77	-70.22	17.85	Pass
60	120	0.4	107.16	6832.16	-56.73	-69.18	16.73	Pass

11ax40 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-70.8	6774.2	-56.37	-68.82	16.37	Pass
-60	-40	0.4	-60	6785	-56.51	-68.96	16.51	Pass
-40	-21	0.4	-21	6824	-37.58	-50.02	17.58	Pass
-21	-20	0.4	-21	6824	-37.58	-50.02	17.58	Pass
20	21	0.4	21	6866	-39.36	-51.8	19.36	Pass
21	40	0.4	21	6866	-39.36	-51.8	19.36	Pass
40	60	0.4	60	6905	-56.77	-69.21	16.77	Pass
60	120	0.4	85.56	6930.56	-56.38	-68.82	16.38	Pass

11ax80 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-199.2	6425.8	-52.79	-62.03	12.79	Pass
-120	-80	0.8	-119.52	6505.48	-53.65	-62.88	13.79	Pass
-80	-41	0.8	-41	6584	-32.78	-42.02	12.78	Pass
-41	-40	0.8	-41	6584	-32.78	-42.02	12.78	Pass
40	41	0.8	41	6666	-34.39	-43.62	14.39	Pass
41	80	0.8	41	6666	-34.39	-43.62	14.39	Pass
80	120	0.8	120	6745	-54.23	-63.47	14.23	Pass
120	240	0.8	133.68	6758.68	-53.95	-63.19	13.95	Pass

11ax80 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-191.52	6513.48	-53	-62.75	13	Pass
-120	-80	0.8	-120	6585	-53.85	-63.6	13.85	Pass
-80	-41	0.8	-41	6664	-34.01	-43.77	14.01	Pass
-41	-40	0.8	-41	6664	-34.01	-43.77	14.01	Pass
40	41	0.8	41	6746	-33.31	-43.07	13.31	Pass
41	80	0.8	41	6746	-33.31	-43.07	13.31	Pass
80	120	0.8	120	6825	-53.71	-63.47	13.71	Pass
120	240	0.8	134.4	6839.4	-53.14	-62.9	13.14	Pass

11ax80 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-186	6599	-53.11	-63.06	13.11	Pass
-120	-80	0.8	-120	6665	-53.58	-63.53	13.58	Pass
-80	-41	0.8	-41	6744	-32.41	-42.36	12.41	Pass
-41	-40	0.8	-41	6744	-32.41	-42.36	12.41	Pass
40	41	0.8	41	6826	-34.02	-43.97	14.02	Pass
41	80	0.8	41	6826	-34.02	-43.97	14.02	Pass
80	120	0.8	119.76	6904.76	-53.14	-63.09	13.21	Pass
120	240	0.8	127.2	6912.2	-52.76	-62.71	12.76	Pass

11ax160 (SU), U-NII-7, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-497.1	-248.55	1.6	-261.4746	6403.5254	-52.31	-59.73	12.31	Pass
-248.55	-165.7	1.6	-246.5616	6418.4384	-52.53	-59.95	12.82	Pass
-165.7	-83.85	1.6	160.234633	6504.765367	-42.3	-49.71	14.83	Pass
-83.85	-82.85	1.6	-83.85	6581.15	-36.91	-44.33	16.91	Pass
82.85	83.85	1.6	83.85	6748.85	-34.26	-41.67	14.26	Pass
83.85	165.7	1.6	83.85	6748.85	-35.01	-42.42	15.01	Pass
165.7	248.55	1.6	247.5558	6912.5558	-53.04	-60.46	13.19	Pass
248.55	497.1	1.6	286.8267	6951.8267	-53.07	-60.49	13.07	Pass

11ax160 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-495.9	-247.95	1.6	-450.2772	6374.7228	-53.94	-60.23	13.94	Pass
-247.95	-165.3	1.6	-201.8313	6623.1687	-46.57	-52.86	13.26	Pass
-165.3	-83.65	1.6	162.821739	6662.178261	-40.77	-47.06	13.02	Pass
-83.65	-82.65	1.6	-83.65	6741.35	-34.54	-40.83	14.54	Pass
82.65	83.65	1.6	83.65	6908.65	-36.31	-42.59	16.31	Pass
83.65	165.3	1.6	83.65	6908.65	-35.19	-41.47	15.19	Pass
165.3	247.95	1.6	247.95	7072.95	-54.6	-60.89	14.6	Pass
247.95	495.9	1.6	343.1628	7168.1628	-54.41	-60.7	14.41	Pass

11ax20 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-40.44	6834.56	-57.94	-72.78	17.94	Pass
-30	-20	0.2	-29.94	6845.06	-58.27	-73.1	18.34	Pass
-20	-11	0.2	-11	6864	-35.93	-50.77	15.93	Pass
-11	-10	0.2	-11	6864	-36.36	-51.2	16.36	Pass
10	11	0.2	11	6886	-35.68	-50.52	15.68	Pass
11	20	0.2	11.04	6886.04	-34.87	-49.7	14.83	Pass
20	30	0.2	30	6905	-58.31	-73.15	18.31	Pass
30	60	0.2	31.8	6906.8	-57.73	-72.57	17.73	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-59.88	6955.12	-57.45	-72.62	17.45	Pass
-30	-20	0.2	-29.88	6985.12	-58.17	-73.34	18.32	Pass
-20	-11	0.2	-11.22	7003.78	-36	-51.17	15.81	Pass
-11	-10	0.2	-11	7004	-35.96	-51.13	15.96	Pass
10	11	0.2	11	7026	-36.76	-51.93	16.76	Pass
11	20	0.2	11.04	7026.04	-35.29	-50.46	15.25	Pass
20	30	0.2	29.88	7044.88	-58.25	-73.41	18.39	Pass
30	60	0.2	44.34	7059.34	-57.67	-72.83	17.67	Pass

11ax20 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-40.38	7054.62	-57.29	-72.59	17.29	Pass
-30	-20	0.2	-29.7	7065.3	-57.81	-73.12	18.17	Pass
-20	-11	0.2	-11.04	7083.96	-35.56	-50.87	15.52	Pass
-11	-10	0.2	-11	7084	-35.08	-50.39	15.08	Pass
10	11	0.2	11	7106	-36.66	-51.97	16.66	Pass
11	20	0.2	11.04	7106.04	-35.06	-50.37	15.03	Pass
20	30	0.2	30	7125	-58.09	-73.4	18.09	Pass
30	60	0.2	36.36	7131.36	-57.39	-72.7	17.39	Pass

11ax20 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-35.1	7079.9	-56.99	-72.7	16.99	Pass
-30	-20	0.2	-29.82	7085.18	-57.26	-72.97	17.48	Pass
-20	-11	0.2	-11	7104	-35.32	-51.04	15.32	Pass
-11	-10	0.2	-11	7104	-35.18	-50.89	15.18	Pass
10	11	0.2	11	7126	-36.37	-52.08	16.37	Pass
11	20	0.2	11.04	7126.04	-34.53	-50.24	14.49	Pass
20	30	0.2	30	7145	-57.9	-73.61	17.9	Pass
30	60	0.2	34.86	7149.86	-57.21	-72.92	17.21	Pass

11ax40 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-74.16	6810.84	-57.08	-68.82	17.08	Pass
-60	-40	0.4	-60	6825	-57.59	-69.33	17.59	Pass
-40	-21	0.4	-	6863.9505	-38.66	-50.4	18.64	Pass
-21	-20	0.4	21.049475	25	-38.71	-50.45	18.71	Pass
20	21	0.4	21	6906	-39.28	-51.02	19.28	Pass
21	40	0.4	21	6906	-39.28	-51.02	19.28	Pass
40	60	0.4	59.16	6944.16	-57.74	-69.48	18.24	Pass
60	120	0.4	93.36	6978.36	-57.29	-69.03	17.29	Pass

11ax40 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-74.88	6930.12	-56.22	-67.96	16.22	Pass
-60	-40	0.4	-60	6945	-57.02	-68.76	17.02	Pass
-40	-21	0.4	-21	6984	-38.43	-50.17	18.43	Pass
-21	-20	0.4	-21	6984	-38.43	-50.17	18.43	Pass
20	21	0.4	21	7026	-39.13	-50.87	19.13	Pass
21	40	0.4	21.049475	7026.049475	-39.12	-50.86	19.1	Pass
40	60	0.4	59.88	7064.88	-57.77	-69.51	17.85	Pass
60	120	0.4	92.64	7097.64	-57.22	-68.96	17.22	Pass

11ax40 (SU), U-NII-8, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-80.76	7004.24	-55.76	-68.33	15.76	Pass
-60	-40	0.4	-59.88	7025.12	-56.24	-68.81	16.31	Pass
-40	-21	0.4	-21	7064	-37	-49.57	17	Pass
-21	-20	0.4	-21	7064	-37	-49.57	17	Pass
20	21	0.4	21	7106	-38.81	-51.38	18.81	Pass
21	40	0.4	21	7106	-38.81	-51.38	18.81	Pass
40	60	0.4	60	7145	-57.22	-69.79	17.22	Pass
60	120	0.4	74.76	7159.76	-56.3	-68.87	16.3	Pass

11ax80 (SU), U-NII-8, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-155.52	6709.48	-53.18	-62.29	13.18	Pass
-120	-80	0.8	-120	6745	-53.65	-62.75	13.65	Pass
-80	-41	0.8	-41	6824	-32.82	-41.93	12.82	Pass
-41	-40	0.8	-41	6824	-32.82	-41.93	12.82	Pass
40	41	0.8	41	6906	-34.94	-44.05	14.94	Pass
41	80	0.8	41.13943	6906.13943	-34.8	-43.91	14.77	Pass
80	120	0.8	120	6985	-53.81	-62.92	13.81	Pass
120	240	0.8	123.36	6988.36	-52.8	-61.91	12.8	Pass

11ax80 (SU), U-NII-8, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-152.88	6792.12	-53.4	-61.92	13.4	Pass
-120	-80	0.8	-120	6825	-54.31	-62.82	14.31	Pass
-80	-41	0.8	-41.13943	6903.86057	-32.93	-41.44	12.9	Pass
-41	-40	0.8	-41	6904	-33.26	-41.77	13.26	Pass
40	41	0.8	41	6986	-35.12	-43.64	15.12	Pass
41	80	0.8	41	6986	-35.12	-43.64	15.12	Pass
80	120	0.8	119.76	7064.76	-54.48	-62.99	14.55	Pass
120	240	0.8	125.76	7070.76	-54.02	-62.53	14.02	Pass

11ax80 (SU), U-NII-8, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-139.92	6885.08	-53.49	-62.25	13.49	Pass
-120	-80	0.8	-120	6905	-53.77	-62.53	13.77	Pass
-80	-41	0.8	-41	6984	-32.02	-40.78	12.02	Pass
-41	-40	0.8	-41	6984	-32.02	-40.78	12.02	Pass
40	41	0.8	41	7066	-35.34	-44.1	15.34	Pass
41	80	0.8	41.37931	7066.37931	-35.15	-43.9	15.07	Pass
80	120	0.8	119.52	7144.52	-54.44	-63.2	14.58	Pass
120	240	0.8	137.76	7162.76	-53.61	-62.36	13.61	Pass

11ax160 (SU), U-NII-8, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-498	-249	1.6	-271.41	6713.59	-53.76	-59.59	13.76	Pass
-249	-166	1.6	-248.502	6736.498	-54.09	-59.93	14.17	Pass
-166	-84	1.6	-84	6901	-35.96	-41.8	15.96	Pass
-84	-83	1.6	-84	6901	-35.65	-41.49	15.65	Pass
83	84	1.6	84	7069	-36.78	-42.62	16.78	Pass
84	166	1.6	84	7069	-36.65	-42.48	16.65	Pass
166	249	1.6	249	7234	-54.96	-60.8	14.96	Pass
249	498	1.6	257.466	7242.466	-54.63	-60.47	14.63	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2580981-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2580981-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2580981-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--