

**Appendix A.2****1. Effective (Isotropic) Radiated Power Output Data****1.1 Test Result****1.1.1 B4_1.4MHz_EIRP**

Band: 4 / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	23.30	2.70	26.00	<=30	Pass
			2	23.17	2.70	25.87	<=30	Pass
			5	23.24	2.70	25.94	<=30	Pass
		3	0	23.30	2.70	26.00	<=30	Pass
			2	23.29	2.70	25.99	<=30	Pass
			3	23.31	2.70	26.01	<=30	Pass
		6	0	22.33	2.70	25.03	<=30	Pass
	1732.5	1	0	23.19	2.70	25.89	<=30	Pass
			2	23.20	2.70	25.90	<=30	Pass
			5	23.15	2.70	25.85	<=30	Pass
		3	0	23.19	2.70	25.89	<=30	Pass
			2	23.36	2.70	26.06	<=30	Pass
			3	23.14	2.70	25.84	<=30	Pass
		6	0	22.34	2.70	25.04	<=30	Pass
	1754.3	1	0	23.22	2.70	25.92	<=30	Pass
			2	23.28	2.70	25.98	<=30	Pass
			5	23.31	2.70	26.01	<=30	Pass
		3	0	23.29	2.70	25.99	<=30	Pass
			2	23.25	2.70	25.95	<=30	Pass
			3	23.33	2.70	26.03	<=30	Pass
		6	0	22.31	2.70	25.01	<=30	Pass
16QAM	1710.7	1	0	22.58	2.70	25.28	<=30	Pass
			2	22.64	2.70	25.34	<=30	Pass
			5	22.68	2.70	25.38	<=30	Pass
		3	0	22.36	2.70	25.06	<=30	Pass
			2	22.55	2.70	25.25	<=30	Pass
			3	22.41	2.70	25.11	<=30	Pass
		6	0	21.44	2.70	24.14	<=30	Pass
	1732.5	1	0	22.63	2.70	25.33	<=30	Pass
			2	22.64	2.70	25.34	<=30	Pass
			5	22.58	2.70	25.28	<=30	Pass
		3	0	22.30	2.70	25.00	<=30	Pass
			2	22.41	2.70	25.11	<=30	Pass
			3	22.36	2.70	25.06	<=30	Pass
		6	0	21.36	2.70	24.06	<=30	Pass
	1754.3	1	0	22.73	2.70	25.43	<=30	Pass
			2	22.75	2.70	25.45	<=30	Pass
			5	22.50	2.70	25.20	<=30	Pass
		3	0	22.43	2.70	25.13	<=30	Pass
			2	22.49	2.70	25.19	<=30	Pass
			5	22.49	2.70	25.19	<=30	Pass

64QAM	1710.7	6	3	22.47	2.70	25.17	<=30	Pass
			0	21.33	2.70	24.03	<=30	Pass
		1	0	22.39	2.70	25.09	<=30	Pass
			2	22.51	2.70	25.21	<=30	Pass
			5	22.49	2.70	25.19	<=30	Pass
		3	0	22.59	2.70	25.29	<=30	Pass
			2	22.53	2.70	25.23	<=30	Pass
			3	22.41	2.70	25.11	<=30	Pass
		6	0	21.45	2.70	24.15	<=30	Pass
	1732.5	1	0	22.39	2.70	25.09	<=30	Pass
			2	22.53	2.70	25.23	<=30	Pass
			5	22.37	2.70	25.07	<=30	Pass
		3	0	22.21	2.70	24.91	<=30	Pass
			2	22.37	2.70	25.07	<=30	Pass
			3	22.39	2.70	25.09	<=30	Pass
		6	0	21.17	2.70	23.87	<=30	Pass
	1754.3	1	0	22.58	2.70	25.28	<=30	Pass
			2	22.49	2.70	25.19	<=30	Pass
			5	22.49	2.70	25.19	<=30	Pass
		3	0	22.41	2.70	25.11	<=30	Pass
			2	22.39	2.70	25.09	<=30	Pass
			3	22.49	2.70	25.19	<=30	Pass
256QAM	1710.7	1	0	18.33	2.70	21.03	<=30	Pass
			2	18.81	2.70	21.51	<=30	Pass
			5	18.66	2.70	21.36	<=30	Pass
		3	0	18.50	2.70	21.20	<=30	Pass
			2	18.69	2.70	21.39	<=30	Pass
			3	18.48	2.70	21.18	<=30	Pass
		6	0	18.44	2.70	21.14	<=30	Pass
	1732.5	1	0	18.53	2.70	21.23	<=30	Pass
			2	18.36	2.70	21.06	<=30	Pass
			5	18.61	2.70	21.31	<=30	Pass
		3	0	18.39	2.70	21.09	<=30	Pass
			2	18.25	2.70	20.95	<=30	Pass
			3	18.39	2.70	21.09	<=30	Pass
		6	0	18.41	2.70	21.11	<=30	Pass
	1754.3	1	0	18.62	2.70	21.32	<=30	Pass
			2	18.31	2.70	21.01	<=30	Pass
			5	18.54	2.70	21.24	<=30	Pass
		3	0	18.47	2.70	21.17	<=30	Pass
			2	18.70	2.70	21.40	<=30	Pass
			3	18.46	2.70	21.16	<=30	Pass
		6	0	18.55	2.70	21.25	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B4_3MHz_EIRP

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	1711.5	1	0	23.36	2.70	26.06	<=30	Pass
			7	23.40	2.70	26.10	<=30	Pass
			14	23.41	2.70	26.11	<=30	Pass
		8	0	22.44	2.70	25.14	<=30	Pass
			4	22.46	2.70	25.16	<=30	Pass
			7	22.41	2.70	25.11	<=30	Pass
		15	0	22.48	2.70	25.18	<=30	Pass
	1732.5	1	0	23.26	2.70	25.96	<=30	Pass
			7	23.45	2.70	26.15	<=30	Pass
			14	23.26	2.70	25.96	<=30	Pass
		8	0	22.42	2.70	25.12	<=30	Pass
			4	22.45	2.70	25.15	<=30	Pass
			7	22.25	2.70	24.95	<=30	Pass
		15	0	22.28	2.70	24.98	<=30	Pass
	1753.5	1	0	23.28	2.70	25.98	<=30	Pass
			7	23.65	2.70	26.35	<=30	Pass
			14	23.43	2.70	26.13	<=30	Pass
		8	0	22.50	2.70	25.20	<=30	Pass
			4	22.51	2.70	25.21	<=30	Pass
			7	22.55	2.70	25.25	<=30	Pass
		15	0	22.52	2.70	25.22	<=30	Pass
16QAM	1711.5	1	0	22.77	2.70	25.47	<=30	Pass
			7	22.69	2.70	25.39	<=30	Pass
			14	22.68	2.70	25.38	<=30	Pass
		8	0	21.53	2.70	24.23	<=30	Pass
			4	21.54	2.70	24.24	<=30	Pass
			7	21.40	2.70	24.10	<=30	Pass
		15	0	21.44	2.70	24.14	<=30	Pass
	1732.5	1	0	22.53	2.70	25.23	<=30	Pass
			7	22.17	2.70	24.87	<=30	Pass
			14	22.55	2.70	25.25	<=30	Pass
		8	0	21.42	2.70	24.12	<=30	Pass
			4	21.44	2.70	24.14	<=30	Pass
			7	21.33	2.70	24.03	<=30	Pass
		15	0	21.32	2.70	24.02	<=30	Pass
	1753.5	1	0	22.75	2.70	25.45	<=30	Pass
			7	22.77	2.70	25.47	<=30	Pass
			14	22.80	2.70	25.50	<=30	Pass
		8	0	21.54	2.70	24.24	<=30	Pass
			4	21.55	2.70	24.25	<=30	Pass
			7	21.49	2.70	24.19	<=30	Pass
		15	0	21.51	2.70	24.21	<=30	Pass
64QAM	1711.5	1	0	22.62	2.70	25.32	<=30	Pass
			7	22.73	2.70	25.43	<=30	Pass
			14	22.65	2.70	25.35	<=30	Pass
		8	0	21.52	2.70	24.22	<=30	Pass
			4	21.52	2.70	24.22	<=30	Pass
			7	21.36	2.70	24.06	<=30	Pass
		15	0	21.41	2.70	24.11	<=30	Pass
	1732.5	1	0	22.50	2.70	25.20	<=30	Pass
			7	22.23	2.70	24.93	<=30	Pass
			14	22.70	2.70	25.40	<=30	Pass
		8	0	21.48	2.70	24.18	<=30	Pass



Report No.: SUCR260400030106

Page: 4 of 11

256QAM		15	4	21.44	2.70	24.14	<=30	Pass
			7	21.21	2.70	23.91	<=30	Pass
			0	21.30	2.70	24.00	<=30	Pass
	1753.5	1	0	22.64	2.70	25.34	<=30	Pass
			7	22.82	2.70	25.52	<=30	Pass
			14	22.64	2.70	25.34	<=30	Pass
		8	0	21.56	2.70	24.26	<=30	Pass
			4	21.50	2.70	24.20	<=30	Pass
			7	21.59	2.70	24.29	<=30	Pass
		15	0	21.50	2.70	24.20	<=30	Pass
	1711.5	1	0	18.39	2.70	21.09	<=30	Pass
			7	18.93	2.70	21.63	<=30	Pass
			14	18.41	2.70	21.11	<=30	Pass
		8	0	18.59	2.70	21.29	<=30	Pass
			4	18.49	2.70	21.19	<=30	Pass
			7	18.47	2.70	21.17	<=30	Pass
		15	0	18.55	2.70	21.25	<=30	Pass
	1732.5	1	0	18.53	2.70	21.23	<=30	Pass
			7	18.74	2.70	21.44	<=30	Pass
			14	18.33	2.70	21.03	<=30	Pass
		8	0	18.37	2.70	21.07	<=30	Pass
			4	18.49	2.70	21.19	<=30	Pass
			7	18.40	2.70	21.10	<=30	Pass
		15	0	18.31	2.70	21.01	<=30	Pass
	1753.5	1	0	18.39	2.70	21.09	<=30	Pass
			7	18.85	2.70	21.55	<=30	Pass
			14	18.38	2.70	21.08	<=30	Pass
		8	0	18.58	2.70	21.28	<=30	Pass
			4	18.54	2.70	21.24	<=30	Pass
			7	18.53	2.70	21.23	<=30	Pass
		15	0	18.45	2.70	21.15	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B4_5MHz_EIRP

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	23.41	2.70	26.11	<=30	Pass
			13	23.33	2.70	26.03	<=30	Pass
			24	23.35	2.70	26.05	<=30	Pass
		12	0	22.48	2.70	25.18	<=30	Pass
			6	22.44	2.70	25.14	<=30	Pass
			13	22.38	2.70	25.08	<=30	Pass
		25	0	22.46	2.70	25.16	<=30	Pass
	1732.5	1	0	23.23	2.70	25.93	<=30	Pass
			13	23.31	2.70	26.01	<=30	Pass
			24	23.30	2.70	26.00	<=30	Pass
		12	0	22.37	2.70	25.07	<=30	Pass
			6	22.24	2.70	24.94	<=30	Pass
			13	22.30	2.70	25.00	<=30	Pass

	1752.5	25	0	22.37	2.70	25.07	<=30	Pass
		1	0	23.39	2.70	26.09	<=30	Pass
			13	23.43	2.70	26.13	<=30	Pass
			24	23.44	2.70	26.14	<=30	Pass
		12	0	22.45	2.70	25.15	<=30	Pass
			6	22.52	2.70	25.22	<=30	Pass
			13	22.58	2.70	25.28	<=30	Pass
		25	0	22.47	2.70	25.17	<=30	Pass
16QAM	1712.5	1	0	22.76	2.70	25.46	<=30	Pass
			13	22.64	2.70	25.34	<=30	Pass
			24	22.63	2.70	25.33	<=30	Pass
		12	0	21.51	2.70	24.21	<=30	Pass
			6	21.47	2.70	24.17	<=30	Pass
			13	21.44	2.70	24.14	<=30	Pass
		25	0	21.42	2.70	24.12	<=30	Pass
	1732.5	1	0	22.54	2.70	25.24	<=30	Pass
			13	22.68	2.70	25.38	<=30	Pass
			24	22.77	2.70	25.47	<=30	Pass
		12	0	21.43	2.70	24.13	<=30	Pass
			6	21.31	2.70	24.01	<=30	Pass
			13	21.34	2.70	24.04	<=30	Pass
		25	0	21.42	2.70	24.12	<=30	Pass
	1752.5	1	0	22.64	2.70	25.34	<=30	Pass
			13	22.69	2.70	25.39	<=30	Pass
			24	22.84	2.70	25.54	<=30	Pass
		12	0	21.47	2.70	24.17	<=30	Pass
			6	21.45	2.70	24.15	<=30	Pass
			13	21.52	2.70	24.22	<=30	Pass
		25	0	21.44	2.70	24.14	<=30	Pass
64QAM	1712.5	1	0	22.65	2.70	25.35	<=30	Pass
			13	22.52	2.70	25.22	<=30	Pass
			24	22.55	2.70	25.25	<=30	Pass
		12	0	21.22	2.70	23.92	<=30	Pass
			6	21.36	2.70	24.06	<=30	Pass
			13	21.05	2.70	23.75	<=30	Pass
		25	0	21.42	2.70	24.12	<=30	Pass
	1732.5	1	0	22.45	2.70	25.15	<=30	Pass
			13	22.57	2.70	25.27	<=30	Pass
			24	22.51	2.70	25.21	<=30	Pass
		12	0	21.52	2.70	24.22	<=30	Pass
			6	21.38	2.70	24.08	<=30	Pass
			13	21.33	2.70	24.03	<=30	Pass
		25	0	21.32	2.70	24.02	<=30	Pass
	1752.5	1	0	22.59	2.70	25.29	<=30	Pass
			13	22.65	2.70	25.35	<=30	Pass
			24	22.59	2.70	25.29	<=30	Pass
		12	0	21.46	2.70	24.16	<=30	Pass
			6	21.44	2.70	24.14	<=30	Pass
			13	21.45	2.70	24.15	<=30	Pass
		25	0	21.47	2.70	24.17	<=30	Pass
256QAM	1712.5	1	0	18.56	2.70	21.26	<=30	Pass
			13	18.48	2.70	21.18	<=30	Pass
			24	18.66	2.70	21.36	<=30	Pass



Report No.: SUCR260400030106

Page: 6 of 11

		12	0	18.46	2.70	21.16	<=30	Pass
			6	18.46	2.70	21.16	<=30	Pass
			13	18.40	2.70	21.10	<=30	Pass
		25	0	18.37	2.70	21.07	<=30	Pass
			0	18.42	2.70	21.12	<=30	Pass
			13	18.80	2.70	21.50	<=30	Pass
		1	24	18.65	2.70	21.35	<=30	Pass
			0	18.32	2.70	21.02	<=30	Pass
			6	18.37	2.70	21.07	<=30	Pass
	1732.5	12	13	18.32	2.70	21.02	<=30	Pass
			0	18.43	2.70	21.13	<=30	Pass
			13	18.32	2.70	21.02	<=30	Pass
		25	0	18.39	2.70	21.09	<=30	Pass
			13	18.52	2.70	21.22	<=30	Pass
			24	18.47	2.70	21.17	<=30	Pass
		1	0	18.41	2.70	21.11	<=30	Pass
			6	18.42	2.70	21.12	<=30	Pass
			13	18.47	2.70	21.17	<=30	Pass
	1752.5	12	0	18.37	2.70	21.07	<=30	Pass
			0	18.46	2.70	21.16	<=30	Pass
			13	18.40	2.70	21.10	<=30	Pass
		25	0	18.37	2.70	21.07	<=30	Pass
			6	18.42	2.70	21.12	<=30	Pass
			13	18.80	2.70	21.50	<=30	Pass
		1	24	18.65	2.70	21.35	<=30	Pass
			0	18.32	2.70	21.02	<=30	Pass
			6	18.37	2.70	21.07	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B4_10MHz_EIRP

Band: 4 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	23.31	2.70	26.01	<=30	Pass
			25	23.20	2.70	25.90	<=30	Pass
			49	22.92	2.70	25.62	<=30	Pass
		25	0	22.53	2.70	25.23	<=30	Pass
			13	22.37	2.70	25.07	<=30	Pass
			25	22.27	2.70	24.97	<=30	Pass
		50	0	22.23	2.70	24.93	<=30	Pass
			0	23.21	2.70	25.91	<=30	Pass
			25	23.24	2.70	25.94	<=30	Pass
	1732.5	1	49	23.13	2.70	25.83	<=30	Pass
			0	22.27	2.70	24.97	<=30	Pass
			13	22.40	2.70	25.10	<=30	Pass
		25	25	22.37	2.70	25.07	<=30	Pass
			0	22.28	2.70	24.98	<=30	Pass
			0	22.28	2.70	24.98	<=30	Pass
		50	0	22.28	2.70	24.98	<=30	Pass
			0	23.31	2.70	26.01	<=30	Pass
			25	23.24	2.70	25.94	<=30	Pass
	1750	1	49	23.20	2.70	25.90	<=30	Pass
			0	22.43	2.70	25.13	<=30	Pass
			13	22.51	2.70	25.21	<=30	Pass
		25	25	22.45	2.70	25.15	<=30	Pass
			0	22.53	2.70	25.23	<=30	Pass
			0	22.82	2.70	25.52	<=30	Pass
		1	25	22.66	2.70	25.36	<=30	Pass
			49	22.47	2.70	25.17	<=30	Pass
			0	21.56	2.70	24.26	<=30	Pass
16QAM	1715	25	13	21.41	2.70	24.11	<=30	Pass
			0	22.82	2.70	25.52	<=30	Pass
			25	22.66	2.70	25.36	<=30	Pass
		1	49	22.47	2.70	25.17	<=30	Pass

			25	21.32	2.70	24.02	<=30	Pass
		50	0	21.30	2.70	24.00	<=30	Pass
	1732.5	1	0	22.50	2.70	25.20	<=30	Pass
			25	22.54	2.70	25.24	<=30	Pass
			49	22.57	2.70	25.27	<=30	Pass
		25	0	21.42	2.70	24.12	<=30	Pass
			13	21.34	2.70	24.04	<=30	Pass
			25	21.41	2.70	24.11	<=30	Pass
		50	0	21.31	2.70	24.01	<=30	Pass
	1750	1	0	22.59	2.70	25.29	<=30	Pass
			25	22.63	2.70	25.33	<=30	Pass
			49	22.72	2.70	25.42	<=30	Pass
		25	0	21.45	2.70	24.15	<=30	Pass
			13	21.46	2.70	24.16	<=30	Pass
			25	21.60	2.70	24.30	<=30	Pass
50		0	21.47	2.70	24.17	<=30	Pass	
64QAM	1715	1	0	22.60	2.70	25.30	<=30	Pass
			25	22.40	2.70	25.10	<=30	Pass
			49	22.35	2.70	25.05	<=30	Pass
		25	0	21.56	2.70	24.26	<=30	Pass
			13	21.21	2.70	23.91	<=30	Pass
			25	21.23	2.70	23.93	<=30	Pass
		50	0	21.28	2.70	23.98	<=30	Pass
	1732.5	1	0	22.30	2.70	25.00	<=30	Pass
			25	22.50	2.70	25.20	<=30	Pass
			49	22.57	2.70	25.27	<=30	Pass
		25	0	21.41	2.70	24.11	<=30	Pass
			13	21.45	2.70	24.15	<=30	Pass
			25	21.36	2.70	24.06	<=30	Pass
		50	0	21.29	2.70	23.99	<=30	Pass
	1750	1	0	22.60	2.70	25.30	<=30	Pass
25			22.26	2.70	24.96	<=30	Pass	
49			22.56	2.70	25.26	<=30	Pass	
25		0	21.45	2.70	24.15	<=30	Pass	
		13	21.44	2.70	24.14	<=30	Pass	
		25	21.37	2.70	24.07	<=30	Pass	
50		0	21.44	2.70	24.14	<=30	Pass	
256QAM	1715	1	0	18.58	2.70	21.28	<=30	Pass
			25	18.37	2.70	21.07	<=30	Pass
			49	18.18	2.70	20.88	<=30	Pass
		25	0	18.34	2.70	21.04	<=30	Pass
			13	18.37	2.70	21.07	<=30	Pass
			25	18.31	2.70	21.01	<=30	Pass
		50	0	18.36	2.70	21.06	<=30	Pass
	1732.5	1	0	18.33	2.70	21.03	<=30	Pass
			25	18.34	2.70	21.04	<=30	Pass
			49	18.47	2.70	21.17	<=30	Pass
		25	0	18.36	2.70	21.06	<=30	Pass
			13	18.34	2.70	21.04	<=30	Pass
			25	18.43	2.70	21.13	<=30	Pass
		50	0	18.24	2.70	20.94	<=30	Pass
	1750	1	0	18.49	2.70	21.19	<=30	Pass
25			18.14	2.70	20.84	<=30	Pass	



Report No.: SUCR260400030106

Page: 8 of 11

		49	18.64	2.70	21.34	<=30	Pass
	25	0	18.47	2.70	21.17	<=30	Pass
		13	18.52	2.70	21.22	<=30	Pass
		25	18.47	2.70	21.17	<=30	Pass
	50	0	18.39	2.70	21.09	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B4_15MHz_EIRP

Band: 4 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	23.40	2.70	26.10	<=30	Pass
			38	23.00	2.70	25.70	<=30	Pass
			74	22.96	2.70	25.66	<=30	Pass
		36	0	22.34	2.70	25.04	<=30	Pass
			18	22.23	2.70	24.93	<=30	Pass
			39	22.05	2.70	24.75	<=30	Pass
		75	0	22.27	2.70	24.97	<=30	Pass
	1732.5	1	0	23.08	2.70	25.78	<=30	Pass
			38	23.17	2.70	25.87	<=30	Pass
			74	23.27	2.70	25.97	<=30	Pass
		36	0	22.31	2.70	25.01	<=30	Pass
			18	22.26	2.70	24.96	<=30	Pass
			39	22.29	2.70	24.99	<=30	Pass
		75	0	22.21	2.70	24.91	<=30	Pass
	1747.5	1	0	23.24	2.70	25.94	<=30	Pass
			38	23.15	2.70	25.85	<=30	Pass
			74	23.30	2.70	26.00	<=30	Pass
		36	0	22.27	2.70	24.97	<=30	Pass
			18	22.33	2.70	25.03	<=30	Pass
			39	22.34	2.70	25.04	<=30	Pass
		75	0	22.37	2.70	25.07	<=30	Pass
16QAM	1717.5	1	0	22.68	2.70	25.38	<=30	Pass
			38	22.35	2.70	25.05	<=30	Pass
			74	22.24	2.70	24.94	<=30	Pass
		36	0	21.29	2.70	23.99	<=30	Pass
			18	21.25	2.70	23.95	<=30	Pass
			39	21.08	2.70	23.78	<=30	Pass
		75	0	21.25	2.70	23.95	<=30	Pass
	1732.5	1	0	22.38	2.70	25.08	<=30	Pass
			38	22.54	2.70	25.24	<=30	Pass
			74	22.63	2.70	25.33	<=30	Pass
		36	0	21.21	2.70	23.91	<=30	Pass
			18	21.12	2.70	23.82	<=30	Pass
			39	21.10	2.70	23.80	<=30	Pass
		75	0	21.25	2.70	23.95	<=30	Pass
	1747.5	1	0	22.64	2.70	25.34	<=30	Pass
			38	22.49	2.70	25.19	<=30	Pass
			74	22.55	2.70	25.25	<=30	Pass
		36	0	21.33	2.70	24.03	<=30	Pass



Report No.: SUCR260400030106

Page: 9 of 11

		75	18	21.34	2.70	24.04	<=30	Pass
			39	21.23	2.70	23.93	<=30	Pass
			0	21.41	2.70	24.11	<=30	Pass
64QAM	1717.5	1	0	22.47	2.70	25.17	<=30	Pass
			38	22.23	2.70	24.93	<=30	Pass
			74	22.20	2.70	24.90	<=30	Pass
		36	0	21.37	2.70	24.07	<=30	Pass
			18	21.08	2.70	23.78	<=30	Pass
			39	20.98	2.70	23.68	<=30	Pass
		75	0	20.99	2.70	23.69	<=30	Pass
	1732.5	1	0	22.32	2.70	25.02	<=30	Pass
			38	22.40	2.70	25.10	<=30	Pass
			74	22.46	2.70	25.16	<=30	Pass
		36	0	21.23	2.70	23.93	<=30	Pass
			18	21.21	2.70	23.91	<=30	Pass
			39	21.21	2.70	23.91	<=30	Pass
		75	0	21.25	2.70	23.95	<=30	Pass
	1747.5	1	0	22.44	2.70	25.14	<=30	Pass
			38	22.30	2.70	25.00	<=30	Pass
			74	22.50	2.70	25.20	<=30	Pass
		36	0	21.30	2.70	24.00	<=30	Pass
			18	21.37	2.70	24.07	<=30	Pass
			39	21.34	2.70	24.04	<=30	Pass
		75	0	21.39	2.70	24.09	<=30	Pass
256QAM	1717.5	1	0	18.39	2.70	21.09	<=30	Pass
			38	18.09	2.70	20.79	<=30	Pass
			74	18.18	2.70	20.88	<=30	Pass
		36	0	18.30	2.70	21.00	<=30	Pass
			18	18.23	2.70	20.93	<=30	Pass
			39	18.13	2.70	20.83	<=30	Pass
		75	0	18.21	2.70	20.91	<=30	Pass
	1732.5	1	0	18.21	2.70	20.91	<=30	Pass
			38	18.41	2.70	21.11	<=30	Pass
			74	18.42	2.70	21.12	<=30	Pass
		36	0	18.26	2.70	20.96	<=30	Pass
			18	18.35	2.70	21.05	<=30	Pass
			39	18.29	2.70	20.99	<=30	Pass
		75	0	18.28	2.70	20.98	<=30	Pass
	1747.5	1	0	18.35	2.70	21.05	<=30	Pass
			38	18.43	2.70	21.13	<=30	Pass
			74	18.44	2.70	21.14	<=30	Pass
		36	0	17.44	2.70	20.14	<=30	Pass
			18	18.35	2.70	21.05	<=30	Pass
			39	18.29	2.70	20.99	<=30	Pass
		75	0	18.38	2.70	21.08	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B4_20MHz_EIRP

Band: 4 / Bandwidth: 20MHz / NTN						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	EIRP (dBm)	Verdict

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Connectivity Laboratory

South of No. 6 Plant, No. 1, RunSheng Road, Suzhou Industrial Park,
Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215123

t (86-512) 6229 2980
www.sgsgroup.com.cn

TRF No. SUZSCONN-TRF-CR001A_A_Jun 1st,2026

Member of the SGS Group (SGS SA)

	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1720	1	0	23.35	2.70	26.05	<=30	Pass
			50	22.97	2.70	25.67	<=30	Pass
			99	23.08	2.70	25.78	<=30	Pass
		50	0	21.83	2.70	24.53	<=30	Pass
			25	21.71	2.70	24.41	<=30	Pass
			50	21.33	2.70	24.03	<=30	Pass
		100	0	22.22	2.70	24.92	<=30	Pass
	1732.5	1	0	23.15	2.70	25.85	<=30	Pass
			50	23.13	2.70	25.83	<=30	Pass
			99	23.16	2.70	25.86	<=30	Pass
		50	0	22.28	2.70	24.98	<=30	Pass
			25	22.25	2.70	24.95	<=30	Pass
			50	22.22	2.70	24.92	<=30	Pass
		100	0	22.20	2.70	24.90	<=30	Pass
	1745	1	0	23.24	2.70	25.94	<=30	Pass
			50	23.12	2.70	25.82	<=30	Pass
			99	23.21	2.70	25.91	<=30	Pass
		50	0	22.35	2.70	25.05	<=30	Pass
			25	22.37	2.70	25.07	<=30	Pass
			50	22.32	2.70	25.02	<=30	Pass
		100	0	22.43	2.70	25.13	<=30	Pass
16QAM	1720	1	0	22.58	2.70	25.28	<=30	Pass
			50	22.34	2.70	25.04	<=30	Pass
			99	22.31	2.70	25.01	<=30	Pass
		50	0	21.23	2.70	23.93	<=30	Pass
			25	21.11	2.70	23.81	<=30	Pass
			50	21.12	2.70	23.82	<=30	Pass
		100	0	21.20	2.70	23.90	<=30	Pass
	1732.5	1	0	22.46	2.70	25.16	<=30	Pass
			50	22.59	2.70	25.29	<=30	Pass
			99	22.58	2.70	25.28	<=30	Pass
		50	0	21.21	2.70	23.91	<=30	Pass
			25	21.29	2.70	23.99	<=30	Pass
			50	21.27	2.70	23.97	<=30	Pass
		100	0	21.23	2.70	23.93	<=30	Pass
	1745	1	0	22.75	2.70	25.45	<=30	Pass
			50	22.54	2.70	25.24	<=30	Pass
			99	22.65	2.70	25.35	<=30	Pass
		50	0	21.29	2.70	23.99	<=30	Pass
			25	21.42	2.70	24.12	<=30	Pass
			50	21.25	2.70	23.95	<=30	Pass
		100	0	21.36	2.70	24.06	<=30	Pass
64QAM	1720	1	0	22.51	2.70	25.21	<=30	Pass
			50	22.03	2.70	24.73	<=30	Pass
			99	22.22	2.70	24.92	<=30	Pass
		50	0	21.22	2.70	23.92	<=30	Pass
			25	21.11	2.70	23.81	<=30	Pass
			50	21.05	2.70	23.75	<=30	Pass
		100	0	21.08	2.70	23.78	<=30	Pass
	1732.5	1	0	22.23	2.70	24.93	<=30	Pass
			50	22.37	2.70	25.07	<=30	Pass
			99	22.47	2.70	25.17	<=30	Pass

256QAM	1745	50	0	21.30	2.70	24.00	<=30	Pass
			25	21.28	2.70	23.98	<=30	Pass
			50	21.26	2.70	23.96	<=30	Pass
		100	0	21.24	2.70	23.94	<=30	Pass
		1	0	22.45	2.70	25.15	<=30	Pass
			50	22.44	2.70	25.14	<=30	Pass
			99	22.52	2.70	25.22	<=30	Pass
		50	0	21.36	2.70	24.06	<=30	Pass
			25	21.40	2.70	24.10	<=30	Pass
			50	21.26	2.70	23.96	<=30	Pass
		100	0	21.36	2.70	24.06	<=30	Pass
	1720	1	0	18.45	2.70	21.15	<=30	Pass
			50	18.06	2.70	20.76	<=30	Pass
			99	18.19	2.70	20.89	<=30	Pass
		50	0	18.24	2.70	20.94	<=30	Pass
			25	18.16	2.70	20.86	<=30	Pass
			50	18.02	2.70	20.72	<=30	Pass
		100	0	18.12	2.70	20.82	<=30	Pass
		1	0	18.32	2.70	21.02	<=30	Pass
			50	18.38	2.70	21.08	<=30	Pass
			99	18.29	2.70	20.99	<=30	Pass
	1732.5	50	0	18.25	2.70	20.95	<=30	Pass
			25	18.21	2.70	20.91	<=30	Pass
			50	18.29	2.70	20.99	<=30	Pass
		100	0	18.18	2.70	20.88	<=30	Pass
	1745	1	0	18.38	2.70	21.08	<=30	Pass
			50	18.50	2.70	21.20	<=30	Pass
			99	18.43	2.70	21.13	<=30	Pass
		50	0	18.32	2.70	21.02	<=30	Pass
			25	18.36	2.70	21.06	<=30	Pass
			50	18.18	2.70	20.88	<=30	Pass
		100	0	18.34	2.70	21.04	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

---End of Attachment---