



Appendix A.25

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1852.5	Edge_1RB_Left	22.32	/	/	23.32	/	/	<=33.01	Pass
		Edge_1RB_Right	22.09	/	/	23.09	/	/	<=33.01	Pass
		Outer_Full	22.31	/	/	23.31	/	/	<=33.01	Pass
		Inner_Full	22.77	/	/	23.77	/	/	<=33.01	Pass
		Inner_1RB_Left	22.80	/	/	23.80	/	/	<=33.01	Pass
		Inner_1RB_Right	22.64	/	/	23.64	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	22.38	/	/	23.38	/	/	<=33.01	Pass
		Edge_1RB_Right	22.34	/	/	23.34	/	/	<=33.01	Pass
		Outer_Full	22.50	/	/	23.50	/	/	<=33.01	Pass
		Inner_Full	22.96	/	/	23.96	/	/	<=33.01	Pass
		Inner_1RB_Left	22.90	/	/	23.90	/	/	<=33.01	Pass
		Inner_1RB_Right	22.80	/	/	23.80	/	/	<=33.01	Pass
	1907.5	Edge_1RB_Left	22.60	/	/	23.60	/	/	<=33.01	Pass
		Edge_1RB_Right	22.55	/	/	23.55	/	/	<=33.01	Pass
		Outer_Full	22.65	/	/	23.65	/	/	<=33.01	Pass
		Inner_Full	23.21	/	/	24.21	/	/	<=33.01	Pass
		Inner_1RB_Left	23.11	/	/	24.11	/	/	<=33.01	Pass
		Inner_1RB_Right	23.09	/	/	24.09	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1852.5	Edge_1RB_Left	21.96	/	/	22.96	/	/	<=33.01	Pass
		Edge_1RB_Right	21.72	/	/	22.72	/	/	<=33.01	Pass
		Outer_Full	20.28	/	/	21.28	/	/	<=33.01	Pass
		Inner_Full	22.78	/	/	23.78	/	/	<=33.01	Pass
		Inner_1RB_Left	23.04	/	/	24.04	/	/	<=33.01	Pass
		Inner_1RB_Right	22.85	/	/	23.85	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	22.03	/	/	23.03	/	/	<=33.01	Pass
		Edge_1RB_Right	21.93	/	/	22.93	/	/	<=33.01	Pass
		Outer_Full	20.41	/	/	21.41	/	/	<=33.01	Pass
		Inner_Full	22.95	/	/	23.95	/	/	<=33.01	Pass
		Inner_1RB_Left	23.15	/	/	24.15	/	/	<=33.01	Pass
		Inner_1RB_Right	23.04	/	/	24.04	/	/	<=33.01	Pass
	1907.5	Edge_1RB_Left	22.22	/	/	23.22	/	/	<=33.01	Pass
		Edge_1RB_Right	22.18	/	/	23.18	/	/	<=33.01	Pass
		Outer_Full	20.71	/	/	21.71	/	/	<=33.01	Pass
		Inner_Full	23.21	/	/	24.21	/	/	<=33.01	Pass
		Inner_1RB_Left	23.28	/	/	24.28	/	/	<=33.01	Pass
		Inner_1RB_Right	23.09	/	/	24.09	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1852.5	Edge_1RB_Left	20.97	/	/	21.97	/	/	<=33.01	Pass
		Edge_1RB_Right	20.75	/	/	21.75	/	/	<=33.01	Pass
		Outer_Full	19.24	/	/	20.24	/	/	<=33.01	Pass
		Inner_Full	21.64	/	/	22.64	/	/	<=33.01	Pass

		Inner_1RB_Left	21.99	/	/	22.99	/	/	<=33.01	Pass
		Inner_1RB_Right	21.78	/	/	22.78	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	21.09	/	/	22.09	/	/	<=33.01	Pass
		Edge_1RB_Right	21.06	/	/	22.06	/	/	<=33.01	Pass
		Outer_Full	19.46	/	/	20.46	/	/	<=33.01	Pass
		Inner_Full	21.90	/	/	22.90	/	/	<=33.01	Pass
		Inner_1RB_Left	22.18	/	/	23.18	/	/	<=33.01	Pass
		Inner_1RB_Right	22.15	/	/	23.15	/	/	<=33.01	Pass
	1907.5	Edge_1RB_Left	21.29	/	/	22.29	/	/	<=33.01	Pass
		Edge_1RB_Right	21.25	/	/	22.25	/	/	<=33.01	Pass
		Outer_Full	19.62	/	/	20.62	/	/	<=33.01	Pass
		Inner_Full	22.12	/	/	23.12	/	/	<=33.01	Pass
		Inner_1RB_Left	22.31	/	/	23.31	/	/	<=33.01	Pass
		Inner_1RB_Right	22.31	/	/	23.31	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1852.5	Edge_1RB_Left	20.52	/	/	21.52	/	/	<=33.01	Pass
		Edge_1RB_Right	20.30	/	/	21.30	/	/	<=33.01	Pass
		Outer_Full	18.91	/	/	19.91	/	/	<=33.01	Pass
		Inner_Full	20.35	/	/	21.35	/	/	<=33.01	Pass
		Inner_1RB_Left	20.59	/	/	21.59	/	/	<=33.01	Pass
		Inner_1RB_Right	20.37	/	/	21.37	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	20.54	/	/	21.54	/	/	<=33.01	Pass
		Edge_1RB_Right	20.55	/	/	21.55	/	/	<=33.01	Pass
		Outer_Full	19.09	/	/	20.09	/	/	<=33.01	Pass
		Inner_Full	20.55	/	/	21.55	/	/	<=33.01	Pass
		Inner_1RB_Left	20.55	/	/	21.55	/	/	<=33.01	Pass
		Inner_1RB_Right	20.52	/	/	21.52	/	/	<=33.01	Pass
	1907.5	Edge_1RB_Left	20.80	/	/	21.80	/	/	<=33.01	Pass
		Edge_1RB_Right	20.86	/	/	21.86	/	/	<=33.01	Pass
		Outer_Full	19.32	/	/	20.32	/	/	<=33.01	Pass
		Inner_Full	20.69	/	/	21.69	/	/	<=33.01	Pass
		Inner_1RB_Left	20.80	/	/	21.80	/	/	<=33.01	Pass
		Inner_1RB_Right	20.77	/	/	21.77	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1852.5	Edge_1RB_Left	18.04	/	/	19.04	/	/	<=33.01	Pass
		Edge_1RB_Right	17.92	/	/	18.92	/	/	<=33.01	Pass
		Outer_Full	18.20	/	/	19.20	/	/	<=33.01	Pass
		Inner_Full	18.24	/	/	19.24	/	/	<=33.01	Pass
		Inner_1RB_Left	18.07	/	/	19.07	/	/	<=33.01	Pass
		Inner_1RB_Right	17.90	/	/	18.90	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	18.20	/	/	19.20	/	/	<=33.01	Pass
		Edge_1RB_Right	18.14	/	/	19.14	/	/	<=33.01	Pass
		Outer_Full	18.42	/	/	19.42	/	/	<=33.01	Pass
		Inner_Full	18.44	/	/	19.44	/	/	<=33.01	Pass
		Inner_1RB_Left	18.21	/	/	19.21	/	/	<=33.01	Pass
		Inner_1RB_Right	18.11	/	/	19.11	/	/	<=33.01	Pass
	1907.5	Edge_1RB_Left	18.39	/	/	19.39	/	/	<=33.01	Pass
		Edge_1RB_Right	18.36	/	/	19.36	/	/	<=33.01	Pass
		Outer_Full	18.61	/	/	19.61	/	/	<=33.01	Pass
		Inner_Full	18.65	/	/	19.65	/	/	<=33.01	Pass
		Inner_1RB_Left	18.44	/	/	19.44	/	/	<=33.01	Pass
		Inner_1RB_Right	18.36	/	/	19.36	/	/	<=33.01	Pass
CP-OFDM QPSK	1852.5	Edge_1RB_Left	19.96	/	/	20.96	/	/	<=33.01	Pass
		Edge_1RB_Right	19.80	/	/	20.80	/	/	<=33.01	Pass
		Outer_Full	19.83	/	/	20.83	/	/	<=33.01	Pass

		Inner Full	21.27	/	/	22.27	/	/	<=33.01	Pass
		Inner 1RB Left	21.46	/	/	22.46	/	/	<=33.01	Pass
		Inner 1RB Right	21.32	/	/	22.32	/	/	<=33.01	Pass
	1880	Edge 1RB Left	20.07	/	/	21.07	/	/	<=33.01	Pass
		Edge 1RB Right	20.08	/	/	21.08	/	/	<=33.01	Pass
		Outer Full	19.93	/	/	20.93	/	/	<=33.01	Pass
		Inner Full	21.42	/	/	22.42	/	/	<=33.01	Pass
		Inner 1RB Left	21.55	/	/	22.55	/	/	<=33.01	Pass
		Inner 1RB Right	21.59	/	/	22.59	/	/	<=33.01	Pass
	1907.5	Edge 1RB Left	20.29	/	/	21.29	/	/	<=33.01	Pass
		Edge 1RB Right	20.34	/	/	21.34	/	/	<=33.01	Pass
		Outer Full	20.18	/	/	21.18	/	/	<=33.01	Pass
		Inner Full	21.77	/	/	22.77	/	/	<=33.01	Pass
		Inner 1RB Left	21.71	/	/	22.71	/	/	<=33.01	Pass
		Inner 1RB Right	21.76	/	/	22.76	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1852.5	Edge 1RB Left	19.92	/	/	20.92	/	/	<=33.01	Pass
		Edge 1RB Right	19.78	/	/	20.78	/	/	<=33.01	Pass
		Outer Full	18.26	/	/	19.26	/	/	<=33.01	Pass
		Inner Full	20.71	/	/	21.71	/	/	<=33.01	Pass
		Inner 1RB Left	20.94	/	/	21.94	/	/	<=33.01	Pass
		Inner 1RB Right	20.80	/	/	21.80	/	/	<=33.01	Pass
	1880	Edge 1RB Left	20.08	/	/	21.08	/	/	<=33.01	Pass
		Edge 1RB Right	20.02	/	/	21.02	/	/	<=33.01	Pass
		Outer Full	18.49	/	/	19.49	/	/	<=33.01	Pass
		Inner Full	20.99	/	/	21.99	/	/	<=33.01	Pass
		Inner 1RB Left	21.03	/	/	22.03	/	/	<=33.01	Pass
		Inner 1RB Right	20.91	/	/	21.91	/	/	<=33.01	Pass
	1907.5	Edge 1RB Left	20.27	/	/	21.27	/	/	<=33.01	Pass
		Edge 1RB Right	20.27	/	/	21.27	/	/	<=33.01	Pass
		Outer Full	18.60	/	/	19.60	/	/	<=33.01	Pass
		Inner Full	21.12	/	/	22.12	/	/	<=33.01	Pass
		Inner 1RB Left	21.16	/	/	22.16	/	/	<=33.01	Pass
		Inner 1RB Right	21.21	/	/	22.21	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1852.5	Edge 1RB Left	19.49	/	/	20.49	/	/	<=33.01	Pass
		Edge 1RB Right	19.27	/	/	20.27	/	/	<=33.01	Pass
		Outer Full	17.93	/	/	18.93	/	/	<=33.01	Pass
		Inner Full	19.32	/	/	20.32	/	/	<=33.01	Pass
		Inner 1RB Left	19.54	/	/	20.54	/	/	<=33.01	Pass
		Inner 1RB Right	19.28	/	/	20.28	/	/	<=33.01	Pass
	1880	Edge 1RB Left	19.50	/	/	20.50	/	/	<=33.01	Pass
		Edge 1RB Right	19.52	/	/	20.52	/	/	<=33.01	Pass
		Outer Full	18.08	/	/	19.08	/	/	<=33.01	Pass
		Inner Full	19.49	/	/	20.49	/	/	<=33.01	Pass
		Inner 1RB Left	19.58	/	/	20.58	/	/	<=33.01	Pass
		Inner 1RB Right	19.49	/	/	20.49	/	/	<=33.01	Pass
	1907.5	Edge 1RB Left	19.76	/	/	20.76	/	/	<=33.01	Pass
		Edge 1RB Right	19.79	/	/	20.79	/	/	<=33.01	Pass
		Outer Full	18.30	/	/	19.30	/	/	<=33.01	Pass
		Inner Full	19.72	/	/	20.72	/	/	<=33.01	Pass
		Inner 1RB Left	19.78	/	/	20.78	/	/	<=33.01	Pass
		Inner 1RB Right	19.75	/	/	20.75	/	/	<=33.01	Pass
CP-OFDM 256 QAM	1852.5	Edge 1RB Left	16.13	/	/	17.13	/	/	<=33.01	Pass
		Edge 1RB Right	15.88	/	/	16.88	/	/	<=33.01	Pass



Report No.: SUCR260400030107

Page: 4 of 14

		Outer_Full	16.27	/	/	17.27	/	/	<=33.01	Pass
		Inner_Full	16.24	/	/	17.24	/	/	<=33.01	Pass
		Inner_1RB_Left	16.17	/	/	17.17	/	/	<=33.01	Pass
		Inner_1RB_Right	15.90	/	/	16.90	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	16.16	/	/	17.16	/	/	<=33.01	Pass
		Edge_1RB_Right	16.18	/	/	17.18	/	/	<=33.01	Pass
		Outer_Full	16.45	/	/	17.45	/	/	<=33.01	Pass
		Inner_Full	16.48	/	/	17.48	/	/	<=33.01	Pass
	1907.5	Inner_1RB_Left	16.17	/	/	17.17	/	/	<=33.01	Pass
		Inner_1RB_Right	16.16	/	/	17.16	/	/	<=33.01	Pass
		Edge_1RB_Left	16.37	/	/	17.37	/	/	<=33.01	Pass
		Edge_1RB_Right	16.42	/	/	17.42	/	/	<=33.01	Pass
		Outer_Full	16.64	/	/	17.64	/	/	<=33.01	Pass
		Inner_Full	16.69	/	/	17.69	/	/	<=33.01	Pass
		Inner_1RB_Left	16.42	/	/	17.42	/	/	<=33.01	Pass
		Inner_1RB_Right	16.39	/	/	17.39	/	/	<=33.01	Pass

Note1: Antenna Gain: Ant1: 1.00dBi;
Note2: EIRP=Conducted Power+Antenna Gain

1.1.2 15_S_10M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1855	Edge_1RB_Left	21.89	/	/	22.89	/	/	<=33.01	Pass
		Edge_1RB_Right	21.55	/	/	22.55	/	/	<=33.01	Pass
		Outer_Full	20.38	/	/	21.38	/	/	<=33.01	Pass
		Inner_Full	22.82	/	/	23.82	/	/	<=33.01	Pass
		Inner_1RB_Left	22.92	/	/	23.92	/	/	<=33.01	Pass
		Inner_1RB_Right	22.56	/	/	23.56	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	21.85	/	/	22.85	/	/	<=33.01	Pass
		Edge_1RB_Right	21.87	/	/	22.87	/	/	<=33.01	Pass
		Outer_Full	20.53	/	/	21.53	/	/	<=33.01	Pass
		Inner_Full	22.98	/	/	23.98	/	/	<=33.01	Pass
		Inner_1RB_Left	22.86	/	/	23.86	/	/	<=33.01	Pass
		Inner_1RB_Right	22.85	/	/	23.85	/	/	<=33.01	Pass
	1905	Edge_1RB_Left	22.55	/	/	23.55	/	/	<=33.01	Pass
		Edge_1RB_Right	22.66	/	/	23.66	/	/	<=33.01	Pass
		Outer_Full	22.68	/	/	23.68	/	/	<=33.01	Pass
		Inner_Full	23.14	/	/	24.14	/	/	<=33.01	Pass
		Inner_1RB_Left	23.01	/	/	24.01	/	/	<=33.01	Pass
		Inner_1RB_Right	23.17	/	/	24.17	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1855	Edge_1RB_Left	22.08	/	/	23.08	/	/	<=33.01	Pass
		Edge_1RB_Right	21.70	/	/	22.70	/	/	<=33.01	Pass
		Outer_Full	20.33	/	/	21.33	/	/	<=33.01	Pass
		Inner_Full	22.83	/	/	23.83	/	/	<=33.01	Pass
		Inner_1RB_Left	23.05	/	/	24.05	/	/	<=33.01	Pass
		Inner_1RB_Right	22.80	/	/	23.80	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	22.05	/	/	23.05	/	/	<=33.01	Pass
		Edge_1RB_Right	21.91	/	/	22.91	/	/	<=33.01	Pass
		Outer_Full	20.52	/	/	21.52	/	/	<=33.01	Pass

		Inner Full	23.00	/	/	24.00	/	/	<=33.01	Pass
		Inner 1RB Left	23.00	/	/	24.00	/	/	<=33.01	Pass
		Inner 1RB Right	22.99	/	/	23.99	/	/	<=33.01	Pass
	1905	Edge 1RB Left	22.15	/	/	23.15	/	/	<=33.01	Pass
		Edge 1RB Right	22.28	/	/	23.28	/	/	<=33.01	Pass
		Outer Full	20.73	/	/	21.73	/	/	<=33.01	Pass
		Inner Full	23.22	/	/	24.22	/	/	<=33.01	Pass
		Inner 1RB Left	23.15	/	/	24.15	/	/	<=33.01	Pass
		Inner 1RB Right	23.33	/	/	24.33	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1855	Edge 1RB Left	21.06	/	/	22.06	/	/	<=33.01	Pass
		Edge 1RB Right	20.68	/	/	21.68	/	/	<=33.01	Pass
		Outer Full	19.31	/	/	20.31	/	/	<=33.01	Pass
		Inner Full	21.79	/	/	22.79	/	/	<=33.01	Pass
		Inner 1RB Left	22.09	/	/	23.09	/	/	<=33.01	Pass
		Inner 1RB Right	21.73	/	/	22.73	/	/	<=33.01	Pass
	1880	Edge 1RB Left	21.11	/	/	22.11	/	/	<=33.01	Pass
		Edge 1RB Right	20.98	/	/	21.98	/	/	<=33.01	Pass
		Outer Full	19.46	/	/	20.46	/	/	<=33.01	Pass
		Inner Full	22.00	/	/	23.00	/	/	<=33.01	Pass
		Inner 1RB Left	22.02	/	/	23.02	/	/	<=33.01	Pass
		Inner 1RB Right	22.10	/	/	23.10	/	/	<=33.01	Pass
	1905	Edge 1RB Left	21.20	/	/	22.20	/	/	<=33.01	Pass
		Edge 1RB Right	21.35	/	/	22.35	/	/	<=33.01	Pass
		Outer Full	19.62	/	/	20.62	/	/	<=33.01	Pass
		Inner Full	22.20	/	/	23.20	/	/	<=33.01	Pass
		Inner 1RB Left	22.20	/	/	23.20	/	/	<=33.01	Pass
		Inner 1RB Right	22.39	/	/	23.39	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1855	Edge 1RB Left	20.70	/	/	21.70	/	/	<=33.01	Pass
		Edge 1RB Right	20.33	/	/	21.33	/	/	<=33.01	Pass
		Outer Full	18.86	/	/	19.86	/	/	<=33.01	Pass
		Inner Full	20.50	/	/	21.50	/	/	<=33.01	Pass
		Inner 1RB Left	20.67	/	/	21.67	/	/	<=33.01	Pass
		Inner 1RB Right	20.32	/	/	21.32	/	/	<=33.01	Pass
	1880	Edge 1RB Left	20.61	/	/	21.61	/	/	<=33.01	Pass
		Edge 1RB Right	20.64	/	/	21.64	/	/	<=33.01	Pass
		Outer Full	18.96	/	/	19.96	/	/	<=33.01	Pass
		Inner Full	20.62	/	/	21.62	/	/	<=33.01	Pass
		Inner 1RB Left	20.56	/	/	21.56	/	/	<=33.01	Pass
		Inner 1RB Right	20.50	/	/	21.50	/	/	<=33.01	Pass
	1905	Edge 1RB Left	20.81	/	/	21.81	/	/	<=33.01	Pass
		Edge 1RB Right	20.96	/	/	21.96	/	/	<=33.01	Pass
		Outer Full	19.19	/	/	20.19	/	/	<=33.01	Pass
		Inner Full	20.77	/	/	21.77	/	/	<=33.01	Pass
		Inner 1RB Left	20.67	/	/	21.67	/	/	<=33.01	Pass
		Inner 1RB Right	20.95	/	/	21.95	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1855	Edge 1RB Left	18.20	/	/	19.20	/	/	<=33.01	Pass
		Edge 1RB Right	17.99	/	/	18.99	/	/	<=33.01	Pass
		Outer Full	18.30	/	/	19.30	/	/	<=33.01	Pass
		Inner Full	18.26	/	/	19.26	/	/	<=33.01	Pass
		Inner 1RB Left	18.18	/	/	19.18	/	/	<=33.01	Pass
		Inner 1RB Right	17.90	/	/	18.90	/	/	<=33.01	Pass
	1880	Edge 1RB Left	18.22	/	/	19.22	/	/	<=33.01	Pass
		Edge 1RB Right	18.11	/	/	19.11	/	/	<=33.01	Pass

		Outer Full	18.41	/	/	19.41	/	/	<=33.01	Pass
		Inner Full	18.45	/	/	19.45	/	/	<=33.01	Pass
		Inner 1RB Left	18.14	/	/	19.14	/	/	<=33.01	Pass
		Inner 1RB Right	18.14	/	/	19.14	/	/	<=33.01	Pass
	1905	Edge 1RB Left	18.35	/	/	19.35	/	/	<=33.01	Pass
		Edge 1RB Right	18.44	/	/	19.44	/	/	<=33.01	Pass
		Outer Full	18.63	/	/	19.63	/	/	<=33.01	Pass
		Inner Full	18.63	/	/	19.63	/	/	<=33.01	Pass
		Inner 1RB Left	18.35	/	/	19.35	/	/	<=33.01	Pass
		Inner 1RB Right	18.44	/	/	19.44	/	/	<=33.01	Pass
		Edge 1RB Left	20.10	/	/	21.10	/	/	<=33.01	Pass
		Edge 1RB Right	19.80	/	/	20.80	/	/	<=33.01	Pass
CP-OFDM QPSK	1855	Outer Full	19.89	/	/	20.89	/	/	<=33.01	Pass
		Inner Full	21.30	/	/	22.30	/	/	<=33.01	Pass
		Inner 1RB Left	21.55	/	/	22.55	/	/	<=33.01	Pass
		Inner 1RB Right	21.24	/	/	22.24	/	/	<=33.01	Pass
	1880	Edge 1RB Left	20.13	/	/	21.13	/	/	<=33.01	Pass
		Edge 1RB Right	20.01	/	/	21.01	/	/	<=33.01	Pass
		Outer Full	20.02	/	/	21.02	/	/	<=33.01	Pass
		Inner Full	21.46	/	/	22.46	/	/	<=33.01	Pass
		Inner 1RB Left	21.48	/	/	22.48	/	/	<=33.01	Pass
		Inner 1RB Right	21.56	/	/	22.56	/	/	<=33.01	Pass
	1905	Edge 1RB Left	20.27	/	/	21.27	/	/	<=33.01	Pass
		Edge 1RB Right	20.37	/	/	21.37	/	/	<=33.01	Pass
		Outer Full	20.25	/	/	21.25	/	/	<=33.01	Pass
		Inner Full	21.66	/	/	22.66	/	/	<=33.01	Pass
		Inner 1RB Left	21.62	/	/	22.62	/	/	<=33.01	Pass
		Inner 1RB Right	21.84	/	/	22.84	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1855	Edge 1RB Left	20.25	/	/	21.25	/	/	<=33.01	Pass
		Edge 1RB Right	19.69	/	/	20.69	/	/	<=33.01	Pass
		Outer Full	18.24	/	/	19.24	/	/	<=33.01	Pass
		Inner Full	20.85	/	/	21.85	/	/	<=33.01	Pass
		Inner 1RB Left	20.94	/	/	21.94	/	/	<=33.01	Pass
		Inner 1RB Right	20.83	/	/	21.83	/	/	<=33.01	Pass
	1880	Edge 1RB Left	19.98	/	/	20.98	/	/	<=33.01	Pass
		Edge 1RB Right	19.91	/	/	20.91	/	/	<=33.01	Pass
		Outer Full	18.51	/	/	19.51	/	/	<=33.01	Pass
		Inner Full	20.98	/	/	21.98	/	/	<=33.01	Pass
		Inner 1RB Left	21.01	/	/	22.01	/	/	<=33.01	Pass
		Inner 1RB Right	20.97	/	/	21.97	/	/	<=33.01	Pass
	1905	Edge 1RB Left	20.17	/	/	21.17	/	/	<=33.01	Pass
		Edge 1RB Right	20.35	/	/	21.35	/	/	<=33.01	Pass
		Outer Full	18.71	/	/	19.71	/	/	<=33.01	Pass
		Inner Full	21.19	/	/	22.19	/	/	<=33.01	Pass
		Inner 1RB Left	21.16	/	/	22.16	/	/	<=33.01	Pass
		Inner 1RB Right	21.30	/	/	22.30	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1855	Edge 1RB Left	19.63	/	/	20.63	/	/	<=33.01	Pass
		Edge 1RB Right	19.25	/	/	20.25	/	/	<=33.01	Pass
		Outer Full	17.80	/	/	18.80	/	/	<=33.01	Pass
		Inner Full	19.41	/	/	20.41	/	/	<=33.01	Pass
		Inner 1RB Left	19.57	/	/	20.57	/	/	<=33.01	Pass
		Inner 1RB Right	19.24	/	/	20.24	/	/	<=33.01	Pass
	1880	Edge 1RB Left	19.54	/	/	20.54	/	/	<=33.01	Pass

		Edge_1RB_Right	19.44	/	/	20.44	/	/	<=33.01	Pass
		Outer_Full	17.96	/	/	18.96	/	/	<=33.01	Pass
		Inner_Full	19.54	/	/	20.54	/	/	<=33.01	Pass
		Inner_1RB_Left	19.55	/	/	20.55	/	/	<=33.01	Pass
		Inner_1RB_Right	19.47	/	/	20.47	/	/	<=33.01	Pass
	1905	Edge_1RB_Left	19.72	/	/	20.72	/	/	<=33.01	Pass
		Edge_1RB_Right	19.85	/	/	20.85	/	/	<=33.01	Pass
		Outer_Full	18.15	/	/	19.15	/	/	<=33.01	Pass
		Inner_Full	19.71	/	/	20.71	/	/	<=33.01	Pass
		Inner_1RB_Left	19.82	/	/	20.82	/	/	<=33.01	Pass
		Inner_1RB_Right	19.83	/	/	20.83	/	/	<=33.01	Pass
CP-OFDM 256 QAM	1855	Edge_1RB_Left	16.26	/	/	17.26	/	/	<=33.01	Pass
		Edge_1RB_Right	15.88	/	/	16.88	/	/	<=33.01	Pass
		Outer_Full	16.40	/	/	17.40	/	/	<=33.01	Pass
		Inner_Full	16.23	/	/	17.23	/	/	<=33.01	Pass
		Inner_1RB_Left	16.21	/	/	17.21	/	/	<=33.01	Pass
		Inner_1RB_Right	15.86	/	/	16.86	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	16.19	/	/	17.19	/	/	<=33.01	Pass
		Edge_1RB_Right	16.14	/	/	17.14	/	/	<=33.01	Pass
		Outer_Full	16.45	/	/	17.45	/	/	<=33.01	Pass
		Inner_Full	16.38	/	/	17.38	/	/	<=33.01	Pass
		Inner_1RB_Left	16.21	/	/	17.21	/	/	<=33.01	Pass
		Inner_1RB_Right	16.15	/	/	17.15	/	/	<=33.01	Pass
	1905	Edge_1RB_Left	16.38	/	/	17.38	/	/	<=33.01	Pass
		Edge_1RB_Right	16.36	/	/	17.36	/	/	<=33.01	Pass
		Outer_Full	16.81	/	/	17.81	/	/	<=33.01	Pass
		Inner_Full	16.63	/	/	17.63	/	/	<=33.01	Pass
		Inner_1RB_Left	16.28	/	/	17.28	/	/	<=33.01	Pass
		Inner_1RB_Right	16.40	/	/	17.40	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 1.00dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 15_S_15M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 15MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum		
DFT-s-OFDM PI/2 BPSK	1857.5	Edge 1RB Left	22.36	/	/	23.36	/	/	<=33.01	Pass
		Edge 1RB Right	22.00	/	/	23.00	/	/	<=33.01	Pass
		Outer Full	22.20	/	/	23.20	/	/	<=33.01	Pass
		Inner Full	22.68	/	/	23.68	/	/	<=33.01	Pass
		Inner 1RB Left	22.87	/	/	23.87	/	/	<=33.01	Pass
		Inner 1RB Right	22.56	/	/	23.56	/	/	<=33.01	Pass
	1880	Edge 1RB Left	22.15	/	/	23.15	/	/	<=33.01	Pass
		Edge 1RB Right	22.30	/	/	23.30	/	/	<=33.01	Pass
		Outer Full	22.35	/	/	23.35	/	/	<=33.01	Pass
		Inner Full	22.84	/	/	23.84	/	/	<=33.01	Pass
		Inner 1RB Left	22.67	/	/	23.67	/	/	<=33.01	Pass
		Inner 1RB Right	22.81	/	/	23.81	/	/	<=33.01	Pass
	1902.5	Edge 1RB Left	21.69	/	/	22.69	/	/	<=33.01	Pass
		Edge 1RB Right	22.06	/	/	23.06	/	/	<=33.01	Pass

DFT-s-OFDM QPSK		Outer_Full	20.43	/	/	21.43	/	/	<=33.01	Pass
		Inner_Full	22.88	/	/	23.88	/	/	<=33.01	Pass
		Inner_1RB_Left	22.68	/	/	23.68	/	/	<=33.01	Pass
		Inner_1RB_Right	23.02	/	/	24.02	/	/	<=33.01	Pass
	1857.5	Edge_1RB_Left	21.95	/	/	22.95	/	/	<=33.01	Pass
		Edge_1RB_Right	21.67	/	/	22.67	/	/	<=33.01	Pass
		Outer_Full	20.19	/	/	21.19	/	/	<=33.01	Pass
		Inner_Full	22.62	/	/	23.62	/	/	<=33.01	Pass
	1880	Inner_1RB_Left	22.96	/	/	23.96	/	/	<=33.01	Pass
		Inner_1RB_Right	22.68	/	/	23.68	/	/	<=33.01	Pass
		Edge_1RB_Left	21.81	/	/	22.81	/	/	<=33.01	Pass
		Edge_1RB_Right	21.98	/	/	22.98	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	20.34	/	/	21.34	/	/	<=33.01	Pass
		Inner_Full	22.87	/	/	23.87	/	/	<=33.01	Pass
		Inner_1RB_Left	22.87	/	/	23.87	/	/	<=33.01	Pass
		Inner_1RB_Right	22.69	/	/	23.69	/	/	<=33.01	Pass
	1902.5	Edge_1RB_Left	21.85	/	/	22.85	/	/	<=33.01	Pass
		Edge_1RB_Right	22.16	/	/	23.16	/	/	<=33.01	Pass
		Outer_Full	20.41	/	/	21.41	/	/	<=33.01	Pass
		Inner_Full	22.91	/	/	23.91	/	/	<=33.01	Pass
	1857.5	Inner_1RB_Left	22.82	/	/	23.82	/	/	<=33.01	Pass
		Inner_1RB_Right	23.22	/	/	24.22	/	/	<=33.01	Pass
		Edge_1RB_Left	20.94	/	/	21.94	/	/	<=33.01	Pass
		Edge_1RB_Right	20.72	/	/	21.72	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1857.5	Outer_Full	19.18	/	/	20.18	/	/	<=33.01	Pass
		Inner_Full	21.70	/	/	22.70	/	/	<=33.01	Pass
		Inner_1RB_Left	22.05	/	/	23.05	/	/	<=33.01	Pass
		Inner_1RB_Right	21.63	/	/	22.63	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	20.93	/	/	21.93	/	/	<=33.01	Pass
		Edge_1RB_Right	21.07	/	/	22.07	/	/	<=33.01	Pass
		Outer_Full	19.38	/	/	20.38	/	/	<=33.01	Pass
		Inner_Full	21.84	/	/	22.84	/	/	<=33.01	Pass
	1902.5	Inner_1RB_Left	21.82	/	/	22.82	/	/	<=33.01	Pass
		Inner_1RB_Right	21.95	/	/	22.95	/	/	<=33.01	Pass
		Edge_1RB_Left	20.90	/	/	21.90	/	/	<=33.01	Pass
		Edge_1RB_Right	21.25	/	/	22.25	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1857.5	Outer_Full	19.43	/	/	20.43	/	/	<=33.01	Pass
		Inner_Full	21.95	/	/	22.95	/	/	<=33.01	Pass
		Inner_1RB_Left	21.91	/	/	22.91	/	/	<=33.01	Pass
		Inner_1RB_Right	22.16	/	/	23.16	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	20.52	/	/	21.52	/	/	<=33.01	Pass
		Edge_1RB_Right	20.33	/	/	21.33	/	/	<=33.01	Pass
		Outer_Full	18.75	/	/	19.75	/	/	<=33.01	Pass
		Inner_Full	20.21	/	/	21.21	/	/	<=33.01	Pass
	1902.5	Inner_1RB_Left	20.54	/	/	21.54	/	/	<=33.01	Pass
		Inner_1RB_Right	20.31	/	/	21.31	/	/	<=33.01	Pass
		Edge_1RB_Left	20.28	/	/	21.28	/	/	<=33.01	Pass
		Edge_1RB_Right	20.50	/	/	21.50	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	18.93	/	/	19.93	/	/	<=33.01	Pass
		Inner_Full	20.40	/	/	21.40	/	/	<=33.01	Pass
		Inner_1RB_Left	20.35	/	/	21.35	/	/	<=33.01	Pass
		Inner_1RB_Right	20.48	/	/	21.48	/	/	<=33.01	Pass
	1902.5	Edge_1RB_Left	20.40	/	/	21.40	/	/	<=33.01	Pass
		Edge_1RB_Right	20.40	/	/	21.40	/	/	<=33.01	Pass
		Outer_Full	18.93	/	/	19.93	/	/	<=33.01	Pass
		Inner_Full	20.40	/	/	21.40	/	/	<=33.01	Pass
	1902.5	Inner_1RB_Left	20.35	/	/	21.35	/	/	<=33.01	Pass
		Inner_1RB_Right	20.48	/	/	21.48	/	/	<=33.01	Pass
		Edge_1RB_Left	20.40	/	/	21.40	/	/	<=33.01	Pass
		Edge_1RB_Right	20.40	/	/	21.40	/	/	<=33.01	Pass

		Edge 1RB Right	20.79	/	/	21.79	/	/	<=33.01	Pass
		Outer Full	18.94	/	/	19.94	/	/	<=33.01	Pass
		Inner Full	20.44	/	/	21.44	/	/	<=33.01	Pass
		Inner 1RB Left	20.43	/	/	21.43	/	/	<=33.01	Pass
		Inner 1RB Right	20.74	/	/	21.74	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1857.5	Edge 1RB Left	18.19	/	/	19.19	/	/	<=33.01	Pass
		Edge 1RB Right	17.79	/	/	18.79	/	/	<=33.01	Pass
		Outer Full	18.11	/	/	19.11	/	/	<=33.01	Pass
		Inner Full	18.15	/	/	19.15	/	/	<=33.01	Pass
		Inner 1RB Left	18.11	/	/	19.11	/	/	<=33.01	Pass
		Inner 1RB Right	17.83	/	/	18.83	/	/	<=33.01	Pass
	1880	Edge 1RB Left	18.01	/	/	19.01	/	/	<=33.01	Pass
		Edge 1RB Right	18.10	/	/	19.10	/	/	<=33.01	Pass
		Outer Full	18.35	/	/	19.35	/	/	<=33.01	Pass
		Inner Full	18.30	/	/	19.30	/	/	<=33.01	Pass
		Inner 1RB Left	18.07	/	/	19.07	/	/	<=33.01	Pass
		Inner 1RB Right	18.16	/	/	19.16	/	/	<=33.01	Pass
	1902.5	Edge 1RB Left	18.09	/	/	19.09	/	/	<=33.01	Pass
		Edge 1RB Right	18.39	/	/	19.39	/	/	<=33.01	Pass
		Outer Full	18.42	/	/	19.42	/	/	<=33.01	Pass
		Inner Full	18.28	/	/	19.28	/	/	<=33.01	Pass
		Inner 1RB Left	18.14	/	/	19.14	/	/	<=33.01	Pass
		Inner 1RB Right	18.37	/	/	19.37	/	/	<=33.01	Pass
CP-OFDM QPSK	1857.5	Edge 1RB Left	20.03	/	/	21.03	/	/	<=33.01	Pass
		Edge 1RB Right	19.70	/	/	20.70	/	/	<=33.01	Pass
		Outer Full	19.63	/	/	20.63	/	/	<=33.01	Pass
		Inner Full	21.22	/	/	22.22	/	/	<=33.01	Pass
		Inner 1RB Left	21.46	/	/	22.46	/	/	<=33.01	Pass
		Inner 1RB Right	21.17	/	/	22.17	/	/	<=33.01	Pass
	1880	Edge 1RB Left	19.91	/	/	20.91	/	/	<=33.01	Pass
		Edge 1RB Right	20.01	/	/	21.01	/	/	<=33.01	Pass
		Outer Full	19.94	/	/	20.94	/	/	<=33.01	Pass
		Inner Full	21.39	/	/	22.39	/	/	<=33.01	Pass
		Inner 1RB Left	21.32	/	/	22.32	/	/	<=33.01	Pass
		Inner 1RB Right	21.50	/	/	22.50	/	/	<=33.01	Pass
	1902.5	Edge 1RB Left	19.95	/	/	20.95	/	/	<=33.01	Pass
		Edge 1RB Right	20.19	/	/	21.19	/	/	<=33.01	Pass
		Outer Full	19.98	/	/	20.98	/	/	<=33.01	Pass
		Inner Full	21.50	/	/	22.50	/	/	<=33.01	Pass
		Inner 1RB Left	21.33	/	/	22.33	/	/	<=33.01	Pass
		Inner 1RB Right	21.67	/	/	22.67	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1857.5	Edge 1RB Left	19.96	/	/	20.96	/	/	<=33.01	Pass
		Edge 1RB Right	19.62	/	/	20.62	/	/	<=33.01	Pass
		Outer Full	18.15	/	/	19.15	/	/	<=33.01	Pass
		Inner Full	20.62	/	/	21.62	/	/	<=33.01	Pass
		Inner 1RB Left	20.96	/	/	21.96	/	/	<=33.01	Pass
		Inner 1RB Right	20.69	/	/	21.69	/	/	<=33.01	Pass
	1880	Edge 1RB Left	19.89	/	/	20.89	/	/	<=33.01	Pass
		Edge 1RB Right	19.81	/	/	20.81	/	/	<=33.01	Pass
		Outer Full	18.28	/	/	19.28	/	/	<=33.01	Pass
		Inner Full	20.83	/	/	21.83	/	/	<=33.01	Pass
		Inner 1RB Left	20.98	/	/	21.98	/	/	<=33.01	Pass
		Inner 1RB Right	21.10	/	/	22.10	/	/	<=33.01	Pass

	1902.5	Edge_1RB_Left	19.90	/	/	20.90	/	/	<=33.01	Pass
		Edge_1RB_Right	20.16	/	/	21.16	/	/	<=33.01	Pass
		Outer_Full	18.40	/	/	19.40	/	/	<=33.01	Pass
		Inner_Full	20.82	/	/	21.82	/	/	<=33.01	Pass
		Inner_1RB_Left	20.88	/	/	21.88	/	/	<=33.01	Pass
		Inner_1RB_Right	21.18	/	/	22.18	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1857.5	Edge_1RB_Left	19.43	/	/	20.43	/	/	<=33.01	Pass
		Edge_1RB_Right	19.21	/	/	20.21	/	/	<=33.01	Pass
		Outer_Full	17.72	/	/	18.72	/	/	<=33.01	Pass
		Inner_Full	19.14	/	/	20.14	/	/	<=33.01	Pass
		Inner_1RB_Left	19.50	/	/	20.50	/	/	<=33.01	Pass
		Inner_1RB_Right	19.17	/	/	20.17	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	19.43	/	/	20.43	/	/	<=33.01	Pass
		Edge_1RB_Right	19.41	/	/	20.41	/	/	<=33.01	Pass
		Outer_Full	17.87	/	/	18.87	/	/	<=33.01	Pass
		Inner_Full	19.41	/	/	20.41	/	/	<=33.01	Pass
		Inner_1RB_Left	19.39	/	/	20.39	/	/	<=33.01	Pass
		Inner_1RB_Right	19.36	/	/	20.36	/	/	<=33.01	Pass
	1902.5	Edge_1RB_Left	19.41	/	/	20.41	/	/	<=33.01	Pass
		Edge_1RB_Right	19.71	/	/	20.71	/	/	<=33.01	Pass
		Outer_Full	18.00	/	/	19.00	/	/	<=33.01	Pass
		Inner_Full	19.46	/	/	20.46	/	/	<=33.01	Pass
		Inner_1RB_Left	19.42	/	/	20.42	/	/	<=33.01	Pass
		Inner_1RB_Right	19.72	/	/	20.72	/	/	<=33.01	Pass
CP-OFDM 256 QAM	1857.5	Edge_1RB_Left	16.14	/	/	17.14	/	/	<=33.01	Pass
		Edge_1RB_Right	15.80	/	/	16.80	/	/	<=33.01	Pass
		Outer_Full	16.20	/	/	17.20	/	/	<=33.01	Pass
		Inner_Full	16.20	/	/	17.20	/	/	<=33.01	Pass
		Inner_1RB_Left	16.13	/	/	17.13	/	/	<=33.01	Pass
		Inner_1RB_Right	15.85	/	/	16.85	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	16.08	/	/	17.08	/	/	<=33.01	Pass
		Edge_1RB_Right	16.11	/	/	17.11	/	/	<=33.01	Pass
		Outer_Full	16.45	/	/	17.45	/	/	<=33.01	Pass
		Inner_Full	16.39	/	/	17.39	/	/	<=33.01	Pass
		Inner_1RB_Left	16.12	/	/	17.12	/	/	<=33.01	Pass
		Inner_1RB_Right	16.14	/	/	17.14	/	/	<=33.01	Pass
	1902.5	Edge_1RB_Left	16.05	/	/	17.05	/	/	<=33.01	Pass
		Edge_1RB_Right	16.34	/	/	17.34	/	/	<=33.01	Pass
		Outer_Full	16.44	/	/	17.44	/	/	<=33.01	Pass
		Inner_Full	16.37	/	/	17.37	/	/	<=33.01	Pass
		Inner_1RB_Left	16.07	/	/	17.07	/	/	<=33.01	Pass
		Inner_1RB_Right	16.39	/	/	17.39	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 1.00dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 15_S_20M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2	1860	Edge_1RB_Left	22.25	/	/	23.25	/	/	<=33.01	Pass

BPSK		Edge_1RB_Right	22.12	/	/	23.12	/	/	<=33.01	Pass
		Outer_Full	22.13	/	/	23.13	/	/	<=33.01	Pass
		Inner_Full	22.67	/	/	23.67	/	/	<=33.01	Pass
		Inner_1RB_Left	22.66	/	/	23.66	/	/	<=33.01	Pass
	1880	Inner_1RB_Right	22.55	/	/	23.55	/	/	<=33.01	Pass
		Edge_1RB_Left	22.07	/	/	23.07	/	/	<=33.01	Pass
		Edge_1RB_Right	22.31	/	/	23.31	/	/	<=33.01	Pass
		Outer_Full	22.37	/	/	23.37	/	/	<=33.01	Pass
	1900	Inner_Full	22.90	/	/	23.90	/	/	<=33.01	Pass
		Inner_1RB_Left	22.65	/	/	23.65	/	/	<=33.01	Pass
		Inner_1RB_Right	22.76	/	/	23.76	/	/	<=33.01	Pass
		Edge_1RB_Left	22.25	/	/	23.25	/	/	<=33.01	Pass
	1900	Edge_1RB_Right	22.54	/	/	23.54	/	/	<=33.01	Pass
		Outer_Full	22.40	/	/	23.40	/	/	<=33.01	Pass
		Inner_Full	22.96	/	/	23.96	/	/	<=33.01	Pass
		Inner_1RB_Left	22.72	/	/	23.72	/	/	<=33.01	Pass
		Inner_1RB_Right	23.08	/	/	24.08	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1860	Edge_1RB_Left	21.90	/	/	22.90	/	/	<=33.01	Pass
		Edge_1RB_Right	21.75	/	/	22.75	/	/	<=33.01	Pass
		Outer_Full	20.17	/	/	21.17	/	/	<=33.01	Pass
		Inner_Full	22.57	/	/	23.57	/	/	<=33.01	Pass
	1880	Inner_1RB_Left	22.81	/	/	23.81	/	/	<=33.01	Pass
		Inner_1RB_Right	22.61	/	/	23.61	/	/	<=33.01	Pass
		Edge_1RB_Left	21.73	/	/	22.73	/	/	<=33.01	Pass
		Edge_1RB_Right	21.93	/	/	22.93	/	/	<=33.01	Pass
	1900	Outer_Full	20.41	/	/	21.41	/	/	<=33.01	Pass
		Inner_Full	22.88	/	/	23.88	/	/	<=33.01	Pass
		Inner_1RB_Left	22.62	/	/	23.62	/	/	<=33.01	Pass
		Inner_1RB_Right	22.86	/	/	23.86	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	21.94	/	/	22.94	/	/	<=33.01	Pass
		Edge_1RB_Right	22.23	/	/	23.23	/	/	<=33.01	Pass
		Outer_Full	20.49	/	/	21.49	/	/	<=33.01	Pass
		Inner_Full	22.95	/	/	23.95	/	/	<=33.01	Pass
	1900	Inner_1RB_Left	22.90	/	/	23.90	/	/	<=33.01	Pass
		Inner_1RB_Right	23.22	/	/	24.22	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1860	Edge_1RB_Left	20.93	/	/	21.93	/	/	<=33.01	Pass
		Edge_1RB_Right	20.72	/	/	21.72	/	/	<=33.01	Pass
		Outer_Full	19.14	/	/	20.14	/	/	<=33.01	Pass
		Inner_Full	21.55	/	/	22.55	/	/	<=33.01	Pass
	1880	Inner_1RB_Left	21.87	/	/	22.87	/	/	<=33.01	Pass
		Inner_1RB_Right	21.76	/	/	22.76	/	/	<=33.01	Pass
		Edge_1RB_Left	20.70	/	/	21.70	/	/	<=33.01	Pass
		Edge_1RB_Right	20.90	/	/	21.90	/	/	<=33.01	Pass
	1900	Outer_Full	19.37	/	/	20.37	/	/	<=33.01	Pass
		Inner_Full	21.86	/	/	22.86	/	/	<=33.01	Pass
		Inner_1RB_Left	21.75	/	/	22.75	/	/	<=33.01	Pass
		Inner_1RB_Right	21.98	/	/	22.98	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	20.91	/	/	21.91	/	/	<=33.01	Pass
		Edge_1RB_Right	21.24	/	/	22.24	/	/	<=33.01	Pass
		Outer_Full	19.41	/	/	20.41	/	/	<=33.01	Pass
		Inner_Full	21.90	/	/	22.90	/	/	<=33.01	Pass
	1900	Inner_1RB_Left	21.87	/	/	22.87	/	/	<=33.01	Pass
		Inner_1RB_Right	22.28	/	/	23.28	/	/	<=33.01	Pass

DFT-s-OFDM 64 QAM	1860	Edge_1RB_Left	20.49	/	/	21.49	/	/	<=33.01	Pass
		Edge_1RB_Right	20.20	/	/	21.20	/	/	<=33.01	Pass
		Outer_Full	18.57	/	/	19.57	/	/	<=33.01	Pass
		Inner_Full	20.16	/	/	21.16	/	/	<=33.01	Pass
		Inner_1RB_Left	20.45	/	/	21.45	/	/	<=33.01	Pass
		Inner_1RB_Right	20.31	/	/	21.31	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	20.36	/	/	21.36	/	/	<=33.01	Pass
		Edge_1RB_Right	20.41	/	/	21.41	/	/	<=33.01	Pass
		Outer_Full	18.89	/	/	19.89	/	/	<=33.01	Pass
		Inner_Full	20.45	/	/	21.45	/	/	<=33.01	Pass
		Inner_1RB_Left	20.33	/	/	21.33	/	/	<=33.01	Pass
		Inner_1RB_Right	20.48	/	/	21.48	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	20.49	/	/	21.49	/	/	<=33.01	Pass
		Edge_1RB_Right	20.81	/	/	21.81	/	/	<=33.01	Pass
		Outer_Full	18.96	/	/	19.96	/	/	<=33.01	Pass
		Inner_Full	20.48	/	/	21.48	/	/	<=33.01	Pass
		Inner_1RB_Left	20.53	/	/	21.53	/	/	<=33.01	Pass
		Inner_1RB_Right	20.81	/	/	21.81	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1860	Edge_1RB_Left	18.03	/	/	19.03	/	/	<=33.01	Pass
		Edge_1RB_Right	17.89	/	/	18.89	/	/	<=33.01	Pass
		Outer_Full	18.14	/	/	19.14	/	/	<=33.01	Pass
		Inner_Full	18.03	/	/	19.03	/	/	<=33.01	Pass
		Inner_1RB_Left	17.98	/	/	18.98	/	/	<=33.01	Pass
		Inner_1RB_Right	17.83	/	/	18.83	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	17.87	/	/	18.87	/	/	<=33.01	Pass
		Edge_1RB_Right	17.99	/	/	18.99	/	/	<=33.01	Pass
		Outer_Full	18.36	/	/	19.36	/	/	<=33.01	Pass
		Inner_Full	18.34	/	/	19.34	/	/	<=33.01	Pass
		Inner_1RB_Left	17.84	/	/	18.84	/	/	<=33.01	Pass
		Inner_1RB_Right	18.03	/	/	19.03	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	18.07	/	/	19.07	/	/	<=33.01	Pass
		Edge_1RB_Right	18.31	/	/	19.31	/	/	<=33.01	Pass
		Outer_Full	18.40	/	/	19.40	/	/	<=33.01	Pass
		Inner_Full	18.33	/	/	19.33	/	/	<=33.01	Pass
		Inner_1RB_Left	18.08	/	/	19.08	/	/	<=33.01	Pass
		Inner_1RB_Right	18.33	/	/	19.33	/	/	<=33.01	Pass
CP-OFDM QPSK	1860	Edge_1RB_Left	19.96	/	/	20.96	/	/	<=33.01	Pass
		Edge_1RB_Right	19.72	/	/	20.72	/	/	<=33.01	Pass
		Outer_Full	19.72	/	/	20.72	/	/	<=33.01	Pass
		Inner_Full	21.08	/	/	22.08	/	/	<=33.01	Pass
		Inner_1RB_Left	21.32	/	/	22.32	/	/	<=33.01	Pass
		Inner_1RB_Right	21.17	/	/	22.17	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	19.86	/	/	20.86	/	/	<=33.01	Pass
		Edge_1RB_Right	19.95	/	/	20.95	/	/	<=33.01	Pass
		Outer_Full	19.94	/	/	20.94	/	/	<=33.01	Pass
		Inner_Full	21.36	/	/	22.36	/	/	<=33.01	Pass
		Inner_1RB_Left	21.19	/	/	22.19	/	/	<=33.01	Pass
		Inner_1RB_Right	21.35	/	/	22.35	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	19.96	/	/	20.96	/	/	<=33.01	Pass
		Edge_1RB_Right	20.22	/	/	21.22	/	/	<=33.01	Pass
		Outer_Full	19.93	/	/	20.93	/	/	<=33.01	Pass
		Inner_Full	21.40	/	/	22.40	/	/	<=33.01	Pass
		Inner_1RB_Left	21.37	/	/	22.37	/	/	<=33.01	Pass

		Inner 1RB Right	21.69	/	/	22.69	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1860	Edge 1RB Left	19.80	/	/	20.80	/	/	<=33.01	Pass
		Edge 1RB Right	19.75	/	/	20.75	/	/	<=33.01	Pass
		Outer Full	18.14	/	/	19.14	/	/	<=33.01	Pass
		Inner Full	20.65	/	/	21.65	/	/	<=33.01	Pass
		Inner 1RB Left	20.86	/	/	21.86	/	/	<=33.01	Pass
		Inner 1RB Right	20.69	/	/	21.69	/	/	<=33.01	Pass
	1880	Edge 1RB Left	19.75	/	/	20.75	/	/	<=33.01	Pass
		Edge 1RB Right	19.89	/	/	20.89	/	/	<=33.01	Pass
		Outer Full	18.40	/	/	19.40	/	/	<=33.01	Pass
		Inner Full	20.97	/	/	21.97	/	/	<=33.01	Pass
		Inner 1RB Left	20.81	/	/	21.81	/	/	<=33.01	Pass
		Inner 1RB Right	20.89	/	/	21.89	/	/	<=33.01	Pass
	1900	Edge 1RB Left	19.84	/	/	20.84	/	/	<=33.01	Pass
		Edge 1RB Right	20.25	/	/	21.25	/	/	<=33.01	Pass
		Outer Full	18.42	/	/	19.42	/	/	<=33.01	Pass
		Inner Full	21.00	/	/	22.00	/	/	<=33.01	Pass
		Inner 1RB Left	20.92	/	/	21.92	/	/	<=33.01	Pass
		Inner 1RB Right	21.14	/	/	22.14	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1860	Edge 1RB Left	19.48	/	/	20.48	/	/	<=33.01	Pass
		Edge 1RB Right	19.23	/	/	20.23	/	/	<=33.01	Pass
		Outer Full	17.68	/	/	18.68	/	/	<=33.01	Pass
		Inner Full	19.11	/	/	20.11	/	/	<=33.01	Pass
		Inner 1RB Left	19.43	/	/	20.43	/	/	<=33.01	Pass
		Inner 1RB Right	19.23	/	/	20.23	/	/	<=33.01	Pass
	1880	Edge 1RB Left	19.31	/	/	20.31	/	/	<=33.01	Pass
		Edge 1RB Right	19.43	/	/	20.43	/	/	<=33.01	Pass
		Outer Full	17.91	/	/	18.91	/	/	<=33.01	Pass
		Inner Full	19.43	/	/	20.43	/	/	<=33.01	Pass
		Inner 1RB Left	19.23	/	/	20.23	/	/	<=33.01	Pass
		Inner 1RB Right	19.42	/	/	20.42	/	/	<=33.01	Pass
	1900	Edge 1RB Left	19.39	/	/	20.39	/	/	<=33.01	Pass
		Edge 1RB Right	19.67	/	/	20.67	/	/	<=33.01	Pass
		Outer Full	18.00	/	/	19.00	/	/	<=33.01	Pass
		Inner Full	19.40	/	/	20.40	/	/	<=33.01	Pass
		Inner 1RB Left	19.43	/	/	20.43	/	/	<=33.01	Pass
		Inner 1RB Right	19.69	/	/	20.69	/	/	<=33.01	Pass
CP-OFDM 256 QAM	1860	Edge 1RB Left	16.06	/	/	17.06	/	/	<=33.01	Pass
		Edge 1RB Right	15.89	/	/	16.89	/	/	<=33.01	Pass
		Outer Full	16.14	/	/	17.14	/	/	<=33.01	Pass
		Inner Full	16.05	/	/	17.05	/	/	<=33.01	Pass
		Inner 1RB Left	16.09	/	/	17.09	/	/	<=33.01	Pass
		Inner 1RB Right	15.93	/	/	16.93	/	/	<=33.01	Pass
	1880	Edge 1RB Left	15.96	/	/	16.96	/	/	<=33.01	Pass
		Edge 1RB Right	16.03	/	/	17.03	/	/	<=33.01	Pass
		Outer Full	16.33	/	/	17.33	/	/	<=33.01	Pass
		Inner Full	16.34	/	/	17.34	/	/	<=33.01	Pass
		Inner 1RB Left	15.89	/	/	16.89	/	/	<=33.01	Pass
		Inner 1RB Right	16.09	/	/	17.09	/	/	<=33.01	Pass
	1900	Edge 1RB Left	16.09	/	/	17.09	/	/	<=33.01	Pass
		Edge 1RB Right	16.36	/	/	17.36	/	/	<=33.01	Pass
		Outer Full	16.41	/	/	17.41	/	/	<=33.01	Pass
		Inner Full	16.34	/	/	17.34	/	/	<=33.01	Pass



Report No.: SUCR260400030107

Page: 14 of 14

		Inner_1RB_Left	16.12	/	/	17.12	/	/	<=33.01	Pass
		Inner_1RB_Right	16.39	/	/	17.39	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 1.00dBi; Note2: EIRP=Conducted Power+Antenna Gain										

---End of Attachment---