



Report No.: SUCR260400030006

Page: 1 of 55

Appendix B.1

1.1. Test Band = LTE Band 2_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206	46.11	-24.79	24.78	-49.16	-13.00	36.16	Horizontal
2	2533.5	48.97	-23.30	27.26	-42.33	-13.00	29.33	Horizontal
3	3877.5	50.98	-48.27	29.10	-63.44	-13.00	50.44	Horizontal
4	5448.75	52.01	-47.67	32.46	-58.46	-13.00	45.46	Horizontal
5	7178.25	51.85	-46.12	35.82	-53.71	-13.00	40.71	Horizontal
6	12728.25	52.69	-39.28	38.96	-42.89	-13.00	29.89	Horizontal

1.2. Test Band = LTE Band 2_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1225.5	46.20	-24.88	24.71	-49.23	-13.00	36.23	Vertical
2	2462	48.81	-23.27	27.13	-42.59	-13.00	29.59	Vertical
3	3702	51.53	-48.50	28.82	-63.41	-13.00	50.41	Vertical
4	4914	50.94	-48.03	31.01	-61.34	-13.00	48.34	Vertical
5	7249.5	51.38	-46.18	35.95	-54.11	-13.00	41.11	Vertical
6	10302.75	51.20	-41.15	39.01	-46.20	-13.00	33.20	Vertical



Report No.: SUCR260400030006

Page: 2 of 55

1.3. Test Band = LTE Band 2_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1273	46.33	-25.10	24.54	-49.49	-13.00	36.49	Horizontal
2	2287	48.33	-23.42	26.82	-43.53	-13.00	30.53	Horizontal
3	3912.75	50.67	-48.28	29.16	-63.71	-13.00	50.71	Horizontal
4	5403.75	52.05	-47.72	32.33	-58.60	-13.00	45.60	Horizontal
5	7845.75	51.42	-45.16	36.33	-52.67	-13.00	39.67	Horizontal
6	11401.5	51.27	-40.08	39.46	-44.61	-13.00	31.61	Horizontal

1.4. Test Band = LTE Band 2_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1267.5	46.34	-25.08	24.56	-49.43	-13.00	36.43	Vertical
2	2470.5	48.71	-23.23	27.15	-42.64	-13.00	29.64	Vertical
3	4319.25	49.79	-47.84	29.81	-63.50	-13.00	50.50	Vertical
4	5911.5	51.60	-47.19	32.76	-58.09	-13.00	45.09	Vertical
5	9427.5	52.60	-42.86	38.00	-47.52	-13.00	34.52	Vertical
6	12762.75	52.67	-39.29	38.94	-42.94	-13.00	29.94	Vertical



Report No.: SUCR260400030006

Page: 3 of 55

1.5. Test Band = LTE Band 2_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1203.5	46.04	-24.78	24.79	-49.21	-13.00	36.21	Horizontal
2	2660.5	49.36	-23.24	27.49	-41.65	-13.00	28.65	Horizontal
3	3876.75	50.77	-48.26	29.10	-63.65	-13.00	50.65	Horizontal
4	6445.5	51.36	-46.96	34.49	-56.36	-13.00	43.36	Horizontal
5	8416.5	51.60	-44.14	36.76	-51.04	-13.00	38.04	Horizontal
6	12017.25	52.10	-39.46	39.39	-43.23	-13.00	30.23	Horizontal

1.6. Test Band = LTE Band 2_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1261.5	46.52	-25.05	24.58	-49.20	-13.00	36.20	Vertical
2	2686.5	49.79	-23.06	27.54	-40.99	-13.00	27.99	Vertical
3	4320.75	50.08	-47.85	29.81	-63.22	-13.00	50.22	Vertical
4	7859.25	52.26	-45.23	36.33	-51.90	-13.00	38.90	Vertical
5	11401.5	51.11	-40.08	39.46	-44.77	-13.00	31.77	Vertical
6	16797	55.21	-37.56	38.72	-38.90	-13.00	25.90	Vertical



Report No.: SUCR260400030006

Page: 4 of 55

1.7. Test Band = LTE Band 4_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1264	38.13	-25.06	24.58	-57.61	-13.00	44.61	Horizontal
2	2561.5	39.85	-23.45	27.31	-51.55	-13.00	38.55	Horizontal
3	4003.125	46.78	-48.18	29.31	-67.35	-13.00	54.35	Horizontal
4	6808.875	46.03	-46.88	35.19	-60.91	-13.00	47.91	Horizontal
5	8833.5	44.46	-44.00	37.22	-57.59	-13.00	44.59	Horizontal
6	12000	39.18	-39.42	39.40	-56.10	-13.00	43.10	Horizontal

1.8. Test Band = LTE Band 4_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1238	38.04	-24.94	24.67	-57.49	-13.00	44.49	Vertical
2	2692.5	40.16	-23.01	27.55	-50.57	-13.00	37.57	Vertical
3	3756	46.59	-48.33	28.91	-68.09	-13.00	55.09	Vertical
4	6077.625	46.56	-47.41	33.09	-63.01	-13.00	50.01	Vertical
5	9423.375	43.99	-42.89	37.99	-56.17	-13.00	43.17	Vertical
6	13727.625	37.60	-38.26	39.89	-56.03	-13.00	43.03	Vertical



Report No.: SUCR260400030006

Page: 5 of 55

1.9. Test Band = LTE Band 4_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1237	37.91	-24.93	24.67	-57.61	-13.00	44.61	Horizontal
2	2675	40.02	-23.14	27.52	-50.86	-13.00	37.86	Horizontal
3	3945	46.56	-48.24	29.21	-67.73	-13.00	54.73	Horizontal
4	5501.25	46.76	-47.61	32.60	-63.51	-13.00	50.51	Horizontal
5	8434.875	44.53	-44.17	36.78	-58.12	-13.00	45.12	Horizontal
6	12031.125	39.03	-39.49	39.38	-56.33	-13.00	43.33	Horizontal

1.10. Test Band = LTE Band 4_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197	37.89	-24.78	24.80	-57.35	-13.00	44.35	Vertical
2	2482	39.51	-23.19	27.17	-51.77	-13.00	38.77	Vertical
3	3899.625	46.65	-48.29	29.14	-67.76	-13.00	54.76	Vertical
4	5493	46.16	-47.62	32.58	-64.14	-13.00	51.14	Vertical
5	7791.75	44.56	-44.93	36.34	-59.29	-13.00	46.29	Vertical
6	12009.75	39.04	-39.44	39.39	-56.27	-13.00	43.27	Vertical



Report No.: SUCR260400030006

Page: 6 of 55

1.11. Test Band = LTE Band 4_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1257	37.94	-25.03	24.60	-57.75	-13.00	44.75	Horizontal
2	2523	39.67	-23.24	27.24	-51.59	-13.00	38.59	Horizontal
3	3897.75	47.13	-48.29	29.14	-67.28	-13.00	54.28	Horizontal
4	5368.125	46.89	-47.74	32.23	-63.88	-13.00	50.88	Horizontal
5	7840.875	44.79	-45.13	36.33	-59.27	-13.00	46.27	Horizontal
6	11383.5	39.57	-40.14	39.46	-56.37	-13.00	43.37	Horizontal

1.12. Test Band = LTE Band 4_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206.5	37.98	-24.79	24.78	-57.29	-13.00	44.29	Vertical
2	2677	40.42	-23.12	27.52	-50.44	-13.00	37.44	Vertical
3	3937.5	46.02	-48.25	29.20	-68.29	-13.00	55.29	Vertical
4	7158.75	45.24	-46.05	35.79	-60.28	-13.00	47.28	Vertical
5	9424.5	44.25	-42.88	37.99	-55.90	-13.00	42.90	Vertical
6	12640.125	38.88	-39.10	39.02	-56.47	-13.00	43.47	Vertical



Report No.: SUCR260400030006

Page: 7 of 55

1.13. Test Band = LTE Band 5_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1308.8889	50.17	-50.12	24.42	-70.79	-13.00	57.79	Horizontal
2	1667.5556	49.64	-49.79	25.60	-69.81	-13.00	56.81	Horizontal
3	2725.3333	52.01	-48.92	27.61	-64.56	-13.00	51.56	Horizontal
4	3918.6667	50.37	-48.42	29.17	-64.14	-13.00	51.14	Horizontal
5	5425.3333	51.80	-47.43	32.39	-58.50	-13.00	45.50	Horizontal
6	7332.4444	51.35	-46.05	36.10	-53.86	-13.00	40.86	Horizontal

1.14. Test Band = LTE Band 5_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240	49.83	-50.19	24.66	-70.96	-13.00	57.96	Vertical
2	1716	49.74	-49.74	25.67	-69.59	-13.00	56.59	Vertical
3	2975.5556	50.61	-48.41	28.06	-65.00	-13.00	52.00	Vertical
4	3951.5556	50.29	-48.39	29.22	-64.14	-13.00	51.14	Vertical
5	5398.6667	52.21	-47.45	32.32	-58.18	-13.00	45.18	Vertical
6	7231.1111	51.78	-46.15	35.92	-53.72	-13.00	40.72	Vertical



Report No.: SUCR260400030006

Page: 8 of 55

1.15. Test Band = LTE Band 5_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1224.4444	50.38	-50.21	24.71	-70.37	-13.00	57.37	Horizontal
2	1698.2222	49.88	-49.72	25.65	-69.46	-13.00	56.46	Horizontal
3	2563.5556	51.96	-49.07	27.31	-65.06	-13.00	52.06	Horizontal
4	3309.7778	51.27	-48.64	28.35	-64.28	-13.00	51.28	Horizontal
5	4439.1111	50.74	-48.11	30.00	-62.63	-13.00	49.63	Horizontal
6	6434.2222	51.45	-47.19	34.45	-56.55	-13.00	43.55	Horizontal

1.16. Test Band = LTE Band 5_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1207.5556	50.05	-50.22	24.77	-70.66	-13.00	57.66	Vertical
2	1621.7778	49.74	-49.88	25.53	-69.87	-13.00	56.87	Vertical
3	2326.2222	51.30	-49.22	26.89	-66.29	-13.00	53.29	Vertical
4	3826.6667	50.26	-48.42	29.02	-64.39	-13.00	51.39	Vertical
5	4768.4444	50.40	-48.04	30.69	-62.21	-13.00	49.21	Vertical
6	6706.2222	51.29	-46.71	35.03	-55.65	-13.00	42.65	Vertical



Report No.: SUCR260400030006

Page: 9 of 55

1.17. Test Band = LTE Band 5_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1218.6667	50.24	-50.21	24.73	-70.50	-13.00	57.50	Horizontal
2	2094.2222	50.72	-49.47	26.47	-67.54	-13.00	54.54	Horizontal
3	3399.5556	51.38	-48.69	28.42	-64.15	-13.00	51.15	Horizontal
4	4446.6667	50.54	-48.12	30.01	-62.83	-13.00	49.83	Horizontal
5	5473.3333	51.36	-47.40	32.53	-58.78	-13.00	45.78	Horizontal
6	7241.3333	51.74	-46.14	35.93	-53.73	-13.00	40.73	Horizontal

1.18. Test Band = LTE Band 5_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1162.6667	49.55	-50.13	24.82	-71.02	-13.00	58.02	Vertical
2	1528.4444	49.87	-49.86	25.00	-70.25	-13.00	57.25	Vertical
3	2735.5556	51.44	-48.89	27.62	-65.08	-13.00	52.08	Vertical
4	4072.4444	49.49	-48.28	29.42	-64.64	-13.00	51.64	Vertical
5	5473.3333	52.02	-47.40	32.53	-58.12	-13.00	45.12	Vertical
6	6709.7778	51.57	-46.72	35.04	-55.38	-13.00	42.38	Vertical



Report No.: SUCR260400030006

Page: 10 of 55

1.19. Test Band = LTE Band 7_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1274	38.10	-25.11	24.54	-57.73	-25.00	32.73	Horizontal
2	1798	37.34	-23.21	25.80	-55.34	-25.00	30.34	Horizontal
3	3587.5	51.07	-48.28	28.64	-63.83	-25.00	38.83	Horizontal
4	5418.5	52.31	-47.70	32.37	-58.28	-25.00	33.28	Horizontal
5	7261	52.12	-46.18	35.97	-53.35	-25.00	28.35	Horizontal
6	10910	50.89	-40.08	39.44	-45.01	-25.00	20.01	Horizontal

1.20. Test Band = LTE Band 7_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1249.5	38.01	-24.99	24.63	-57.62	-25.00	32.62	Vertical
2	1800.5	37.71	-23.20	25.80	-54.95	-25.00	29.95	Vertical
3	3297	51.18	-48.03	28.34	-63.78	-25.00	38.78	Vertical
4	4948	51.57	-48.02	31.09	-60.62	-25.00	35.62	Vertical
5	7572.5	50.51	-45.01	36.39	-53.37	-25.00	28.37	Vertical
6	10717.5	51.03	-40.96	39.30	-45.89	-25.00	20.89	Vertical



Report No.: SUCR260400030006

Page: 11 of 55

1.21. Test Band = LTE Band 7_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1275.5	37.87	-25.11	24.54	-57.97	-25.00	32.97	Horizontal
2	1834	37.39	-23.42	25.89	-55.41	-25.00	30.41	Horizontal
3	3532.5	50.75	-48.29	28.55	-64.24	-25.00	39.24	Horizontal
4	6423.5	52.29	-46.94	34.41	-55.50	-25.00	30.50	Horizontal
5	9469.5	53.11	-42.58	38.06	-46.67	-25.00	21.67	Horizontal
6	12776	53.27	-39.29	38.93	-42.35	-25.00	17.35	Horizontal

1.22. Test Band = LTE Band 7_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1290	37.93	-25.18	24.49	-58.03	-25.00	33.03	Vertical
2	1932	38.19	-23.63	26.13	-54.57	-25.00	29.57	Vertical
3	3947	50.95	-48.24	29.22	-63.33	-25.00	38.33	Vertical
4	6243.5	52.03	-47.45	33.73	-56.95	-25.00	31.95	Vertical
5	8398.5	51.90	-44.12	36.74	-50.74	-25.00	25.74	Vertical
6	12023	52.21	-39.47	39.39	-43.13	-25.00	18.13	Vertical



Report No.: SUCR260400030006
Page: 12 of 55

1.23. Test Band = LTE Band 7_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1315.5	37.77	-25.28	24.40	-58.37	-25.00	33.37	Horizontal
2	2040	38.45	-23.10	26.37	-53.53	-25.00	28.53	Horizontal
3	3787	50.55	-48.22	28.96	-63.97	-25.00	38.97	Horizontal
4	4936	51.60	-48.02	31.06	-60.62	-25.00	35.62	Horizontal
5	6462.5	51.58	-46.97	34.56	-56.09	-25.00	31.09	Horizontal
6	11796.5	51.54	-39.86	39.42	-44.16	-25.00	19.16	Horizontal

1.24. Test Band = LTE Band 7_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1308	37.95	-25.25	24.42	-58.14	-25.00	33.14	Vertical
2	1798.5	37.32	-23.21	25.80	-55.35	-25.00	30.35	Vertical
3	3399.5	50.60	-48.41	28.42	-64.65	-25.00	39.65	Vertical
4	4744.5	50.49	-47.98	30.64	-62.11	-25.00	37.11	Vertical
5	6345.5	52.14	-47.14	34.11	-56.15	-25.00	31.15	Vertical
6	8681.5	52.96	-44.09	37.05	-49.34	-25.00	24.34	Vertical



Report No.: SUCR260400030006

Page: 13 of 55

1.25. Test Band = LTE Band 12_ TM1

1.25.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1192	49.90	-50.21	24.80	-70.76	-13.00	57.76	Horizontal
2	1665.5	49.87	-49.79	25.60	-69.58	-13.00	56.58	Horizontal
3	2392.5	51.46	-49.45	27.01	-66.25	-13.00	53.25	Horizontal
4	3062.5	51.60	-48.68	28.15	-64.19	-13.00	51.19	Horizontal
5	4911.5	51.15	-48.15	31.01	-61.25	-13.00	48.25	Horizontal
6	6773	51.66	-46.88	35.14	-55.34	-13.00	42.34	Horizontal

1.26. Test Band = LTE Band 12_ TM1

1.26.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1129	49.92	-50.03	24.84	-70.54	-13.00	57.54	Vertical
2	1614.5	49.40	-49.90	25.52	-70.24	-13.00	57.24	Vertical
3	2106	50.34	-49.46	26.49	-67.89	-13.00	54.89	Vertical
4	2818	51.11	-48.70	27.77	-65.08	-13.00	52.08	Vertical
5	4352.5	49.60	-48.04	29.86	-63.83	-13.00	50.83	Vertical
6	7666.5	50.88	-45.08	36.37	-53.09	-13.00	40.09	Vertical



Report No.: SUCR260400030006

Page: 14 of 55

1.27. Test Band = LTE Band 12_ TM1

1.27.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1251	50.18	-50.18	24.62	-70.64	-13.00	57.64	Horizontal
2	1668.5	49.75	-49.79	25.60	-69.69	-13.00	56.69	Horizontal
3	2664.5	51.85	-49.06	27.50	-64.97	-13.00	51.97	Horizontal
4	3928.5	50.15	-48.41	29.19	-64.33	-13.00	51.33	Horizontal
5	5737.5	51.18	-47.58	32.70	-58.97	-13.00	45.97	Horizontal
6	7430.5	51.04	-46.07	36.27	-54.01	-13.00	41.01	Horizontal

1.28. Test Band = LTE Band 12_ TM1

1.28.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1156.5	49.45	-50.11	24.82	-71.10	-13.00	58.10	Vertical
2	1591	49.51	-49.92	25.44	-70.23	-40.00	30.23	Vertical
3	2319	50.85	-49.20	26.87	-66.73	-13.00	53.73	Vertical
4	3817.5	50.13	-48.41	29.01	-64.54	-13.00	51.54	Vertical
5	5338.5	51.54	-47.67	32.15	-59.25	-13.00	46.25	Vertical
6	7262	51.15	-46.12	35.97	-54.26	-13.00	41.26	Vertical



Report No.: SUCR260400030006

Page: 15 of 55

1.29. Test Band = LTE Band 12_ TM1

1.29.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1233.5	51.26	-50.20	24.68	-69.51	-13.00	56.51	Horizontal
2	1886	49.76	-49.76	26.02	-69.25	-13.00	56.25	Horizontal
3	2720.5	51.79	-48.93	27.60	-64.81	-13.00	51.81	Horizontal
4	3598	51.24	-48.48	28.66	-63.84	-13.00	50.84	Horizontal
5	5101.5	50.74	-47.92	31.48	-60.96	-13.00	47.96	Horizontal
6	7104.5	50.79	-45.99	35.69	-54.77	-13.00	41.77	Horizontal

1.30. Test Band = LTE Band 12_ TM1

1.30.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1220	49.67	-50.21	24.73	-71.07	-13.00	58.07	Vertical
2	1692.5	49.63	-49.74	25.64	-69.73	-13.00	56.73	Vertical
3	2298.5	50.93	-49.14	26.84	-66.63	-13.00	53.63	Vertical
4	2900	50.82	-48.78	27.92	-65.30	-13.00	52.30	Vertical
5	3869	50.37	-48.42	29.09	-64.22	-13.00	51.22	Vertical
6	5891.5	51.40	-47.08	32.76	-58.18	-13.00	45.18	Vertical



Report No.: SUCR260400030006

Page: 16 of 55

1.31. Test Band = LTE Band 13_10M_ TM1

1.31.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1251.5	50.91	-50.18	24.62	-69.91	-13.00	56.91	Horizontal
2	1927.5	50.34	-49.73	26.12	-68.53	-13.00	55.53	Horizontal
3	2726	51.42	-48.92	27.61	-65.15	-13.00	52.15	Horizontal
4	4182	49.24	-48.34	29.59	-64.77	-13.00	51.77	Horizontal
5	5388.5	51.46	-47.48	32.29	-59.00	-13.00	46.00	Horizontal
6	6820.5	51.41	-46.85	35.21	-55.48	-13.00	42.48	Horizontal

1.32. Test Band = LTE Band 13_10M_ TM1

1.32.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1207.5	49.26	-50.22	24.77	-71.45	-13.00	58.45	Vertical
2	1585.5	49.20	-49.92	25.40	-70.58	-40.00	30.58	Vertical
3	2121	50.41	-49.47	26.52	-67.80	-13.00	54.80	Vertical
4	3052	51.53	-48.62	28.14	-64.21	-13.00	51.21	Vertical
5	3908.5	50.62	-48.42	29.15	-63.91	-13.00	50.91	Vertical
6	5734	51.25	-47.57	32.69	-58.89	-13.00	45.89	Vertical



Report No.: SUCR260400030006

Page: 17 of 55

1.33. Test Band = LTE Band 13_5M_ TM1

1.33.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1165.5	49.91	-50.13	24.82	-70.67	-13.00	57.67	Horizontal
2	1465.5	49.97	-49.89	24.56	-70.62	-13.00	57.62	Horizontal
3	1879.5	49.32	-49.77	26.00	-69.71	-13.00	56.71	Horizontal
4	2339.5	51.09	-49.27	26.91	-66.53	-13.00	53.53	Horizontal
5	3031	51.36	-48.49	28.12	-64.26	-13.00	51.26	Horizontal
6	5406.5	52.04	-47.44	32.34	-58.32	-13.00	45.32	Horizontal

1.34. Test Band = LTE Band 13_5M_ TM1

1.34.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1122	49.69	-50.01	24.84	-70.74	-13.00	57.74	Vertical
2	1411.5	49.68	-49.99	24.18	-71.39	-13.00	58.39	Vertical
3	1781	49.26	-49.82	25.77	-70.05	-13.00	57.05	Vertical
4	2599	51.42	-49.17	27.38	-65.63	-13.00	52.63	Vertical
5	5289.5	51.34	-47.84	32.01	-59.75	-13.00	46.75	Vertical
6	8388	51.48	-44.07	36.73	-51.12	-13.00	38.12	Vertical



Report No.: SUCR260400030006

Page: 18 of 55

1.35. Test Band = LTE Band 13_5M_ TM1

1.35.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196	49.83	-50.22	24.80	-70.85	-13.00	57.85	Horizontal
2	1701	49.57	-49.72	25.65	-69.76	-13.00	56.76	Horizontal
3	2349.5	50.98	-49.30	26.93	-66.65	-13.00	53.65	Horizontal
4	3053	51.55	-48.62	28.14	-64.19	-13.00	51.19	Horizontal
5	4391	49.90	-48.04	29.93	-63.47	-13.00	50.47	Horizontal
6	6247	52.10	-47.43	33.74	-56.85	-13.00	43.85	Horizontal

1.36. Test Band = LTE Band 13_5M_ TM1

1.36.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1163.5	49.45	-50.13	24.82	-71.12	-13.00	58.12	Vertical
2	1521.5	49.54	-49.85	24.95	-70.62	-13.00	57.62	Vertical
3	2162.5	50.63	-49.48	26.59	-67.52	-13.00	54.52	Vertical
4	3308	51.19	-48.63	28.35	-64.36	-13.00	51.36	Vertical
5	4576	50.10	-48.08	30.27	-62.98	-13.00	49.98	Vertical
6	6439.5	51.20	-47.18	34.47	-56.77	-13.00	43.77	Vertical



Report No.: SUCR260400030006

Page: 19 of 55

1.37. Test Band = LTE Band 13_5M_ TM1

1.37.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1096	49.74	-49.90	24.85	-70.57	-13.00	57.57	Horizontal
2	1466	49.78	-49.89	24.56	-70.81	-13.00	57.81	Horizontal
3	2028.5	50.40	-49.61	26.35	-68.12	-13.00	55.12	Horizontal
4	2695	51.63	-49.01	27.55	-65.09	-13.00	52.09	Horizontal
5	3895.5	50.45	-48.43	29.13	-64.11	-13.00	51.11	Horizontal
6	6285.5	51.71	-47.38	33.88	-57.04	-13.00	44.04	Horizontal

1.38. Test Band = LTE Band 13_5M_ TM1

1.38.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1213	49.31	-50.22	24.75	-71.41	-13.00	58.41	Vertical
2	1689	49.12	-49.74	25.63	-70.25	-13.00	57.25	Vertical
3	2104	50.13	-49.46	26.49	-68.10	-13.00	55.10	Vertical
4	3169	51.37	-48.71	28.24	-64.37	-13.00	51.37	Vertical
5	4250.5	49.32	-48.19	29.70	-64.43	-13.00	51.43	Vertical
6	6319	51.40	-47.34	34.01	-57.19	-13.00	44.19	Vertical



Report No.: SUCR260400030006

Page: 20 of 55

1.39. Test Band = LTE Band 14_5M_ TM1

1.39.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1254.6667	47.59	-50.18	24.61	-73.24	-13.00	60.24	Horizontal
2	1904	45.07	-49.75	26.06	-73.88	-13.00	60.88	Horizontal
3	2608	46.24	-49.16	27.39	-70.78	-13.00	57.78	Horizontal
4	4393.7778	45.38	-48.04	29.93	-67.99	-13.00	54.99	Horizontal
5	6048.4444	45.34	-47.31	32.98	-64.25	-13.00	51.25	Horizontal
6	7842.6667	43.87	-45.25	36.33	-60.31	-13.00	47.31	Horizontal

1.40. Test Band = LTE Band 14_5M_ TM1

1.40.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1248.8889	47.04	-50.18	24.63	-73.77	-13.00	60.77	Vertical
2	1898.2222	44.09	-49.75	26.05	-74.88	-13.00	61.88	Vertical
3	2324	46.89	-49.21	26.88	-70.70	-13.00	57.70	Vertical
4	3264.8889	44.65	-48.63	28.31	-70.92	-13.00	57.92	Vertical
5	4450.2222	44.63	-48.13	30.02	-68.74	-13.00	55.74	Vertical
6	6738.6667	44.19	-46.79	35.08	-62.78	-13.00	49.78	Vertical



Report No.: SUCR260400030006

Page: 21 of 55

1.41. Test Band = LTE Band 14_5M_ TM1

1.41.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196.8889	47.99	-50.22	24.80	-72.69	-13.00	59.69	Horizontal
2	1574.6667	46.42	-49.90	25.32	-73.42	-40.00	33.42	Horizontal
3	2211.5556	47.14	-49.45	26.68	-70.89	-13.00	57.89	Horizontal
4	2820	45.67	-48.70	27.78	-70.51	-13.00	57.51	Horizontal
5	3993.3333	44.94	-48.36	29.29	-69.39	-13.00	56.39	Horizontal
6	6102.6667	45.14	-47.02	33.19	-63.95	-13.00	50.95	Horizontal

1.42. Test Band = LTE Band 14_5M_ TM1

1.42.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1159.5556	45.97	-50.12	24.82	-74.59	-13.00	61.59	Vertical
2	1540.8889	45.14	-49.87	25.09	-74.90	-13.00	61.90	Vertical
3	2104	45.97	-49.46	26.49	-72.26	-13.00	59.26	Vertical
4	2897.3333	44.93	-48.78	27.92	-71.19	-13.00	58.19	Vertical
5	4087.1111	43.92	-48.27	29.44	-70.17	-13.00	57.17	Vertical
6	5939.1111	44.44	-47.25	32.78	-65.29	-13.00	52.29	Vertical



Report No.: SUCR260400030006

Page: 22 of 55

1.43. Test Band = LTE Band 14_5M_ TM1

1.43.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196.4444	47.41	-50.22	24.80	-73.27	-13.00	60.27	Horizontal
2	1536	47.24	-49.87	25.05	-72.83	-13.00	59.83	Horizontal
3	2212.4444	46.94	-49.45	26.68	-71.08	-13.00	58.08	Horizontal
4	2750.2222	45.72	-48.84	27.65	-70.73	-13.00	57.73	Horizontal
5	3774.6667	45.13	-48.48	28.94	-69.67	-13.00	56.67	Horizontal
6	5396.8889	45.83	-47.45	32.31	-64.57	-13.00	51.57	Horizontal

1.44. Test Band = LTE Band 14_5M_ TM1

1.44.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1319.5556	46.43	-50.11	24.38	-74.55	-13.00	61.55	Vertical
2	1764.8889	43.77	-49.80	25.75	-75.54	-13.00	62.54	Vertical
3	2407.5556	47.16	-49.44	27.03	-70.50	-13.00	57.50	Vertical
4	3265.3333	44.47	-48.63	28.31	-71.10	-13.00	58.10	Vertical
5	4586.6667	44.55	-48.06	30.29	-68.48	-13.00	55.48	Vertical
6	6869.3333	44.06	-46.62	35.29	-62.53	-13.00	49.53	Vertical



Report No.: SUCR260400030006

Page: 23 of 55

1.45. Test Band = LTE Band 14_10M_ TM1

1.45.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1232	47.13	-50.20	24.69	-73.64	-13.00	60.64	Horizontal
2	2053.3333	46.03	-49.56	26.40	-72.39	-13.00	59.39	Horizontal
3	2601.7778	46.36	-49.17	27.38	-70.68	-13.00	57.68	Horizontal
4	3474.2222	45.24	-48.50	28.48	-70.04	-13.00	57.04	Horizontal
5	4573.3333	44.87	-48.09	30.26	-68.22	-13.00	55.22	Horizontal
6	6460	44.39	-47.15	34.55	-63.47	-13.00	50.47	Horizontal

1.46. Test Band = LTE Band 14_10M_ TM1

1.46.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1128.4444	46.65	-50.03	24.84	-73.80	-13.00	60.80	Vertical
2	1416	45.90	-49.98	24.21	-75.13	-13.00	62.13	Vertical
3	1969.3333	44.35	-49.69	26.22	-74.38	-13.00	61.38	Vertical
4	2499.5556	45.70	-48.90	27.20	-71.26	-13.00	58.26	Vertical
5	3395.1111	45.34	-48.69	28.42	-70.19	-13.00	57.19	Vertical
6	5060.8889	43.96	-47.94	31.37	-67.87	-13.00	54.87	Vertical



Report No.: SUCR260400030006

Page: 24 of 55

1.47. Test Band = LTE Band 17_ TM1

1.47.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208.4444	50.37	-50.22	24.77	-70.34	-13.00	57.34	Horizontal
2	1558.6667	50.26	-49.89	25.21	-69.68	-13.00	56.68	Horizontal
3	2183.1111	50.82	-49.48	26.63	-67.30	-13.00	54.30	Horizontal
4	3023.5556	51.35	-48.44	28.12	-64.23	-13.00	51.23	Horizontal
5	4088.4444	49.89	-48.27	29.44	-64.20	-13.00	51.20	Horizontal
6	6068.8889	51.92	-47.19	33.06	-57.47	-13.00	44.47	Horizontal

1.48. Test Band = LTE Band 17_ TM1

1.48.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206.2222	49.66	-50.22	24.78	-71.05	-13.00	58.05	Vertical
2	1609.7778	49.75	-49.91	25.51	-69.90	-13.00	56.90	Vertical
3	2299.1111	51.94	-49.13	26.84	-65.61	-13.00	52.61	Vertical
4	3280.8889	51.11	-48.63	28.32	-64.45	-13.00	51.45	Vertical
5	4825.3333	50.58	-48.06	30.82	-61.92	-13.00	48.92	Vertical
6	6277.3333	51.52	-47.39	33.85	-57.28	-13.00	44.28	Vertical



Report No.: SUCR260400030006

Page: 25 of 55

1.49. Test Band = LTE Band 17_ TM1

1.49.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1331.1111	50.42	-50.09	24.34	-70.59	-13.00	57.59	Horizontal
2	1813.3333	49.47	-49.83	25.83	-69.78	-13.00	56.78	Horizontal
3	2872	51.32	-48.75	27.87	-64.82	-13.00	51.82	Horizontal
4	4363.1111	50.35	-48.04	29.88	-63.07	-13.00	50.07	Horizontal
5	5889.7778	51.55	-47.09	32.76	-58.05	-13.00	45.05	Horizontal
6	7769.3333	51.58	-45.13	36.35	-52.46	-13.00	39.46	Horizontal

1.50. Test Band = LTE Band 17_ TM1

1.50.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1172.8889	49.64	-50.15	24.81	-70.96	-13.00	57.96	Vertical
2	1658.2222	49.92	-49.81	25.59	-69.56	-13.00	56.56	Vertical
3	2330.2222	51.31	-49.24	26.89	-66.29	-13.00	53.29	Vertical
4	3280.8889	51.45	-48.63	28.32	-64.11	-13.00	51.11	Vertical
5	4505.3333	50.78	-48.21	30.11	-62.58	-13.00	49.58	Vertical
6	6886.2222	50.99	-46.54	35.32	-55.50	-13.00	42.50	Vertical



Report No.: SUCR260400030006

Page: 26 of 55

1.51. Test Band = LTE Band 17_ TM1

1.51.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208.4444	50.18	-50.22	24.77	-70.53	-13.00	57.53	Horizontal
2	1518.2222	49.85	-49.85	24.93	-70.33	-13.00	57.33	Horizontal
3	2210.6667	51.31	-49.45	26.68	-66.72	-13.00	53.72	Horizontal
4	2812.8889	51.49	-48.69	27.76	-64.70	-13.00	51.70	Horizontal
5	3924.8889	50.44	-48.41	29.18	-64.05	-13.00	51.05	Horizontal
6	6114.6667	51.85	-47.08	33.24	-57.25	-13.00	44.25	Horizontal

1.52. Test Band = LTE Band 17_ TM1

1.52.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206.2222	49.69	-50.22	24.78	-71.02	-13.00	58.02	Vertical
2	1604.8889	49.64	-49.92	25.51	-70.03	-13.00	57.03	Vertical
3	2206.2222	51.40	-49.47	26.67	-66.66	-13.00	53.66	Vertical
4	3433.3333	51.05	-48.60	28.45	-64.37	-13.00	51.37	Vertical
5	5094.2222	50.60	-47.92	31.46	-61.12	-13.00	48.12	Vertical
6	7590.6667	50.23	-44.82	36.38	-53.47	-13.00	40.47	Vertical



Report No.: SUCR260400030006

Page: 27 of 55

1.53. Test Band = LTE Band 25_ TM1

1.53.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1245	46.56	-24.97	24.64	-49.03	-13.00	36.03	Horizontal
2	2410	48.64	-23.49	27.04	-43.07	-13.00	30.07	Horizontal
3	3589.5	51.17	-48.28	28.64	-63.73	-13.00	50.73	Horizontal
4	5085.75	50.61	-47.85	31.44	-61.06	-13.00	48.06	Horizontal
5	7794.75	51.21	-44.93	36.34	-52.63	-13.00	39.63	Horizontal
6	13182	52.12	-38.65	39.07	-42.71	-13.00	29.71	Horizontal

1.54. Test Band = LTE Band 25_ TM1

1.54.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1250.5	46.48	-25.00	24.62	-49.15	-13.00	36.15	Vertical
2	2323.5	48.42	-23.43	26.88	-43.39	-13.00	30.39	Vertical
3	3747	50.64	-48.35	28.90	-64.08	-13.00	51.08	Vertical
4	5483.25	51.36	-47.63	32.55	-58.98	-13.00	45.98	Vertical
5	9421.5	52.82	-42.90	37.99	-47.35	-13.00	34.35	Vertical
6	13443.75	52.40	-39.18	39.47	-42.57	-13.00	29.57	Vertical



Report No.: SUCR260400030006

Page: 28 of 55

1.55. Test Band = LTE Band 25_ TM1

1.55.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1274.5	46.45	-25.11	24.54	-49.38	-13.00	36.38	Horizontal
2	2456.5	48.74	-23.29	27.12	-42.69	-13.00	29.69	Horizontal
3	4031.25	50.24	-48.14	29.35	-63.81	-13.00	50.81	Horizontal
4	7271.25	51.64	-46.17	35.99	-53.80	-13.00	40.80	Horizontal
5	10893.75	50.62	-40.05	39.43	-45.27	-13.00	32.27	Horizontal
6	14880	53.83	-37.27	40.21	-38.48	-13.00	25.48	Horizontal

1.56. Test Band = LTE Band 25_ TM1

1.56.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1225	46.26	-24.88	24.71	-49.17	-13.00	36.17	Vertical
2	2338.5	48.44	-23.45	26.91	-43.36	-13.00	30.36	Vertical
3	3575.25	50.37	-48.28	28.62	-64.55	-13.00	51.55	Vertical
4	4875	50.67	-48.03	30.93	-61.69	-13.00	48.69	Vertical
5	6811.5	51.63	-46.87	35.20	-55.30	-13.00	42.30	Vertical
6	10895.25	50.67	-40.04	39.43	-45.21	-13.00	32.21	Vertical



Report No.: SUCR260400030006

Page: 29 of 55

1.57. Test Band = LTE Band 25_ TM1

1.57.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1218.5	46.25	-24.85	24.74	-49.12	-13.00	36.12	Horizontal
2	2293	48.10	-23.41	26.83	-43.74	-13.00	30.74	Horizontal
3	3594.75	50.58	-48.28	28.65	-64.31	-13.00	51.31	Horizontal
4	5440.5	51.99	-47.68	32.43	-58.51	-13.00	45.51	Horizontal
5	7792.5	51.44	-44.93	36.34	-52.41	-13.00	39.41	Horizontal
6	12661.5	52.40	-39.16	39.00	-43.02	-13.00	30.02	Horizontal

1.58. Test Band = LTE Band 25_ TM1

1.58.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1434	46.43	-25.26	24.34	-49.75	-13.00	36.75	Vertical
2	2688.5	49.67	-23.04	27.54	-41.09	-13.00	28.09	Vertical
3	4385.25	50.98	-48.06	29.92	-62.42	-13.00	49.42	Vertical
4	6634.5	51.10	-46.88	34.92	-56.12	-13.00	43.12	Vertical
5	10239	50.88	-41.75	38.97	-47.17	-13.00	34.17	Vertical
6	14946	53.95	-37.66	40.21	-38.76	-13.00	25.76	Vertical



Report No.: SUCR260400030006

Page: 30 of 55

1.59. Test Band = LTE Band 26(824-849)_ TM1

1.59.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1176	50.33	-50.16	24.81	-70.28	-13.00	57.28	Horizontal
2	1582.2222	49.94	-49.91	25.38	-69.86	-13.00	56.86	Horizontal
3	2110.6667	50.68	-49.46	26.50	-67.54	-13.00	54.54	Horizontal
4	3587.5556	51.33	-48.47	28.64	-63.76	-13.00	50.76	Horizontal
5	5412.4444	52.06	-47.43	32.35	-58.28	-13.00	45.28	Horizontal
6	7600	50.62	-44.67	36.38	-52.93	-13.00	39.93	Horizontal

1.60. Test Band = LTE Band 26(824-849)_ TM1

1.60.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1163.5556	49.96	-50.13	24.82	-70.61	-13.00	57.61	Vertical
2	1606.6667	49.52	-49.92	25.51	-70.15	-13.00	57.15	Vertical
3	2313.7778	50.93	-49.18	26.86	-66.64	-13.00	53.64	Vertical
4	3515.1111	50.69	-48.44	28.52	-64.48	-13.00	51.48	Vertical
5	5815.1111	51.93	-47.61	32.73	-58.22	-13.00	45.22	Vertical
6	7348.4444	51.23	-46.03	36.13	-53.93	-13.00	40.93	Vertical



Report No.: SUCR260400030006

Page: 31 of 55

1.61. Test Band = LTE Band 30_5M_ TM1

1.61.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1184	37.89	-24.86	24.81	-57.42	-40.00	17.42	Horizontal
2	2037	38.57	-23.10	26.37	-53.42	-40.00	13.42	Horizontal
3	3280.5	46.80	-48.06	28.32	-68.19	-40.00	28.19	Horizontal
4	5320	47.50	-47.77	32.10	-63.43	-40.00	23.43	Horizontal
5	8399.5	45.62	-44.11	36.74	-57.01	-40.00	17.01	Horizontal
6	13583	44.02	-39.07	39.67	-50.64	-40.00	10.64	Horizontal

1.62. Test Band = LTE Band 30_5M_ TM1

1.62.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1257.5	38.23	-25.03	24.60	-57.46	-40.00	17.46	Vertical
2	1724.5	37.32	-23.66	25.69	-55.91	-40.00	15.91	Vertical
3	3584.5	46.43	-48.28	28.64	-68.48	-40.00	28.48	Vertical
4	6160	47.05	-47.48	33.41	-62.28	-40.00	22.28	Vertical
5	9518	45.08	-42.35	38.13	-54.40	-40.00	14.40	Vertical
6	13726.5	44.27	-38.25	39.89	-49.35	-40.00	9.35	Vertical



Report No.: SUCR260400030006

Page: 32 of 55

1.63. Test Band = LTE Band 30_5M_ TM1

1.63.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1194.5	37.79	-24.79	24.80	-57.46	-40.00	17.46	Horizontal
2	1652.5	37.46	-24.37	25.58	-56.59	-40.00	16.59	Horizontal
3	3242.5	46.80	-48.10	28.29	-68.27	-40.00	28.27	Horizontal
4	4389	47.07	-48.07	29.92	-66.34	-40.00	26.34	Horizontal
5	6101	47.36	-47.38	33.18	-62.10	-40.00	22.10	Horizontal
6	8848	46.15	-44.01	37.23	-55.89	-40.00	15.89	Horizontal

1.64. Test Band = LTE Band 30_5M_ TM1

1.64.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1187	37.89	-24.84	24.81	-57.40	-40.00	17.40	Vertical
2	1667	37.35	-24.20	25.60	-56.51	-40.00	16.51	Vertical
3	3291	46.56	-48.04	28.33	-68.41	-40.00	28.41	Vertical
4	5439	47.11	-47.68	32.43	-63.40	-40.00	23.40	Vertical
5	8379.5	45.30	-44.20	36.72	-57.44	-40.00	17.44	Vertical
6	12666.5	43.78	-39.18	39.00	-51.66	-40.00	11.66	Vertical



Report No.: SUCR260400030006

Page: 33 of 55

1.65. Test Band = LTE Band 30_5M_ TM1

1.65.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196.5	37.96	-24.78	24.80	-57.28	-40.00	17.28	Horizontal
2	2703	40.06	-22.97	27.57	-50.60	-40.00	10.60	Horizontal
3	3935	47.15	-48.25	29.20	-67.17	-40.00	27.17	Horizontal
4	6079	47.43	-47.41	33.10	-62.14	-40.00	22.14	Horizontal
5	8796.5	46.40	-43.99	37.18	-55.68	-40.00	15.68	Horizontal
6	12723.5	44.55	-39.28	38.97	-51.02	-40.00	11.02	Horizontal

1.66. Test Band = LTE Band 30_5M_ TM1

1.66.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1246.5	38.14	-24.98	24.64	-57.46	-40.00	17.46	Vertical
2	1956.5	38.28	-23.45	26.19	-54.24	-40.00	14.24	Vertical
3	3599.5	46.98	-48.28	28.66	-67.90	-40.00	27.90	Vertical
4	5088.5	45.86	-47.84	31.45	-65.79	-40.00	25.79	Vertical
5	8587	45.76	-44.01	36.95	-56.56	-40.00	16.56	Vertical
6	12752	44.21	-39.29	38.95	-51.39	-40.00	11.39	Vertical



Report No.: SUCR260400030006

Page: 34 of 55

1.67. Test Band = LTE Band 30_10M_ TM1

1.67.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1233	37.97	-24.92	24.68	-57.52	-40.00	17.52	Horizontal
2	1799.5	37.22	-23.20	25.80	-55.44	-40.00	15.44	Horizontal
3	3521	47.01	-48.29	28.53	-68.00	-40.00	28.00	Horizontal
4	5847.5	47.27	-47.41	32.74	-62.66	-40.00	22.66	Horizontal
5	9464	45.77	-42.61	38.05	-54.06	-40.00	14.06	Horizontal
6	13367	43.96	-39.14	39.35	-51.09	-40.00	11.09	Horizontal

1.68. Test Band = LTE Band 30_10M_ TM1

1.68.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1282	37.97	-25.15	24.51	-57.92	-40.00	17.92	Vertical
2	1776	37.17	-23.35	25.76	-55.67	-40.00	15.67	Vertical
3	3501	46.74	-48.29	28.50	-68.31	-40.00	28.31	Vertical
4	5488	46.54	-47.62	32.57	-63.78	-40.00	23.78	Vertical
5	8816	46.26	-44.00	37.20	-55.80	-40.00	15.80	Vertical
6	12596.5	43.74	-39.02	39.04	-51.50	-40.00	11.50	Vertical



Report No.: SUCR260400030006

Page: 35 of 55

1.69. Test Band = LTE Band 38_ TM1

1.69.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1204	37.82	-24.78	24.79	-57.43	-25.00	32.43	Horizontal
2	1920.5	37.79	-23.71	26.10	-55.08	-25.00	30.08	Horizontal
3	3594.5	51.25	-48.28	28.65	-63.64	-25.00	38.64	Horizontal
4	5437	52.82	-47.68	32.42	-57.70	-25.00	32.70	Horizontal
5	7929.5	52.23	-45.11	36.31	-51.83	-25.00	26.83	Horizontal
6	11414.5	52.21	-40.08	39.46	-43.67	-25.00	18.67	Horizontal

1.70. Test Band = LTE Band 38_ TM1

1.70.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1277	38.01	-25.12	24.53	-57.84	-25.00	32.84	Vertical
2	1810.5	37.27	-23.27	25.83	-55.43	-25.00	30.43	Vertical
3	3423.5	50.98	-48.38	28.44	-64.22	-25.00	39.22	Vertical
4	5556.5	52.06	-47.66	32.62	-58.24	-25.00	33.24	Vertical
5	9005	51.31	-43.15	37.41	-49.70	-25.00	24.70	Vertical
6	12761.5	53.09	-39.29	38.94	-42.52	-25.00	17.52	Vertical



Report No.: SUCR260400030006

Page: 36 of 55

1.71. Test Band = LTE Band 38_ TM1

1.71.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1246	37.93	-24.98	24.64	-57.67	-25.00	32.67	Horizontal
2	1689	37.23	-23.94	25.63	-56.34	-25.00	31.34	Horizontal
3	3311	50.90	-48.07	28.35	-64.08	-25.00	39.08	Horizontal
4	5781.5	52.11	-47.62	32.71	-58.06	-25.00	33.06	Horizontal
5	9420	53.15	-42.91	37.99	-47.04	-25.00	22.04	Horizontal
6	14769	53.48	-36.80	40.22	-38.35	-25.00	13.35	Horizontal

1.72. Test Band = LTE Band 38_ TM1

1.72.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1250.5	38.01	-25.00	24.62	-57.62	-25.00	32.62	Vertical
2	1845.5	37.69	-23.50	25.91	-55.16	-25.00	30.16	Vertical
3	3290	50.97	-48.04	28.33	-64.00	-25.00	39.00	Vertical
4	5423.5	52.62	-47.69	32.39	-57.95	-25.00	32.95	Vertical
5	8850.5	52.51	-44.01	37.24	-49.52	-25.00	24.52	Vertical
6	12627.5	52.72	-39.07	39.02	-42.58	-25.00	17.58	Vertical



Report No.: SUCR260400030006

Page: 37 of 55

1.73. Test Band = LTE Band 38_ TM1

1.73.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197.5	37.81	-24.78	24.80	-57.42	-25.00	32.42	Horizontal
2	1870	37.61	-23.66	25.98	-55.34	-25.00	30.34	Horizontal
3	3293.5	51.56	-48.04	28.33	-63.40	-25.00	38.40	Horizontal
4	4489.5	51.53	-47.99	30.08	-61.64	-25.00	36.64	Horizontal
5	7114.5	51.60	-45.88	35.71	-53.84	-25.00	28.84	Horizontal
6	11741	51.59	-39.75	39.43	-43.99	-25.00	18.99	Horizontal

1.74. Test Band = LTE Band 38_ TM1

1.74.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1174	37.96	-24.92	24.81	-57.41	-25.00	32.41	Vertical
2	1687.5	37.12	-23.96	25.63	-56.47	-25.00	31.47	Vertical
3	3807	51.18	-48.19	28.99	-63.28	-25.00	38.28	Vertical
4	6732.5	52.54	-46.66	35.07	-54.31	-25.00	29.31	Vertical
5	10180	51.83	-42.09	38.93	-46.59	-25.00	21.59	Vertical
6	13741	53.70	-38.40	39.91	-40.04	-25.00	15.04	Vertical



Report No.: SUCR260400030006

Page: 38 of 55

1.75. Test Band = LTE Band 41(2500-2690)_ TM1

1.75.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1223.5	37.81	-24.87	24.72	-57.60	-25.00	32.60	Horizontal
2	1702	37.71	-23.80	25.65	-55.69	-25.00	30.69	Horizontal
3	4286	50.54	-47.86	29.76	-62.82	-25.00	37.82	Horizontal
4	7167.5	52.30	-46.08	35.80	-53.24	-25.00	28.24	Horizontal
5	9387	52.71	-43.03	37.94	-47.64	-25.00	22.64	Horizontal
6	13548	53.32	-39.12	39.62	-41.44	-25.00	16.44	Horizontal

1.76. Test Band = LTE Band 41(2500-2690)_ TM1

1.76.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196.5	37.92	-24.78	24.80	-57.32	-25.00	32.32	Vertical
2	1673.5	37.32	-24.12	25.61	-56.45	-25.00	31.45	Vertical
3	3189	51.21	-48.19	28.25	-63.99	-25.00	38.99	Vertical
4	4412.5	50.86	-48.09	29.96	-62.53	-25.00	37.53	Vertical
5	7371	52.21	-46.17	36.17	-53.05	-25.00	28.05	Vertical
6	10795.5	51.49	-40.73	39.36	-45.15	-25.00	20.15	Vertical



Report No.: SUCR260400030006

Page: 39 of 55

1.77. Test Band = LTE Band 41(2500-2690)_ TM1

1.77.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197	37.86	-24.78	24.80	-57.38	-25.00	32.38	Horizontal
2	1558	37.67	-24.88	25.21	-57.26	-25.00	32.26	Horizontal
3	3884.5	50.95	-48.27	29.12	-63.47	-25.00	38.47	Horizontal
4	5835	52.59	-47.48	32.73	-57.41	-25.00	32.41	Horizontal
5	8894	52.53	-44.03	37.28	-49.47	-25.00	24.47	Horizontal
6	12012	52.67	-39.45	39.39	-42.64	-25.00	17.64	Horizontal

1.78. Test Band = LTE Band 41(2500-2690)_ TM1

1.78.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1266	38.11	-25.07	24.57	-57.65	-25.00	32.65	Vertical
2	2036.5	38.46	-23.10	26.37	-53.53	-25.00	28.53	Vertical
3	3595.5	51.60	-48.28	28.65	-63.29	-25.00	38.29	Vertical
4	5218	51.59	-47.87	31.81	-59.73	-25.00	34.73	Vertical
5	7637.5	51.35	-44.81	36.37	-52.35	-25.00	27.35	Vertical
6	12003.5	52.67	-39.43	39.40	-42.62	-25.00	17.62	Vertical



Report No.: SUCR260400030006

Page: 40 of 55

1.79. Test Band = LTE Band 41(2500-2690)_ TM1

1.79.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1202	37.75	-24.77	24.79	-57.49	-25.00	32.49	Horizontal
2	2077.5	38.70	-23.05	26.44	-53.18	-25.00	28.18	Horizontal
3	3307	51.20	-48.06	28.35	-63.77	-25.00	38.77	Horizontal
4	4955.5	51.77	-48.02	31.10	-60.41	-25.00	35.41	Horizontal
5	7816.5	52.44	-45.00	36.34	-51.48	-25.00	26.48	Horizontal
6	13549.5	53.38	-39.12	39.62	-41.38	-25.00	16.38	Horizontal

1.80. Test Band = LTE Band 41(2500-2690)_ TM1

1.80.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1230.5	37.83	-24.90	24.69	-57.64	-25.00	32.64	Vertical
2	2033.5	38.49	-23.10	26.36	-53.51	-25.00	28.51	Vertical
3	3303.5	50.88	-48.04	28.34	-64.08	-25.00	39.08	Vertical
4	5230.5	51.51	-47.86	31.85	-59.76	-25.00	34.76	Vertical
5	9042.5	51.34	-43.03	37.46	-49.49	-25.00	24.49	Vertical
6	13666.5	53.35	-38.33	39.80	-40.44	-25.00	15.44	Vertical



Report No.: SUCR260400030006

Page: 41 of 55

1.81. Test Band = LTE Band 42(3450-3600)_ TM1

1.81.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1188.2	35.97	-24.83	24.81	-59.32	-30.00	29.32	Horizontal
2	1713.2	34.32	-23.73	25.67	-59.00	-30.00	29.00	Horizontal
3	2665.8	35.21	-23.20	27.50	-55.75	-30.00	25.75	Horizontal
4	5016.8	31.86	-17.39	31.25	-49.54	-30.00	19.54	Horizontal
5	8843.2333	44.43	-43.73	37.23	-57.33	-30.00	27.33	Horizontal
6	12462.2333	38.45	-38.62	39.12	-56.31	-30.00	26.31	Horizontal

1.82. Test Band = LTE Band 42(3450-3600)_ TM1

1.82.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1230.6	35.99	-24.90	24.69	-59.48	-30.00	29.48	Vertical
2	2073	35.32	-23.06	26.43	-56.57	-30.00	26.57	Vertical
3	2941.2	34.57	-22.80	27.99	-55.50	-30.00	25.50	Vertical
4	4533.2	32.23	-19.47	30.17	-52.33	-30.00	22.33	Vertical
5	8852.0333	44.25	-43.70	37.24	-57.47	-30.00	27.47	Vertical
6	12783.4333	39.46	-39.24	38.93	-56.11	-30.00	26.11	Vertical



Report No.: SUCR260400030006

Page: 42 of 55

1.83. Test Band = LTE Band 42(3450-3600)_ TM1

1.83.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197	36.64	-24.78	24.80	-58.60	-30.00	28.60	Horizontal
2	1808.4	34.39	-23.26	25.82	-58.30	-30.00	28.30	Horizontal
3	2741.4	35.11	-23.09	27.63	-55.61	-30.00	25.61	Horizontal
4	5096	32.26	-17.82	31.47	-49.35	-30.00	19.35	Horizontal
5	8834.0667	44.94	-43.75	37.22	-56.86	-30.00	26.86	Horizontal
6	13715.1333	37.61	-38.04	39.87	-55.81	-30.00	25.81	Horizontal

1.84. Test Band = LTE Band 42(3450-3600)_ TM1

1.84.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1200	35.93	-24.76	24.80	-59.29	-30.00	29.29	Vertical
2	1798	35.16	-23.21	25.80	-57.52	-30.00	27.52	Vertical
3	2457.4	35.37	-23.29	27.12	-56.06	-30.00	26.06	Vertical
4	4939.4	32.19	-17.83	31.07	-49.83	-30.00	19.83	Vertical
5	9451.5333	43.21	-42.73	38.03	-56.75	-30.00	26.75	Vertical
6	13591.2	38.13	-38.34	39.69	-55.78	-30.00	25.78	Vertical



Report No.: SUCR260400030006

Page: 43 of 55

1.85. Test Band = LTE Band 42(3450-3600)_ TM1

1.85.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1273.6	35.63	-25.11	24.54	-60.19	-30.00	30.19	Horizontal
2	1797.8	34.49	-23.21	25.80	-58.19	-30.00	28.19	Horizontal
3	2708.2	36.04	-22.99	27.57	-54.63	-30.00	24.63	Horizontal
4	5132.4	32.38	-17.78	31.57	-49.09	-30.00	19.09	Horizontal
5	8762.5667	44.37	-43.80	37.14	-57.55	-30.00	27.55	Horizontal
6	13727.9667	37.42	-38.11	39.89	-56.06	-30.00	26.06	Horizontal

1.86. Test Band = LTE Band 42(3450-3600)_ TM1

1.86.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1157.8	36.67	-25.02	24.82	-58.79	-30.00	28.79	Vertical
2	1800.6	34.74	-23.20	25.80	-57.92	-30.00	27.92	Vertical
3	2698.2	35.27	-22.97	27.56	-55.41	-30.00	25.41	Vertical
4	4742.2	32.12	-18.85	30.63	-51.35	-30.00	21.35	Vertical
5	8684.8333	44.12	-43.76	37.05	-57.84	-30.00	27.84	Vertical
6	12001.7	38.45	-38.57	39.40	-55.99	-30.00	25.99	Vertical



Report No.: SUCR260400030006

Page: 44 of 55

1.87. Test Band = LTE Band 43(3600-3800)_ TM1

1.87.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1231.6	36.08	-24.91	24.69	-59.40	-30.00	29.40	Horizontal
2	1847.2	34.59	-23.51	25.92	-58.26	-30.00	28.26	Horizontal
3	2874.2	34.54	-23.06	27.87	-55.91	-30.00	25.91	Horizontal
4	5143.8	32.50	-17.77	31.60	-48.92	-30.00	18.92	Horizontal
5	8488.3	44.06	-43.76	36.84	-58.12	-30.00	28.12	Horizontal
6	13710.7333	37.33	-38.01	39.87	-56.08	-30.00	26.08	Horizontal

1.88. Test Band = LTE Band 43(3600-3800)_ TM1

1.88.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1238.6	35.79	-24.94	24.66	-59.75	-30.00	29.75	Vertical
2	1857.6	34.97	-23.58	25.94	-57.93	-30.00	27.93	Vertical
3	2869.4	34.98	-23.08	27.86	-55.49	-30.00	25.49	Vertical
4	4561.6	32.36	-19.54	30.24	-52.21	-30.00	22.21	Vertical
5	8818.6667	44.34	-43.80	37.20	-57.52	-30.00	27.52	Vertical
6	12816.4333	39.16	-39.14	38.91	-56.33	-30.00	26.33	Vertical



Report No.: SUCR260400030006

Page: 45 of 55

1.89. Test Band = LTE Band 43(3600-3800)_ TM1

1.89.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196.4	36.32	-24.78	24.80	-58.92	-30.00	28.92	Horizontal
2	1854	34.85	-23.56	25.94	-58.03	-30.00	28.03	Horizontal
3	2736.6	35.24	-23.08	27.63	-55.47	-30.00	25.47	Horizontal
4	5084.2	32.20	-17.75	31.44	-49.38	-30.00	19.38	Horizontal
5	8731.0333	43.89	-43.74	37.10	-58.01	-30.00	28.01	Horizontal
6	13711.4667	37.33	-38.02	39.87	-56.08	-30.00	26.08	Horizontal

1.90. Test Band = LTE Band 43(3600-3800)_ TM1

1.90.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1162.6	36.10	-24.99	24.82	-59.33	-30.00	29.33	Vertical
2	1817	34.91	-23.31	25.84	-57.82	-30.00	27.82	Vertical
3	2899.4	34.80	-22.99	27.92	-55.53	-30.00	25.53	Vertical
4	4943.2	32.03	-17.79	31.08	-49.95	-30.00	19.95	Vertical
5	8810.2333	44.58	-43.83	37.19	-57.32	-30.00	27.32	Vertical
6	13403.8333	38.41	-39.04	39.41	-56.48	-30.00	26.48	Vertical



Report No.: SUCR260400030006

Page: 46 of 55

1.91. Test Band = LTE Band 43(3600-3800)_ TM1

1.91.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208.2	35.90	-24.80	24.77	-59.39	-30.00	29.39	Horizontal
2	1855	35.02	-23.56	25.94	-57.87	-30.00	27.87	Horizontal
3	3059.2	34.76	-22.46	28.15	-54.81	-30.00	24.81	Horizontal
4	5877.6	33.30	-16.13	32.75	-45.34	-30.00	15.34	Horizontal
5	9460.3333	43.36	-42.71	38.04	-56.57	-30.00	26.57	Horizontal
6	13586.0667	38.09	-38.37	39.68	-55.87	-30.00	25.87	Horizontal

1.92. Test Band = LTE Band 43(3600-3800)_ TM1

1.92.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1195	35.70	-24.79	24.80	-59.55	-30.00	29.55	Vertical
2	1923.6	35.05	-23.69	26.11	-57.79	-30.00	27.79	Vertical
3	3065.2	34.81	-22.45	28.15	-54.75	-30.00	24.75	Vertical
4	5410.6	33.42	-16.74	32.35	-46.23	-30.00	16.23	Vertical
5	8821.2333	44.09	-43.79	37.20	-57.76	-30.00	27.76	Vertical
6	13582.7667	37.86	-38.40	39.67	-56.12	-30.00	26.12	Vertical



Report No.: SUCR260400030006

Page: 47 of 55

1.93. Test Band = LTE Band 48_ TM1

1.93.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1253.8	35.99	-25.01	24.61	-59.67	-30.00	29.67	Horizontal
2	1814.8	34.48	-23.30	25.84	-58.24	-30.00	28.24	Horizontal
3	2914.6	34.53	-22.92	27.95	-55.71	-30.00	25.71	Horizontal
4	5304	33.02	-17.16	32.05	-47.35	-30.00	17.35	Horizontal
5	8487.9333	43.65	-43.76	36.84	-58.54	-30.00	28.54	Horizontal
6	12429.2333	38.61	-38.46	39.14	-55.96	-30.00	25.96	Horizontal

1.94. Test Band = LTE Band 48_ TM1

1.94.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1198.4	36.26	-24.77	24.80	-58.97	-30.00	28.97	Vertical
2	1701.6	33.44	-23.80	25.65	-59.97	-30.00	29.97	Vertical
3	2708	35.27	-22.99	27.57	-55.40	-30.00	25.40	Vertical
4	4488.8	32.04	-19.46	30.08	-52.60	-30.00	22.60	Vertical
5	7840.0333	44.92	-44.93	36.33	-58.94	-30.00	28.94	Vertical
6	12025.1667	39.53	-38.77	39.38	-55.12	-30.00	25.12	Vertical



Report No.: SUCR260400030006

Page: 48 of 55

1.95. Test Band = LTE Band 48_ TM1

1.95.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1239.4	36.30	-24.95	24.66	-59.24	-30.00	29.24	Horizontal
2	1868.8	35.02	-23.65	25.97	-57.92	-30.00	27.92	Horizontal
3	2684	35.96	-23.07	27.53	-54.84	-30.00	24.84	Horizontal
4	5279.2	32.32	-17.28	31.98	-48.24	-30.00	18.24	Horizontal
5	8761.4667	44.35	-43.79	37.14	-57.57	-30.00	27.57	Horizontal
6	13570.6667	38.06	-38.48	39.66	-56.02	-30.00	26.02	Horizontal

1.96. Test Band = LTE Band 48_ TM1

1.96.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1185.4	36.09	-24.85	24.81	-59.21	-30.00	29.21	Vertical
2	1986	35.32	-23.24	26.27	-56.92	-30.00	26.92	Vertical
3	2747.6	35.25	-23.11	27.65	-55.48	-30.00	25.48	Vertical
4	4741.8	32.10	-18.85	30.63	-51.37	-30.00	21.37	Vertical
5	7871.9333	44.57	-44.95	36.33	-59.31	-30.00	29.31	Vertical
6	12038	38.91	-38.88	39.38	-55.85	-30.00	25.85	Vertical



Report No.: SUCR260400030006

Page: 49 of 55

1.97. Test Band = LTE Band 48_ TM1

1.97.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1182.8	36.05	-24.86	24.81	-59.27	-30.00	29.27	Horizontal
2	1757.8	34.07	-23.46	25.74	-58.91	-30.00	28.91	Horizontal
3	2741.2	35.07	-23.09	27.63	-55.65	-30.00	25.65	Horizontal
4	4985.6	32.12	-17.43	31.17	-49.40	-30.00	19.40	Horizontal
5	8754.1333	44.16	-43.78	37.13	-57.75	-30.00	27.75	Horizontal
6	12405.7667	38.59	-38.34	39.16	-55.85	-30.00	25.85	Horizontal

1.98. Test Band = LTE Band 48_ TM1

1.98.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1230.8	36.06	-24.90	24.69	-59.41	-30.00	29.41	Vertical
2	1788.8	34.27	-23.27	25.78	-58.48	-30.00	28.48	Vertical
3	3043.6	34.58	-22.48	28.13	-55.02	-30.00	25.02	Vertical
4	4813.4	32.86	-18.65	30.79	-50.27	-30.00	20.27	Vertical
5	8746.0667	44.14	-43.77	37.12	-57.77	-30.00	27.77	Vertical
6	13717.7	37.75	-38.05	39.88	-55.68	-30.00	25.68	Vertical



Report No.: SUCR260400030006

Page: 50 of 55

1.99. Test Band = LTE Band 66_ TM1

1.99.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1179	38.02	-24.89	24.81	-57.32	-13.00	44.32	Horizontal
2	2695	40.17	-23.00	27.55	-50.53	-13.00	37.53	Horizontal
3	3898.5	46.89	-48.29	29.14	-67.52	-13.00	54.52	Horizontal
4	5434.5	47.12	-47.68	32.42	-63.41	-13.00	50.41	Horizontal
5	7040.25	46.31	-46.29	35.57	-59.67	-13.00	46.67	Horizontal
6	13416	38.91	-39.17	39.42	-56.10	-13.00	43.10	Horizontal

1.100. Test Band = LTE Band 66_ TM1

1.100.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1225.5	37.79	-24.88	24.71	-57.64	-13.00	44.64	Vertical
2	2705.5	40.00	-22.98	27.57	-50.67	-13.00	37.67	Vertical
3	3786.75	46.15	-48.22	28.96	-68.37	-13.00	55.37	Vertical
4	5086.125	45.46	-47.85	31.44	-66.21	-13.00	53.21	Vertical
5	6822.375	45.57	-46.85	35.22	-61.33	-13.00	48.33	Vertical
6	12032.25	39.61	-39.49	39.38	-55.76	-13.00	42.76	Vertical



Report No.: SUCR260400030006

Page: 51 of 55

1.101. Test Band = LTE Band 66_ TM1

1.101.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1282	38.02	-25.15	24.51	-57.87	-13.00	44.87	Horizontal
2	2700	40.13	-22.96	27.56	-50.53	-13.00	37.53	Horizontal
3	3762.75	46.46	-48.30	28.92	-68.18	-13.00	55.18	Horizontal
4	5388.75	47.31	-47.73	32.29	-63.39	-13.00	50.39	Horizontal
5	7735.125	44.95	-45.10	36.35	-59.06	-13.00	46.06	Horizontal
6	13703.25	37.35	-38.00	39.85	-56.06	-13.00	43.06	Horizontal

1.102. Test Band = LTE Band 66_ TM1

1.102.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1289.5	37.94	-25.18	24.49	-58.01	-13.00	45.01	Vertical
2	2707.5	40.21	-22.98	27.57	-50.46	-13.00	37.46	Vertical
3	3892.875	46.49	-48.28	29.13	-67.92	-13.00	54.92	Vertical
4	5483.625	46.59	-47.63	32.55	-63.74	-13.00	50.74	Vertical
5	7809.75	45.05	-44.96	36.34	-58.83	-13.00	45.83	Vertical
6	14948.25	37.67	-37.67	40.21	-55.06	-13.00	42.06	Vertical



Report No.: SUCR260400030006

Page: 52 of 55

1.103. Test Band = LTE Band 66_ TM1

1.103.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1292.5	37.73	-25.19	24.48	-58.25	-13.00	45.25	Horizontal
2	2696	40.00	-22.99	27.55	-50.70	-13.00	37.70	Horizontal
3	3892.125	46.83	-48.28	29.13	-67.58	-13.00	54.58	Horizontal
4	5498.25	46.53	-47.61	32.60	-63.75	-13.00	50.75	Horizontal
5	8831.25	44.93	-44.00	37.21	-57.12	-13.00	44.12	Horizontal
6	12588.375	38.98	-39.09	39.05	-56.33	-13.00	43.33	Horizontal

1.104. Test Band = LTE Band 66_ TM1

1.104.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1264.5	38.19	-25.06	24.57	-57.56	-13.00	44.56	Vertical
2	2692	40.07	-23.02	27.55	-50.66	-13.00	37.66	Vertical
3	4356	46.14	-47.96	29.87	-67.22	-13.00	54.22	Vertical
4	7569.75	44.30	-45.05	36.39	-59.63	-13.00	46.63	Vertical
5	12163.5	39.69	-39.75	39.30	-56.02	-13.00	43.02	Vertical
6	15495.375	35.72	-36.62	39.31	-56.85	-13.00	43.85	Vertical



Report No.: SUCR260400030006

Page: 53 of 55

1.105. Test Band = LTE Band 71_ TM1

1.105.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1157.5	50.19	-50.11	24.82	-70.36	-13.00	57.36	Horizontal
2	1601	49.68	-49.93	25.50	-70.01	-13.00	57.01	Horizontal
3	2573.5	51.75	-49.10	27.33	-65.28	-13.00	52.28	Horizontal
4	3430	51.23	-48.61	28.44	-64.20	-13.00	51.20	Horizontal
5	4620.5	50.16	-48.05	30.37	-62.78	-13.00	49.78	Horizontal
6	6361	51.78	-47.30	34.17	-56.61	-13.00	43.61	Horizontal

1.106. Test Band = LTE Band 71_ TM1

1.106.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1315.5	49.84	-50.11	24.40	-71.14	-13.00	58.14	Vertical
2	1985	50.28	-49.68	26.26	-68.40	-13.00	55.40	Vertical
3	2687	51.93	-49.02	27.54	-64.82	-13.00	51.82	Vertical
4	3580.5	51.02	-48.47	28.63	-64.08	-13.00	51.08	Vertical
5	4822	50.91	-48.05	30.81	-61.59	-13.00	48.59	Vertical
6	6835.5	51.66	-46.78	35.24	-55.14	-13.00	42.14	Vertical



Report No.: SUCR260400030006

Page: 54 of 55

1.107. Test Band = LTE Band 71_ TM1

1.107.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1266	50.04	-50.16	24.57	-70.82	-13.00	57.82	Horizontal
2	1611	49.36	-49.91	25.52	-70.29	-13.00	57.29	Horizontal
3	2272.5	50.93	-49.23	26.79	-66.77	-13.00	53.77	Horizontal
4	2796.5	51.04	-48.69	27.73	-65.18	-13.00	52.18	Horizontal
5	4374.5	50.01	-48.04	29.90	-63.39	-13.00	50.39	Horizontal
6	6392.5	51.62	-47.27	34.29	-56.62	-13.00	43.62	Horizontal

1.108. Test Band = LTE Band 71_ TM1

1.108.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1123.5	49.39	-50.02	24.84	-71.05	-13.00	58.05	Vertical
2	1599.5	49.04	-49.93	25.50	-70.65	-13.00	57.65	Vertical
3	2023	50.85	-49.62	26.34	-67.69	-13.00	54.69	Vertical
4	2988	51.05	-48.35	28.08	-64.48	-13.00	51.48	Vertical
5	3875.5	50.68	-48.43	29.10	-63.90	-13.00	50.90	Vertical
6	5882.5	51.54	-47.14	32.75	-58.11	-13.00	45.11	Vertical



Report No.: SUCR260400030006

Page: 55 of 55

1.109. Test Band = LTE Band 71_ TM1

1.109.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1281.5	50.01	-50.15	24.51	-70.88	-13.00	57.88	Horizontal
2	1689.5	49.50	-49.74	25.63	-69.87	-13.00	56.87	Horizontal
3	2673	51.88	-49.05	27.51	-64.91	-13.00	51.91	Horizontal
4	4428.5	50.39	-48.09	29.99	-62.98	-13.00	49.98	Horizontal
5	5880.5	51.69	-47.16	32.75	-57.97	-13.00	44.97	Horizontal
6	7425.5	51.25	-46.05	36.27	-53.80	-13.00	40.80	Horizontal

1.110. Test Band = LTE Band 71_ TM1

1.110.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1314.5	49.76	-50.11	24.40	-71.21	-13.00	58.21	Vertical
2	1702.5	48.91	-49.72	25.65	-70.42	-13.00	57.42	Vertical
3	2800	50.94	-48.68	27.74	-65.26	-13.00	52.26	Vertical
4	3775	49.83	-48.48	28.94	-64.97	-13.00	51.97	Vertical
5	5195	50.88	-48.01	31.75	-60.64	-13.00	47.64	Vertical
6	7201.5	51.50	-46.18	35.86	-54.08	-13.00	41.08	Vertical

---End of Attachment---