



Report No.: SUCR260400030007

Page: 1 of 66

Appendix B.3

1.1. Test Band = SA Band2_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1273	46.59	-25.10	24.54	-49.23	-13.00	36.23	Horizontal
2	2705	49.58	-22.98	27.57	-41.09	-13.00	28.09	Horizontal
3	3592.5	51.22	-48.28	28.65	-63.67	-13.00	50.67	Horizontal
4	4833	50.58	-48.02	30.83	-61.86	-13.00	48.86	Horizontal
5	7329.75	51.83	-46.16	36.09	-53.50	-13.00	40.50	Horizontal
6	11966.25	51.86	-39.61	39.40	-43.61	-13.00	30.61	Horizontal

1.2. Test Band = SA Band2_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1482.5	46.33	-24.87	24.68	-49.12	-13.00	36.12	Vertical
2	2697.5	49.60	-22.98	27.56	-41.08	-13.00	28.08	Vertical
3	3946.5	51.03	-48.24	29.21	-63.25	-13.00	50.25	Vertical
4	6133.5	51.96	-47.44	33.31	-57.43	-13.00	44.43	Vertical
5	8394.75	51.36	-44.13	36.73	-51.30	-13.00	38.30	Vertical
6	12621	51.78	-39.05	39.03	-43.50	-13.00	30.50	Vertical



Report No.: SUCR260400030007

Page: 2 of 66

1.3. Test Band = SA Band2_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1194.5	46.24	-24.79	24.80	-49.01	-13.00	36.01	Horizontal
2	2692	49.65	-23.02	27.55	-41.08	-13.00	28.08	Horizontal
3	3920.25	50.44	-48.27	29.17	-63.92	-13.00	50.92	Horizontal
4	6899.25	51.68	-46.73	35.34	-54.97	-13.00	41.97	Horizontal
5	10326.75	50.71	-41.17	39.03	-46.70	-13.00	33.70	Horizontal
6	13698	52.90	-37.99	39.85	-40.50	-13.00	27.50	Horizontal

1.4. Test Band = SA Band2_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1485.5	46.32	-24.85	24.70	-49.09	-13.00	36.09	Vertical
2	2696.5	49.63	-22.98	27.55	-41.06	-13.00	28.06	Vertical
3	3570	50.84	-48.28	28.61	-64.09	-13.00	51.09	Vertical
4	5502.75	51.70	-47.61	32.60	-58.57	-13.00	45.57	Vertical
5	9438.75	52.54	-42.79	38.01	-47.49	-13.00	34.49	Vertical
6	13716	53.25	-38.14	39.87	-40.27	-13.00	27.27	Vertical



Report No.: SUCR260400030007

Page: 3 of 66

1.5. Test Band = SA Band2_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1523.5	46.27	-24.79	24.96	-48.81	-13.00	35.81	Horizontal
2	2695.5	49.93	-22.99	27.55	-40.77	-13.00	27.77	Horizontal
3	3817.5	50.44	-48.20	29.01	-64.01	-13.00	51.01	Horizontal
4	5373.75	51.82	-47.74	32.25	-58.93	-13.00	45.93	Horizontal
5	7776.75	51.70	-44.98	36.34	-52.20	-13.00	39.20	Horizontal
6	10396.5	50.81	-41.24	39.08	-46.61	-13.00	33.61	Horizontal

1.6. Test Band = SA Band2_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1321	46.55	-25.29	24.38	-49.63	-13.00	36.63	Vertical
2	2448	49.12	-23.33	27.11	-42.36	-13.00	29.36	Vertical
3	3863.25	50.25	-48.25	29.08	-64.18	-13.00	51.18	Vertical
4	5838.75	51.91	-47.46	32.74	-58.07	-13.00	45.07	Vertical
5	8399.25	51.52	-44.11	36.74	-51.11	-13.00	38.11	Vertical
6	13704.75	52.92	-38.02	39.86	-40.50	-13.00	27.50	Vertical



Report No.: SUCR260400030007

Page: 4 of 66

1.7. Test Band = SA Band5_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1242.6667	50.27	-50.19	24.65	-70.53	-13.00	57.53	Horizontal
2	2108.8889	50.82	-49.46	26.50	-67.41	-13.00	54.41	Horizontal
3	2955.5556	50.91	-48.51	28.02	-64.84	-13.00	51.84	Horizontal
4	3969.3333	50.24	-48.37	29.25	-64.14	-13.00	51.14	Horizontal
5	5076.8889	51.12	-47.93	31.42	-60.65	-13.00	47.65	Horizontal
6	7379.1111	51.36	-46.00	36.18	-53.71	-13.00	40.71	Horizontal

1.8. Test Band = SA Band5_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1220	49.17	-50.21	24.73	-71.57	-13.00	58.57	Vertical
2	2016.4444	50.56	-49.64	26.33	-68.01	-13.00	55.01	Vertical
3	3043.1111	51.75	-48.56	28.13	-63.94	-13.00	50.94	Vertical
4	3866.2222	50.58	-48.42	29.09	-64.02	-13.00	51.02	Vertical
5	5381.7778	51.77	-47.51	32.27	-58.73	-13.00	45.73	Vertical
6	7353.3333	51.36	-46.03	36.14	-53.79	-13.00	40.79	Vertical



Report No.: SUCR260400030007

Page: 5 of 66

1.9. Test Band = SA Band5_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1311.1111	50.34	-50.12	24.41	-70.63	-13.00	57.63	Horizontal
2	2105.7778	50.80	-49.46	26.49	-67.43	-13.00	54.43	Horizontal
3	3062.2222	51.82	-48.68	28.15	-63.97	-13.00	50.97	Horizontal
4	3896.8889	50.57	-48.43	29.14	-63.98	-13.00	50.98	Horizontal
5	5860.8889	51.65	-47.29	32.74	-58.16	-13.00	45.16	Horizontal
6	8244	50.78	-44.48	36.57	-52.39	-13.00	39.39	Horizontal

1.10. Test Band = SA Band5_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1305.7778	50.27	-50.12	24.43	-70.68	-13.00	57.68	Vertical
2	1996.8889	50.71	-49.67	26.29	-67.93	-13.00	54.93	Vertical
3	2953.7778	50.83	-48.52	28.02	-64.93	-13.00	51.93	Vertical
4	4407.1111	50.33	-48.05	29.95	-63.03	-13.00	50.03	Vertical
5	5493.7778	51.52	-47.39	32.58	-58.55	-13.00	45.55	Vertical
6	6802.6667	52.31	-46.93	35.18	-54.69	-13.00	41.69	Vertical



Report No.: SUCR260400030007

Page: 6 of 66

1.11. Test Band = SA Band5_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1296.4444	50.43	-50.13	24.46	-70.50	-13.00	57.50	Horizontal
2	2044.4444	51.31	-49.58	26.38	-67.15	-13.00	54.15	Horizontal
3	3176.4444	51.82	-48.69	28.24	-63.89	-13.00	50.89	Horizontal
4	4439.1111	50.48	-48.11	30.00	-62.89	-13.00	49.89	Horizontal
5	5398.6667	52.02	-47.45	32.32	-58.37	-13.00	45.37	Horizontal
6	7811.1111	51.58	-45.11	36.34	-52.45	-13.00	39.45	Horizontal

1.12. Test Band = SA Band5_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1308.8889	49.91	-50.12	24.42	-71.05	-13.00	58.05	Vertical
2	2119.5556	50.61	-49.47	26.52	-67.60	-13.00	54.60	Vertical
3	3187.1111	51.57	-48.66	28.25	-64.10	-13.00	51.10	Vertical
4	4432.8889	50.47	-48.10	29.99	-62.90	-13.00	49.90	Vertical
5	6336.8889	51.76	-47.32	34.08	-56.74	-13.00	43.74	Vertical
6	7830.2222	51.77	-45.19	36.33	-52.35	-13.00	39.35	Vertical



Report No.: SUCR260400030007

Page: 7 of 66

1.13. Test Band = SA Band7_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1298.5	37.83	-25.22	24.46	-58.20	-25.00	33.20	Horizontal
2	1808.5	37.85	-23.26	25.82	-54.84	-25.00	29.84	Horizontal
3	3787	50.90	-48.22	28.96	-63.62	-25.00	38.62	Horizontal
4	5394	53.25	-47.72	32.30	-57.43	-25.00	32.43	Horizontal
5	8815	52.27	-44.00	37.20	-49.79	-25.00	24.79	Horizontal
6	14700.5	53.71	-36.68	40.23	-38.00	-25.00	13.00	Horizontal

1.14. Test Band = SA Band7_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1193	37.80	-24.80	24.80	-57.46	-25.00	32.46	Vertical
2	1889	38.19	-23.79	26.02	-54.83	-25.00	29.83	Vertical
3	3297	51.01	-48.03	28.34	-63.95	-25.00	38.95	Vertical
4	4722	50.69	-47.97	30.59	-61.95	-25.00	36.95	Vertical
5	6676	52.43	-46.67	34.98	-54.52	-25.00	29.52	Vertical
6	11315	51.89	-40.40	39.47	-44.30	-25.00	19.30	Vertical



Report No.: SUCR260400030007

Page: 8 of 66

1.15. Test Band = SA Band7_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1223.5	37.82	-24.87	24.72	-57.59	-25.00	32.59	Horizontal
2	1782.5	37.63	-23.31	25.77	-55.16	-25.00	30.16	Horizontal
3	3787.5	50.79	-48.22	28.96	-63.73	-25.00	38.73	Horizontal
4	5226	51.62	-47.86	31.83	-59.67	-25.00	34.67	Horizontal
5	7769	52.02	-45.00	36.35	-51.90	-25.00	26.90	Horizontal
6	11380	52.12	-40.16	39.46	-43.83	-25.00	18.83	Horizontal

1.16. Test Band = SA Band7_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1198.5	37.94	-24.77	24.80	-57.29	-25.00	32.29	Vertical
2	1907	38.14	-23.81	26.07	-54.86	-25.00	29.86	Vertical
3	3594.5	51.14	-48.28	28.65	-63.75	-25.00	38.75	Vertical
4	5285	51.81	-47.80	32.00	-59.25	-25.00	34.25	Vertical
5	8453	52.38	-44.20	36.80	-50.28	-25.00	25.28	Vertical
6	11375	51.85	-40.18	39.46	-44.12	-25.00	19.12	Vertical



Report No.: SUCR260400030007

Page: 9 of 66

1.17. Test Band = SA Band7_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1222.5	38.16	-24.87	24.72	-57.24	-25.00	32.24	Horizontal
2	1791	37.88	-23.25	25.79	-54.85	-25.00	29.85	Horizontal
3	3790	51.09	-48.21	28.96	-63.42	-25.00	38.42	Horizontal
4	5237	51.97	-47.85	31.86	-59.28	-25.00	34.28	Horizontal
5	7757	52.09	-45.04	36.35	-51.86	-25.00	26.86	Horizontal
6	12026	52.19	-39.47	39.38	-43.16	-25.00	18.16	Horizontal

1.18. Test Band = SA Band7_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1263.5	38.12	-25.06	24.58	-57.62	-25.00	32.62	Vertical
2	1799	37.67	-23.21	25.80	-55.00	-25.00	30.00	Vertical
3	3594	51.48	-48.28	28.65	-63.41	-25.00	38.41	Vertical
4	5692	51.94	-47.51	32.68	-58.15	-25.00	33.15	Vertical
5	8631.5	52.92	-44.02	36.99	-49.36	-25.00	24.36	Vertical
6	11962.5	52.37	-39.63	39.40	-43.12	-25.00	18.12	Vertical



Report No.: SUCR260400030007

Page: 10 of 66

1.19. Test Band = SA Band12_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1241	49.92	-50.19	24.66	-70.87	-13.00	57.87	Horizontal
2	1692	49.70	-49.74	25.64	-69.66	-13.00	56.66	Horizontal
3	2299.5	50.77	-49.13	26.84	-66.78	-13.00	53.78	Horizontal
4	2981.5	50.67	-48.38	28.07	-64.90	-13.00	51.90	Horizontal
5	4427.5	50.20	-48.09	29.98	-63.17	-13.00	50.17	Horizontal
6	6254.5	51.98	-47.42	33.77	-56.93	-13.00	43.93	Horizontal

1.20. Test Band = SA Band12_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1227	49.58	-50.20	24.71	-71.18	-13.00	58.18	Vertical
2	1625	48.77	-49.88	25.54	-70.83	-13.00	57.83	Vertical
3	2267.5	50.52	-49.25	26.78	-67.21	-13.00	54.21	Vertical
4	3162.5	51.68	-48.73	28.23	-64.08	-13.00	51.08	Vertical
5	4378.5	50.35	-48.04	29.91	-63.04	-13.00	50.04	Vertical
6	6647.5	51.02	-46.93	34.94	-56.23	-13.00	43.23	Vertical



Report No.: SUCR260400030007

Page: 11 of 66

1.21. Test Band = SA Band12_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1222	50.18	-50.21	24.72	-70.57	-13.00	57.57	Horizontal
2	1858.5	50.07	-49.79	25.95	-69.03	-13.00	56.03	Horizontal
3	2675.5	52.06	-49.04	27.52	-64.73	-13.00	51.73	Horizontal
4	3969.5	50.24	-48.37	29.25	-64.14	-13.00	51.14	Horizontal
5	5431	51.83	-47.42	32.41	-58.45	-13.00	45.45	Horizontal
6	6711.5	51.71	-46.73	35.04	-55.24	-13.00	42.24	Horizontal

1.22. Test Band = SA Band12_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1192.5	49.70	-50.21	24.80	-70.97	-13.00	57.97	Vertical
2	1694.5	49.02	-49.73	25.64	-70.33	-13.00	57.33	Vertical
3	2710	52.01	-48.97	27.58	-64.64	-13.00	51.64	Vertical
4	4455	50.60	-48.14	30.03	-62.77	-13.00	49.77	Vertical
5	6121	51.59	-47.11	33.26	-57.52	-13.00	44.52	Vertical
6	7643	50.57	-44.93	36.37	-53.25	-13.00	40.25	Vertical



Report No.: SUCR260400030007

Page: 12 of 66

1.23. Test Band = SA Band12_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1243.5	50.54	-50.19	24.65	-70.26	-13.00	57.26	Horizontal
2	1651	49.60	-49.82	25.58	-69.91	-13.00	56.91	Horizontal
3	2303.5	51.06	-49.14	26.85	-66.50	-13.00	53.50	Horizontal
4	3170	51.63	-48.71	28.24	-64.10	-13.00	51.10	Horizontal
5	4304	49.35	-48.03	29.79	-64.15	-13.00	51.15	Horizontal
6	6108.5	52.27	-47.05	33.21	-56.83	-13.00	43.83	Horizontal

1.24. Test Band = SA Band12_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1202	49.27	-50.23	24.79	-71.43	-13.00	58.43	Vertical
2	1610	49.00	-49.91	25.52	-70.65	-40.00	30.65	Vertical
3	2301	50.84	-49.13	26.84	-66.71	-13.00	53.71	Vertical
4	3050	51.56	-48.61	28.14	-64.17	-13.00	51.17	Vertical
5	3924.5	50.11	-48.41	29.18	-64.38	-13.00	51.38	Vertical
6	5422	51.71	-47.43	32.38	-58.60	-13.00	45.60	Vertical



Report No.: SUCR260400030007

Page: 13 of 66

1.25. Test Band = SA Band13 10M_ TM1

1.25.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1188.5	49.91	-50.20	24.81	-70.74	-13.00	57.74	Horizontal
2	1700	49.39	-49.72	25.65	-69.94	-13.00	56.94	Horizontal
3	2178.5	51.08	-49.48	26.62	-67.04	-13.00	54.04	Horizontal
4	2969	51.00	-48.44	28.04	-64.66	-13.00	51.66	Horizontal
5	3896.5	50.41	-48.43	29.13	-64.14	-13.00	51.14	Horizontal
6	5472	51.73	-47.40	32.52	-58.41	-13.00	45.41	Horizontal

1.26. Test Band = SA Band13 10M_ TM1

1.26.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1171.5	49.12	-50.15	24.81	-71.48	-13.00	58.48	Vertical
2	1703	49.28	-49.72	25.65	-70.05	-13.00	57.05	Vertical
3	3068	51.37	-48.72	28.15	-64.45	-13.00	51.45	Vertical
4	4462	50.23	-48.15	30.04	-63.14	-13.00	50.14	Vertical
5	5435	51.71	-47.42	32.42	-58.55	-13.00	45.55	Vertical
6	7342	51.44	-46.04	36.12	-53.74	-13.00	40.74	Vertical



Report No.: SUCR260400030007

Page: 14 of 66

1.27. Test Band = SA Band13 5M_ TM1

1.27.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1271.5	49.75	-50.16	24.55	-71.12	-13.00	58.12	Horizontal
2	1724.5	49.39	-49.75	25.69	-69.93	-13.00	56.93	Horizontal
3	2595	51.87	-49.16	27.37	-65.18	-13.00	52.18	Horizontal
4	3598	51.34	-48.48	28.66	-63.74	-13.00	50.74	Horizontal
5	4815	50.48	-48.04	30.79	-62.03	-13.00	49.03	Horizontal
6	7063.5	50.83	-46.24	35.61	-55.05	-13.00	42.05	Horizontal

1.28. Test Band = SA Band13 5M_ TM1

1.28.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1229.5	49.50	-50.20	24.70	-71.26	-13.00	58.26	Vertical
2	1602.5	49.22	-49.92	25.50	-70.46	-40.00	30.46	Vertical
3	2722.5	51.49	-48.93	27.60	-65.10	-13.00	52.10	Vertical
4	3850.5	50.47	-48.42	29.06	-64.15	-13.00	51.15	Vertical
5	5382	51.30	-47.51	32.27	-59.20	-13.00	46.20	Vertical
6	6634.5	50.71	-46.98	34.92	-56.62	-13.00	43.62	Vertical



Report No.: SUCR260400030007

Page: 15 of 66

1.29. Test Band = SA Band13 5M_ TM1

1.29.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1223	50.25	-50.21	24.72	-70.50	-13.00	57.50	Horizontal
2	1791	49.90	-49.83	25.79	-69.40	-13.00	56.40	Horizontal
3	2680.5	51.89	-49.03	27.52	-64.88	-13.00	51.88	Horizontal
4	3911.5	50.59	-48.42	29.16	-63.93	-13.00	50.93	Horizontal
5	5447	51.53	-47.42	32.45	-58.69	-13.00	45.69	Horizontal
6	7263.5	51.45	-46.12	35.97	-53.96	-13.00	40.96	Horizontal

1.30. Test Band = SA Band13 5M_ TM1

1.30.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1316.5	49.71	-50.11	24.39	-71.27	-13.00	58.27	Vertical
2	1917.5	50.27	-49.74	26.09	-68.63	-13.00	55.63	Vertical
3	2707.5	51.35	-48.98	27.57	-65.31	-13.00	52.31	Vertical
4	3840.5	50.58	-48.42	29.04	-64.05	-13.00	51.05	Vertical
5	4892.5	50.58	-48.16	30.96	-61.88	-13.00	48.88	Vertical
6	6354.5	51.26	-47.31	34.15	-57.16	-13.00	44.16	Vertical



Report No.: SUCR260400030007

Page: 16 of 66

1.31. Test Band = SA Band13 5M_ TM1

1.31.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1204	49.95	-50.23	24.79	-70.75	-13.00	57.75	Horizontal
2	1885	50.38	-49.76	26.01	-68.63	-13.00	55.63	Horizontal
3	2839	51.19	-48.72	27.81	-64.98	-13.00	51.98	Horizontal
4	4470.5	50.42	-48.17	30.05	-62.95	-13.00	49.95	Horizontal
5	6706	51.43	-46.71	35.03	-55.51	-13.00	42.51	Horizontal
6	8425.5	51.12	-44.11	36.77	-51.48	-13.00	38.48	Horizontal

1.32. Test Band = SA Band13 5M_ TM1

1.32.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208.5	49.98	-50.22	24.77	-70.73	-13.00	57.73	Vertical
2	1759.5	49.52	-49.79	25.74	-69.79	-13.00	56.79	Vertical
3	2917	51.01	-48.70	27.95	-65.00	-13.00	52.00	Vertical
4	3926	50.58	-48.41	29.18	-63.91	-13.00	50.91	Vertical
5	5456	51.61	-47.41	32.48	-58.59	-13.00	45.59	Vertical
6	7691.5	51.36	-45.23	36.36	-52.77	-13.00	39.77	Vertical



Report No.: SUCR260400030007

Page: 17 of 66

1.33. Test Band = SA Band14 10M_ TM1

1.33.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1158.2222	49.15	-50.11	24.82	-71.40	-13.00	58.40	Horizontal
2	1878.6667	46.25	-49.77	26.00	-72.78	-13.00	59.78	Horizontal
3	2592.4444	46.86	-49.15	27.37	-70.18	-13.00	57.18	Horizontal
4	3415.5556	45.47	-48.65	28.43	-70.01	-13.00	57.01	Horizontal
5	4484.8889	45.03	-48.19	30.08	-68.35	-13.00	55.35	Horizontal
6	6157.3333	44.89	-47.29	33.40	-64.26	-13.00	51.26	Horizontal

1.34. Test Band = SA Band14 10M_ TM1

1.34.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208	46.33	-50.22	24.77	-74.38	-13.00	61.38	Vertical
2	1803.5556	45.93	-49.84	25.81	-73.36	-13.00	60.36	Vertical
3	2707.1111	46.88	-48.98	27.57	-69.78	-13.00	56.78	Vertical
4	3876.8889	44.94	-48.43	29.10	-69.64	-13.00	56.64	Vertical
5	5382.2222	45.47	-47.51	32.27	-65.03	-13.00	52.03	Vertical
6	7331.5556	44.31	-46.05	36.10	-60.91	-13.00	47.91	Vertical



Report No.: SUCR260400030007

Page: 18 of 66

1.35. Test Band = SA Band14 5M_ TM1

1.35.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1320	46.89	-50.11	24.38	-74.10	-13.00	61.10	Horizontal
2	1896.8889	46.70	-49.75	26.04	-72.27	-13.00	59.27	Horizontal
3	2724.8889	45.85	-48.92	27.60	-70.73	-13.00	57.73	Horizontal
4	3916	45.30	-48.42	29.17	-69.21	-13.00	56.21	Horizontal
5	4931.1111	44.92	-48.10	31.05	-67.40	-13.00	54.40	Horizontal
6	6736	44.34	-46.79	35.08	-62.63	-13.00	49.63	Horizontal

1.36. Test Band = SA Band14 5M_ TM1

1.36.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1220	46.31	-50.21	24.73	-74.43	-13.00	61.43	Vertical
2	1721.7778	45.02	-49.75	25.68	-74.30	-13.00	61.30	Vertical
3	2208.4444	46.71	-49.46	26.68	-71.33	-13.00	58.33	Vertical
4	3283.1111	45.07	-48.63	28.33	-70.49	-13.00	57.49	Vertical
5	4459.5556	45.37	-48.15	30.04	-68.00	-13.00	55.00	Vertical
6	6843.1111	44.57	-46.74	35.25	-62.18	-13.00	49.18	Vertical



Report No.: SUCR260400030007

Page: 19 of 66

1.37. Test Band = SA Band14 5M_ TM1

1.37.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1202.6667	47.21	-50.23	24.79	-73.49	-13.00	60.49	Horizontal
2	1862.2222	47.00	-49.78	25.96	-72.09	-13.00	59.09	Horizontal
3	2592	47.44	-49.15	27.37	-69.60	-13.00	56.60	Horizontal
4	3945.7778	45.42	-48.39	29.21	-69.02	-13.00	56.02	Horizontal
5	5848.8889	45.19	-47.38	32.74	-64.71	-13.00	51.71	Horizontal
6	7596.8889	42.83	-44.72	36.38	-60.77	-13.00	47.77	Horizontal

1.38. Test Band = SA Band14 5M_ TM1

1.38.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1318.2222	48.54	-50.11	24.39	-72.44	-13.00	59.44	Vertical
2	1804	46.14	-49.84	25.81	-73.15	-13.00	60.15	Vertical
3	2592	46.69	-49.15	27.37	-70.35	-13.00	57.35	Vertical
4	3376	45.34	-48.68	28.40	-70.19	-13.00	57.19	Vertical
5	4545.3333	45.25	-48.14	30.20	-67.95	-13.00	54.95	Vertical
6	6676.8889	43.68	-46.80	34.98	-63.40	-13.00	50.40	Vertical



Report No.: SUCR260400030007

Page: 20 of 66

1.39. Test Band = SA Band14 5M_ TM1

1.39.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1204	47.26	-50.23	24.79	-73.44	-13.00	60.44	Horizontal
2	1824	46.68	-49.82	25.86	-72.54	-13.00	59.54	Horizontal
3	2933.3333	45.72	-48.62	27.98	-70.18	-13.00	57.18	Horizontal
4	3924.8889	45.33	-48.41	29.18	-69.16	-13.00	56.16	Horizontal
5	5413.7778	45.54	-47.43	32.36	-64.79	-13.00	51.79	Horizontal
6	7183.1111	44.48	-46.15	35.83	-61.10	-13.00	48.10	Horizontal

1.40. Test Band = SA Band14 5M_ TM1

1.40.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206.2222	45.99	-50.22	24.78	-74.72	-13.00	61.72	Vertical
2	1710.6667	44.81	-49.73	25.67	-74.52	-13.00	61.52	Vertical
3	2296.8889	46.50	-49.14	26.83	-71.07	-13.00	58.07	Vertical
4	3009.3333	45.50	-48.35	28.11	-70.00	-13.00	57.00	Vertical
5	3897.7778	45.43	-48.43	29.14	-69.12	-13.00	56.12	Vertical
6	5423.1111	45.50	-47.43	32.38	-64.80	-13.00	51.80	Vertical



Report No.: SUCR260400030007

Page: 21 of 66

1.41. Test Band = SA Band25_ TM1

1.41.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1260	46.49	-25.04	24.59	-49.22	-13.00	36.22	Horizontal
2	2316	48.25	-23.42	26.87	-43.56	-13.00	30.56	Horizontal
3	3578.25	50.82	-48.28	28.63	-64.10	-13.00	51.10	Horizontal
4	4930.5	51.27	-48.02	31.05	-60.97	-13.00	47.97	Horizontal
5	7089.75	50.73	-45.91	35.66	-54.78	-13.00	41.78	Horizontal
6	10508.25	50.23	-40.70	39.16	-46.57	-13.00	33.57	Horizontal

1.42. Test Band = SA Band25_ TM1

1.42.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1267	46.39	-25.07	24.57	-49.38	-13.00	36.38	Vertical
2	2527.5	49.18	-23.26	27.25	-42.09	-13.00	29.09	Vertical
3	3873.75	50.42	-48.26	29.10	-64.00	-13.00	51.00	Vertical
4	5880.75	51.69	-47.25	32.75	-58.06	-13.00	45.06	Vertical
5	10311.75	50.26	-41.16	39.02	-47.14	-13.00	34.14	Vertical
6	13711.5	53.34	-38.09	39.87	-40.14	-13.00	27.14	Vertical



Report No.: SUCR260400030007

Page: 22 of 66

1.43. Test Band = SA Band25_ TM1

1.43.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1468.5	46.79	-24.98	24.58	-48.87	-13.00	35.87	Horizontal
2	2564	49.27	-23.47	27.32	-42.14	-13.00	29.14	Horizontal
3	4013.25	50.76	-48.16	29.32	-63.34	-13.00	50.34	Horizontal
4	5903.25	51.60	-47.16	32.76	-58.06	-13.00	45.06	Horizontal
5	8311.5	51.58	-44.50	36.64	-51.54	-13.00	38.54	Horizontal
6	12771.75	52.48	-39.29	38.94	-43.13	-13.00	30.13	Horizontal

1.44. Test Band = SA Band25_ TM1

1.44.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240.5	46.41	-24.95	24.66	-49.14	-13.00	36.14	Vertical
2	2509	48.82	-23.16	27.22	-42.38	-13.00	29.38	Vertical
3	3820.5	50.46	-48.20	29.01	-63.99	-13.00	50.99	Vertical
4	5961	51.92	-47.36	32.78	-57.92	-13.00	44.92	Vertical
5	8826.75	51.83	-44.00	37.21	-50.22	-13.00	37.22	Vertical
6	12073.5	52.20	-39.57	39.36	-43.28	-13.00	30.28	Vertical



Report No.: SUCR260400030007

Page: 23 of 66

1.45. Test Band = SA Band25_ TM1

1.45.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1278.5	46.31	-25.13	24.53	-49.55	-13.00	36.55	Horizontal
2	2702	49.40	-22.97	27.56	-41.26	-13.00	28.26	Horizontal
3	3957.75	50.56	-48.23	29.23	-63.69	-13.00	50.69	Horizontal
4	6759.75	51.57	-46.75	35.12	-55.33	-13.00	42.33	Horizontal
5	9434.25	52.45	-42.82	38.01	-47.62	-13.00	34.62	Horizontal
6	14921.25	54.29	-37.50	40.21	-38.27	-13.00	25.27	Horizontal

1.46. Test Band = SA Band25_ TM1

1.46.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1261	46.41	-25.05	24.59	-49.31	-13.00	36.31	Vertical
2	2702.5	49.65	-22.97	27.56	-41.01	-13.00	28.01	Vertical
3	3582	50.36	-48.28	28.63	-64.55	-13.00	51.55	Vertical
4	5859	51.39	-47.36	32.74	-58.48	-13.00	45.48	Vertical
5	8971.5	51.25	-43.42	37.37	-50.06	-13.00	37.06	Vertical
6	13704	53.50	-38.01	39.86	-39.92	-13.00	26.92	Vertical



Report No.: SUCR260400030007

Page: 24 of 66

1.47. Test Band = SA Band26(824-849)_ TM1

1.47.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1198.2222	50.09	-50.23	24.80	-70.59	-13.00	57.59	Horizontal
2	2011.1111	50.67	-49.65	26.32	-67.92	-13.00	54.92	Horizontal
3	2854.2222	51.63	-48.73	27.84	-64.53	-13.00	51.53	Horizontal
4	4288	49.94	-48.07	29.76	-63.63	-13.00	50.63	Horizontal
5	5444.4444	51.99	-47.42	32.44	-58.24	-13.00	45.24	Horizontal
6	7783.5556	51.42	-45.10	36.34	-52.59	-13.00	39.59	Horizontal

1.48. Test Band = SA Band26(824-849)_ TM1

1.48.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1241.7778	49.66	-50.19	24.65	-71.13	-13.00	58.13	Vertical
2	1988.4444	50.31	-49.68	26.27	-68.36	-13.00	55.36	Vertical
3	2994.2222	50.87	-48.32	28.09	-64.62	-13.00	51.62	Vertical
4	3895.1111	50.25	-48.43	29.13	-64.31	-13.00	51.31	Vertical
5	5486.2222	51.41	-47.40	32.56	-58.69	-13.00	45.69	Vertical
6	7621.3333	51.17	-44.80	36.38	-52.51	-13.00	39.51	Vertical



Report No.: SUCR260400030007

Page: 25 of 66

1.49. Test Band = SA Band30 10M_ TM1

1.49.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197.5	37.62	-24.78	24.80	-57.61	-40.00	17.61	Horizontal
2	1728.5	37.12	-23.64	25.69	-56.08	-40.00	16.08	Horizontal
3	3576.5	47.83	-48.28	28.62	-67.09	-40.00	27.09	Horizontal
4	4556	46.38	-47.99	30.22	-66.65	-40.00	26.65	Horizontal
5	7136	46.47	-45.96	35.74	-59.01	-40.00	19.01	Horizontal
6	9481.5	45.60	-42.50	38.07	-54.08	-40.00	14.08	Horizontal

1.50. Test Band = SA Band30 10M_ TM1

1.50.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1275.5	37.78	-25.11	24.54	-58.06	-40.00	18.06	Vertical
2	1782.5	37.43	-23.31	25.77	-55.36	-40.00	15.36	Vertical
3	3892.5	46.75	-48.28	29.13	-67.66	-40.00	27.66	Vertical
4	5817.5	47.37	-47.56	32.73	-62.73	-40.00	22.73	Vertical
5	8647.5	46.17	-44.04	37.01	-56.12	-40.00	16.12	Vertical
6	12798	44.34	-39.30	38.92	-51.30	-40.00	11.30	Vertical



Report No.: SUCR260400030007

Page: 26 of 66

1.51. Test Band = SA Band30 5M_ TM1

1.51.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1238.5	37.82	-24.94	24.67	-57.72	-40.00	17.72	Horizontal
2	1833	37.92	-23.42	25.88	-54.88	-40.00	14.88	Horizontal
3	3563.5	47.15	-48.28	28.60	-67.79	-40.00	27.79	Horizontal
4	5863.5	46.89	-47.33	32.75	-62.96	-40.00	22.96	Horizontal
5	8431.5	46.17	-44.16	36.77	-56.48	-40.00	16.48	Horizontal
6	11398.5	43.90	-40.09	39.46	-51.99	-40.00	11.99	Horizontal

1.52. Test Band = SA Band30 5M_ TM1

1.52.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1194	37.88	-24.80	24.80	-57.37	-40.00	17.37	Vertical
2	1903.5	38.16	-23.83	26.06	-54.88	-40.00	14.88	Vertical
3	3598	46.60	-48.28	28.66	-68.28	-40.00	28.28	Vertical
4	6174	46.68	-47.51	33.46	-62.62	-40.00	22.62	Vertical
5	9434.5	45.85	-42.82	38.01	-54.22	-40.00	14.22	Vertical
6	14212	44.65	-38.63	40.28	-48.96	-40.00	8.96	Vertical



Report No.: SUCR260400030007

Page: 27 of 66

1.53. Test Band = SA Band30 5M_ TM1

1.53.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1195.5	37.71	-24.79	24.80	-57.54	-40.00	17.54	Horizontal
2	1691	37.13	-23.92	25.64	-56.41	-40.00	16.41	Horizontal
3	3430.5	46.92	-48.37	28.44	-68.27	-40.00	28.27	Horizontal
4	5372.5	47.51	-47.74	32.24	-63.24	-40.00	23.24	Horizontal
5	7661	45.12	-44.96	36.37	-58.73	-40.00	18.73	Horizontal
6	12029	43.48	-39.48	39.38	-51.88	-40.00	11.88	Horizontal

1.54. Test Band = SA Band30 5M_ TM1

1.54.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1233.5	37.70	-24.92	24.68	-57.79	-40.00	17.79	Vertical
2	1804.5	37.67	-23.23	25.81	-55.01	-40.00	15.01	Vertical
3	3292	46.10	-48.04	28.33	-68.87	-40.00	28.87	Vertical
4	4779.5	46.38	-48.00	30.71	-66.16	-40.00	26.16	Vertical
5	7089.5	45.24	-45.91	35.66	-60.27	-40.00	20.27	Vertical
6	10924	43.33	-40.18	39.45	-52.66	-40.00	12.66	Vertical



Report No.: SUCR260400030007

Page: 28 of 66

1.55. Test Band = SA Band30 5M_ TM1

1.55.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1236	37.91	-24.93	24.67	-57.61	-40.00	17.61	Horizontal
2	1965	38.42	-23.39	26.21	-54.02	-40.00	14.02	Horizontal
3	3412.5	46.54	-48.40	28.43	-68.69	-40.00	28.69	Horizontal
4	5160	46.37	-47.86	31.65	-65.10	-40.00	25.10	Horizontal
5	7611	45.71	-44.64	36.38	-57.81	-40.00	17.81	Horizontal
6	11389	43.58	-40.12	39.46	-52.34	-40.00	12.34	Horizontal

1.56. Test Band = SA Band30 5M_ TM1

1.56.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1195	38.02	-24.79	24.80	-57.23	-40.00	17.23	Vertical
2	1735	37.41	-23.60	25.70	-55.74	-40.00	15.74	Vertical
3	3580.5	46.67	-48.28	28.63	-68.24	-40.00	28.24	Vertical
4	5453.5	46.72	-47.66	32.47	-63.73	-40.00	23.73	Vertical
5	8042	45.45	-44.50	36.35	-57.97	-40.00	17.97	Vertical
6	10883	42.95	-40.13	39.42	-53.02	-40.00	13.02	Vertical



Report No.: SUCR260400030007

Page: 29 of 66

1.57. Test Band = SA Band66_ TM1

1.57.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208	37.73	-24.80	24.77	-57.56	-13.00	44.56	Horizontal
2	2436	39.48	-23.38	27.08	-52.07	-13.00	39.07	Horizontal
3	3796.125	46.53	-48.19	28.97	-67.95	-13.00	54.95	Horizontal
4	5714.625	45.86	-47.51	32.69	-64.23	-13.00	51.23	Horizontal
5	8831.625	44.69	-44.00	37.21	-57.36	-13.00	44.36	Horizontal
6	13717.5	37.26	-38.15	39.88	-56.28	-13.00	43.28	Horizontal

1.58. Test Band = SA Band66_ TM1

1.58.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1236.5	37.76	-24.93	24.67	-57.76	-13.00	44.76	Vertical
2	2698	40.11	-22.97	27.56	-50.57	-13.00	37.57	Vertical
3	3762.375	46.08	-48.30	28.92	-68.56	-13.00	55.56	Vertical
4	4953.375	45.21	-48.02	31.10	-66.97	-13.00	53.97	Vertical
5	7206.375	45.28	-46.20	35.87	-60.31	-13.00	47.31	Vertical
6	10394.625	40.37	-41.24	39.08	-57.05	-13.00	44.05	Vertical



Report No.: SUCR260400030007

Page: 30 of 66

1.59. Test Band = SA Band66_ TM1

1.59.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1368.5	37.80	-25.44	24.21	-58.69	-13.00	45.69	Horizontal
2	2691	40.22	-23.02	27.54	-50.52	-13.00	37.52	Horizontal
3	3745.875	46.40	-48.36	28.89	-68.33	-13.00	55.33	Horizontal
4	5500.875	46.11	-47.61	32.60	-64.16	-13.00	51.16	Horizontal
5	7842.375	45.10	-45.14	36.33	-58.97	-13.00	45.97	Horizontal
6	12754.875	39.16	-39.29	38.95	-56.44	-13.00	43.44	Horizontal

1.60. Test Band = SA Band66_ TM1

1.60.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1298.5	37.96	-25.22	24.46	-58.07	-13.00	45.07	Vertical
2	2696.5	39.97	-22.98	27.55	-50.72	-13.00	37.72	Vertical
3	3925.875	45.86	-48.26	29.18	-68.48	-13.00	55.48	Vertical
4	5560.5	45.96	-47.66	32.62	-64.34	-13.00	51.34	Vertical
5	8190	43.54	-44.24	36.51	-59.45	-13.00	46.45	Vertical
6	11975.625	39.01	-39.56	39.40	-56.41	-13.00	43.41	Vertical



Report No.: SUCR260400030007

Page: 31 of 66

1.61. Test Band = SA Band66_ TM1

1.61.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1258.5	37.97	-25.03	24.60	-57.73	-13.00	44.73	Horizontal
2	2697.5	40.13	-22.98	27.56	-50.55	-13.00	37.55	Horizontal
3	3892.125	46.79	-48.28	29.13	-67.62	-13.00	54.62	Horizontal
4	5381.625	46.75	-47.73	32.27	-63.97	-13.00	50.97	Horizontal
5	7948.125	44.92	-44.90	36.31	-58.93	-13.00	45.93	Horizontal
6	12061.875	39.46	-39.55	39.36	-55.99	-13.00	42.99	Horizontal

1.62. Test Band = SA Band66_ TM1

1.62.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1214.5	37.83	-24.83	24.75	-57.51	-13.00	44.51	Vertical
2	2693	40.15	-23.01	27.55	-50.57	-13.00	37.57	Vertical
3	3759.75	45.49	-48.31	28.92	-69.17	-13.00	56.17	Vertical
4	5442.75	46.51	-47.67	32.44	-63.98	-13.00	50.98	Vertical
5	7318.875	44.82	-46.16	36.07	-60.53	-13.00	47.53	Vertical
6	11452.5	39.50	-40.07	39.45	-56.37	-13.00	43.37	Vertical



Report No.: SUCR260400030007

Page: 32 of 66

1.63. Test Band = SA Band71_ TM1

1.63.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1207.5	49.90	-50.22	24.77	-70.81	-13.00	57.81	Horizontal
2	2013.5	50.76	-49.64	26.32	-67.82	-13.00	54.82	Horizontal
3	3051.5	51.80	-48.61	28.14	-63.93	-13.00	50.93	Horizontal
4	4467	50.50	-48.16	30.05	-62.87	-13.00	49.87	Horizontal
5	6058.5	51.48	-47.25	33.02	-58.01	-13.00	45.01	Horizontal
6	7380.5	51.09	-45.99	36.18	-53.98	-13.00	40.98	Horizontal

1.64. Test Band = SA Band71_ TM1

1.64.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1253	50.23	-50.18	24.61	-70.59	-13.00	57.59	Vertical
2	1702.5	49.50	-49.72	25.65	-69.83	-13.00	56.83	Vertical
3	2489.5	51.91	-48.96	27.18	-65.13	-13.00	52.13	Vertical
4	3274	51.23	-48.63	28.32	-64.34	-13.00	51.34	Vertical
5	4416.5	50.23	-48.07	29.97	-63.13	-13.00	50.13	Vertical
6	6453	51.36	-47.16	34.52	-56.54	-13.00	43.54	Vertical



Report No.: SUCR260400030007

Page: 33 of 66

1.65. Test Band = SA Band71_ TM1

1.65.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1209.5	50.39	-50.22	24.77	-70.32	-13.00	57.32	Horizontal
2	1584.5	49.31	-49.91	25.39	-70.47	-13.00	57.47	Horizontal
3	2298	50.88	-49.14	26.84	-66.68	-13.00	53.68	Horizontal
4	3525	50.82	-48.44	28.54	-64.34	-13.00	51.34	Horizontal
5	5468	51.80	-47.41	32.51	-58.36	-13.00	45.36	Horizontal
6	7064.5	50.63	-46.23	35.62	-55.25	-13.00	42.25	Horizontal

1.66. Test Band = SA Band71_ TM1

1.66.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1223.5	49.50	-50.21	24.72	-71.25	-13.00	58.25	Vertical
2	1691.5	48.53	-49.74	25.64	-70.83	-13.00	57.83	Vertical
3	2589	51.74	-49.14	27.36	-65.30	-13.00	52.30	Vertical
4	3751.5	49.70	-48.55	28.90	-65.21	-13.00	52.21	Vertical
5	5262	51.07	-47.89	31.93	-60.15	-13.00	47.15	Vertical
6	7279	51.29	-46.11	36.00	-54.08	-13.00	41.08	Vertical



Report No.: SUCR260400030007

Page: 34 of 66

1.67. Test Band = SA Band71_ TM1

1.67.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1282	50.39	-50.15	24.51	-70.51	-13.00	57.51	Horizontal
2	1901	50.59	-49.75	26.05	-68.37	-13.00	55.37	Horizontal
3	2564.5	51.69	-49.07	27.32	-65.33	-13.00	52.33	Horizontal
4	3392.5	52.10	-48.69	28.41	-63.43	-13.00	50.43	Horizontal
5	4713.5	50.00	-48.07	30.57	-62.76	-13.00	49.76	Horizontal
6	7063.5	51.09	-46.24	35.61	-54.79	-13.00	41.79	Horizontal

1.68. Test Band = SA Band71_ TM1

1.68.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1156	49.25	-50.11	24.82	-71.29	-13.00	58.29	Vertical
2	1769	48.70	-49.80	25.75	-70.61	-13.00	57.61	Vertical
3	2433	52.10	-49.29	27.08	-65.37	-13.00	52.37	Vertical
4	3290.5	51.41	-48.63	28.33	-64.15	-13.00	51.15	Vertical
5	4950.5	50.63	-48.06	31.09	-61.60	-13.00	48.60	Vertical
6	7117.5	51.00	-46.02	35.71	-54.56	-13.00	41.56	Vertical



Report No.: SUCR260400030007

Page: 35 of 66

1.69. Test Band = SA Band38_ TM1

1.69.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1333	37.63	-25.33	24.33	-58.62	-25.00	33.62	Horizontal
2	2069	38.92	-23.06	26.42	-52.98	-25.00	27.98	Horizontal
3	3552	51.20	-48.28	28.58	-63.76	-25.00	38.76	Horizontal
4	5310.5	52.04	-47.77	32.07	-58.92	-25.00	33.92	Horizontal
5	7994.5	51.34	-44.36	36.30	-51.98	-25.00	26.98	Horizontal
6	12725	53.06	-39.28	38.97	-42.51	-25.00	17.51	Horizontal

1.70. Test Band = SA Band38_ TM1

1.70.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1307	37.88	-25.25	24.43	-58.21	-25.00	33.21	Vertical
2	2051	38.76	-23.08	26.39	-53.19	-25.00	28.19	Vertical
3	4174	49.85	-48.28	29.58	-64.11	-25.00	39.11	Vertical
4	7845.5	52.16	-45.16	36.33	-51.92	-25.00	26.92	Vertical
5	10498.5	51.03	-40.66	39.15	-45.74	-25.00	20.74	Vertical
6	15605	53.09	-37.25	39.11	-40.31	-25.00	15.31	Vertical



Report No.: SUCR260400030007

Page: 36 of 66

1.71. Test Band = SA Band38_ TM1

1.71.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1278	37.78	-25.13	24.53	-58.08	-25.00	33.08	Horizontal
2	2069	38.64	-23.06	26.42	-53.26	-25.00	28.26	Horizontal
3	3872.5	51.55	-48.26	29.10	-62.87	-25.00	37.87	Horizontal
4	5405	52.34	-47.71	32.33	-58.30	-25.00	33.30	Horizontal
5	8000	51.24	-44.30	36.30	-52.02	-25.00	27.02	Horizontal
6	11946.5	52.28	-39.72	39.41	-43.30	-25.00	18.30	Horizontal

1.72. Test Band = SA Band38_ TM1

1.72.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1378	37.68	-25.46	24.18	-58.87	-25.00	33.87	Vertical
2	1924.5	38.11	-23.68	26.11	-54.72	-25.00	29.72	Vertical
3	3470	50.37	-48.33	28.48	-64.74	-25.00	39.74	Vertical
4	5272	51.99	-47.81	31.96	-59.12	-25.00	34.12	Vertical
5	7160.5	52.08	-46.05	35.79	-53.44	-25.00	28.44	Vertical
6	10858.5	51.33	-40.30	39.40	-44.83	-25.00	19.83	Vertical



Report No.: SUCR260400030007

Page: 37 of 66

1.73. Test Band = SA Band38_ TM1

1.73.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1271	38.11	-25.09	24.55	-57.69	-25.00	32.69	Horizontal
2	1790.5	37.54	-23.26	25.79	-55.19	-25.00	30.19	Horizontal
3	3750.5	51.27	-48.34	28.90	-63.43	-25.00	38.43	Horizontal
4	5429	53.03	-47.69	32.40	-57.52	-25.00	32.52	Horizontal
5	7672.5	51.72	-45.03	36.37	-52.21	-25.00	27.21	Horizontal
6	11382	51.64	-40.15	39.46	-44.31	-25.00	19.31	Horizontal

1.74. Test Band = SA Band38_ TM1

1.74.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1343.5	37.49	-25.36	24.30	-58.83	-25.00	33.83	Vertical
2	1983.5	38.27	-23.26	26.26	-53.99	-25.00	28.99	Vertical
3	3558.5	50.90	-48.28	28.59	-64.05	-25.00	39.05	Vertical
4	5486	52.40	-47.63	32.56	-57.92	-25.00	32.92	Vertical
5	7807.5	51.97	-44.95	36.34	-51.90	-25.00	26.90	Vertical
6	10930	51.09	-40.22	39.45	-44.94	-25.00	19.94	Vertical



Report No.: SUCR260400030007

Page: 38 of 66

1.75. Test Band = SA Band41(2500-2690)_ TM1

1.75.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1173	37.94	-24.92	24.81	-57.43	-25.00	32.43	Horizontal
2	1928.5	38.34	-23.65	26.12	-54.45	-25.00	29.45	Horizontal
3	3885	51.60	-48.27	29.12	-62.82	-25.00	37.82	Horizontal
4	5534	52.20	-47.64	32.61	-58.09	-25.00	33.09	Horizontal
5	8845.5	52.65	-44.01	37.23	-49.39	-25.00	24.39	Horizontal
6	12013.5	52.51	-39.45	39.39	-42.81	-25.00	17.81	Horizontal

1.76. Test Band = SA Band41(2500-2690)_ TM1

1.76.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1452.5	37.51	-25.11	24.47	-58.39	-25.00	33.39	Vertical
2	2008	38.64	-23.13	26.31	-53.44	-25.00	28.44	Vertical
3	3288	51.53	-48.05	28.33	-63.45	-25.00	38.45	Vertical
4	4962	51.52	-48.02	31.12	-60.64	-25.00	35.64	Vertical
5	7190.5	52.08	-46.16	35.84	-53.50	-25.00	28.50	Vertical
6	10915	51.25	-40.11	39.44	-44.68	-25.00	19.68	Vertical



Report No.: SUCR260400030007

Page: 39 of 66

1.77. Test Band = SA Band41(2500-2690)_ TM1

1.77.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1186.5	37.84	-24.84	24.81	-57.46	-25.00	32.46	Horizontal
2	1824	37.82	-23.36	25.86	-54.94	-25.00	29.94	Horizontal
3	3234	51.22	-48.12	28.29	-63.87	-25.00	38.87	Horizontal
4	5418.5	52.26	-47.70	32.37	-58.33	-25.00	33.33	Horizontal
5	8129.5	51.63	-44.60	36.44	-51.79	-25.00	26.79	Horizontal
6	12060.5	52.54	-39.55	39.36	-42.90	-25.00	17.90	Horizontal

1.78. Test Band = SA Band41(2500-2690)_ TM1

1.78.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1419.5	37.57	-25.37	24.24	-58.83	-25.00	33.83	Vertical
2	1832.5	37.96	-23.41	25.88	-54.83	-25.00	29.83	Vertical
3	3808	50.62	-48.19	28.99	-63.84	-25.00	38.84	Vertical
4	5474.5	51.96	-47.64	32.53	-58.41	-25.00	33.41	Vertical
5	8834	52.27	-44.00	37.22	-49.78	-25.00	24.78	Vertical
6	13542	53.16	-39.13	39.61	-41.62	-25.00	16.62	Vertical



Report No.: SUCR260400030007

Page: 40 of 66

1.79. Test Band = SA Band41(2500-2690)_ TM1

1.79.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1265	38.00	-25.07	24.57	-57.75	-25.00	32.75	Horizontal
2	1991	38.37	-23.20	26.28	-53.82	-25.00	28.82	Horizontal
3	3880	51.61	-48.27	29.11	-62.81	-25.00	37.81	Horizontal
4	6419.5	51.92	-46.94	34.39	-55.89	-25.00	30.89	Horizontal
5	10267	51.65	-41.48	38.99	-46.10	-25.00	21.10	Horizontal
6	14725	53.36	-36.72	40.23	-38.40	-25.00	13.40	Horizontal

1.80. Test Band = SA Band41(2500-2690)_ TM1

1.80.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1308	37.77	-25.25	24.42	-58.32	-25.00	33.32	Vertical
2	1915	38.14	-23.75	26.09	-54.78	-25.00	29.78	Vertical
3	3882	50.67	-48.27	29.11	-63.75	-25.00	38.75	Vertical
4	5190.5	52.49	-47.88	31.73	-58.92	-25.00	33.92	Vertical
5	7599	51.14	-44.59	36.38	-52.33	-25.00	27.33	Vertical
6	13307.5	52.91	-39.10	39.26	-42.18	-25.00	17.18	Vertical



Report No.: SUCR260400030007

Page: 41 of 66

1.81. Test Band = SA Band48_ TM1

1.81.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1216	36.11	-24.84	24.74	-59.24	-30.00	29.24	Horizontal
2	1893.6	35.36	-23.82	26.03	-57.68	-30.00	27.68	Horizontal
3	3051.6	35.16	-22.47	28.14	-54.43	-30.00	24.43	Horizontal
4	5052.4	32.37	-17.58	31.35	-49.13	-30.00	19.13	Horizontal
5	8853.1333	44.01	-43.70	37.24	-57.71	-30.00	27.71	Horizontal
6	12430.3333	38.22	-38.46	39.14	-56.36	-30.00	26.36	Horizontal

1.82. Test Band = SA Band48_ TM1

1.82.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1205.8	35.70	-24.79	24.78	-59.57	-30.00	29.57	Vertical
2	1992.8	35.29	-23.19	26.28	-56.88	-30.00	26.88	Vertical
3	3168.2	35.02	-22.37	28.23	-54.38	-30.00	24.38	Vertical
4	4919.2	32.16	-18.00	31.02	-50.08	-30.00	20.08	Vertical
5	8498.5667	43.48	-43.69	36.85	-58.62	-30.00	28.62	Vertical
6	12478.3667	38.30	-38.70	39.11	-56.55	-30.00	26.55	Vertical



Report No.: SUCR260400030007

Page: 42 of 66

1.83. Test Band = SA Band48_ TM1

1.83.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1332.6	35.00	-25.33	24.34	-61.25	-30.00	31.25	Horizontal
2	2004.2	35.17	-23.14	26.31	-56.92	-30.00	26.92	Horizontal
3	3047	34.59	-22.47	28.14	-55.01	-30.00	25.01	Horizontal
4	5216.8	32.13	-17.59	31.81	-48.91	-30.00	18.91	Horizontal
5	8862.6667	43.92	-43.67	37.25	-57.76	-30.00	27.76	Horizontal
6	13703.4	37.27	-37.97	39.86	-56.10	-30.00	26.10	Horizontal

1.84. Test Band = SA Band48_ TM1

1.84.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1257.2	35.80	-25.03	24.60	-59.89	-30.00	29.89	Vertical
2	1963.8	35.23	-23.40	26.21	-57.22	-30.00	27.22	Vertical
3	2740.2	35.26	-23.09	27.63	-55.46	-30.00	25.46	Vertical
4	5396.4	33.10	-16.70	32.31	-46.55	-30.00	16.55	Vertical
5	8643.0333	43.69	-43.94	37.01	-58.50	-30.00	28.50	Vertical
6	12879.5	38.16	-38.59	38.87	-56.82	-30.00	26.82	Vertical



Report No.: SUCR260400030007

Page: 43 of 66

1.85. Test Band = SA Band48_ TM1

1.85.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240.4	36.18	-24.95	24.66	-59.37	-30.00	29.37	Horizontal
2	1776.8	34.87	-23.34	25.77	-57.97	-30.00	27.97	Horizontal
3	3030.6	34.44	-22.50	28.12	-55.19	-30.00	25.19	Horizontal
4	5894.8	32.77	-16.04	32.76	-45.77	-30.00	15.77	Horizontal
5	9455.5667	43.78	-42.72	38.04	-56.16	-30.00	26.16	Horizontal
6	14934.3	36.89	-38.23	40.21	-56.39	-30.00	26.39	Horizontal

1.86. Test Band = SA Band48_ TM1

1.86.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1374.8	34.85	-25.45	24.19	-61.68	-30.00	31.68	Vertical
2	1993.8	35.02	-23.18	26.28	-57.14	-30.00	27.14	Vertical
3	3047	34.84	-22.47	28.14	-54.76	-30.00	24.76	Vertical
4	4972.6	32.24	-17.54	31.14	-49.42	-30.00	19.42	Vertical
5	9409	43.46	-42.80	37.97	-56.62	-30.00	26.62	Vertical
6	13590.8333	37.93	-38.34	39.69	-55.99	-30.00	25.99	Vertical



Report No.: SUCR260400030007

Page: 44 of 66

1.87. Test Band = SA Band38 MIMO_ TM1

1.87.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240.5	38.00	-24.95	24.66	-57.55	-25.00	32.55	Horizontal
2	2066.5	38.79	-23.07	26.42	-53.12	-25.00	28.12	Horizontal
3	3530	50.99	-48.29	28.55	-64.01	-25.00	39.01	Horizontal
4	4692	50.99	-47.96	30.52	-61.71	-25.00	36.71	Horizontal
5	7196	51.90	-46.19	35.85	-53.69	-25.00	28.69	Horizontal
6	13729	54.08	-38.27	39.89	-39.56	-25.00	14.56	Horizontal

1.88. Test Band = SA Band38 MIMO_ TM1

1.88.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1264.5	38.16	-25.06	24.57	-57.59	-25.00	32.59	Vertical
2	2081	38.66	-23.05	26.45	-53.21	-25.00	28.21	Vertical
3	3959	51.02	-48.23	29.23	-63.23	-25.00	38.23	Vertical
4	5699	52.29	-47.49	32.68	-57.78	-25.00	32.78	Vertical
5	7802	51.89	-44.92	36.34	-51.95	-25.00	26.95	Vertical
6	11365.5	52.41	-40.21	39.46	-43.60	-25.00	18.60	Vertical



Report No.: SUCR260400030007

Page: 45 of 66

1.89. Test Band = SA Band38 MIMO_ TM1

1.89.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1274.5	38.01	-25.11	24.54	-57.82	-25.00	32.82	Horizontal
2	1826	37.88	-23.37	25.87	-54.89	-25.00	29.89	Horizontal
3	4335.5	50.27	-47.90	29.84	-63.05	-25.00	38.05	Horizontal
4	6711.5	52.20	-46.59	35.04	-54.61	-25.00	29.61	Horizontal
5	9421	53.38	-42.91	37.99	-46.80	-25.00	21.80	Horizontal
6	14197.5	54.02	-38.65	40.28	-39.61	-25.00	14.61	Horizontal

1.90. Test Band = SA Band38 MIMO_ TM1

1.90.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1207	37.75	-24.79	24.78	-57.53	-25.00	32.53	Vertical
2	1719	37.08	-23.69	25.68	-56.20	-25.00	31.20	Vertical
3	3799	50.88	-48.18	28.98	-63.58	-25.00	38.58	Vertical
4	6994.5	51.82	-46.61	35.49	-54.56	-25.00	29.56	Vertical
5	10911	50.94	-40.09	39.44	-44.97	-25.00	19.97	Vertical
6	15470	53.52	-36.89	39.35	-39.28	-25.00	14.28	Vertical



Report No.: SUCR260400030007

Page: 46 of 66

1.91. Test Band = SA Band38 MIMO_ TM1

1.91.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206	37.99	-24.79	24.78	-57.28	-25.00	32.28	Horizontal
2	1773.5	37.30	-23.36	25.76	-55.56	-25.00	30.56	Horizontal
3	3805	50.63	-48.19	28.99	-63.83	-25.00	38.83	Horizontal
4	6747.5	52.37	-46.71	35.10	-54.51	-25.00	29.51	Horizontal
5	10896	50.95	-40.04	39.43	-44.92	-25.00	19.92	Horizontal
6	14722.5	53.76	-36.72	40.23	-37.99	-25.00	12.99	Horizontal

1.92. Test Band = SA Band38 MIMO_ TM1

1.92.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1264.5	37.89	-25.06	24.57	-57.86	-25.00	32.86	Vertical
2	1812	37.93	-23.28	25.83	-54.78	-25.00	29.78	Vertical
3	3880	51.04	-48.27	29.11	-63.38	-25.00	38.38	Vertical
4	5928.5	52.44	-47.25	32.77	-57.30	-25.00	32.30	Vertical
5	8589.5	51.83	-44.00	36.95	-50.48	-25.00	25.48	Vertical
6	13704	53.32	-38.01	39.86	-40.10	-25.00	15.10	Vertical



Report No.: SUCR260400030007

Page: 47 of 66

1.93. Test Band = SA Band41(2500-2690)MIMO_ TM1

1.93.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1245.5	37.83	-24.97	24.64	-57.76	-25.00	32.76	Horizontal
2	1782	37.59	-23.31	25.77	-55.21	-25.00	30.21	Horizontal
3	3854.5	51.10	-48.24	29.07	-63.33	-25.00	38.33	Horizontal
4	6086.5	52.38	-47.40	33.13	-57.15	-25.00	32.15	Horizontal
5	9424	53.20	-42.89	37.99	-46.95	-25.00	21.95	Horizontal
6	13746.5	53.67	-38.45	39.92	-40.12	-25.00	15.12	Horizontal

1.94. Test Band = SA Band41(2500-2690)MIMO_ TM1

1.94.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1163.5	38.01	-24.98	24.82	-57.41	-25.00	32.41	Vertical
2	1802	37.73	-23.21	25.81	-54.94	-25.00	29.94	Vertical
3	3482	50.60	-48.31	28.49	-64.49	-25.00	39.49	Vertical
4	4805	50.97	-48.01	30.77	-61.53	-25.00	36.53	Vertical
5	7038	51.50	-46.31	35.57	-54.50	-25.00	29.50	Vertical
6	9421	53.15	-42.91	37.99	-47.03	-25.00	22.03	Vertical



Report No.: SUCR260400030007

Page: 48 of 66

1.95. Test Band = SA Band41(2500-2690)MIMO_ TM1

1.95.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1267	38.07	-25.07	24.57	-57.70	-25.00	32.70	Horizontal
2	1819	37.88	-23.33	25.85	-54.86	-25.00	29.86	Horizontal
3	3848.5	51.16	-48.23	29.06	-63.28	-25.00	38.28	Horizontal
4	6340.5	52.13	-47.16	34.09	-56.20	-25.00	31.20	Horizontal
5	9345.5	52.31	-42.96	37.88	-48.02	-25.00	23.02	Horizontal
6	14314	54.63	-38.44	40.27	-38.80	-25.00	13.80	Horizontal

1.96. Test Band = SA Band41(2500-2690)MIMO_ TM1

1.96.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1277.5	37.85	-25.12	24.53	-58.01	-25.00	33.01	Vertical
2	1800	37.86	-23.20	25.80	-54.80	-25.00	29.80	Vertical
3	3933	51.72	-48.25	29.19	-62.60	-25.00	37.60	Vertical
4	5871	52.13	-47.30	32.75	-57.68	-25.00	32.68	Vertical
5	8347.5	52.18	-44.34	36.68	-50.74	-25.00	25.74	Vertical
6	13524	53.72	-39.16	39.59	-41.11	-25.00	16.11	Vertical



Report No.: SUCR260400030007

Page: 49 of 66

1.97. Test Band = SA Band41(2500-2690)MIMO_ TM1

1.97.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1266.5	37.95	-25.07	24.57	-57.82	-25.00	32.82	Horizontal
2	1806.5	37.72	-23.24	25.82	-54.97	-25.00	29.97	Horizontal
3	4542.5	50.96	-47.99	30.19	-62.10	-25.00	37.10	Horizontal
4	6259	52.28	-47.41	33.78	-56.61	-25.00	31.61	Horizontal
5	8837.5	52.38	-44.01	37.22	-49.66	-25.00	24.66	Horizontal
6	12807	53.40	-39.31	38.92	-42.25	-25.00	17.25	Horizontal

1.98. Test Band = SA Band41(2500-2690)MIMO_ TM1

1.98.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1230.5	38.11	-24.90	24.69	-57.36	-25.00	32.36	Vertical
2	2071.5	38.67	-23.06	26.43	-53.22	-25.00	28.22	Vertical
3	3894.5	51.16	-48.28	29.13	-63.25	-25.00	38.25	Vertical
4	5472.5	52.43	-47.64	32.52	-57.95	-25.00	32.95	Vertical
5	7969.5	52.32	-44.65	36.31	-51.28	-25.00	26.28	Vertical
6	12763	53.21	-39.29	38.94	-42.40	-25.00	17.40	Vertical



Report No.: SUCR260400030007

Page: 50 of 66

1.99. Test Band = SA Band48 MIMO _ TM1

1.99.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1237	35.67	-24.93	24.67	-59.85	-30.00	29.85	Horizontal
2	1762	33.91	-23.43	25.74	-59.04	-30.00	29.04	Horizontal
3	2732.2	35.37	-23.06	27.62	-55.34	-30.00	25.34	Horizontal
4	4549.8	32.19	-19.51	30.21	-52.37	-30.00	22.37	Horizontal
5	7934.2667	44.30	-44.73	36.31	-59.38	-30.00	29.38	Horizontal
6	12457.8333	38.35	-38.60	39.13	-56.38	-30.00	26.38	Horizontal

1.100. Test Band = SA Band48 MIMO _ TM1

1.100.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1198.6	35.74	-24.77	24.80	-59.49	-30.00	29.49	Vertical
2	1817.4	34.57	-23.31	25.84	-58.16	-30.00	28.16	Vertical
3	2583.2	35.52	-23.58	27.35	-55.97	-30.00	25.97	Vertical
4	4518.2	32.35	-19.44	30.14	-52.21	-30.00	22.21	Vertical
5	8694.3667	44.06	-43.71	37.06	-57.85	-30.00	27.85	Vertical
6	13576.9	37.65	-38.44	39.67	-56.38	-30.00	26.38	Vertical



Report No.: SUCR260400030007

Page: 51 of 66

1.101. Test Band = SA Band48 MIMO _ TM1

1.101.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196.8	35.99	-24.78	24.80	-59.25	-30.00	29.25	Horizontal
2	1925	35.24	-23.68	26.11	-57.59	-30.00	27.59	Horizontal
3	2755.4	34.82	-23.14	27.66	-55.92	-30.00	25.92	Horizontal
4	4336.2	32.28	-20.00	29.84	-53.14	-30.00	23.14	Horizontal
5	7858.3667	44.63	-44.94	36.33	-59.24	-30.00	29.24	Horizontal
6	12425.5667	38.00	-38.44	39.14	-56.55	-30.00	26.55	Horizontal

1.102. Test Band = SA Band48 MIMO _ TM1

1.102.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1330	34.98	-25.32	24.35	-61.26	-30.00	31.26	Vertical
2	1861.4	35.09	-23.61	25.95	-57.82	-30.00	27.82	Vertical
3	2997.2	35.48	-22.55	28.09	-54.24	-30.00	24.24	Vertical
4	5747.6	34.95	-16.77	32.70	-44.38	-30.00	14.38	Vertical
5	9850.1	40.87	-41.92	38.59	-57.72	-30.00	27.72	Vertical
6	15354.5	35.74	-37.98	39.56	-57.94	-30.00	27.94	Vertical



Report No.: SUCR260400030007

Page: 52 of 66

1.103. Test Band = SA Band48 MIMO _ TM1

1.103.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1298.8	35.58	-25.22	24.45	-60.45	-30.00	30.45	Horizontal
2	1783.4	34.82	-23.30	25.78	-57.97	-30.00	27.97	Horizontal
3	2740.2	35.04	-23.09	27.63	-55.68	-30.00	25.68	Horizontal
4	4527.4	32.17	-19.46	30.16	-52.39	-30.00	22.39	Horizontal
5	7914.1	44.39	-44.87	36.32	-59.42	-30.00	29.42	Horizontal
6	12818.2667	38.62	-39.12	38.91	-56.85	-30.00	26.85	Horizontal

1.104. Test Band = SA Band48 MIMO _ TM1

1.104.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1273.6	35.53	-25.11	24.54	-60.29	-30.00	30.29	Vertical
2	1774.8	34.68	-23.35	25.76	-58.17	-30.00	28.17	Vertical
3	3140.8	34.86	-22.38	28.21	-54.57	-30.00	24.57	Vertical
4	5018.8	32.03	-17.40	31.25	-49.38	-30.00	19.38	Vertical
5	9494.0667	42.54	-42.66	38.09	-57.29	-30.00	27.29	Vertical
6	14941.2667	36.83	-38.19	40.21	-56.41	-30.00	26.41	Vertical



Report No.: SUCR260400030007

Page: 53 of 66

1.105. Test Band = SA Band77(3450-3900)_ TM1

1.105.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1231.4	35.54	-24.91	24.69	-59.94	-30.00	29.94	Horizontal
2	2002.2	34.90	-23.14	26.30	-57.19	-30.00	27.19	Horizontal
3	3056.8	34.91	-22.46	28.15	-54.67	-30.00	24.67	Horizontal
4	5277.8	37.16	-17.29	31.98	-43.41	-30.00	13.41	Horizontal
5	9402.0333	43.87	-42.81	37.96	-56.23	-30.00	26.23	Horizontal
6	13711.1	37.37	-38.01	39.87	-56.04	-30.00	26.04	Horizontal

1.106. Test Band = SA Band77(3450-3900)_ TM1

1.106.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196.6	36.11	-24.78	24.80	-59.13	-30.00	29.13	Vertical
2	2070.4	35.50	-23.06	26.43	-56.40	-30.00	26.40	Vertical
3	3052.2	34.99	-22.47	28.14	-54.60	-30.00	24.60	Vertical
4	4830	32.46	-18.56	30.83	-50.54	-30.00	20.54	Vertical
5	8503.7	43.83	-43.70	36.85	-58.27	-30.00	28.27	Vertical
6	12466.6333	38.45	-38.64	39.12	-56.33	-30.00	26.33	Vertical



Report No.: SUCR260400030007

Page: 54 of 66

1.107. Test Band = SA Band77(3450-3900)_ TM1

1.107.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1237.8	36.24	-24.94	24.67	-59.29	-30.00	29.29	Horizontal
2	1853.6	35.24	-23.55	25.93	-57.64	-30.00	27.64	Horizontal
3	3049.6	34.99	-22.47	28.14	-54.60	-30.00	24.60	Horizontal
4	4954.8	31.90	-17.69	31.10	-49.95	-30.00	19.95	Horizontal
5	8505.5333	43.63	-43.70	36.86	-58.48	-30.00	28.48	Horizontal
6	13716.6	37.20	-38.04	39.87	-56.23	-30.00	26.23	Horizontal

1.108. Test Band = SA Band77(3450-3900)_ TM1

1.108.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1193.4	36.03	-24.80	24.80	-59.23	-30.00	29.23	Vertical
2	2063.2	35.64	-23.07	26.41	-56.28	-30.00	26.28	Vertical
3	2999	34.30	-22.54	28.10	-55.41	-30.00	25.41	Vertical
4	4761.4	32.10	-18.81	30.68	-51.29	-30.00	21.29	Vertical
5	7942.7	44.58	-44.67	36.31	-59.04	-30.00	29.04	Vertical
6	12010.5	38.44	-38.65	39.39	-56.07	-30.00	26.07	Vertical



Report No.: SUCR260400030007

Page: 55 of 66

1.109. Test Band = SA Band77(3450-3900)_ TM1

1.109.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1238.4	35.65	-24.94	24.67	-59.88	-30.00	29.88	Horizontal
2	1837	34.74	-23.44	25.89	-58.07	-30.00	28.07	Horizontal
3	2964.6	34.27	-22.70	28.04	-55.65	-30.00	25.65	Horizontal
4	5272.2	33.02	-17.32	31.96	-47.59	-30.00	17.59	Horizontal
5	8597.2	44.45	-44.12	36.96	-57.97	-30.00	27.97	Horizontal
6	12031.4	38.61	-38.82	39.38	-56.09	-30.00	26.09	Horizontal

1.110. Test Band = SA Band77(3450-3900)_ TM1

1.110.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1274	35.54	-25.11	24.54	-60.29	-30.00	30.29	Vertical
2	2133.6	35.28	-23.20	26.54	-56.64	-30.00	26.64	Vertical
3	3017.4	34.69	-22.52	28.11	-54.97	-30.00	24.97	Vertical
4	5247.2	32.24	-17.44	31.89	-48.57	-30.00	18.57	Vertical
5	8446.8667	43.52	-44.04	36.79	-58.99	-30.00	28.99	Vertical
6	11382.7667	39.20	-39.84	39.46	-56.44	-30.00	26.44	Vertical



Report No.: SUCR260400030007

Page: 56 of 66

1.111. Test Band = SA Band77(3450-3900)MIMO_ TM1

1.111.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1200.2	35.84	-24.76	24.80	-59.38	-30.00	29.38	Horizontal
2	1996	35.26	-23.17	26.29	-56.88	-30.00	26.88	Horizontal
3	3000.4	34.17	-22.54	28.10	-55.53	-30.00	25.53	Horizontal
4	5166.4	32.46	-17.73	31.67	-48.86	-30.00	18.86	Horizontal
5	9448.6	43.63	-42.73	38.03	-56.33	-30.00	26.33	Horizontal
6	14413.2667	37.44	-38.66	40.26	-56.22	-30.00	26.22	Horizontal

1.112. Test Band = SA Band77(3450-3900)MIMO_ TM1

1.112.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1305.6	35.53	-25.25	24.43	-60.55	-30.00	30.55	Vertical
2	1934	35.68	-23.62	26.14	-57.06	-30.00	27.06	Vertical
3	3054.2	34.84	-22.46	28.14	-54.74	-30.00	24.74	Vertical
4	5421.2	33.52	-16.79	32.38	-46.16	-30.00	16.16	Vertical
5	8748.2667	44.11	-43.77	37.12	-57.80	-30.00	27.80	Vertical
6	13715.8667	37.47	-38.04	39.87	-55.96	-30.00	25.96	Vertical



Report No.: SUCR260400030007

Page: 57 of 66

1.113. Test Band = SA Band77(3450-3900)MIMO_ TM1

1.113.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1235.6	35.60	-24.93	24.68	-59.91	-30.00	29.91	Horizontal
2	1924.2	35.10	-23.69	26.11	-57.74	-30.00	27.74	Horizontal
3	2833.4	34.81	-23.18	27.80	-55.83	-30.00	25.83	Horizontal
4	4950.8	32.44	-17.73	31.09	-49.46	-30.00	19.46	Horizontal
5	9399.1	43.34	-42.81	37.96	-56.77	-30.00	26.77	Horizontal
6	12819.3667	38.84	-39.11	38.91	-56.62	-30.00	26.62	Horizontal

1.114. Test Band = SA Band77(3450-3900)MIMO_ TM1

1.114.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1260.8	35.77	-25.05	24.59	-59.95	-30.00	29.95	Vertical
2	1854.6	34.86	-23.56	25.94	-58.02	-30.00	28.02	Vertical
3	2753.2	34.85	-23.13	27.66	-55.88	-30.00	25.88	Vertical
4	5222.6	32.36	-17.56	31.82	-48.64	-30.00	18.64	Vertical
5	7927.6667	44.29	-44.78	36.31	-59.43	-30.00	29.43	Vertical
6	11173.7667	38.95	-39.99	39.48	-56.82	-30.00	26.82	Vertical



Report No.: SUCR260400030007

Page: 58 of 66

1.115. Test Band = SA Band77(3450-3900)MIMO_ TM1

1.115.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1200.2	35.95	-24.76	24.80	-59.27	-30.00	29.27	Horizontal
2	1818	34.72	-23.32	25.85	-58.01	-30.00	28.01	Horizontal
3	3086.8	34.77	-22.42	28.17	-54.74	-30.00	24.74	Horizontal
4	5280.4	32.87	-17.28	31.99	-47.68	-30.00	17.68	Horizontal
5	8497.4667	43.50	-43.70	36.85	-58.61	-30.00	28.61	Horizontal
6	12007.5667	38.59	-38.62	39.40	-55.90	-30.00	25.90	Horizontal

1.116. Test Band = SA Band77(3450-3900)MIMO_ TM1

1.116.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1263	35.69	-25.06	24.58	-60.05	-30.00	30.05	Vertical
2	1800.2	34.44	-23.20	25.80	-58.22	-30.00	28.22	Vertical
3	3097.2	34.58	-22.40	28.18	-54.91	-30.00	24.91	Vertical
4	5747.6	33.56	-16.77	32.70	-45.77	-30.00	15.77	Vertical
5	8922.0667	43.87	-43.57	37.31	-57.64	-30.00	27.64	Vertical
6	12874	38.12	-38.64	38.88	-56.90	-30.00	26.90	Vertical



Report No.: SUCR260400030007

Page: 59 of 66

1.117. Test Band = SA Band77(3900-3980)_ TM1

1.117.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1274.0714	48.28	-25.11	24.54	-47.55	-13.00	34.55	Horizontal
2	1927	49.04	-23.67	26.12	-43.77	-13.00	30.77	Horizontal
3	3049.8571	51.66	-22.47	28.14	-37.93	-13.00	24.93	Horizontal
4	5387.2857	51.38	-16.74	32.28	-28.34	-13.00	15.34	Horizontal
5	8489.7667	44.03	-43.75	36.84	-58.14	-13.00	45.14	Horizontal
6	12819.7333	38.87	-39.11	38.91	-56.59	-13.00	43.59	Horizontal

1.118. Test Band = SA Band77(3900-3980)_ TM1

1.118.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1220.9286	47.77	-24.86	24.73	-47.62	-13.00	34.62	Vertical
2	2046.7857	49.23	-23.09	26.38	-42.73	-13.00	29.73	Vertical
3	2906.0714	50.45	-22.96	27.93	-39.84	-13.00	26.84	Vertical
4	5385.1429	51.21	-16.75	32.28	-28.53	-13.00	15.53	Vertical
5	8805.4667	44.88	-43.84	37.19	-57.04	-13.00	44.04	Vertical
6	12456	38.54	-38.59	39.13	-56.18	-13.00	43.18	Vertical



Report No.: SUCR260400030007

Page: 60 of 66

1.119. Test Band = SA Band77(3900-3980)MIMO_ TM1

1.119.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1272.7857	48.55	-25.10	24.55	-47.27	-13.00	34.27	Horizontal
2	2058.7857	49.53	-23.08	26.41	-42.40	-13.00	29.40	Horizontal
3	2952.5714	50.55	-22.75	28.01	-39.45	-13.00	26.45	Horizontal
4	5461.6429	51.41	-17.01	32.49	-28.37	-13.00	15.37	Horizontal
5	8507.7333	44.73	-43.71	36.86	-57.39	-13.00	44.39	Horizontal
6	13579.1	37.98	-38.42	39.67	-56.03	-13.00	43.03	Horizontal

1.120. Test Band = SA Band77(3900-3980)MIMO_ TM1

1.120.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1246.4286	48.01	-24.98	24.64	-47.59	-13.00	34.59	Vertical
2	1836.7857	48.78	-23.44	25.89	-44.03	-13.00	31.03	Vertical
3	2809.4286	50.83	-23.25	27.76	-39.93	-13.00	26.93	Vertical
4	5409.1429	51.66	-16.73	32.35	-27.98	-13.00	14.98	Vertical
5	9403.5	43.42	-42.80	37.96	-56.68	-13.00	43.68	Vertical
6	12461.5	38.55	-38.62	39.12	-56.20	-13.00	43.20	Vertical



Report No.: SUCR260400030007

Page: 61 of 66

1.121. Test Band = SA Band78(3450-3800)_ TM1

1.121.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1252.6	35.72	-25.01	24.62	-59.93	-30.00	29.93	Horizontal
2	1828.2	34.82	-23.39	25.87	-57.96	-30.00	27.96	Horizontal
3	2961.8	34.63	-22.71	28.03	-55.31	-30.00	25.31	Horizontal
4	4661.6	31.92	-19.20	30.46	-52.09	-30.00	22.09	Horizontal
5	8930.8667	43.58	-43.57	37.32	-57.93	-30.00	27.93	Horizontal
6	12052.3	38.60	-39.00	39.37	-56.29	-30.00	26.29	Horizontal

1.122. Test Band = SA Band78(3450-3800)_ TM1

1.122.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1203.4	35.86	-24.78	24.79	-59.39	-30.00	29.39	Vertical
2	1742.2	34.06	-23.55	25.71	-59.04	-30.00	29.04	Vertical
3	2697	35.20	-22.98	27.55	-55.49	-30.00	25.49	Vertical
4	5275	32.63	-17.30	31.97	-47.96	-30.00	17.96	Vertical
5	8802.9	44.55	-43.85	37.18	-57.38	-30.00	27.38	Vertical
6	12469.5667	38.28	-38.66	39.12	-56.52	-30.00	26.52	Vertical



Report No.: SUCR260400030007

Page: 62 of 66

1.123. Test Band = SA Band78(3450-3800)_ TM1

1.123.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1248.4	35.84	-24.99	24.63	-59.78	-30.00	29.78	Horizontal
2	1865.4	35.52	-23.63	25.96	-57.41	-30.00	27.41	Horizontal
3	3024	34.80	-22.51	28.12	-54.85	-30.00	24.85	Horizontal
4	4970.2	31.89	-17.56	31.13	-49.79	-30.00	19.79	Horizontal
5	7992.2	43.75	-44.32	36.30	-59.53	-30.00	29.53	Horizontal
6	12056.3333	39.55	-39.03	39.37	-55.38	-30.00	25.38	Horizontal

1.124. Test Band = SA Band78(3450-3800)_ TM1

1.124.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197.6	36.17	-24.77	24.80	-59.06	-30.00	29.06	Vertical
2	1846.2	34.86	-23.50	25.92	-57.99	-30.00	27.99	Vertical
3	3020.2	34.54	-22.51	28.12	-55.12	-30.00	25.12	Vertical
4	4983.4	32.23	-17.44	31.16	-49.31	-30.00	19.31	Vertical
5	9397.6333	43.21	-42.81	37.96	-56.91	-30.00	26.91	Vertical
6	14331.8667	38.15	-38.76	40.27	-55.60	-30.00	25.60	Vertical



Report No.: SUCR260400030007

Page: 63 of 66

1.125. Test Band = SA Band78(3450-3800)_ TM1

1.125.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1198.2	36.06	-24.77	24.80	-59.17	-30.00	29.17	Horizontal
2	1789.8	34.23	-23.26	25.78	-58.51	-30.00	28.51	Horizontal
3	3039.8	34.76	-22.48	28.13	-54.85	-30.00	24.85	Horizontal
4	5440	33.12	-16.90	32.43	-46.60	-30.00	16.60	Horizontal
5	8703.5333	44.06	-43.70	37.07	-57.82	-30.00	27.82	Horizontal
6	13718.8	37.37	-38.06	39.88	-56.07	-30.00	26.07	Horizontal

1.126. Test Band = SA Band78(3450-3800)_ TM1

1.126.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1361.6	35.76	-25.41	24.23	-60.68	-30.00	30.68	Vertical
2	1792.2	34.64	-23.25	25.79	-58.08	-30.00	28.08	Vertical
3	3047.8	34.77	-22.47	28.14	-54.82	-30.00	24.82	Vertical
4	4856.2	32.32	-18.42	30.88	-50.47	-30.00	20.47	Vertical
5	8838.4667	44.27	-43.74	37.22	-57.51	-30.00	27.51	Vertical
6	13714.7667	37.25	-38.03	39.87	-56.17	-30.00	26.17	Vertical



Report No.: SUCR260400030007

Page: 64 of 66

1.127. Test Band = SA Band78(3450-3800)MIMO_ TM1

1.127.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1204.6	35.80	-24.78	24.78	-59.46	-30.00	29.46	Horizontal
2	1963.2	35.46	-23.40	26.21	-57.00	-30.00	27.00	Horizontal
3	3060.2	35.17	-22.46	28.15	-54.40	-30.00	24.40	Horizontal
4	5287.6	33.04	-17.24	32.01	-47.46	-30.00	17.46	Horizontal
5	8765.5	44.14	-43.80	37.14	-57.78	-30.00	27.78	Horizontal
6	13715.5	37.20	-38.04	39.87	-56.23	-30.00	26.23	Horizontal

1.128. Test Band = SA Band78(3450-3800)MIMO_ TM1

1.128.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1257.6	35.76	-25.03	24.60	-59.93	-30.00	29.93	Vertical
2	2071.8	35.34	-23.06	26.43	-56.55	-30.00	26.55	Vertical
3	3061.4	34.71	-22.45	28.15	-54.85	-30.00	24.85	Vertical
4	4745.4	32.04	-18.84	30.64	-51.42	-30.00	21.42	Vertical
5	8681.1667	44.09	-43.77	37.05	-57.89	-30.00	27.89	Vertical
6	11985.5667	38.65	-38.75	39.40	-55.96	-30.00	25.96	Vertical



Report No.: SUCR260400030007

Page: 65 of 66

1.129. Test Band = SA Band78(3450-3800)MIMO_ TM1

1.129.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1239.6	35.62	-24.95	24.66	-59.92	-30.00	29.92	Horizontal
2	2091.2	35.34	-23.04	26.46	-56.50	-30.00	26.50	Horizontal
3	2909.4	34.86	-22.95	27.94	-55.41	-30.00	25.41	Horizontal
4	4986.8	31.73	-17.41	31.17	-49.77	-30.00	19.77	Horizontal
5	9456.3	43.48	-42.72	38.04	-56.46	-30.00	26.46	Horizontal
6	13712.9333	37.23	-38.02	39.87	-56.18	-30.00	26.18	Horizontal

1.130. Test Band = SA Band78(3450-3800)MIMO_ TM1

1.130.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1192.2	36.04	-24.81	24.80	-59.22	-30.00	29.22	Vertical
2	1782.6	34.73	-23.31	25.77	-58.06	-30.00	28.06	Vertical
3	2962	34.65	-22.71	28.03	-55.29	-30.00	25.29	Vertical
4	4696.2	31.94	-18.96	30.53	-51.75	-30.00	21.75	Vertical
5	9420.7333	43.44	-42.78	37.99	-56.61	-30.00	26.61	Vertical
6	13587.1667	37.92	-38.37	39.68	-56.03	-30.00	26.03	Vertical



Report No.: SUCR260400030007

Page: 66 of 66

1.131. Test Band = SA Band78(3450-3800)MIMO_ TM1

1.131.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208.4	35.83	-24.80	24.77	-59.46	-30.00	29.46	Horizontal
2	2065.8	35.58	-23.07	26.42	-56.33	-30.00	26.33	Horizontal
3	2997.2	35.03	-22.55	28.09	-54.69	-30.00	24.69	Horizontal
4	5339.2	32.81	-16.98	32.15	-47.28	-30.00	17.28	Horizontal
5	10052.5	40.89	-41.68	38.84	-57.22	-30.00	27.22	Horizontal
6	14365.9667	37.91	-38.73	40.26	-55.82	-30.00	25.82	Horizontal

1.132. Test Band = SA Band78(3450-3800)MIMO_ TM1

1.132.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1263.4	35.72	-25.06	24.58	-60.02	-30.00	30.02	Vertical
2	1834.2	35.12	-23.43	25.89	-57.68	-30.00	27.68	Vertical
3	2680.6	35.54	-23.10	27.53	-55.29	-30.00	25.29	Vertical
4	5005.4	31.62	-17.33	31.22	-49.75	-30.00	19.75	Vertical
5	9439.8	43.04	-42.75	38.02	-56.95	-30.00	26.95	Vertical
6	14409.2333	37.69	-38.68	40.26	-55.99	-30.00	25.99	Vertical

---End of Attachment---