



Report No.: SUCR260400030007

Page: 1 of 45

Appendix B.4

1.1. Test Band = ENDC 5A-n2A_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1260.5	46.57	-25.04	24.59	-49.15	-13.00	36.15	Horizontal
2	2677.5	50.02	-23.12	27.52	-40.84	-13.00	27.84	Horizontal
3	3870	50.56	-48.26	29.09	-63.87	-13.00	50.87	Horizontal
4	5339.25	51.98	-47.76	32.15	-58.89	-13.00	45.89	Horizontal
5	8397	51.27	-44.12	36.74	-51.38	-13.00	38.38	Horizontal
6	11355	51.35	-40.25	39.46	-44.70	-13.00	31.70	Horizontal

1.2. Test Band = ENDC 5A-n2A_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1555	46.32	-24.87	25.19	-48.62	-13.00	35.62	Vertical
2	2395.5	48.31	-23.52	27.01	-43.46	-13.00	30.46	Vertical
3	3591.75	50.46	-48.28	28.65	-64.43	-13.00	51.43	Vertical
4	5427.75	51.94	-47.69	32.40	-58.61	-13.00	45.61	Vertical
5	7706.25	51.72	-45.19	36.36	-52.37	-13.00	39.37	Vertical
6	11383.5	51.66	-40.14	39.46	-44.28	-13.00	31.28	Vertical



Report No.: SUCR260400030007

Page: 2 of 45

1.3. Test Band = ENDC 5A-n2A_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1296.5	46.44	-25.21	24.46	-49.57	-13.00	36.57	Horizontal
2	2681	49.63	-23.09	27.53	-41.20	-13.00	28.20	Horizontal
3	3861	50.71	-48.25	29.08	-63.72	-13.00	50.72	Horizontal
4	5378.25	52.09	-47.73	32.26	-58.64	-13.00	45.64	Horizontal
5	8863.5	51.82	-44.02	37.25	-50.21	-13.00	37.21	Horizontal
6	11981.25	52.09	-39.53	39.40	-43.30	-13.00	30.30	Horizontal

1.4. Test Band = ENDC 5A-n2A_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1294.5	46.54	-25.20	24.47	-49.45	-13.00	36.45	Vertical
2	2709	49.49	-22.99	27.58	-41.18	-13.00	28.18	Vertical
3	4015.5	50.13	-48.16	29.32	-63.97	-13.00	50.97	Vertical
4	5866.5	51.79	-47.32	32.75	-58.04	-13.00	45.04	Vertical
5	7764.75	51.90	-45.02	36.35	-52.03	-13.00	39.03	Vertical
6	12698.25	52.39	-39.27	38.98	-43.15	-13.00	30.15	Vertical



Report No.: SUCR260400030007

Page: 3 of 45

1.5. Test Band = ENDC 5A-n2A_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1283	46.57	-25.15	24.51	-49.33	-13.00	36.33	Horizontal
2	2701	49.49	-22.96	27.56	-41.17	-13.00	28.17	Horizontal
3	3880.5	51.36	-48.27	29.11	-63.06	-13.00	50.06	Horizontal
4	5429.25	52.38	-47.69	32.40	-58.17	-13.00	45.17	Horizontal
5	8399.25	51.25	-44.11	36.74	-51.38	-13.00	38.38	Horizontal
6	11363.25	51.20	-40.22	39.46	-44.82	-13.00	31.82	Horizontal

1.6. Test Band = ENDC 5A-n2A_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1305.5	46.44	-25.25	24.43	-49.64	-13.00	36.64	Vertical
2	2698.5	49.63	-22.97	27.56	-41.04	-13.00	28.04	Vertical
3	3948.75	50.70	-48.24	29.22	-63.58	-13.00	50.58	Vertical
4	6779.25	51.62	-46.82	35.15	-55.31	-13.00	42.31	Vertical
5	10086	50.86	-41.85	38.86	-47.39	-13.00	34.39	Vertical
6	13701	52.98	-37.98	39.85	-40.41	-13.00	27.41	Vertical



Report No.: SUCR260400030007

Page: 4 of 45

1.7. Test Band = ENDC 2A-n5A_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1200	50.36	-50.23	24.80	-70.33	-13.00	57.33	Horizontal
2	2135.5556	50.71	-49.47	26.54	-67.48	-13.00	54.48	Horizontal
3	3014.6667	51.43	-48.38	28.11	-64.10	-13.00	51.10	Horizontal
4	4484.8889	50.77	-48.19	30.08	-62.61	-13.00	49.61	Horizontal
5	6415.1111	51.24	-47.23	34.38	-56.87	-13.00	43.87	Horizontal
6	8372.4444	51.24	-44.20	36.71	-51.51	-13.00	38.51	Horizontal

1.8. Test Band = ENDC 2A-n5A_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1297.3333	49.91	-50.13	24.46	-71.02	-13.00	58.02	Vertical
2	1972.8889	50.75	-49.69	26.23	-67.97	-13.00	54.97	Vertical
3	2968	50.86	-48.45	28.04	-64.80	-13.00	51.80	Vertical
4	3874.2222	50.41	-48.42	29.10	-64.18	-13.00	51.18	Vertical
5	5072.8889	50.83	-47.93	31.40	-60.96	-13.00	47.96	Vertical
6	7755.1111	51.34	-45.16	36.35	-52.73	-13.00	39.73	Vertical



Report No.: SUCR260400030007

Page: 5 of 45

1.9. Test Band = ENDC 2A-n5A_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1232	50.23	-50.20	24.69	-70.54	-13.00	57.54	Horizontal
2	2018.2222	50.59	-49.63	26.33	-67.97	-13.00	54.97	Horizontal
3	2963.5556	51.44	-48.47	28.03	-64.25	-13.00	51.25	Horizontal
4	4436.8889	50.42	-48.11	30.00	-62.95	-13.00	49.95	Horizontal
5	5863.1111	51.89	-47.28	32.75	-57.90	-13.00	44.90	Horizontal
6	7392	51.22	-45.98	36.21	-53.81	-13.00	40.81	Horizontal

1.10. Test Band = ENDC 2A-n5A_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1205.3333	49.80	-50.22	24.78	-70.90	-13.00	57.90	Vertical
2	2198.6667	51.08	-49.49	26.66	-67.01	-13.00	54.01	Vertical
3	2996	51.28	-48.31	28.09	-64.20	-13.00	51.20	Vertical
4	4377.7778	50.37	-48.04	29.90	-63.02	-13.00	50.02	Vertical
5	5423.5556	51.79	-47.43	32.39	-58.51	-13.00	45.51	Vertical
6	7802.6667	51.57	-45.07	36.34	-52.42	-13.00	39.42	Vertical



Report No.: SUCR260400030007

Page: 6 of 45

1.11. Test Band = ENDC 2A-n5A_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1162.2222	50.08	-50.12	24.82	-70.49	-13.00	57.49	Horizontal
2	1972.8889	50.63	-49.69	26.23	-68.09	-13.00	55.09	Horizontal
3	3421.7778	51.23	-48.63	28.44	-64.23	-13.00	51.23	Horizontal
4	4438.2222	50.61	-48.11	30.00	-62.76	-13.00	49.76	Horizontal
5	5431.5556	52.19	-47.42	32.41	-58.09	-13.00	45.09	Horizontal
6	7076.4444	50.82	-46.15	35.64	-54.95	-13.00	41.95	Horizontal

1.12. Test Band = ENDC 2A-n5A_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208.8889	49.86	-50.22	24.77	-70.85	-13.00	57.85	Vertical
2	2009.3333	50.97	-49.65	26.32	-67.62	-13.00	54.62	Vertical
3	2688.8889	51.72	-49.02	27.54	-65.02	-13.00	52.02	Vertical
4	3904.4444	50.87	-48.43	29.15	-63.67	-13.00	50.67	Vertical
5	5443.1111	52.18	-47.42	32.44	-58.06	-13.00	45.06	Vertical
6	6763.1111	51.96	-46.85	35.12	-55.03	-13.00	42.03	Vertical



Report No.: SUCR260400030007

Page: 7 of 45

1.13. Test Band = ENDC 2A-n7A_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1272	37.97	-25.10	24.55	-57.84	-25.00	32.84	Horizontal
2	1807	37.59	-23.25	25.82	-55.10	-25.00	30.10	Horizontal
3	3627.5	50.83	-48.34	28.70	-64.07	-25.00	39.07	Horizontal
4	5288.5	52.12	-47.79	32.01	-58.92	-25.00	33.92	Horizontal
5	7802	52.08	-44.92	36.34	-51.76	-25.00	26.76	Horizontal
6	10434	51.15	-41.04	39.10	-46.05	-25.00	21.05	Horizontal

1.14. Test Band = ENDC 2A-n7A_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240	37.81	-24.95	24.66	-57.74	-25.00	32.74	Vertical
2	1889.5	38.27	-23.79	26.02	-54.76	-25.00	29.76	Vertical
3	3966.5	50.82	-48.22	29.25	-63.41	-25.00	38.41	Vertical
4	6099.5	53.33	-47.38	33.18	-56.13	-25.00	31.13	Vertical
5	8869.5	52.45	-44.02	37.26	-49.57	-25.00	24.57	Vertical
6	14203.5	54.04	-38.65	40.28	-39.59	-25.00	14.59	Vertical



Report No.: SUCR260400030007

Page: 8 of 45

1.15. Test Band = ENDC 2A-n7A_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1257.5	38.02	-25.03	24.60	-57.67	-25.00	32.67	Horizontal
2	1842.5	37.98	-23.48	25.91	-54.85	-25.00	29.85	Horizontal
3	3883.5	51.06	-48.27	29.11	-63.36	-25.00	38.36	Horizontal
4	5323.5	51.94	-47.77	32.11	-58.98	-25.00	33.98	Horizontal
5	7781.5	51.82	-44.97	36.34	-52.06	-25.00	27.06	Horizontal
6	10880	51.23	-40.15	39.42	-44.77	-25.00	19.77	Horizontal

1.16. Test Band = ENDC 2A-n7A_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1243.5	38.05	-24.96	24.65	-57.53	-25.00	32.53	Vertical
2	2103	38.64	-23.05	26.49	-53.18	-25.00	28.18	Vertical
3	3897	51.09	-48.29	29.14	-63.32	-25.00	38.32	Vertical
4	5492	52.14	-47.62	32.58	-58.16	-25.00	33.16	Vertical
5	8820.5	52.57	-44.00	37.20	-49.49	-25.00	24.49	Vertical
6	14715	53.28	-36.71	40.23	-38.46	-25.00	13.46	Vertical



Report No.: SUCR260400030007

Page: 9 of 45

1.17. Test Band = ENDC 2A-n7A_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1200	37.67	-24.76	24.80	-57.55	-25.00	32.55	Horizontal
2	1829	37.91	-23.39	25.87	-54.87	-25.00	29.87	Horizontal
3	3915	50.90	-48.27	29.16	-63.47	-25.00	38.47	Horizontal
4	6689.5	51.80	-46.60	35.00	-55.06	-25.00	30.06	Horizontal
5	9455	53.30	-42.68	38.04	-46.60	-25.00	21.60	Horizontal
6	13169.5	52.67	-38.61	39.05	-42.14	-25.00	17.14	Horizontal

1.18. Test Band = ENDC 2A-n7A_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1331.5	37.81	-25.32	24.34	-58.43	-25.00	33.43	Vertical
2	1959.5	38.36	-23.43	26.20	-54.13	-25.00	29.13	Vertical
3	3912.5	51.04	-48.28	29.16	-63.34	-25.00	38.34	Vertical
4	5383	52.70	-47.73	32.27	-58.02	-25.00	33.02	Vertical
5	8664	51.83	-44.07	37.03	-50.47	-25.00	25.47	Vertical
6	12045	52.71	-39.51	39.37	-42.69	-25.00	17.69	Vertical



Report No.: SUCR260400030007

Page: 10 of 45

1.19. Test Band = ENDC 2A-n12A_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1122.5	50.25	-50.01	24.84	-70.18	-13.00	57.18	Horizontal
2	1594.5	49.49	-49.92	25.46	-70.23	-40.00	30.23	Horizontal
3	2662.5	51.61	-49.06	27.49	-65.22	-13.00	52.22	Horizontal
4	3909	51.05	-48.42	29.15	-63.48	-13.00	50.48	Horizontal
5	5073	50.44	-47.93	31.40	-61.35	-13.00	48.35	Horizontal
6	7608	50.72	-44.72	36.38	-52.88	-13.00	39.88	Horizontal

1.20. Test Band = ENDC 2A-n12A_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1204	49.66	-50.23	24.79	-71.04	-13.00	58.04	Vertical
2	1790	49.33	-49.83	25.79	-69.97	-13.00	56.97	Vertical
3	2695	51.91	-49.01	27.55	-64.81	-13.00	51.81	Vertical
4	3963.5	50.39	-48.38	29.24	-64.01	-13.00	51.01	Vertical
5	5063	50.83	-47.93	31.38	-60.99	-13.00	47.99	Vertical
6	6858.5	51.34	-46.67	35.27	-55.32	-13.00	42.32	Vertical



Report No.: SUCR260400030007

Page: 11 of 45

1.21. Test Band = ENDC 2A-n12A_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206	50.03	-50.22	24.78	-70.68	-13.00	57.68	Horizontal
2	1813.5	50.19	-49.83	25.83	-69.06	-13.00	56.06	Horizontal
3	2690.5	51.50	-49.02	27.54	-65.23	-13.00	52.23	Horizontal
4	3910	50.37	-48.42	29.16	-64.16	-13.00	51.16	Horizontal
5	5329	51.38	-47.71	32.12	-59.47	-13.00	46.47	Horizontal
6	7594	50.56	-44.77	36.38	-53.09	-13.00	40.09	Horizontal

1.22. Test Band = ENDC 2A-n12A_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1218.5	49.74	-50.21	24.74	-71.00	-13.00	58.00	Vertical
2	1958.5	50.35	-49.70	26.20	-68.42	-13.00	55.42	Vertical
3	2733.5	51.44	-48.89	27.62	-65.09	-13.00	52.09	Vertical
4	3888	50.56	-48.43	29.12	-64.01	-13.00	51.01	Vertical
5	5459	51.62	-47.41	32.49	-58.57	-13.00	45.57	Vertical
6	7126	51.04	-46.03	35.73	-54.53	-13.00	41.53	Vertical



Report No.: SUCR260400030007

Page: 12 of 45

1.23. Test Band = ENDC 2A-n12A_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1236	50.12	-50.19	24.67	-70.66	-13.00	57.66	Horizontal
2	1733.5	49.70	-49.76	25.70	-69.62	-13.00	56.62	Horizontal
3	2457	51.34	-49.15	27.12	-65.95	-13.00	52.95	Horizontal
4	3562.5	50.64	-48.46	28.60	-64.48	-13.00	51.48	Horizontal
5	4456	50.29	-48.14	30.03	-63.08	-13.00	50.08	Horizontal
6	7045.5	50.97	-46.37	35.58	-55.08	-13.00	42.08	Horizontal

1.24. Test Band = ENDC 2A-n12A_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1256	49.41	-50.17	24.60	-71.42	-13.00	58.42	Vertical
2	1797	49.63	-49.84	25.80	-69.67	-13.00	56.67	Vertical
3	2808.5	51.20	-48.69	27.76	-64.99	-13.00	51.99	Vertical
4	3904	50.56	-48.43	29.15	-63.98	-13.00	50.98	Vertical
5	5051	50.46	-47.94	31.34	-61.40	-13.00	48.40	Vertical
6	6555.5	50.76	-47.10	34.79	-56.81	-13.00	43.81	Vertical



Report No.: SUCR260400030007

Page: 13 of 45

1.25. Test Band = ENDC 2A-n14A 10M_ TM1

1.25.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1293.3333	47.03	-50.14	24.47	-73.89	-13.00	60.89	Horizontal
2	1798.2222	46.32	-49.84	25.80	-72.98	-13.00	59.98	Horizontal
3	2592	47.16	-49.15	27.37	-69.88	-13.00	56.88	Horizontal
4	3775.1111	45.21	-48.48	28.94	-69.59	-13.00	56.59	Horizontal
5	5362.6667	45.25	-47.58	32.22	-65.38	-13.00	52.38	Horizontal
6	7404.8889	44.09	-45.99	36.23	-60.93	-13.00	47.93	Horizontal

1.26. Test Band = ENDC 2A-n14A 10M_ TM1

1.26.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1213.3333	46.45	-50.22	24.75	-74.27	-13.00	61.27	Vertical
2	1712.8889	45.24	-49.74	25.67	-74.09	-13.00	61.09	Vertical
3	2284.4444	47.19	-49.19	26.81	-70.44	-13.00	57.44	Vertical
4	3082.2222	45.97	-48.81	28.17	-69.93	-13.00	56.93	Vertical
5	4453.3333	44.91	-48.14	30.03	-68.46	-13.00	55.46	Vertical
6	5864.4444	45.08	-47.27	32.75	-64.70	-13.00	51.70	Vertical



Report No.: SUCR260400030007

Page: 14 of 45

1.27. Test Band = ENDC 2A-n14A 5M_ TM1

1.27.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1299.5556	47.06	-50.13	24.45	-73.88	-13.00	60.88	Horizontal
2	2000	46.97	-49.67	26.30	-71.66	-13.00	58.66	Horizontal
3	2860.8889	45.79	-48.74	27.85	-70.36	-13.00	57.36	Horizontal
4	4008	44.77	-48.34	29.31	-69.52	-13.00	56.52	Horizontal
5	5491.1111	45.33	-47.39	32.58	-64.75	-13.00	51.75	Horizontal
6	7076.4444	44.04	-46.15	35.64	-61.73	-13.00	48.73	Horizontal

1.28. Test Band = ENDC 2A-n14A 5M_ TM1

1.28.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1223.5556	46.69	-50.21	24.72	-74.06	-13.00	61.06	Vertical
2	1908.8889	47.06	-49.74	26.07	-71.87	-13.00	58.87	Vertical
3	2592	46.57	-49.15	27.37	-70.47	-13.00	57.47	Vertical
4	3897.3333	45.18	-48.43	29.14	-69.37	-13.00	56.37	Vertical
5	5067.1111	44.75	-47.93	31.39	-67.06	-13.00	54.06	Vertical
6	6809.7778	44.96	-46.90	35.20	-62.00	-13.00	49.00	Vertical



Report No.: SUCR260400030007

Page: 15 of 45

1.29. Test Band = ENDC 2A-n14A 5M_ TM1

1.29.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1171.1111	47.30	-50.15	24.81	-73.29	-13.00	60.29	Horizontal
2	1733.7778	45.50	-49.76	25.70	-73.82	-13.00	60.82	Horizontal
3	2592	47.51	-49.15	27.37	-69.53	-13.00	56.53	Horizontal
4	3940.4444	45.18	-48.40	29.20	-69.27	-13.00	56.27	Horizontal
5	5419.5556	45.46	-47.43	32.37	-64.86	-13.00	51.86	Horizontal
6	7190.6667	44.56	-46.16	35.84	-61.02	-13.00	48.02	Horizontal

1.30. Test Band = ENDC 2A-n14A 5M_ TM1

1.30.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1313.3333	46.52	-50.11	24.40	-74.45	-13.00	61.45	Vertical
2	1815.1111	46.12	-49.83	25.84	-73.13	-13.00	60.13	Vertical
3	2707.5556	46.04	-48.98	27.57	-70.62	-13.00	57.62	Vertical
4	3961.7778	45.30	-48.38	29.24	-69.10	-13.00	56.10	Vertical
5	5454.2222	45.58	-47.41	32.47	-64.62	-13.00	51.62	Vertical
6	7373.3333	43.86	-46.00	36.17	-61.23	-13.00	48.23	Vertical



Report No.: SUCR260400030007

Page: 16 of 45

1.31. Test Band = ENDC 2A-n14A 5M_ TM1

1.31.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1208	47.38	-50.22	24.77	-73.33	-13.00	60.33	Horizontal
2	1703.5556	45.24	-49.72	25.66	-74.09	-13.00	61.09	Horizontal
3	2592	47.40	-49.15	27.37	-69.64	-13.00	56.64	Horizontal
4	3387.1111	45.62	-48.68	28.41	-69.91	-13.00	56.91	Horizontal
5	4475.5556	45.24	-48.18	30.06	-68.14	-13.00	55.14	Horizontal
6	6304	44.46	-47.36	33.96	-64.20	-13.00	51.20	Horizontal

1.32. Test Band = ENDC 2A-n14A 5M_ TM1

1.32.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206.6667	46.65	-50.22	24.78	-74.06	-13.00	61.06	Vertical
2	1797.3333	46.49	-49.84	25.80	-72.81	-13.00	59.81	Vertical
3	2690.6667	46.24	-49.02	27.54	-70.49	-13.00	57.49	Vertical
4	3955.5556	44.76	-48.39	29.23	-69.66	-13.00	56.66	Vertical
5	4884.8889	44.55	-48.15	30.95	-67.91	-13.00	54.91	Vertical
6	6727.5556	44.10	-46.77	35.06	-62.86	-13.00	49.86	Vertical



Report No.: SUCR260400030007

Page: 17 of 45

1.33. Test Band = ENDC 12A-n25A_ TM1

1.33.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1288	46.53	-25.17	24.49	-49.41	-13.00	36.41	Horizontal
2	1766	46.46	-23.41	25.75	-46.46	-13.00	33.46	Horizontal
3	3898.5	50.69	-48.29	29.14	-63.72	-13.00	50.72	Horizontal
4	5921.25	51.62	-47.22	32.77	-58.10	-13.00	45.10	Horizontal
5	9423.75	52.64	-42.89	37.99	-47.52	-13.00	34.52	Horizontal
6	13699.5	52.57	-37.98	39.85	-40.82	-13.00	27.82	Horizontal

1.34. Test Band = ENDC 12A-n25A_ TM1

1.34.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1203	46.20	-24.77	24.79	-49.04	-13.00	36.04	Vertical
2	1600.5	46.73	-24.97	25.50	-48.00	-13.00	35.00	Vertical
3	3585.75	50.53	-48.28	28.64	-64.37	-13.00	51.37	Vertical
4	5892	51.46	-47.19	32.76	-58.23	-13.00	45.23	Vertical
5	8853	52.26	-44.01	37.24	-49.77	-13.00	36.77	Vertical
6	12588	52.39	-39.10	39.05	-42.92	-13.00	29.92	Vertical



Report No.: SUCR260400030007

Page: 18 of 45

1.35. Test Band = ENDC 12A-n25A_ TM1

1.35.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1203.5	46.18	-24.78	24.79	-49.07	-13.00	36.07	Horizontal
2	1546.5	46.35	-24.85	25.13	-48.63	-13.00	35.63	Horizontal
3	3591.75	50.39	-48.28	28.65	-64.50	-13.00	51.50	Horizontal
4	5111.25	50.85	-47.83	31.51	-60.73	-13.00	47.73	Horizontal
5	7333.5	51.43	-46.16	36.10	-53.89	-13.00	40.89	Horizontal
6	11325	51.61	-40.37	39.47	-44.55	-13.00	31.55	Horizontal

1.36. Test Band = ENDC 12A-n25A_ TM1

1.36.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1263	46.49	-25.06	24.58	-49.25	-13.00	36.25	Vertical
2	1598	47.14	-24.98	25.49	-47.61	-13.00	34.61	Vertical
3	3897.75	50.53	-48.29	29.14	-63.88	-13.00	50.88	Vertical
4	6030.75	51.79	-47.46	32.92	-58.02	-13.00	45.02	Vertical
5	8793.75	51.34	-44.00	37.17	-50.75	-13.00	37.75	Vertical
6	11993.25	51.60	-39.46	39.40	-43.72	-13.00	30.72	Vertical



Report No.: SUCR260400030007

Page: 19 of 45

1.37. Test Band = ENDC 12A-n25A_ TM1

1.37.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1193	46.30	-24.80	24.80	-48.96	-13.00	35.96	Horizontal
2	1666	46.33	-24.21	25.60	-47.54	-13.00	34.54	Horizontal
3	3792.75	50.03	-48.20	28.97	-64.47	-13.00	51.47	Horizontal
4	5761.5	52.02	-47.59	32.70	-58.12	-13.00	45.12	Horizontal
5	8021.25	50.94	-44.40	36.32	-52.40	-13.00	39.40	Horizontal
6	11995.5	51.57	-39.45	39.40	-43.74	-13.00	30.74	Horizontal

1.38. Test Band = ENDC 12A-n25A_ TM1

1.38.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1220.5	46.16	-24.86	24.73	-49.23	-13.00	36.23	Vertical
2	1714.5	46.31	-23.72	25.67	-47.00	-13.00	34.00	Vertical
3	3594.75	50.44	-48.28	28.65	-64.45	-13.00	51.45	Vertical
4	5329.5	51.85	-47.76	32.12	-59.05	-13.00	46.05	Vertical
5	7827	51.63	-45.06	36.33	-52.35	-13.00	39.35	Vertical
6	11379	51.29	-40.16	39.46	-44.67	-13.00	31.67	Vertical



Report No.: SUCR260400030007

Page: 20 of 45

1.39. Test Band = ENDC 5A-n30A 10M_ TM1

1.39.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1285	37.72	-25.16	24.50	-58.20	-40.00	18.20	Horizontal
2	1829.5	37.93	-23.39	25.87	-54.85	-40.00	14.85	Horizontal
3	3592.5	47.15	-48.28	28.65	-67.74	-40.00	27.74	Horizontal
4	5440	47.61	-47.68	32.43	-62.89	-40.00	22.89	Horizontal
5	9387	45.72	-43.03	37.94	-54.63	-40.00	14.63	Horizontal
6	12727.5	44.04	-39.28	38.96	-51.53	-40.00	11.53	Horizontal

1.40. Test Band = ENDC 5A-n30A 10M_ TM1

1.40.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1216	37.78	-24.84	24.74	-57.57	-40.00	17.57	Vertical
2	1820.5	37.95	-23.34	25.85	-54.79	-40.00	14.79	Vertical
3	3910.5	46.43	-48.28	29.16	-67.95	-40.00	27.95	Vertical
4	6164	47.19	-47.49	33.42	-62.14	-40.00	22.14	Vertical
5	8797	46.08	-43.99	37.18	-56.00	-40.00	16.00	Vertical
6	12007	43.63	-39.43	39.40	-51.67	-40.00	11.67	Vertical



Report No.: SUCR260400030007

Page: 21 of 45

1.41. Test Band = ENDC 5A-n30A 5M_ TM1

1.41.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196.5	38.03	-24.78	24.80	-57.21	-40.00	17.21	Horizontal
2	1809.5	37.76	-23.26	25.82	-54.94	-40.00	14.94	Horizontal
3	3593	47.42	-48.28	28.65	-67.47	-40.00	27.47	Horizontal
4	5433.5	47.14	-47.68	32.41	-63.39	-40.00	23.39	Horizontal
5	7302.5	46.41	-46.16	36.04	-58.97	-40.00	18.97	Horizontal
6	11401	43.64	-40.08	39.46	-52.24	-40.00	12.24	Horizontal

1.42. Test Band = ENDC 5A-n30A 5M_ TM1

1.42.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1269	37.91	-25.08	24.56	-57.88	-40.00	17.88	Vertical
2	2104	38.74	-23.05	26.49	-53.08	-40.00	13.08	Vertical
3	3945.5	46.19	-48.24	29.21	-68.10	-40.00	28.10	Vertical
4	6150	46.72	-47.47	33.37	-62.64	-40.00	22.64	Vertical
5	9420	46.08	-42.91	37.99	-54.11	-40.00	14.11	Vertical
6	13677	43.63	-38.22	39.82	-50.03	-40.00	10.03	Vertical



Report No.: SUCR260400030007

Page: 22 of 45

1.43. Test Band = ENDC 5A-n30A 5M_ TM1

1.43.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1263.5	37.84	-25.06	24.58	-57.90	-40.00	17.90	Horizontal
2	1817.5	37.83	-23.32	25.84	-54.90	-40.00	14.90	Horizontal
3	3579	47.19	-48.28	28.63	-67.73	-40.00	27.73	Horizontal
4	5882.5	46.80	-47.24	32.75	-62.94	-40.00	22.94	Horizontal
5	7862	46.12	-45.24	36.33	-58.06	-40.00	18.06	Horizontal
6	13728.5	44.67	-38.27	39.89	-48.96	-40.00	8.96	Horizontal

1.44. Test Band = ENDC 5A-n30A 5M_ TM1

1.44.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1182	37.79	-24.87	24.81	-57.53	-40.00	17.53	Vertical
2	1736.5	37.28	-23.59	25.70	-55.86	-40.00	15.86	Vertical
3	3591.5	46.77	-48.28	28.65	-68.12	-40.00	28.12	Vertical
4	5491.5	46.85	-47.62	32.58	-63.45	-40.00	23.45	Vertical
5	10336	43.48	-41.18	39.04	-53.93	-40.00	13.93	Vertical
6	14872.5	44.80	-37.23	40.21	-47.47	-40.00	7.47	Vertical



Report No.: SUCR260400030007

Page: 23 of 45

1.45. Test Band = ENDC 5A-n30A 5M_ TM1

1.45.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1249	37.83	-24.99	24.63	-57.79	-40.00	17.79	Horizontal
2	2075	38.93	-23.06	26.44	-52.95	-40.00	12.95	Horizontal
3	3251.5	46.69	-48.09	28.30	-68.36	-40.00	28.36	Horizontal
4	5441.5	47.69	-47.67	32.44	-62.81	-40.00	22.81	Horizontal
5	7812.5	46.19	-44.98	36.34	-57.71	-40.00	17.71	Horizontal
6	12722.5	44.26	-39.28	38.97	-51.31	-40.00	11.31	Horizontal

1.46. Test Band = ENDC 5A-n30A 5M_ TM1

1.46.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197	37.82	-24.78	24.80	-57.42	-40.00	17.42	Vertical
2	1787	37.60	-23.28	25.78	-55.16	-40.00	15.16	Vertical
3	3913	46.41	-48.28	29.16	-67.96	-40.00	27.96	Vertical
4	5428.5	47.26	-47.69	32.40	-63.29	-40.00	23.29	Vertical
5	7620	44.90	-44.70	36.38	-58.68	-40.00	18.68	Vertical
6	11381.5	43.52	-40.15	39.46	-52.43	-40.00	12.43	Vertical



Report No.: SUCR260400030007

Page: 24 of 45

1.47. Test Band = ENDC 2A-n66A_ TM1

1.47.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197.5	37.80	-24.78	24.80	-57.43	-13.00	44.43	Horizontal
2	1604.5	37.35	-24.93	25.51	-57.33	-13.00	44.33	Horizontal
3	3520.5	46.59	-48.29	28.53	-68.43	-13.00	55.43	Horizontal
4	5130.375	45.71	-47.84	31.57	-65.83	-13.00	52.83	Horizontal
5	7561.125	44.13	-45.19	36.39	-59.93	-13.00	46.93	Horizontal
6	10920.75	39.27	-40.15	39.44	-56.70	-13.00	43.70	Horizontal

1.48. Test Band = ENDC 2A-n66A_ TM1

1.48.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1188.5	38.00	-24.83	24.81	-57.28	-13.00	44.28	Vertical
2	1512	37.57	-24.76	24.88	-57.57	-13.00	44.57	Vertical
3	3594.75	46.53	-48.28	28.65	-68.36	-13.00	55.36	Vertical
4	5418.375	46.60	-47.70	32.37	-63.99	-13.00	50.99	Vertical
5	7762.875	44.79	-45.02	36.35	-59.14	-13.00	46.14	Vertical
6	11346	39.54	-40.29	39.47	-56.54	-13.00	43.54	Vertical



Report No.: SUCR260400030007

Page: 25 of 45

1.49. Test Band = ENDC 2A-n66A_ TM1

1.49.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1195	37.75	-24.79	24.80	-57.50	-13.00	44.50	Horizontal
2	1544.5	37.28	-24.84	25.11	-57.71	-13.00	44.71	Horizontal
3	4373.25	46.18	-48.02	29.90	-67.20	-13.00	54.20	Horizontal
4	6319.875	45.57	-47.24	34.02	-62.92	-13.00	49.92	Horizontal
5	8778	44.48	-44.02	37.16	-57.64	-13.00	44.64	Horizontal
6	11375.25	40.09	-40.17	39.46	-55.88	-13.00	42.88	Horizontal

1.50. Test Band = ENDC 2A-n66A_ TM1

1.50.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1194	37.80	-24.80	24.80	-57.45	-13.00	44.45	Vertical
2	1479.5	37.45	-24.89	24.66	-58.05	-13.00	45.05	Vertical
3	3896.25	46.08	-48.29	29.13	-68.33	-13.00	55.33	Vertical
4	5960.25	46.43	-47.36	32.78	-63.41	-13.00	50.41	Vertical
5	9363.75	43.14	-42.99	37.91	-57.20	-13.00	44.20	Vertical
6	12691.5	39.11	-39.25	38.99	-56.41	-13.00	43.41	Vertical



Report No.: SUCR260400030007

Page: 26 of 45

1.51. Test Band = ENDC 2A-n66A_ TM1

1.51.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1187.5	37.84	-24.84	24.81	-57.45	-13.00	44.45	Horizontal
2	1519	37.41	-24.78	24.93	-57.69	-13.00	44.69	Horizontal
3	3747	47.19	-48.35	28.90	-67.53	-13.00	54.53	Horizontal
4	5029.5	45.94	-47.95	31.28	-65.99	-13.00	52.99	Horizontal
5	6983.25	45.13	-46.62	35.47	-61.28	-13.00	48.28	Horizontal
6	10288.5	40.73	-41.26	39.00	-56.79	-13.00	43.79	Horizontal

1.52. Test Band = ENDC 2A-n66A_ TM1

1.52.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1183	37.94	-24.86	24.81	-57.38	-13.00	44.38	Vertical
2	1514.5	37.60	-24.77	24.90	-57.52	-13.00	44.52	Vertical
3	3888	46.12	-48.28	29.12	-68.30	-13.00	55.30	Vertical
4	5398.875	46.88	-47.72	32.32	-63.78	-13.00	50.78	Vertical
5	8536.5	44.17	-44.17	36.89	-58.37	-13.00	45.37	Vertical
6	11325	40.05	-40.37	39.47	-56.11	-13.00	43.11	Vertical



Report No.: SUCR260400030007

Page: 27 of 45

1.53. Test Band = ENDC 2A-n71A_ TM1

1.53.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1177.5	49.86	-50.17	24.81	-70.76	-13.00	57.76	Horizontal
2	1506	49.39	-49.84	24.84	-70.86	-13.00	57.86	Horizontal
3	2274.5	50.97	-49.22	26.79	-66.72	-13.00	53.72	Horizontal
4	2990	51.14	-48.34	28.08	-64.38	-13.00	51.38	Horizontal
5	4781.5	50.28	-48.03	30.72	-62.29	-13.00	49.29	Horizontal
6	6784.5	51.40	-46.90	35.16	-55.61	-13.00	42.61	Horizontal

1.54. Test Band = ENDC 2A-n71A_ TM1

1.54.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1202.5	49.44	-50.23	24.79	-71.26	-13.00	58.26	Vertical
2	1598.5	49.40	-49.93	25.49	-70.30	-13.00	57.30	Vertical
3	2208	50.88	-49.46	26.67	-67.17	-13.00	54.17	Vertical
4	2986	50.53	-48.36	28.07	-65.01	-13.00	52.01	Vertical
5	3962.5	50.12	-48.38	29.24	-64.28	-13.00	51.28	Vertical
6	5522.5	51.35	-47.45	32.61	-58.75	-13.00	45.75	Vertical



Report No.: SUCR260400030007

Page: 28 of 45

1.55. Test Band = ENDC 2A-n71A_ TM1

1.55.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1167	50.33	-50.14	24.82	-70.25	-13.00	57.25	Horizontal
2	1518.5	49.66	-49.85	24.93	-70.52	-13.00	57.52	Horizontal
3	2053.5	50.61	-49.56	26.40	-67.81	-13.00	54.81	Horizontal
4	2664.5	52.28	-49.06	27.50	-64.54	-13.00	51.54	Horizontal
5	4077.5	49.68	-48.28	29.42	-64.44	-13.00	51.44	Horizontal
6	6402	51.31	-47.26	34.33	-56.88	-13.00	43.88	Horizontal

1.56. Test Band = ENDC 2A-n71A_ TM1

1.56.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1203.5	50.28	-50.23	24.79	-70.42	-13.00	57.42	Vertical
2	1703	49.25	-49.72	25.65	-70.08	-13.00	57.08	Vertical
3	2192.5	51.12	-49.49	26.65	-66.98	-13.00	53.98	Vertical
4	2996.5	51.23	-48.31	28.09	-64.24	-13.00	51.24	Vertical
5	4734	49.87	-48.06	30.61	-62.83	-13.00	49.83	Vertical
6	6106	51.53	-47.04	33.20	-57.57	-13.00	44.57	Vertical



Report No.: SUCR260400030007

Page: 29 of 45

1.57. Test Band = ENDC 2A-n71A_ TM1

1.57.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206.5	50.02	-50.22	24.78	-70.69	-13.00	57.69	Horizontal
2	1552.5	49.65	-49.88	25.17	-70.33	-13.00	57.33	Horizontal
3	2294	51.18	-49.15	26.83	-66.40	-13.00	53.40	Horizontal
4	3040.5	51.70	-48.55	28.13	-63.97	-13.00	50.97	Horizontal
5	4380.5	50.61	-48.04	29.91	-62.78	-13.00	49.78	Horizontal
6	6555.5	50.78	-47.10	34.79	-56.79	-13.00	43.79	Horizontal

1.58. Test Band = ENDC 2A-n71A_ TM1

1.58.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1287	51.18	-50.14	24.50	-69.73	-13.00	56.73	Vertical
2	1702	49.53	-49.72	25.65	-69.80	-13.00	56.80	Vertical
3	2210	51.13	-49.45	26.68	-66.91	-13.00	53.91	Vertical
4	3033.5	51.65	-48.50	28.13	-63.98	-13.00	50.98	Vertical
5	4490	50.43	-48.20	30.08	-62.95	-13.00	49.95	Vertical
6	6445.5	51.10	-47.17	34.49	-56.84	-13.00	43.84	Vertical



Report No.: SUCR260400030007

Page: 30 of 45

1.59. Test Band = ENDC 2A-n38A_ TM1

1.59.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1264.5	38.00	-25.06	24.57	-57.75	-25.00	32.75	Horizontal
2	1949.5	38.53	-23.50	26.17	-54.06	-25.00	29.06	Horizontal
3	3771.5	50.85	-48.27	28.93	-63.75	-25.00	38.75	Horizontal
4	6238.5	52.80	-47.46	33.71	-56.22	-25.00	31.22	Horizontal
5	8739	52.12	-44.07	37.11	-50.10	-25.00	25.10	Horizontal
6	12039	52.82	-39.50	39.38	-42.57	-25.00	17.57	Horizontal

1.60. Test Band = ENDC 2A-n38A_ TM1

1.60.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1298	37.77	-25.22	24.46	-58.25	-25.00	33.25	Vertical
2	1822.5	37.81	-23.35	25.86	-54.94	-25.00	29.94	Vertical
3	3804.5	50.88	-48.18	28.99	-63.58	-25.00	38.58	Vertical
4	5469.5	52.81	-47.64	32.51	-57.58	-25.00	32.58	Vertical
5	7758	52.71	-45.04	36.35	-51.24	-25.00	26.24	Vertical
6	11409.5	51.65	-40.08	39.46	-44.23	-25.00	19.23	Vertical



Report No.: SUCR260400030007

Page: 31 of 45

1.61. Test Band = ENDC 2A-n38A_ TM1

1.61.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1224	37.87	-24.87	24.72	-57.55	-25.00	32.55	Horizontal
2	1965.5	38.43	-23.39	26.21	-54.00	-25.00	29.00	Horizontal
3	3594	51.35	-48.28	28.65	-63.54	-25.00	38.54	Horizontal
4	5444	52.64	-47.67	32.44	-57.85	-25.00	32.85	Horizontal
5	7785.5	52.08	-44.95	36.34	-51.79	-25.00	26.79	Horizontal
6	11385.5	52.32	-40.14	39.46	-43.61	-25.00	18.61	Horizontal

1.62. Test Band = ENDC 2A-n38A_ TM1

1.62.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1304	38.03	-25.24	24.44	-58.04	-25.00	33.04	Vertical
2	2040.5	38.73	-23.10	26.37	-53.25	-25.00	28.25	Vertical
3	3590.5	50.97	-48.28	28.64	-63.93	-25.00	38.93	Vertical
4	5886	52.17	-47.22	32.75	-57.56	-25.00	32.56	Vertical
5	8599	51.71	-43.97	36.96	-50.56	-25.00	25.56	Vertical
6	13190.5	52.63	-38.67	39.09	-42.22	-25.00	17.22	Vertical



Report No.: SUCR260400030007

Page: 32 of 45

1.63. Test Band = ENDC 2A-n38A_ TM1

1.63.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1273.5	37.91	-25.11	24.54	-57.91	-25.00	32.91	Horizontal
2	1809	37.88	-23.26	25.82	-54.82	-25.00	29.82	Horizontal
3	3307.5	51.33	-48.06	28.35	-63.64	-25.00	38.64	Horizontal
4	5433.5	52.48	-47.68	32.41	-58.05	-25.00	33.05	Horizontal
5	8667	51.97	-44.07	37.03	-50.33	-25.00	25.33	Horizontal
6	12611	52.81	-39.02	39.03	-42.44	-25.00	17.44	Horizontal

1.64. Test Band = ENDC 2A-n38A_ TM1

1.64.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1226	38.02	-24.88	24.71	-57.41	-25.00	32.41	Vertical
2	1821	37.74	-23.34	25.85	-55.01	-25.00	30.01	Vertical
3	3587.5	50.81	-48.28	28.64	-64.09	-25.00	39.09	Vertical
4	5440.5	52.55	-47.68	32.43	-57.95	-25.00	32.95	Vertical
5	7744.5	51.78	-45.08	36.35	-52.21	-25.00	27.21	Vertical
6	10869.5	51.16	-40.23	39.41	-44.92	-25.00	19.92	Vertical



Report No.: SUCR260400030007

Page: 33 of 45

1.65. Test Band = ENDC 2A-n41A(2500-2690)_ TM1

1.65.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1273	37.72	-25.10	24.54	-58.10	-25.00	33.10	Horizontal
2	2004.5	38.40	-23.14	26.31	-53.69	-25.00	28.69	Horizontal
3	3560	51.07	-48.28	28.60	-63.88	-25.00	38.88	Horizontal
4	4915	52.05	-48.03	31.01	-60.22	-25.00	35.22	Horizontal
5	7718.5	52.17	-45.15	36.36	-51.89	-25.00	26.89	Horizontal
6	11348	51.77	-40.28	39.47	-44.30	-25.00	19.30	Horizontal

1.66. Test Band = ENDC 2A-n41A(2500-2690)_ TM1

1.66.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1231	37.90	-24.91	24.69	-57.57	-25.00	32.57	Vertical
2	2069.5	38.75	-23.06	26.43	-53.15	-25.00	28.15	Vertical
3	3593.5	51.01	-48.28	28.65	-63.88	-25.00	38.88	Vertical
4	5446.5	52.56	-47.67	32.45	-57.92	-25.00	32.92	Vertical
5	8368.5	52.36	-44.25	36.71	-50.44	-25.00	25.44	Vertical
6	12699	52.90	-39.27	38.98	-42.65	-25.00	17.65	Vertical



Report No.: SUCR260400030007
Page: 34 of 45

1.67. Test Band = ENDC 2A-n41A(2500-2690)_ TM1

1.67.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1262	37.85	-25.05	24.58	-57.88	-25.00	32.88	Horizontal
2	1852	38.06	-23.54	25.93	-54.81	-25.00	29.81	Horizontal
3	3583	50.97	-48.28	28.63	-63.94	-25.00	38.94	Horizontal
4	5341	53.02	-47.76	32.15	-57.84	-25.00	32.84	Horizontal
5	7808.5	51.93	-44.96	36.34	-51.95	-25.00	26.95	Horizontal
6	11369.5	51.96	-40.20	39.46	-44.03	-25.00	19.03	Horizontal

1.68. Test Band = ENDC 2A-n41A(2500-2690)_ TM1

1.68.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1273.5	37.75	-25.11	24.54	-58.07	-25.00	33.07	Vertical
2	1889.5	38.12	-23.79	26.02	-54.91	-25.00	29.91	Vertical
3	3782	50.49	-48.24	28.95	-64.06	-25.00	39.06	Vertical
4	5367	52.74	-47.74	32.23	-58.03	-25.00	33.03	Vertical
5	7292.5	52.47	-46.16	36.03	-52.93	-25.00	27.93	Vertical
6	11928	52.57	-39.83	39.41	-43.11	-25.00	18.11	Vertical



Report No.: SUCR260400030007

Page: 35 of 45

1.69. Test Band = ENDC 2A-n41A(2500-2690)_ TM1

1.69.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197	37.73	-24.78	24.80	-57.51	-25.00	32.51	Horizontal
2	1997	38.62	-23.16	26.29	-53.51	-25.00	28.51	Horizontal
3	3293.5	51.57	-48.04	28.33	-63.39	-25.00	38.39	Horizontal
4	5464.5	52.30	-47.65	32.50	-58.11	-25.00	33.11	Horizontal
5	7600.5	51.66	-44.57	36.38	-51.79	-25.00	26.79	Horizontal
6	10867	51.67	-40.24	39.41	-44.43	-25.00	19.43	Horizontal

1.70. Test Band = ENDC 2A-n41A(2500-2690)_ TM1

1.70.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1308	38.09	-25.25	24.42	-58.00	-25.00	33.00	Vertical
2	1926.5	38.14	-23.67	26.12	-54.67	-25.00	29.67	Vertical
3	3839.5	51.09	-48.22	29.04	-63.35	-25.00	38.35	Vertical
4	5662.5	52.21	-47.57	32.67	-57.95	-25.00	32.95	Vertical
5	9443.5	53.20	-42.75	38.02	-46.79	-25.00	21.79	Vertical
6	16898	56.25	-36.80	38.76	-37.05	-25.00	12.05	Vertical



Report No.: SUCR260400030007

Page: 36 of 45

1.71. Test Band = ENDC 2A-n48A _ TM1

1.71.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1314.8	34.69	-25.27	24.40	-61.45	-30.00	31.45	Horizontal
2	1970.8	35.23	-23.35	26.23	-57.15	-30.00	27.15	Horizontal
3	2879.4	34.58	-23.05	27.88	-55.85	-30.00	25.85	Horizontal
4	4976	31.64	-17.51	31.15	-49.98	-30.00	19.98	Horizontal
5	8833.7	44.21	-43.76	37.22	-57.59	-30.00	27.59	Horizontal
6	13714.7667	37.08	-38.03	39.87	-56.34	-30.00	26.34	Horizontal

1.72. Test Band = ENDC 2A-n48A _ TM1

1.72.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1326.2	35.28	-25.31	24.36	-60.93	-30.00	30.93	Vertical
2	2083	35.30	-23.05	26.45	-56.56	-30.00	26.56	Vertical
3	3027.4	35.11	-22.50	28.12	-54.53	-30.00	24.53	Vertical
4	4880.4	32.44	-18.28	30.94	-50.16	-30.00	20.16	Vertical
5	9456.3	42.79	-42.72	38.04	-57.15	-30.00	27.15	Vertical
6	13715.5	37.24	-38.04	39.87	-56.19	-30.00	26.19	Vertical



Report No.: SUCR260400030007

Page: 37 of 45

1.73. Test Band = ENDC 2A-n48A _ TM1

1.73.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1331.2	35.55	-25.32	24.34	-60.69	-30.00	30.69	Horizontal
2	1968.4	35.03	-23.37	26.22	-57.38	-30.00	27.38	Horizontal
3	3287.6	34.95	-22.22	28.33	-54.20	-30.00	24.20	Horizontal
4	5449.2	33.09	-16.95	32.46	-46.66	-30.00	16.66	Horizontal
5	8438.4333	43.87	-44.10	36.78	-58.71	-30.00	28.71	Horizontal
6	13652.4333	37.31	-38.11	39.78	-56.28	-30.00	26.28	Horizontal

1.74. Test Band = ENDC 2A-n48A _ TM1

1.74.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1306.8	35.45	-25.25	24.43	-60.63	-30.00	30.63	Vertical
2	1906.4	35.03	-23.81	26.07	-57.98	-30.00	27.98	Vertical
3	3127.6	34.61	-22.39	28.20	-54.84	-30.00	24.84	Vertical
4	4991.2	31.83	-17.38	31.18	-49.63	-30.00	19.63	Vertical
5	8556.5	44.00	-43.93	36.91	-58.28	-30.00	28.28	Vertical
6	12791.5	39.13	-39.26	38.93	-56.46	-30.00	26.46	Vertical



Report No.: SUCR260400030007

Page: 38 of 45

1.75. Test Band = ENDC 2A-n48A _ TM1

1.75.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1214.2	36.15	-24.83	24.75	-59.19	-30.00	29.19	Horizontal
2	2002.8	34.91	-23.14	26.31	-57.18	-30.00	27.18	Horizontal
3	3098.8	34.85	-22.40	28.18	-54.63	-30.00	24.63	Horizontal
4	5250.4	32.06	-17.42	31.90	-48.72	-30.00	18.72	Horizontal
5	9443.8333	43.28	-42.74	38.02	-56.70	-30.00	26.70	Horizontal
6	12428.1333	38.98	-38.45	39.14	-55.59	-30.00	25.59	Horizontal

1.76. Test Band = ENDC 2A-n48A _ TM1

1.76.1. Test Channel =High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1263.6	35.95	-25.06	24.58	-59.79	-30.00	29.79	Vertical
2	1995.2	34.98	-23.17	26.29	-57.17	-30.00	27.17	Vertical
3	3086.2	34.97	-22.42	28.17	-54.54	-30.00	24.54	Vertical
4	5412.4	32.75	-16.75	32.35	-46.90	-30.00	16.90	Vertical
5	8855.3333	43.77	-43.69	37.24	-57.94	-30.00	27.94	Vertical
6	13584.2333	37.40	-38.39	39.68	-56.57	-30.00	26.57	Vertical



Report No.: SUCR260400030007

Page: 39 of 45

1.77. Test Band = ENDC 2A-n77(3450-3900)_ TM1

1.77.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1241.4	35.71	-24.95	24.66	-59.85	-30.00	29.85	Horizontal
2	2065	35.45	-23.07	26.42	-56.46	-30.00	26.46	Horizontal
3	2746.4	35.10	-23.11	27.64	-55.62	-30.00	25.62	Horizontal
4	5279.4	32.55	-17.28	31.98	-48.01	-30.00	18.01	Horizontal
5	9444.9333	43.19	-42.74	38.02	-56.79	-30.00	26.79	Horizontal
6	13517.8667	38.08	-38.84	39.58	-56.44	-30.00	26.44	Horizontal

1.78. Test Band = ENDC 2A-n77(3450-3900)_ TM1

1.78.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1332.4	35.10	-25.33	24.34	-61.15	-30.00	31.15	Vertical
2	2001.2	34.97	-23.14	26.30	-57.13	-30.00	27.13	Vertical
3	2756.8	35.08	-23.14	27.66	-55.66	-30.00	25.66	Vertical
4	5092.4	32.73	-17.80	31.46	-48.87	-30.00	18.87	Vertical
5	9404.9667	43.46	-42.80	37.97	-56.64	-30.00	26.64	Vertical
6	12459.3	38.46	-38.61	39.12	-56.28	-30.00	26.28	Vertical



Report No.: SUCR260400030007

Page: 40 of 45

1.79. Test Band = ENDC 2A-n77(3450-3900)_ TM1

1.79.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1238.6	36.02	-24.94	24.66	-59.52	-30.00	29.52	Horizontal
2	1718.8	33.47	-23.70	25.68	-59.81	-30.00	29.81	Horizontal
3	2912.2	34.94	-22.94	27.94	-55.31	-30.00	25.31	Horizontal
4	5402.6	33.16	-16.69	32.33	-46.47	-30.00	16.47	Horizontal
5	8827.1	44.30	-43.78	37.21	-57.53	-30.00	27.53	Horizontal
6	12056.7	39.62	-39.04	39.37	-55.31	-30.00	25.31	Horizontal

1.80. Test Band = ENDC 2A-n77(3450-3900)_ TM1

1.80.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1261.2	35.91	-25.05	24.59	-59.81	-30.00	29.81	Vertical
2	1952.2	35.64	-23.48	26.18	-56.92	-30.00	26.92	Vertical
3	2936.2	34.20	-22.83	27.99	-55.90	-30.00	25.90	Vertical
4	5230.2	32.37	-17.52	31.84	-48.57	-30.00	18.57	Vertical
5	9403.5	43.56	-42.80	37.96	-56.54	-30.00	26.54	Vertical
6	12042.4	38.78	-38.92	39.37	-56.02	-30.00	26.02	Vertical



Report No.: SUCR260400030007

Page: 41 of 45

1.81. Test Band = ENDC 2A-n77(3450-3900)_ TM1

1.81.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1299.6	35.22	-25.23	24.45	-60.82	-30.00	30.82	Horizontal
2	1924.6	35.56	-23.68	26.11	-57.27	-30.00	27.27	Horizontal
3	2990.8	34.34	-22.58	28.08	-55.42	-30.00	25.42	Horizontal
4	5055.4	32.19	-17.60	31.36	-49.31	-30.00	19.31	Horizontal
5	8489.4	43.65	-43.75	36.84	-58.52	-30.00	28.52	Horizontal
6	12042.4	38.82	-38.92	39.37	-55.98	-30.00	25.98	Horizontal

1.82. Test Band = ENDC 2A-n77(3450-3900)_ TM1

1.82.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1446.2	35.17	-25.16	24.42	-60.83	-30.00	30.83	Vertical
2	1960.2	35.07	-23.43	26.20	-57.42	-30.00	27.42	Vertical
3	3024.2	34.53	-22.51	28.12	-55.12	-30.00	25.12	Vertical
4	5372.8	33.19	-16.82	32.24	-46.64	-30.00	16.64	Vertical
5	8834.4333	44.14	-43.75	37.22	-57.66	-30.00	27.66	Vertical
6	11388.6333	39.12	-39.79	39.46	-56.47	-30.00	26.47	Vertical



Report No.: SUCR260400030007

Page: 42 of 45

1.83. Test Band = ENDC 2A-n78(3450-3800)_ TM1

1.83.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1314.6	35.81	-25.27	24.40	-60.32	-30.00	30.32	Horizontal
2	2042.2	35.95	-23.09	26.38	-56.03	-30.00	26.03	Horizontal
3	2703.8	35.34	-22.97	27.57	-55.33	-30.00	25.33	Horizontal
4	5245	32.00	-17.45	31.89	-48.82	-30.00	18.82	Horizontal
5	9453.3667	43.25	-42.72	38.03	-56.70	-30.00	26.70	Horizontal
6	12445.7333	38.21	-38.54	39.13	-56.46	-30.00	26.46	Horizontal

1.84. Test Band = ENDC 2A-n78(3450-3800)_ TM1

1.84.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1248.4	35.73	-24.99	24.63	-59.89	-30.00	29.89	Vertical
2	2064.2	35.46	-23.07	26.42	-56.45	-30.00	26.45	Vertical
3	2936.6	34.46	-22.83	27.99	-55.64	-30.00	25.64	Vertical
4	4918.4	32.05	-18.01	31.02	-50.20	-30.00	20.20	Vertical
5	9452.6333	43.24	-42.73	38.03	-56.71	-30.00	26.71	Vertical
6	13700.4667	37.12	-37.95	39.85	-56.24	-30.00	26.24	Vertical



Report No.: SUCR260400030007

Page: 43 of 45

1.85. Test Band = ENDC 2A-n78(3450-3800)_ TM1

1.85.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1262.6	35.87	-25.05	24.58	-59.86	-30.00	29.86	Horizontal
2	1961.2	35.80	-23.42	26.20	-56.68	-30.00	26.68	Horizontal
3	3164.6	34.37	-22.37	28.23	-55.03	-30.00	25.03	Horizontal
4	4690.8	32.29	-19.00	30.52	-51.45	-30.00	21.45	Horizontal
5	7815.4667	44.24	-44.91	36.34	-59.59	-30.00	29.59	Horizontal
6	12431.4333	38.02	-38.47	39.14	-56.57	-30.00	26.57	Horizontal

1.86. Test Band = ENDC 2A-n78(3450-3800)_ TM1

1.86.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1307.6	35.39	-25.25	24.42	-60.70	-30.00	30.70	Vertical
2	1787.4	34.88	-23.28	25.78	-57.88	-30.00	27.88	Vertical
3	2885.6	34.77	-23.03	27.89	-55.63	-30.00	25.63	Vertical
4	4913	31.86	-18.06	31.01	-50.45	-30.00	20.45	Vertical
5	8754.1333	44.28	-43.78	37.13	-57.63	-30.00	27.63	Vertical
6	12005	38.93	-38.60	39.40	-55.53	-30.00	25.53	Vertical



Report No.: SUCR260400030007

Page: 44 of 45

1.87. Test Band = ENDC 2A-n78(3450-3800)_ TM1

1.87.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1513	33.88	-24.76	24.89	-61.25	-30.00	31.25	Horizontal
2	2093.2	35.26	-23.04	26.47	-56.57	-30.00	26.57	Horizontal
3	2735.2	35.02	-23.07	27.62	-55.69	-30.00	25.69	Horizontal
4	5152.4	32.01	-17.75	31.63	-49.37	-30.00	19.37	Horizontal
5	8928.3	43.80	-43.57	37.32	-57.71	-30.00	27.71	Horizontal
6	12005.7333	38.95	-38.61	39.40	-55.52	-30.00	25.52	Horizontal

1.88. Test Band = ENDC 2A-n78(3450-3800)_ TM1

1.88.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1274.4	35.49	-25.11	24.54	-60.34	-30.00	30.34	Vertical
2	1798.6	34.94	-23.21	25.80	-57.73	-30.00	27.73	Vertical
3	3022	34.88	-22.51	28.12	-54.77	-30.00	24.77	Vertical
4	5278.8	34.23	-17.28	31.98	-46.33	-30.00	16.33	Vertical
5	9494.0667	42.98	-42.66	38.09	-56.85	-30.00	26.85	Vertical
6	12426.3	37.96	-38.44	39.14	-56.60	-30.00	26.60	Vertical



Report No.: SUCR260400030007

Page: 45 of 45

1.89. Test Band = ENDC 2A-n77(3900-3980)_ TM1

1.89.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1263.3571	48.08	-25.06	24.58	-47.66	-13.00	34.66	Horizontal
2	1790.2857	48.66	-23.26	25.79	-44.07	-13.00	31.07	Horizontal
3	3167.7143	51.24	-22.37	28.23	-38.16	-13.00	25.16	Horizontal
4	5302.4286	51.14	-17.17	32.05	-29.24	-13.00	16.24	Horizontal
5	9366.8333	43.77	-42.85	37.91	-56.43	-13.00	43.43	Horizontal
6	12812.4	38.93	-39.17	38.91	-56.59	-13.00	43.59	Horizontal

1.90. Test Band = ENDC 2A-n77(3900-3980)_ TM1

1.90.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1256.2857	48.18	-25.02	24.60	-47.50	-13.00	34.50	Vertical
2	1778.2857	47.97	-23.33	25.77	-44.86	-13.00	31.86	Vertical
3	2675.2857	51.78	-23.14	27.52	-39.10	-13.00	26.10	Vertical
4	4794.1429	50.16	-18.74	30.75	-33.09	-13.00	20.09	Vertical
5	7976.4333	43.88	-44.43	36.30	-59.51	-13.00	46.51	Vertical
6	10776.6667	38.93	-40.53	39.34	-57.52	-13.00	44.52	Vertical

---End of Attachment---