



Field Strength of Spurious Radiation

4.11 NSA Band DC-2A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.699	-62.94	-2.17	-13.0	49.94	252.00	Vertical	Horizontal	Pass
911.051	-62.43	5.35	-13.0	49.43	72.00	Vertical	Horizontal	Pass
1556.500	-54.08	7.75	-13.0	41.08	180.00	Vertical	Horizontal	Pass
1961.000	-37.64	8.31	-13.0	24.64	288.00	Vertical	Horizontal	N/A
3609.000	-44.00	19.87	-13.0	31.00	108.00	Vertical	Horizontal	Pass
7998.000	-34.85	30.04	-13.0	21.85	252.00	Vertical	Horizontal	Pass

Band: NSA DC-2A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
110.462	-68.40	-1.92	-13.0	55.40	360.00	Horizontal	Horizontal	Pass
894.609	-63.13	4.76	-13.0	50.13	252.00	Horizontal	Horizontal	Pass
1570.000	-54.16	7.73	-13.0	41.16	36.00	Horizontal	Horizontal	Pass
1963.500	-39.16	8.12	-13.0	26.16	324.00	Horizontal	Horizontal	N/A
3591.000	-44.14	19.66	-13.0	31.14	144.00	Horizontal	Horizontal	Pass
7725.000	-34.74	28.30	-13.0	21.74	180.00	Horizontal	Horizontal	Pass

4.12 NSA Band DC-2A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.923	-62.42	-1.87	-13.0	49.42	216.00	Vertical	Horizontal	Pass
904.989	-61.96	5.17	-13.0	48.96	180.00	Vertical	Horizontal	Pass
1961.000	-32.89	8.31	-13.0	19.89	180.00	Vertical	Horizontal	N/A
3595.500	-43.76	20.17	-13.0	30.76	216.00	Vertical	Horizontal	Pass
7749.500	-35.03	28.30	-13.0	22.03	288.00	Vertical	Horizontal	Pass
16773.074	-45.23	28.19	-13.0	32.23	144.00	Vertical	Horizontal	Pass

Band: NSA DC-2A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.272	-65.00	-1.10	-13.0	52.00	360.00	Horizontal	Horizontal	Pass
910.420	-62.18	5.33	-13.0	49.18	108.00	Horizontal	Horizontal	Pass
1962.500	-31.95	8.20	-13.0	18.95	36.00	Horizontal	Horizontal	N/A
3590.500	-43.81	19.60	-13.0	30.81	288.00	Horizontal	Horizontal	Pass
7720.500	-35.10	28.16	-13.0	22.10	144.00	Horizontal	Horizontal	Pass
16773.074	-45.00	28.19	-13.0	32.00	360.00	Horizontal	Horizontal	Pass

4.13 NSA Band DC-2A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-62.44	-1.75	-13.0	49.44	108.00	Vertical	Horizontal	Pass
896.210	-62.43	4.83	-13.0	49.43	180.00	Vertical	Horizontal	Pass
1963.000	-33.07	8.16	-13.0	20.07	72.00	Vertical	Horizontal	N/A
3592.000	-44.09	19.77	-13.0	31.09	324.00	Vertical	Horizontal	Pass
7999.500	-34.93	29.88	-13.0	21.93	324.00	Vertical	Horizontal	Pass
15893.701	-45.69	28.75	-13.0	32.69	180.00	Vertical	Horizontal	Pass

Band: NSA DC-2A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
104.787	-65.45	-1.28	-13.0	52.45	216.00	Horizontal	Horizontal	Pass
921.139	-62.80	5.44	-13.0	49.80	72.00	Horizontal	Horizontal	Pass
1962.500	-31.75	8.20	-13.0	18.75	360.00	Horizontal	Horizontal	N/A
3591.500	-44.08	19.72	-13.0	31.08	108.00	Horizontal	Horizontal	Pass
7750.500	-34.77	28.28	-13.0	21.77	252.00	Horizontal	Horizontal	Pass
15931.500	-45.09	29.09	-13.0	32.09	108.00	Horizontal	Horizontal	Pass

4.14 NSA Band DC-4A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.957	-56.86	-7.73	-13.0	43.86	324.00	Vertical	Horizontal	Pass
908.432	-61.09	4.54	-13.0	48.09	252.00	Vertical	Horizontal	Pass
1960.000	-22.53	7.84	-13.0	9.53	360.00	Vertical	Horizontal	N/A
2134.000	-24.51	7.44	-13.0	11.51	180.00	Vertical	Horizontal	N/A
6615.500	-40.38	15.06	-13.0	27.38	360.00	Vertical	Horizontal	Pass
13457.700	-49.03	15.51	-13.0	36.03	216.00	Vertical	Horizontal	Pass

Band: NSA DC-4A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
143.830	-42.81	-11.79	-13.0	29.81	72.00	Horizontal	Horizontal	Pass
891.360	-60.94	4.01	-13.0	47.94	36.00	Horizontal	Horizontal	Pass
1962.500	-24.30	7.76	-13.0	11.30	108.00	Horizontal	Horizontal	N/A
2132.500	-27.48	7.42	-13.0	14.48	324.00	Horizontal	Horizontal	N/A
6851.500	-40.65	14.55	-13.0	27.65	72.00	Horizontal	Horizontal	Pass
13362.675	-48.81	15.61	-13.0	35.81	108.00	Horizontal	Horizontal	Pass

4.15 NSA Band DC-4A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.200	-60.49	-7.80	-13.0	47.49	288.00	Vertical	Horizontal	Pass
910.226	-62.52	5.33	-13.0	49.52	108.00	Vertical	Horizontal	Pass
2132.500	-36.13	7.35	-13.0	23.13	72.00	Vertical	Horizontal	N/A
2655.000	-36.34	10.54	-13.0	23.34	72.00	Vertical	Horizontal	N/A
7354.000	-48.05	15.53	-13.0	35.05	36.00	Vertical	Horizontal	Pass
17365.275	-44.88	28.20	-13.0	31.88	36.00	Vertical	Horizontal	Pass

Band: NSA DC-4A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-63.11	-1.75	-13.0	50.11	252.00	Horizontal	Horizontal	Pass
925.262	-62.94	5.20	-13.0	49.94	72.00	Horizontal	Horizontal	Pass
2132.000	-37.47	7.34	-13.0	24.47	180.00	Horizontal	Horizontal	N/A
2654.500	-37.56	10.51	-13.0	24.56	144.00	Horizontal	Horizontal	N/A
6854.000	-48.05	14.60	-13.0	35.05	288.00	Horizontal	Horizontal	Pass
15926.776	-45.84	29.06	-13.0	32.84	72.00	Horizontal	Horizontal	Pass

4.16 NSA Band DC-4A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.553	-59.42	-2.08	-25.0	34.42	216.00	Vertical	Horizontal	Pass
906.055	-60.99	5.21	-25.0	35.99	252.00	Vertical	Horizontal	Pass
1800.000	-42.43	6.94	-25.0	17.43	216.00	Vertical	Horizontal	Pass
2134.500	-30.70	7.51	-25.0	5.70	252.00	Vertical	Horizontal	N/A
6599.500	-39.56	14.40	-25.0	14.56	288.00	Vertical	Horizontal	Pass
11880.750	-49.01	14.39	-25.0	24.01	252.00	Vertical	Horizontal	Pass

Band: NSA DC-4A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.224	-65.94	-1.10	-25.0	40.94	324.00	Horizontal	Horizontal	Pass
923.758	-59.75	5.29	-25.0	34.75	324.00	Horizontal	Horizontal	Pass
1736.000	-43.29	7.24	-25.0	18.29	360.00	Horizontal	Horizontal	N/A
2134.500	-32.18	7.51	-25.0	7.18	36.00	Horizontal	Horizontal	N/A
6880.000	-39.04	14.88	-25.0	14.04	72.00	Horizontal	Horizontal	Pass
12466.425	-48.94	15.32	-25.0	23.94	36.00	Horizontal	Horizontal	Pass

4.17 NSA Band DC-4A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-59.75	-1.75	-25.0	34.75	216.00	Vertical	Horizontal	Pass
798.968	-62.08	3.41	-25.0	37.08	180.00	Vertical	Horizontal	Pass
2131.000	-30.50	7.36	-25.0	5.50	288.00	Vertical	Horizontal	N/A
4804.500	-42.80	12.28	-25.0	17.80	36.00	Vertical	Horizontal	Pass
7765.000	-39.29	15.59	-25.0	14.29	144.00	Vertical	Horizontal	Pass
13825.200	-48.73	15.16	-25.0	23.73	72.00	Vertical	Horizontal	Pass

Band: NSA DC-4A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.854	-66.35	-1.16	-25.0	41.35	216.00	Horizontal	Horizontal	Pass
926.765	-60.24	5.13	-25.0	35.24	108.00	Horizontal	Horizontal	Pass
2131.500	-32.02	7.38	-25.0	7.02	324.00	Horizontal	Horizontal	N/A
2599.500	-41.89	11.02	-25.0	16.89	72.00	Horizontal	Horizontal	N/A
5979.000	-39.54	13.27	-25.0	14.54	288.00	Horizontal	Horizontal	Pass
13572.150	-49.37	15.60	-25.0	24.37	288.00	Horizontal	Horizontal	Pass

4.18 NSA Band DC-4A-N78A(3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
104.496	-50.74	-1.55	-13.0	37.74	108.00	Vertical	Horizontal	Pass
309.069	-70.24	-7.23	-13.0	57.24	180.00	Vertical	Horizontal	Pass
1024.000	-57.99	5.07	-13.0	44.99	288.00	Vertical	Horizontal	Pass
2135.500	-40.13	7.85	-13.0	27.13	360.00	Vertical	Horizontal	N/A
3592.000	-43.66	19.77	-13.0	30.66	360.00	Vertical	Horizontal	Pass
7749.000	-34.62	28.30	-13.0	21.62	36.00	Vertical	Horizontal	Pass

Band: NSA DC-4A-N78A(3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.854	-68.47	-1.16	-13.0	55.47	288.00	Horizontal	Horizontal	Pass
386.378	-72.97	-5.18	-13.0	59.97	288.00	Horizontal	Horizontal	Pass
1007.500	-58.26	5.30	-13.0	45.26	360.00	Horizontal	Horizontal	Pass
2132.000	-42.03	7.85	-13.0	29.03	360.00	Horizontal	Horizontal	N/A
3592.500	-44.26	19.83	-13.0	31.26	36.00	Horizontal	Horizontal	Pass
7996.000	-34.69	30.15	-13.0	21.69	216.00	Horizontal	Horizontal	Pass

4.19 NSA Band DC-4A-N78A(3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.262	-62.71	-1.90	-13.0	49.71	252.00	Vertical	Horizontal	Pass
302.958	-73.99	-5.94	-13.0	60.99	324.00	Vertical	Horizontal	Pass
806.097	-64.62	3.22	-13.0	51.62	180.00	Vertical	Horizontal	Pass
2129.500	-40.49	7.91	-13.0	27.49	72.00	Vertical	Horizontal	N/A
3595.500	-44.10	20.17	-13.0	31.10	36.00	Vertical	Horizontal	Pass
7998.000	-34.90	30.04	-13.0	21.90	36.00	Vertical	Horizontal	Pass

Band: NSA DC-4A-N78A(3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.515	-67.69	-1.13	-13.0	54.69	324.00	Horizontal	Horizontal	Pass
352.961	-73.40	-4.46	-13.0	60.40	180.00	Horizontal	Horizontal	Pass
1021.500	-58.08	5.23	-13.0	45.08	108.00	Horizontal	Horizontal	Pass
2133.500	-41.28	7.83	-13.0	28.28	36.00	Horizontal	Horizontal	N/A
3592.000	-44.17	19.77	-13.0	31.17	108.00	Horizontal	Horizontal	Pass
7997.000	-34.17	30.11	-13.0	21.17	108.00	Horizontal	Horizontal	Pass

4.20 NSA Band DC-5A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
91.644	-58.93	-5.32	-13.0	45.93	252.00	Vertical	Horizontal	Pass
837.961	-56.26	7.37	-13.0	43.26	72.00	Vertical	Horizontal	N/A
880.932	-29.83	8.98	-13.0	16.83	108.00	Vertical	Horizontal	N/A
1960.000	-22.59	8.39	-13.0	9.59	180.00	Vertical	Horizontal	N/A
7741.000	-39.54	15.30	-13.0	26.54	180.00	Vertical	Horizontal	Pass
12442.675	-49.06	15.02	-13.0	36.06	72.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.971	-63.42	-1.29	-13.0	50.42	288.00	Horizontal	Horizontal	Pass
838.689	-43.84	7.34	-13.0	30.84	144.00	Horizontal	Horizontal	N/A
880.302	-26.12	8.97	-13.0	13.12	108.00	Horizontal	Horizontal	N/A
1960.000	-22.92	8.39	-13.0	9.92	108.00	Horizontal	Horizontal	N/A
6888.500	-39.92	14.82	-13.0	26.92	324.00	Horizontal	Horizontal	Pass
12569.026	-48.45	14.80	-13.0	35.45	288.00	Horizontal	Horizontal	Pass

4.21 NSA Band DC-5A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.456	-62.84	-1.70	-25.0	37.84	72.00	Vertical	Horizontal	Pass
881.223	-32.45	8.16	-25.0	7.45	288.00	Vertical	Horizontal	N/A
1800.700	-42.32	6.89	-25.0	17.32	36.00	Vertical	Horizontal	Pass
2654.700	-27.57	11.15	-25.0	2.57	72.00	Vertical	Horizontal	N/A
6866.000	-41.24	14.95	-25.0	16.24	108.00	Vertical	Horizontal	Pass
13565.000	-52.12	15.64	-25.0	27.12	36.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.796	-64.82	-1.91	-25.0	39.82	180.00	Horizontal	Horizontal	Pass
882.242	-30.44	8.31	-25.0	5.44	180.00	Horizontal	Horizontal	N/A
1547.400	-45.65	7.44	-25.0	20.65	72.00	Horizontal	Horizontal	Pass
2655.200	-26.07	11.19	-25.0	1.07	72.00	Horizontal	Horizontal	N/A
6948.500	-40.26	14.71	-25.0	15.26	108.00	Horizontal	Horizontal	Pass
12035.500	-51.61	14.01	-25.0	26.61	144.00	Horizontal	Horizontal	Pass

4.22 NSA Band DC-5A-N12A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.408	-60.87	-1.49	-13.0	47.87	72.00	Vertical	Horizontal	Pass
736.742	-30.90	4.43	-13.0	17.90	72.00	Vertical	Horizontal	N/A
881.563	-29.50	8.99	-13.0	16.50	288.00	Vertical	Horizontal	N/A
2686.000	-41.53	10.89	-13.0	28.53	216.00	Vertical	Horizontal	Pass
6913.500	-39.28	14.66	-13.0	26.28	324.00	Vertical	Horizontal	Pass
11955.800	-49.04	14.28	-13.0	36.04	216.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N12A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.971	-64.17	-1.29	-13.0	51.17	288.00	Horizontal	Horizontal	Pass
701.822	-60.33	4.88	-13.0	47.33	252.00	Horizontal	Horizontal	N/A
736.063	-35.17	4.45	-13.0	22.17	288.00	Horizontal	Horizontal	N/A
838.641	-43.48	7.35	-13.0	30.48	360.00	Horizontal	Horizontal	N/A
881.369	-25.65	8.99	-13.0	12.65	216.00	Horizontal	Horizontal	N/A
6063.500	-40.59	13.50	-13.0	27.59	180.00	Horizontal	Horizontal	Pass

4.23 NSA Band DC-5A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.957	-58.35	-7.37	-13.0	45.35	108.00	Vertical	Horizontal	Pass
838.252	-56.50	7.36	-13.0	43.50	180.00	Vertical	Horizontal	N/A
881.903	-29.15	9.00	-13.0	16.15	216.00	Vertical	Horizontal	N/A
1962.500	-22.79	8.20	-13.0	9.79	144.00	Vertical	Horizontal	N/A
7150.000	-39.17	14.90	-13.0	26.17	180.00	Vertical	Horizontal	Pass
13512.825	-48.59	15.69	-13.0	35.59	36.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-63.09	-1.26	-13.0	50.09	108.00	Horizontal	Horizontal	Pass
838.689	-43.65	7.34	-13.0	30.65	180.00	Horizontal	Horizontal	N/A
882.048	-25.42	9.00	-13.0	12.42	36.00	Horizontal	Horizontal	N/A
1962.500	-21.81	8.20	-13.0	8.81	360.00	Horizontal	Horizontal	N/A
7080.500	-39.59	15.03	-13.0	26.59	72.00	Horizontal	Horizontal	Pass
12002.825	-49.64	14.09	-13.0	36.64	288.00	Horizontal	Horizontal	Pass

4.24 NSA Band DC-5A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.796	-60.66	-1.93	-40.0	20.66	180.00	Vertical	Horizontal	Pass
296.556	-64.82	-4.27	-40.0	24.82	180.00	Vertical	Horizontal	Pass
882.921	-30.81	8.29	-40.0	-9.19	144.00	Vertical	Horizontal	N/A
2341.700	-50.54	2.18	-40.0	10.54	360.00	Vertical	Horizontal	N/A
6869.250	-50.03	4.99	-40.0	10.03	252.00	Vertical	Horizontal	Pass
12462.151	-53.38	10.83	-40.0	13.38	288.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-64.54	-1.45	-40.0	24.54	288.00	Horizontal	Horizontal	Pass
836.119	-47.15	9.31	-40.0	7.15	324.00	Horizontal	Horizontal	N/A
880.836	-27.86	8.08	-40.0	-12.14	144.00	Horizontal	Horizontal	N/A
2339.700	-50.90	2.23	-40.0	10.90	144.00	Horizontal	Horizontal	N/A
6860.000	-49.06	4.80	-40.0	9.06	252.00	Horizontal	Horizontal	Pass
11660.826	-53.15	9.51	-40.0	13.15	324.00	Horizontal	Horizontal	Pass

4.25 NSA Band DC-5A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.184	-60.95	-2.15	-25.0	35.95	288.00	Vertical	Horizontal	Pass
823.508	-45.50	7.72	-25.0	20.50	144.00	Vertical	Horizontal	N/A
882.290	-35.49	8.31	-25.0	10.49	288.00	Vertical	Horizontal	N/A
2594.500	-39.67	13.13	-25.0	14.67	216.00	Vertical	Horizontal	N/A
6251.000	-39.66	14.17	-25.0	14.66	108.00	Vertical	Horizontal	Pass
13796.850	-48.79	15.41	-25.0	23.79	324.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.339	-67.26	-0.81	-25.0	42.26	180.00	Horizontal	Horizontal	Pass
823.023	-48.28	7.78	-25.0	23.28	180.00	Horizontal	Horizontal	N/A
883.455	-31.55	8.43	-25.0	6.55	360.00	Horizontal	Horizontal	N/A
2586.000	-40.10	12.95	-25.0	15.10	108.00	Horizontal	Horizontal	N/A
6874.500	-38.83	14.95	-25.0	13.83	144.00	Horizontal	Horizontal	Pass
13838.325	-48.50	15.00	-25.0	23.50	144.00	Horizontal	Horizontal	Pass

4.26 NSA Band DC-5A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.165	-61.43	-1.52	-25.0	36.43	180.00	Vertical	Horizontal	Pass
823.266	-45.75	7.75	-25.0	20.75	288.00	Vertical	Horizontal	N/A
883.503	-35.56	8.43	-25.0	10.56	108.00	Vertical	Horizontal	N/A
2616.000	-39.95	13.69	-25.0	14.95	360.00	Vertical	Horizontal	N/A
7772.000	-38.37	15.56	-25.0	13.37	36.00	Vertical	Horizontal	Pass
12524.849	-48.68	15.14	-25.0	23.68	144.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
109.104	-66.68	-1.05	-25.0	41.68	360.00	Horizontal	Horizontal	Pass
840.289	-49.05	10.30	-25.0	24.05	72.00	Horizontal	Horizontal	N/A
883.358	-31.77	8.42	-25.0	6.77	324.00	Horizontal	Horizontal	N/A
2620.500	-39.77	13.82	-25.0	14.77	72.00	Horizontal	Horizontal	N/A
6873.500	-39.31	14.97	-25.0	14.31	108.00	Horizontal	Horizontal	Pass
12503.000	-49.54	15.40	-25.0	24.54	216.00	Horizontal	Horizontal	Pass

4.27 NSA Band DC-5A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.103	-58.44	-7.36	-13.0	45.44	180.00	Vertical	Horizontal	Pass
838.737	-56.92	7.34	-13.0	43.92	252.00	Vertical	Horizontal	N/A
880.787	-29.06	8.98	-13.0	16.06	252.00	Vertical	Horizontal	N/A
2144.500	-24.30	7.96	-13.0	11.30	288.00	Vertical	Horizontal	N/A
7151.000	-40.21	14.96	-13.0	27.21	324.00	Vertical	Horizontal	Pass
12513.450	-48.82	15.28	-13.0	35.82	324.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.002	-62.78	-3.00	-13.0	49.78	108.00	Horizontal	Horizontal	Pass
835.924	-44.57	7.45	-13.0	31.57	180.00	Horizontal	Horizontal	N/A
882.630	-24.95	9.02	-13.0	11.95	216.00	Horizontal	Horizontal	N/A
1691.000	-43.47	6.33	-13.0	30.47	108.00	Horizontal	Horizontal	N/A
2145.000	-26.48	7.97	-13.0	13.48	108.00	Horizontal	Horizontal	N/A
6916.500	-40.53	14.68	-13.0	27.53	108.00	Horizontal	Horizontal	Pass

4.28 NSA Band DC-5A-N71A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.909	-58.14	-7.41	-13.0	45.14	288.00	Vertical	Horizontal	Pass
636.201	-32.41	3.12	-13.0	19.41	36.00	Vertical	Horizontal	N/A
679.609	-2.19	2.89	-13.0	-10.81	360.00	Vertical	Horizontal	N/A
880.836	-29.54	8.98	-13.0	16.54	180.00	Vertical	Horizontal	N/A
6870.500	-39.00	14.99	-13.0	26.00	180.00	Vertical	Horizontal	Pass
11910.200	-48.53	14.59	-13.0	35.53	144.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N71A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-63.15	-1.26	-13.0	50.15	36.00	Horizontal	Horizontal	Pass
635.425	-31.46	3.09	-13.0	18.46	36.00	Horizontal	Horizontal	N/A
676.893	-10.35	2.89	-13.0	-2.65	36.00	Horizontal	Horizontal	N/A
837.185	-56.50	7.40	-13.0	43.50	252.00	Horizontal	Horizontal	N/A
882.193	-25.11	9.01	-13.0	12.11	72.00	Horizontal	Horizontal	N/A
6269.500	-40.42	14.08	-13.0	27.42	108.00	Horizontal	Horizontal	Pass

4.29 NSA Band DC-5A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.436	-67.99	-0.61	-13.0	54.99	324.00	Vertical	Horizontal	Pass
350.197	-70.42	-0.91	-13.0	57.42	108.00	Vertical	Horizontal	Pass
838.689	-58.51	7.34	-13.0	45.51	144.00	Vertical	Horizontal	N/A
878.071	-33.00	8.88	-13.0	20.00	216.00	Vertical	Horizontal	N/A
1767.000	-48.38	5.24	-13.0	35.38	360.00	Vertical	Horizontal	Pass
7107.000	-39.63	24.43	-13.0	26.63	108.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.048	-68.48	-0.58	-13.0	55.48	72.00	Horizontal	Horizontal	Pass
349.518	-70.89	-0.97	-13.0	57.89	36.00	Horizontal	Horizontal	Pass
882.727	-33.50	9.02	-13.0	20.50	108.00	Horizontal	Horizontal	N/A
1767.000	-52.17	5.24	-13.0	39.17	252.00	Horizontal	Horizontal	Pass
3592.500	-44.74	18.80	-13.0	31.74	144.00	Horizontal	Horizontal	Pass
7709.000	-39.66	23.39	-13.0	26.66	180.00	Horizontal	Horizontal	Pass

4.30 NSA Band DC-5A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.165	-53.36	-1.35	-13.0	40.36	216.00	Vertical	Horizontal	Pass
838.786	-54.60	7.34	-13.0	41.60	180.00	Vertical	Horizontal	N/A
881.369	-34.39	8.99	-13.0	21.39	36.00	Vertical	Horizontal	N/A
1900.000	-53.24	5.86	-13.0	40.24	36.00	Vertical	Horizontal	Pass
3593.500	-43.96	19.94	-13.0	30.96	144.00	Vertical	Horizontal	Pass
7995.000	-35.22	30.14	-13.0	22.22	108.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.999	-70.34	-0.57	-13.0	57.34	144.00	Horizontal	Horizontal	Pass
341.806	-71.05	-2.99	-13.0	58.05	36.00	Horizontal	Horizontal	Pass
836.022	-58.39	7.45	-13.0	45.39	216.00	Horizontal	Horizontal	N/A
881.369	-32.81	8.99	-13.0	19.81	360.00	Horizontal	Horizontal	N/A
1800.000	-46.71	5.52	-13.0	33.71	36.00	Horizontal	Horizontal	Pass
7997.000	-34.69	30.11	-13.0	21.69	252.00	Horizontal	Horizontal	Pass

4.31 NSA Band DC-5A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.038	-62.78	-1.88	-13.0	49.78	72.00	Vertical	Horizontal	Pass
349.615	-69.47	-0.95	-13.0	56.47	72.00	Vertical	Horizontal	Pass
836.070	-56.46	7.45	-13.0	43.46	216.00	Vertical	Horizontal	N/A
881.999	-37.34	9.00	-13.0	24.34	144.00	Vertical	Horizontal	N/A
3596.500	-43.94	20.28	-13.0	30.94	252.00	Vertical	Horizontal	Pass
7981.500	-34.84	29.32	-13.0	21.84	360.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
107.406	-67.87	-0.69	-13.0	54.87	180.00	Horizontal	Horizontal	Pass
349.906	-69.56	-0.87	-13.0	56.56	108.00	Horizontal	Horizontal	Pass
880.156	-34.02	8.96	-13.0	21.02	144.00	Horizontal	Horizontal	N/A
1766.000	-51.46	5.23	-13.0	38.46	324.00	Horizontal	Horizontal	Pass
3593.500	-43.99	19.94	-13.0	30.99	144.00	Horizontal	Horizontal	Pass
7991.500	-34.76	29.89	-13.0	21.76	288.00	Horizontal	Horizontal	Pass

4.32 NSA Band DC-5A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
104.545	-51.14	-0.94	-13.0	38.14	108.00	Vertical	Horizontal	Pass
350.537	-70.27	-1.01	-13.0	57.27	72.00	Vertical	Horizontal	Pass
838.737	-56.30	7.34	-13.0	43.30	108.00	Vertical	Horizontal	N/A
884.667	-36.63	9.12	-13.0	23.63	36.00	Vertical	Horizontal	N/A
1773.000	-53.65	5.30	-13.0	40.65	108.00	Vertical	Horizontal	Pass
7995.500	-34.75	30.14	-13.0	21.75	216.00	Vertical	Horizontal	Pass

Band: NSA DC-5A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.533	-68.95	-0.61	-13.0	55.95	288.00	Horizontal	Horizontal	Pass
349.761	-70.42	-0.91	-13.0	57.42	144.00	Horizontal	Horizontal	Pass
877.877	-34.40	8.88	-13.0	21.40	324.00	Horizontal	Horizontal	N/A
1773.500	-37.07	5.31	-13.0	24.07	252.00	Horizontal	Horizontal	Pass
5171.500	-40.01	19.83	-13.0	27.01	252.00	Horizontal	Horizontal	Pass
7746.000	-35.01	28.25	-13.0	22.01	324.00	Horizontal	Horizontal	Pass

4.33 NSA Band DC-7A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.874	-59.59	-1.96	-25.0	34.59	324.00	Vertical	Horizontal	Pass
915.998	-62.17	5.46	-25.0	37.17	252.00	Vertical	Horizontal	Pass
1962.500	-45.61	8.34	-25.0	20.61	144.00	Vertical	Horizontal	N/A
2656.000	-47.85	10.68	-25.0	22.85	252.00	Vertical	Horizontal	N/A
7758.500	-48.82	15.66	-25.0	23.82	360.00	Vertical	Horizontal	Pass
16776.225	-45.17	28.15	-25.0	20.17	36.00	Vertical	Horizontal	Pass

Band: NSA DC-7A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.680	-63.04	-2.30	-25.0	38.04	216.00	Horizontal	Horizontal	Pass
903.097	-62.54	5.13	-25.0	37.54	108.00	Horizontal	Horizontal	Pass
1962.500	-43.32	8.34	-25.0	18.32	360.00	Horizontal	Horizontal	N/A
2655.000	-46.86	10.61	-25.0	21.86	324.00	Horizontal	Horizontal	N/A
7610.000	-48.35	15.15	-25.0	23.35	252.00	Horizontal	Horizontal	Pass
16770.449	-45.19	28.22	-25.0	20.19	180.00	Horizontal	Horizontal	Pass

4.34 NSA Band DC-7A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.957	-57.71	-7.37	-25.0	32.71	324.00	Vertical	Horizontal	Pass
837.719	-57.93	7.38	-25.0	32.93	180.00	Vertical	Horizontal	N/A
880.981	-41.26	8.98	-25.0	16.26	288.00	Vertical	Horizontal	N/A
2655.000	-36.86	11.17	-25.0	11.86	216.00	Vertical	Horizontal	N/A
7074.000	-40.67	14.68	-25.0	15.67	216.00	Vertical	Horizontal	Pass
12508.225	-48.89	15.34	-25.0	23.89	36.00	Vertical	Horizontal	Pass

Band: NSA DC-7A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.426	-62.44	-2.12	-25.0	37.44	288.00	Horizontal	Horizontal	Pass
835.876	-50.61	7.45	-25.0	25.61	252.00	Horizontal	Horizontal	N/A
880.641	-37.95	8.97	-25.0	12.95	216.00	Horizontal	Horizontal	N/A
2656.000	-36.51	11.25	-25.0	11.51	36.00	Horizontal	Horizontal	N/A
7767.500	-39.34	15.58	-25.0	14.34	360.00	Horizontal	Horizontal	Pass
11963.400	-48.74	14.25	-25.0	23.74	144.00	Horizontal	Horizontal	Pass

4.35 NSA Band DC-7A-N12A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.553	-58.78	-1.51	-13.0	45.78	36.00	Vertical	Horizontal	Pass
699.348	-56.29	9.95	-13.0	43.29	108.00	Vertical	Horizontal	Pass
1529.000	-45.71	7.26	-13.0	32.71	72.00	Vertical	Horizontal	Pass
2656.500	-38.16	11.30	-13.0	25.16	36.00	Vertical	Horizontal	N/A
7132.500	-39.64	15.25	-13.0	26.64	144.00	Vertical	Horizontal	Pass
11867.450	-48.93	14.20	-13.0	35.93	108.00	Vertical	Horizontal	Pass

Band: NSA DC-7A-N12A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.117	-61.71	-1.23	-13.0	48.71	108.00	Horizontal	Horizontal	Pass
700.949	-56.92	9.93	-13.0	43.92	360.00	Horizontal	Horizontal	Pass
1550.000	-44.29	7.54	-13.0	31.29	216.00	Horizontal	Horizontal	Pass
2653.500	-37.30	11.06	-13.0	24.30	252.00	Horizontal	Horizontal	N/A
6912.500	-39.55	14.64	-13.0	26.55	252.00	Horizontal	Horizontal	Pass
13845.151	-48.83	14.91	-13.0	35.83	72.00	Horizontal	Horizontal	Pass

4.36 NSA Band DC-7A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.923	-54.89	-1.84	-13.0	41.89	324.00	Vertical	Horizontal	Pass
656.038	-62.29	-2.08	-13.0	49.29	252.00	Vertical	Horizontal	Pass
1960.000	-34.36	8.66	-13.0	21.36	72.00	Vertical	Horizontal	N/A
2655.500	-36.38	10.65	-13.0	23.38	144.00	Vertical	Horizontal	N/A
6678.000	-39.57	14.37	-13.0	26.57	108.00	Vertical	Horizontal	Pass
12475.924	-48.97	15.35	-13.0	35.97	324.00	Vertical	Horizontal	Pass

Band: NSA DC-7A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-60.74	-1.72	-13.0	47.74	144.00	Horizontal	Horizontal	Pass
657.881	-50.70	-2.17	-13.0	37.70	36.00	Horizontal	Horizontal	Pass
1960.500	-34.64	8.61	-13.0	21.64	216.00	Horizontal	Horizontal	N/A
2657.000	-37.75	10.74	-13.0	24.75	72.00	Horizontal	Horizontal	N/A
7159.000	-39.28	14.97	-13.0	26.28	72.00	Horizontal	Horizontal	Pass
12713.425	-49.16	15.21	-13.0	36.16	36.00	Horizontal	Horizontal	Pass

4.37 NSA Band DC-7A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.117	-59.60	-1.81	-13.0	46.60	288.00	Vertical	Horizontal	Pass
916.386	-62.62	5.46	-13.0	49.62	144.00	Vertical	Horizontal	Pass
2146.000	-45.22	7.72	-13.0	32.22	180.00	Vertical	Horizontal	N/A
2655.000	-46.84	10.54	-13.0	33.84	288.00	Vertical	Horizontal	N/A
6853.500	-48.37	14.58	-13.0	35.37	36.00	Vertical	Horizontal	Pass
15939.900	-45.48	29.13	-13.0	32.48	144.00	Vertical	Horizontal	Pass

Band: NSA DC-7A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.262	-62.37	-1.90	-13.0	49.37	252.00	Horizontal	Horizontal	Pass
885.928	-63.52	4.28	-13.0	50.52	144.00	Horizontal	Horizontal	Pass
2147.500	-46.28	7.75	-13.0	33.28	252.00	Horizontal	Horizontal	N/A
2656.000	-47.32	10.59	-13.0	34.32	108.00	Horizontal	Horizontal	N/A
7128.500	-48.42	15.33	-13.0	35.42	108.00	Horizontal	Horizontal	Pass
16775.699	-45.07	28.16	-13.0	32.07	180.00	Horizontal	Horizontal	Pass

4.38 NSA Band DC-7A-N71A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
90.043	-61.10	-7.90	-13.0	48.10	36.00	Vertical	Horizontal	Pass
636.492	-45.62	2.95	-13.0	32.62	360.00	Vertical	Horizontal	N/A
1358.500	-53.13	4.79	-13.0	40.13	360.00	Vertical	Horizontal	Pass
2654.000	-46.97	10.48	-13.0	33.97	324.00	Vertical	Horizontal	N/A
6869.000	-48.32	14.99	-13.0	35.32	360.00	Vertical	Horizontal	Pass
17357.926	-44.11	28.24	-13.0	31.11	360.00	Vertical	Horizontal	Pass

Band: NSA DC-7A-N71A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.632	-63.00	-2.07	-13.0	50.00	288.00	Horizontal	Horizontal	Pass
634.940	-45.72	2.98	-13.0	32.72	360.00	Horizontal	Horizontal	N/A
1360.500	-48.94	4.81	-13.0	35.94	144.00	Horizontal	Horizontal	Pass
2656.000	-47.06	10.59	-13.0	34.06	180.00	Horizontal	Horizontal	N/A
6896.000	-48.07	14.82	-13.0	35.07	108.00	Horizontal	Horizontal	Pass
16790.925	-45.20	27.89	-13.0	32.20	36.00	Horizontal	Horizontal	Pass

4.39 NSA Band DC-7A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.602	-63.36	-2.11	-13.0	50.36	216.00	Vertical	Horizontal	Pass
348.500	-71.95	-3.92	-13.0	58.95	36.00	Vertical	Horizontal	Pass
1020.500	-57.81	5.25	-13.0	44.81	108.00	Vertical	Horizontal	Pass
2655.000	-38.56	11.17	-13.0	25.56	108.00	Vertical	Horizontal	N/A
4481.000	-43.47	21.11	-13.0	30.47	216.00	Vertical	Horizontal	Pass
8000.000	-34.95	29.81	-13.0	21.95	144.00	Vertical	Horizontal	Pass

Band: NSA DC-7A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
104.593	-69.39	-1.46	-13.0	56.39	144.00	Horizontal	Horizontal	Pass
348.451	-72.37	-3.94	-13.0	59.37	288.00	Horizontal	Horizontal	Pass
1019.500	-57.69	5.29	-13.0	44.69	216.00	Horizontal	Horizontal	Pass
2653.500	-40.40	11.06	-13.0	27.40	216.00	Horizontal	Horizontal	N/A
4481.000	-43.57	21.11	-13.0	30.57	324.00	Horizontal	Horizontal	Pass
7996.500	-34.88	30.14	-13.0	21.88	144.00	Horizontal	Horizontal	Pass

4.40 NSA Band DC-7A-N77A (3700-3980)



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.505	-51.82	-2.05	-13.0	38.82	180.00	Vertical	Horizontal	Pass
302.716	-71.12	-5.89	-13.0	58.12	180.00	Vertical	Horizontal	Pass
1017.500	-57.69	5.32	-13.0	44.69	144.00	Vertical	Horizontal	Pass
2653.000	-39.04	11.02	-13.0	26.04	144.00	Vertical	Horizontal	N/A
4477.500	-43.59	21.36	-13.0	30.59	144.00	Vertical	Horizontal	Pass
7995.000	-34.33	30.14	-13.0	21.33	144.00	Vertical	Horizontal	Pass

Band: NSA DC-7A-N77A (3700-3980)



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.466	-67.82	-1.12	-13.0	54.82	324.00	Horizontal	Horizontal	Pass
353.204	-72.75	-4.53	-13.0	59.75	324.00	Horizontal	Horizontal	Pass
1007.500	-57.63	5.17	-13.0	44.63	0.00	Horizontal	Horizontal	Pass
2652.500	-40.41	10.99	-13.0	27.41	108.00	Horizontal	Horizontal	N/A
5373.000	-41.80	22.18	-13.0	28.80	288.00	Horizontal	Horizontal	Pass
7994.500	-34.68	30.13	-13.0	21.68	360.00	Horizontal	Horizontal	Pass