


Field Strength of Spurious Radiation

4.41 NSA Band DC-7A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.408	-61.64	-1.99	-13.0	48.64	108.00	Vertical	Horizontal	Pass
348.645	-72.52	-3.89	-13.0	59.52	72.00	Vertical	Horizontal	Pass
1020.500	-57.60	5.25	-13.0	44.60	216.00	Vertical	Horizontal	Pass
2655.500	-38.62	11.21	-13.0	25.62	108.00	Vertical	Horizontal	N/A
4860.000	-42.88	20.99	-13.0	29.88	252.00	Vertical	Horizontal	Pass
7996.000	-34.73	30.15	-13.0	21.73	360.00	Vertical	Horizontal	Pass

Band: NSA DC-7A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.321	-65.38	-1.11	-13.0	52.38	288.00	Horizontal	Horizontal	Pass
348.014	-71.94	-4.05	-13.0	58.94	36.00	Horizontal	Horizontal	Pass
1016.500	-57.78	5.33	-13.0	44.78	108.00	Horizontal	Horizontal	Pass
2655.000	-40.34	11.17	-13.0	27.34	72.00	Horizontal	Horizontal	N/A
4483.500	-43.29	20.74	-13.0	30.29	360.00	Horizontal	Horizontal	Pass
7993.000	-34.50	30.03	-13.0	21.50	108.00	Horizontal	Horizontal	Pass

4.42 NSA Band DC-7A-N78A (3700-3800)




Band: NSA DC-7A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
104.739	-67.14	-1.32	-13.0	54.14	72.00	Horizontal	Horizontal	Pass
353.107	-72.88	-4.50	-13.0	59.88	108.00	Horizontal	Horizontal	Pass
1021.500	-57.92	5.18	-13.0	44.92	180.00	Horizontal	Horizontal	Pass
2655.500	-40.24	11.21	-13.0	27.24	144.00	Horizontal	Horizontal	N/A
4478.500	-43.08	21.33	-13.0	30.08	216.00	Horizontal	Horizontal	Pass
7764.500	-34.66	28.00	-13.0	21.66	360.00	Horizontal	Horizontal	Pass

4.43 NSA Band DC-12A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
90.188	-58.41	-7.38	-13.0	45.41	252.00	Vertical	Horizontal	Pass
705.411	-44.96	9.74	-13.0	31.96	144.00	Vertical	Horizontal	N/A
1412.000	-41.33	4.81	-13.0	28.33	72.00	Vertical	Horizontal	Pass
1959.500	-23.10	8.43	-13.0	10.10	324.00	Vertical	Horizontal	N/A
6920.000	-39.69	14.67	-13.0	26.69	72.00	Vertical	Horizontal	Pass
11959.599	-48.62	14.26	-13.0	35.62	360.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.923	-59.93	-1.29	-13.0	46.93	360.00	Horizontal	Horizontal	Pass
705.605	-34.80	9.73	-13.0	21.80	360.00	Horizontal	Horizontal	N/A
1412.000	-36.85	4.81	-13.0	23.85	252.00	Horizontal	Horizontal	Pass
1960.000	-23.24	8.39	-13.0	10.24	108.00	Horizontal	Horizontal	N/A
6829.500	-40.51	14.19	-13.0	27.51	324.00	Horizontal	Horizontal	Pass
11863.650	-49.11	14.15	-13.0	36.11	72.00	Horizontal	Horizontal	Pass

4.44 NSA Band DC-12A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.267	-57.87	-7.50	-13.0	44.87	108.00	Vertical	Horizontal	Pass
708.661	-56.96	9.59	-13.0	43.96	288.00	Vertical	Horizontal	N/A
837.913	-14.08	7.02	-13.0	1.08	108.00	Vertical	Horizontal	N/A
880.641	-30.14	9.16	-13.0	17.14	144.00	Vertical	Horizontal	N/A
2946.000	-40.68	13.22	-13.0	27.68	72.00	Vertical	Horizontal	Pass
7161.000	-40.11	14.95	-13.0	27.11	36.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-61.09	-1.17	-13.0	48.09	360.00	Horizontal	Horizontal	Pass
708.806	-51.35	9.58	-13.0	38.35	180.00	Horizontal	Horizontal	N/A
838.446	-8.18	7.00	-13.0	-4.82	180.00	Horizontal	Horizontal	N/A
884.570	-26.97	9.56	-13.0	13.97	144.00	Horizontal	Horizontal	N/A
2959.500	-40.64	13.83	-13.0	27.64	144.00	Horizontal	Horizontal	Pass
7764.500	-39.39	15.59	-13.0	26.39	324.00	Horizontal	Horizontal	Pass

4.45 NSA Band DC-12A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.826	-59.37	-1.46	-13.0	46.37	252.00	Vertical	Horizontal	Pass
705.314	-36.71	9.74	-13.0	23.71	36.00	Vertical	Horizontal	N/A
1411.500	-42.16	4.73	-13.0	29.16	288.00	Vertical	Horizontal	Pass
2120.500	-42.88	7.80	-13.0	29.88	288.00	Vertical	Horizontal	Pass
2655.000	-25.66	11.17	-13.0	12.66	108.00	Vertical	Horizontal	N/A
7750.500	-38.56	15.56	-13.0	25.56	180.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.311	-60.04	-1.36	-13.0	47.04	36.00	Horizontal	Horizontal	Pass
705.411	-32.72	9.74	-13.0	19.72	36.00	Horizontal	Horizontal	N/A
1412.000	-35.92	4.72	-13.0	22.92	324.00	Horizontal	Horizontal	Pass
2124.000	-42.66	7.79	-13.0	29.66	72.00	Horizontal	Horizontal	Pass
2654.500	-26.76	11.13	-13.0	13.76	180.00	Horizontal	Horizontal	N/A
11973.850	-48.54	14.20	-13.0	35.54	72.00	Horizontal	Horizontal	Pass

4.46 NSA Band DC-12A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.068	-58.56	-1.20	-13.0	45.56	216.00	Vertical	Horizontal	Pass
705.411	-42.55	9.74	-13.0	29.55	36.00	Vertical	Horizontal	N/A
1418.000	-41.50	4.71	-13.0	28.50	324.00	Vertical	Horizontal	Pass
1959.500	-22.81	8.43	-13.0	9.81	288.00	Vertical	Horizontal	N/A
7755.500	-39.28	15.64	-13.0	26.28	324.00	Vertical	Horizontal	Pass
12598.475	-48.91	14.73	-13.0	35.91	324.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.923	-60.30	-1.29	-13.0	47.30	252.00	Horizontal	Horizontal	Pass
705.362	-32.42	9.74	-13.0	19.42	108.00	Horizontal	Horizontal	N/A
1412.500	-37.31	4.80	-13.0	24.31	180.00	Horizontal	Horizontal	Pass
1962.500	-22.70	8.20	-13.0	9.70	216.00	Horizontal	Horizontal	N/A
7159.000	-39.95	14.97	-13.0	26.95	180.00	Horizontal	Horizontal	Pass
12513.925	-48.72	15.27	-13.0	35.72	216.00	Horizontal	Horizontal	Pass

4.47 NSA Band DC-12A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
108.861	-61.64	-1.01	-40.0	21.64	288.00	Vertical	Horizontal	Pass
705.605	-37.71	7.51	-40.0	-2.29	324.00	Vertical	Horizontal	N/A
918.569	-54.29	10.27	-40.0	14.29	288.00	Vertical	Horizontal	Pass
2121.300	-49.37	-2.07	-40.0	9.37	108.00	Vertical	Horizontal	Pass
6959.750	-49.71	4.39	-40.0	9.71	180.00	Vertical	Horizontal	Pass
12464.525	-53.88	10.83	-40.0	13.88	72.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.127	-62.97	-0.64	-40.0	22.97	324.00	Horizontal	Horizontal	Pass
705.314	-47.33	7.51	-40.0	7.33	144.00	Horizontal	Horizontal	N/A
1416.300	-48.48	-5.31	-40.0	8.48	252.00	Horizontal	Horizontal	Pass
2344.400	-50.22	2.08	-40.0	10.22	36.00	Horizontal	Horizontal	Pass
6619.750	-50.54	5.28	-40.0	10.54	252.00	Horizontal	Horizontal	Pass
11677.213	-54.34	9.32	-40.0	14.34	360.00	Horizontal	Horizontal	Pass

4.48 NSA Band DC-12A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.923	-61.55	-1.55	-25.0	36.55	216.00	Vertical	Horizontal	Pass
705.750	-32.51	7.50	-25.0	7.51	216.00	Vertical	Horizontal	N/A
1407.000	-42.14	4.88	-25.0	17.14	180.00	Vertical	Horizontal	Pass
2414.000	-13.59	10.04	-25.0	-11.41	324.00	Vertical	Horizontal	N/A
7077.000	-39.48	14.87	-25.0	14.48	216.00	Vertical	Horizontal	Pass
12433.175	-49.19	14.70	-25.0	24.19	36.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
107.357	-65.69	-0.86	-25.0	40.69	288.00	Horizontal	Horizontal	Pass
705.702	-33.85	7.50	-25.0	8.85	324.00	Horizontal	Horizontal	N/A
1415.000	-36.75	4.72	-25.0	11.75	72.00	Horizontal	Horizontal	Pass
2594.000	-39.19	13.12	-25.0	14.19	360.00	Horizontal	Horizontal	Pass
7348.000	-39.34	15.40	-25.0	14.34	108.00	Horizontal	Horizontal	Pass
11969.100	-48.62	14.22	-25.0	23.62	252.00	Horizontal	Horizontal	Pass

4.49 NSA Band DC-12A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.971	-61.76	-1.47	-25.0	36.76	72.00	Vertical	Horizontal	Pass
705.314	-30.78	7.51	-25.0	5.78	108.00	Vertical	Horizontal	N/A
1415.000	-41.07	4.72	-25.0	16.07	252.00	Vertical	Horizontal	Pass
2605.500	-39.68	13.40	-25.0	14.68	324.00	Vertical	Horizontal	N/A
6914.500	-38.83	14.67	-25.0	13.83	36.00	Vertical	Horizontal	Pass
12481.150	-48.95	15.37	-25.0	23.95	288.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
107.648	-66.86	-0.89	-25.0	41.86	252.00	Horizontal	Horizontal	Pass
705.557	-33.49	7.51	-25.0	8.49	288.00	Horizontal	Horizontal	N/A
1415.000	-37.62	4.72	-25.0	12.62	288.00	Horizontal	Horizontal	Pass
2587.000	-39.04	12.97	-25.0	14.04	288.00	Horizontal	Horizontal	N/A
7103.000	-38.94	15.45	-25.0	13.94	72.00	Horizontal	Horizontal	Pass
13826.250	-48.68	15.15	-25.0	23.68	216.00	Horizontal	Horizontal	Pass

4.50 NSA Band DC-12A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.971	-58.83	-1.21	-13.0	45.83	324.00	Vertical	Horizontal	Pass
709.097	-45.82	9.57	-13.0	32.82	36.00	Vertical	Horizontal	N/A
1415.000	-41.95	4.75	-13.0	28.95	72.00	Vertical	Horizontal	Pass
2145.000	-24.67	7.97	-13.0	11.67	180.00	Vertical	Horizontal	N/A
7758.000	-39.21	15.65	-13.0	26.21	180.00	Vertical	Horizontal	Pass
12512.975	-49.32	15.28	-13.0	36.32	360.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.923	-60.27	-1.29	-13.0	47.27	144.00	Horizontal	Horizontal	Pass
709.242	-42.77	9.56	-13.0	29.77	324.00	Horizontal	Horizontal	N/A
1412.000	-36.13	4.80	-13.0	23.13	216.00	Horizontal	Horizontal	Pass
2145.000	-25.90	7.97	-13.0	12.90	180.00	Horizontal	Horizontal	N/A
7147.500	-39.94	14.78	-13.0	26.94	360.00	Horizontal	Horizontal	Pass
11883.125	-48.14	14.43	-13.0	35.14	180.00	Horizontal	Horizontal	Pass

4.51 NSA Band DC-12A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.068	-61.46	-1.20	-13.0	48.46	324.00	Vertical	Horizontal	Pass
260.229	-70.22	-3.84	-13.0	57.22	288.00	Vertical	Horizontal	Pass
705.702	-27.38	9.72	-13.0	14.38	36.00	Vertical	Horizontal	N/A
1410.000	-40.01	3.68	-13.0	27.01	252.00	Vertical	Horizontal	Pass
2122.500	-41.89	5.92	-13.0	28.89	144.00	Vertical	Horizontal	Pass
7775.000	-26.44	27.64	-13.0	13.44	108.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.757	-65.89	-0.48	-13.0	52.89	72.00	Horizontal	Horizontal	Pass
349.130	-67.69	-0.81	-13.0	54.69	288.00	Horizontal	Horizontal	Pass
706.187	-28.19	9.70	-13.0	15.19	144.00	Horizontal	Horizontal	N/A
1407.500	-34.97	3.72	-13.0	21.97	36.00	Horizontal	Horizontal	Pass
3589.000	-36.36	19.43	-13.0	23.36	108.00	Horizontal	Horizontal	Pass
7995.000	-26.86	30.14	-13.0	13.86	144.00	Horizontal	Horizontal	Pass

4.52 NSA Band DC-12A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.359	-50.70	-1.39	-13.0	37.70	180.00	Vertical	Horizontal	Pass
261.248	-66.79	-4.01	-13.0	53.79	180.00	Vertical	Horizontal	Pass
705.702	-26.99	9.72	-13.0	13.99	108.00	Vertical	Horizontal	N/A
1415.000	-39.11	3.61	-13.0	26.11	144.00	Vertical	Horizontal	Pass
2120.000	-42.52	5.90	-13.0	29.52	108.00	Vertical	Horizontal	Pass
6627.500	-27.55	26.19	-13.0	14.55	252.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.272	-65.79	-0.44	-13.0	52.79	72.00	Horizontal	Horizontal	Pass
345.396	-68.27	-1.80	-13.0	55.27	144.00	Horizontal	Horizontal	Pass
705.702	-29.36	9.72	-13.0	16.36	72.00	Horizontal	Horizontal	N/A
1415.500	-33.58	3.61	-13.0	20.58	0.00	Horizontal	Horizontal	Pass
3447.000	-36.05	18.23	-13.0	23.05	144.00	Horizontal	Horizontal	Pass
7747.000	-26.94	28.28	-13.0	13.94	360.00	Horizontal	Horizontal	Pass

4.53 NSA Band DC-12A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.117	-61.19	-1.23	-13.0	48.19	72.00	Vertical	Horizontal	Pass
705.702	-27.45	9.72	-13.0	14.45	108.00	Vertical	Horizontal	N/A
1415.500	-38.88	3.61	-13.0	25.88	360.00	Vertical	Horizontal	Pass
2116.000	-43.81	5.96	-13.0	30.81	288.00	Vertical	Horizontal	Pass
3597.500	-36.51	19.39	-13.0	23.51	180.00	Vertical	Horizontal	Pass
7753.500	-30.53	23.61	-13.0	17.53	180.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
109.007	-67.23	-0.83	-13.0	54.23	360.00	Horizontal	Horizontal	Pass
302.230	-68.86	-2.90	-13.0	55.86	252.00	Horizontal	Horizontal	Pass
706.041	-29.21	9.71	-13.0	16.21	36.00	Horizontal	Horizontal	N/A
1407.500	-35.52	3.72	-13.0	22.52	72.00	Horizontal	Horizontal	Pass
3592.500	-37.03	18.80	-13.0	24.03	36.00	Horizontal	Horizontal	Pass
7760.000	-31.16	23.84	-13.0	18.16	36.00	Horizontal	Horizontal	Pass

4.54 NSA Band DC-12A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.990	-49.39	-1.79	-13.0	36.39	180.00	Vertical	Horizontal	Pass
262.751	-66.61	-4.31	-13.0	53.61	180.00	Vertical	Horizontal	Pass
706.235	-26.59	9.70	-13.0	13.59	252.00	Vertical	Horizontal	N/A
1415.000	-39.10	3.61	-13.0	26.10	36.00	Vertical	Horizontal	Pass
3599.500	-35.79	20.62	-13.0	22.79	36.00	Vertical	Horizontal	Pass
7737.500	-26.32	27.86	-13.0	13.32	108.00	Vertical	Horizontal	Pass

Band: NSA DC-12A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.755	-65.71	-3.54	-13.0	52.71	180.00	Horizontal	Horizontal	Pass
301.552	-69.32	-2.76	-13.0	56.32	36.00	Horizontal	Horizontal	Pass
706.235	-27.78	9.70	-13.0	14.78	360.00	Horizontal	Horizontal	N/A
1408.000	-35.38	3.71	-13.0	22.38	216.00	Horizontal	Horizontal	Pass
3594.500	-36.08	20.06	-13.0	23.08	36.00	Horizontal	Horizontal	Pass
7751.500	-26.41	28.25	-13.0	13.41	252.00	Horizontal	Horizontal	Pass

4.55 NSA Band DC-13A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.193	-52.25	-1.19	-13.0	39.25	180.00	Vertical	Horizontal	Pass
751.438	-31.88	0.72	-13.0	18.88	216.00	Vertical	Horizontal	N/A
780.780	4.54	2.23	-13.0	-17.54	72.00	Vertical	Horizontal	N/A
1563.000	-48.16	7.81	-40.0	8.16	360.00	Vertical	Horizontal	Pass
1960.500	-47.85	8.35	-13.0	34.85	216.00	Vertical	Horizontal	N/A
7756.500	-47.83	15.65	-13.0	34.83	180.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.224	-67.11	-1.10	-13.0	54.11	252.00	Horizontal	Horizontal	Pass
751.631	-35.04	0.73	-13.0	22.04	216.00	Horizontal	Horizontal	N/A
781.993	2.09	2.33	-13.0	-15.09	288.00	Horizontal	Horizontal	N/A
1565.000	-44.84	7.80	-40.0	4.84	288.00	Horizontal	Horizontal	Pass
1960.000	-46.39	8.39	-13.0	33.39	144.00	Horizontal	Horizontal	N/A
6844.000	-47.82	14.43	-13.0	34.82	36.00	Horizontal	Horizontal	Pass

4.56 NSA Band DC-13A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
763.271	-32.92	5.29	-13.0	19.92	252.00	Vertical	Horizontal	N/A
792.857	1.44	6.95	-13.0	-14.44	144.00	Vertical	Horizontal	N/A
880.593	-31.74	8.04	-13.0	18.74	216.00	Vertical	Horizontal	N/A
1584.500	-46.78	5.78	-40.0	6.78	72.00	Vertical	Horizontal	Pass
3599.000	-52.01	11.83	-13.0	39.01	108.00	Vertical	Horizontal	Pass
7158.500	-47.91	14.96	-13.0	34.91	324.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
761.817	-33.30	5.32	-13.0	20.30	252.00	Horizontal	Horizontal	N/A
791.110	3.58	6.76	-13.0	-16.58	180.00	Horizontal	Horizontal	N/A
880.641	-30.47	8.05	-13.0	17.47	72.00	Horizontal	Horizontal	N/A
1585.000	-42.36	5.75	-40.0	2.36	180.00	Horizontal	Horizontal	Pass
6885.500	-47.96	14.80	-13.0	34.96	36.00	Horizontal	Horizontal	Pass
17367.114	-43.65	28.17	-13.0	30.65	180.00	Horizontal	Horizontal	Pass

4.57 NSA Band DC-13A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.553	-64.16	-2.08	-13.0	51.16	36.00	Vertical	Horizontal	Pass
753.038	-33.36	0.83	-13.0	20.36	36.00	Vertical	Horizontal	N/A
782.041	0.79	2.34	-13.0	-13.79	216.00	Vertical	Horizontal	N/A
1563.500	-48.03	7.74	-40.0	8.03	144.00	Vertical	Horizontal	Pass
2662.000	-47.77	11.65	-13.0	34.77	216.00	Vertical	Horizontal	N/A
7761.500	-47.16	15.64	-13.0	34.16	252.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.272	-66.80	-1.10	-13.0	53.80	216.00	Horizontal	Horizontal	Pass
750.807	-35.43	0.67	-13.0	22.43	72.00	Horizontal	Horizontal	N/A
781.459	2.23	2.29	-13.0	-15.23	288.00	Horizontal	Horizontal	N/A
1564.500	-44.78	7.73	-40.0	4.78	360.00	Horizontal	Horizontal	Pass
2649.000	-47.93	10.81	-13.0	34.93	288.00	Horizontal	Horizontal	N/A
7754.000	-47.83	15.62	-13.0	34.83	144.00	Horizontal	Horizontal	Pass

4.58 NSA Band DC-13A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.175	-65.74	-1.09	-13.0	52.74	180.00	Vertical	Horizontal	Pass
749.546	-33.70	0.59	-13.0	20.70	180.00	Vertical	Horizontal	N/A
780.052	0.81	2.17	-13.0	-13.81	324.00	Vertical	Horizontal	N/A
1563.000	-48.15	7.81	-40.0	8.15	180.00	Vertical	Horizontal	Pass
1961.500	-47.71	8.28	-13.0	34.71	180.00	Vertical	Horizontal	N/A
7345.000	-47.95	15.40	-13.0	34.95	108.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.321	-66.68	-1.11	-13.0	53.68	144.00	Horizontal	Horizontal	Pass
751.825	-35.71	0.74	-13.0	22.71	108.00	Horizontal	Horizontal	N/A
782.041	1.30	2.34	-13.0	-14.30	288.00	Horizontal	Horizontal	N/A
1563.500	-44.92	7.81	-40.0	4.92	108.00	Horizontal	Horizontal	Pass
1961.000	-46.47	8.31	-13.0	33.47	360.00	Horizontal	Horizontal	N/A
6862.000	-47.68	14.85	-13.0	34.68	216.00	Horizontal	Horizontal	Pass

4.59 NSA Band DC-13A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.408	-64.05	-1.99	-13.0	51.05	72.00	Vertical	Horizontal	Pass
750.273	-32.84	0.64	-13.0	19.84	108.00	Vertical	Horizontal	N/A
780.877	0.56	2.24	-13.0	-13.56	108.00	Vertical	Horizontal	N/A
1563.500	-48.15	7.78	-40.0	8.15	180.00	Vertical	Horizontal	Pass
2143.000	-48.59	7.95	-13.0	35.59	144.00	Vertical	Horizontal	N/A
7761.500	-47.62	15.64	-13.0	34.62	288.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.757	-67.59	-1.15	-13.0	54.59	180.00	Horizontal	Horizontal	Pass
749.789	-34.94	0.60	-13.0	21.94	252.00	Horizontal	Horizontal	N/A
782.623	2.37	2.39	-13.0	-15.37	108.00	Horizontal	Horizontal	N/A
1563.500	-44.66	7.78	-40.0	4.66	324.00	Horizontal	Horizontal	Pass
2147.500	-48.25	8.06	-13.0	35.25	288.00	Horizontal	Horizontal	N/A
7740.500	-47.65	15.29	-13.0	34.65	72.00	Horizontal	Horizontal	Pass

4.60 NSA Band DC-13A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
87.763	-61.25	-7.95	-13.0	48.25	108.00	Vertical	Horizontal	Pass
749.061	-33.08	0.56	-13.0	20.08	252.00	Vertical	Horizontal	N/A
781.944	3.38	2.33	-13.0	-16.38	216.00	Vertical	Horizontal	N/A
1563.000	-47.25	6.41	-40.0	7.25	288.00	Vertical	Horizontal	Pass
3596.000	-43.45	20.23	-13.0	30.45	252.00	Vertical	Horizontal	Pass
7998.000	-34.83	30.04	-13.0	21.83	324.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.727	-68.24	-1.24	-13.0	55.24	36.00	Horizontal	Horizontal	Pass
749.643	-40.66	0.59	-13.0	27.66	216.00	Horizontal	Horizontal	N/A
782.284	10.24	2.36	-13.0	-23.24	216.00	Horizontal	Horizontal	N/A
1563.000	-40.38	6.41	-40.0	0.38	216.00	Horizontal	Horizontal	Pass
3595.000	-43.45	20.11	-13.0	30.45	324.00	Horizontal	Horizontal	Pass
7729.500	-35.23	28.10	-13.0	22.23	324.00	Horizontal	Horizontal	Pass

4.61 NSA Band DC-13A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.262	-59.33	-1.90	-13.0	46.33	72.00	Vertical	Horizontal	Pass
748.818	-32.78	0.54	-13.0	19.78	288.00	Vertical	Horizontal	N/A
781.313	5.01	2.27	-13.0	-18.01	324.00	Vertical	Horizontal	N/A
1563.000	-46.79	6.41	-40.0	6.79	144.00	Vertical	Horizontal	Pass
3592.000	-43.95	19.77	-13.0	30.95	144.00	Vertical	Horizontal	Pass
7997.500	-34.77	30.07	-13.0	21.77	108.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.487	-66.47	-2.63	-13.0	53.47	108.00	Horizontal	Horizontal	Pass
752.650	-40.84	0.80	-13.0	27.84	108.00	Horizontal	Horizontal	N/A
781.459	10.32	2.29	-13.0	-23.32	216.00	Horizontal	Horizontal	N/A
1565.000	-40.52	6.37	-40.0	0.52	180.00	Horizontal	Horizontal	Pass
3591.500	-43.68	19.72	-13.0	30.68	288.00	Horizontal	Horizontal	Pass
7994.500	-34.88	30.13	-13.0	21.88	216.00	Horizontal	Horizontal	Pass

4.62 NSA Band DC-13A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.412	-60.98	-8.12	-13.0	47.98	288.00	Vertical	Horizontal	Pass
750.225	-33.05	0.63	-13.0	20.05	288.00	Vertical	Horizontal	N/A
780.974	4.36	2.25	-13.0	-17.36	36.00	Vertical	Horizontal	N/A
1564.000	-46.94	6.39	-40.0	6.94	72.00	Vertical	Horizontal	Pass
3593.000	-43.37	19.89	-13.0	30.37	144.00	Vertical	Horizontal	Pass
7741.000	-35.08	28.00	-13.0	22.08	36.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
89.412	-60.98	-8.12	-13.0	47.98	288.00	Horizontal	Horizontal	Pass
750.225	-33.05	0.63	-13.0	20.05	288.00	Horizontal	Horizontal	N/A
780.974	4.36	2.25	-13.0	-17.36	36.00	Horizontal	Horizontal	N/A
1564.000	-46.94	6.39	-40.0	6.94	72.00	Horizontal	Horizontal	Pass
3593.000	-43.37	19.89	-13.0	30.37	144.00	Horizontal	Horizontal	Pass
7741.000	-35.08	28.00	-13.0	22.08	36.00	Horizontal	Horizontal	Pass

4.63 NSA Band DC-13A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.826	-60.36	-2.04	-13.0	47.36	72.00	Vertical	Horizontal	Pass
749.789	-32.68	0.60	-13.0	19.68	180.00	Vertical	Horizontal	N/A
781.895	3.62	2.32	-13.0	-16.62	288.00	Vertical	Horizontal	N/A
1563.000	-47.09	6.41	-40.0	7.09	216.00	Vertical	Horizontal	Pass
3593.500	-43.19	19.94	-13.0	30.19	36.00	Vertical	Horizontal	Pass
7508.000	-35.76	28.48	-13.0	22.76	108.00	Vertical	Horizontal	Pass

Band: NSA DC-13A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.826	-63.41	-2.04	-13.0	50.41	180.00	Horizontal	Horizontal	Pass
749.449	-40.98	0.58	-13.0	27.98	144.00	Horizontal	Horizontal	N/A
780.732	10.02	2.22	-13.0	-23.02	360.00	Horizontal	Horizontal	N/A
1564.500	-40.48	6.38	-40.0	0.48	72.00	Horizontal	Horizontal	Pass
3594.000	-43.95	20.00	-13.0	30.95	108.00	Horizontal	Horizontal	Pass
7103.000	-35.70	28.04	-13.0	22.70	324.00	Horizontal	Horizontal	Pass

4.64 NSA Band DC-14A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.038	-64.09	-2.38	-13.0	51.09	180.00	Vertical	Horizontal	Pass
761.719	-33.77	1.41	-13.0	20.77	72.00	Vertical	Horizontal	N/A
791.692	-2.68	3.13	-13.0	-10.32	288.00	Vertical	Horizontal	N/A
1585.000	-45.91	7.17	-40.0	5.91	216.00	Vertical	Horizontal	Pass
1960.000	-46.59	8.39	-13.0	33.59	144.00	Vertical	Horizontal	N/A
6862.000	-47.69	14.85	-13.0	34.69	36.00	Vertical	Horizontal	Pass

Band: NSA DC-14A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.709	-66.44	-1.15	-13.0	53.44	36.00	Horizontal	Horizontal	Pass
763.223	-34.45	1.48	-13.0	21.45	36.00	Horizontal	Horizontal	N/A
791.159	-1.29	3.10	-13.0	-11.71	360.00	Horizontal	Horizontal	N/A
1585.500	-47.05	7.12	-40.0	7.05	180.00	Horizontal	Horizontal	Pass
1961.500	-46.27	8.28	-13.0	33.27	360.00	Horizontal	Horizontal	N/A
7755.000	-47.39	15.63	-13.0	34.39	360.00	Horizontal	Horizontal	Pass

4.65 NSA Band DC-14A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.805	-65.38	-1.15	-13.0	52.38	360.00	Vertical	Horizontal	Pass
763.951	-32.82	1.51	-13.0	19.82	216.00	Vertical	Horizontal	N/A
791.110	3.26	3.10	-13.0	-16.26	180.00	Vertical	Horizontal	N/A
1584.500	-49.89	7.14	-40.0	9.89	288.00	Vertical	Horizontal	Pass
2341.500	-50.10	12.18	-13.0	37.10	180.00	Vertical	Horizontal	N/A
6625.000	-47.39	15.13	-13.0	34.39	108.00	Vertical	Horizontal	Pass

Band: NSA DC-14A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.563	-65.08	-1.13	-13.0	52.08	0.00	Horizontal	Horizontal	Pass
765.066	-33.46	1.55	-13.0	20.46	288.00	Horizontal	Horizontal	N/A
791.110	2.49	3.10	-13.0	-15.49	288.00	Horizontal	Horizontal	N/A
1584.500	-46.48	7.14	-40.0	6.48	180.00	Horizontal	Horizontal	Pass
2307.500	-49.64	11.78	-13.0	36.64	108.00	Horizontal	Horizontal	N/A
7754.000	-47.67	15.62	-13.0	34.67	180.00	Horizontal	Horizontal	Pass

4.66 NSA Band DC-14A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
67.394	-56.21	-17.36	-13.0	43.21	180.00	Vertical	Horizontal	Pass
763.320	-32.48	1.48	-13.0	19.48	180.00	Vertical	Horizontal	N/A
791.838	2.72	3.14	-13.0	-15.72	72.00	Vertical	Horizontal	N/A
1585.500	-50.43	7.43	-40.0	10.43	324.00	Vertical	Horizontal	Pass
2150.500	-48.43	8.18	-13.0	35.43	324.00	Vertical	Horizontal	N/A
7756.500	-47.99	15.65	-13.0	34.99	108.00	Vertical	Horizontal	Pass

Band: NSA DC-14A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
97.512	-69.76	-3.93	-13.0	56.76	144.00	Horizontal	Horizontal	Pass
760.798	-32.63	1.37	-13.0	19.63	108.00	Horizontal	Horizontal	N/A
790.965	-2.38	3.09	-13.0	-10.62	108.00	Horizontal	Horizontal	N/A
1584.500	-47.11	7.44	-40.0	7.11	72.00	Horizontal	Horizontal	Pass
2145.500	-48.08	7.98	-13.0	35.08	108.00	Horizontal	Horizontal	N/A
7343.500	-48.16	15.42	-13.0	35.16	252.00	Horizontal	Horizontal	Pass

4.67 NSA Band DC-14A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.442	-60.15	-7.87	-13.0	47.15	216.00	Vertical	Horizontal	Pass
751.825	-33.34	0.74	-13.0	20.34	72.00	Vertical	Horizontal	N/A
780.150	4.47	2.17	-13.0	-17.47	360.00	Vertical	Horizontal	N/A
1564.500	-47.11	6.38	-40.0	7.11	36.00	Vertical	Horizontal	Pass
3596.000	-43.58	20.23	-13.0	30.58	72.00	Vertical	Horizontal	Pass
7743.500	-35.05	28.13	-13.0	22.05	180.00	Vertical	Horizontal	Pass

Band: NSA DC-14A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.729	-67.10	-2.21	-13.0	54.10	144.00	Horizontal	Horizontal	Pass
750.273	-39.48	0.64	-13.0	26.48	360.00	Horizontal	Horizontal	N/A
782.429	10.94	2.37	-13.0	-23.94	252.00	Horizontal	Horizontal	N/A
1565.000	-40.51	6.37	-40.0	0.51	180.00	Horizontal	Horizontal	Pass
3592.000	-43.46	19.77	-13.0	30.46	108.00	Horizontal	Horizontal	Pass
8000.000	-34.24	29.81	-13.0	21.24	288.00	Horizontal	Horizontal	Pass

4.68 NSA Band DC-14A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
88.248	-60.38	-7.82	-13.0	47.38	360.00	Vertical	Horizontal	Pass
749.158	-32.74	0.56	-13.0	19.74	288.00	Vertical	Horizontal	N/A
780.343	9.46	2.19	-13.0	-22.46	36.00	Vertical	Horizontal	N/A
1564.500	-46.80	6.38	-40.0	6.80	252.00	Vertical	Horizontal	Pass
3594.500	-43.82	20.06	-13.0	30.82	108.00	Vertical	Horizontal	Pass
7743.500	-35.26	28.13	-13.0	22.26	252.00	Vertical	Horizontal	Pass

Band: NSA DC-14A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.777	-66.33	-2.13	-13.0	53.33	324.00	Horizontal	Horizontal	Pass
749.594	-41.36	0.59	-13.0	28.36	180.00	Horizontal	Horizontal	N/A
781.410	10.66	2.28	-13.0	-23.66	288.00	Horizontal	Horizontal	N/A
1564.000	-40.58	6.39	-40.0	0.58	108.00	Horizontal	Horizontal	Pass
3593.500	-43.96	19.94	-13.0	30.96	360.00	Horizontal	Horizontal	Pass
7762.000	-34.37	28.02	-13.0	21.37	72.00	Horizontal	Horizontal	Pass

4.69 NSA Band DC-25A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.456	-61.05	-1.71	-25.0	36.05	36.00	Vertical	Horizontal	Pass
935.398	-55.36	9.70	-25.0	30.36	180.00	Vertical	Horizontal	Pass
1961.000	-28.10	8.44	-25.0	3.10	72.00	Vertical	Horizontal	N/A
2588.000	-41.31	11.53	-25.0	16.31	288.00	Vertical	Horizontal	N/A
6635.500	-39.56	14.49	-25.0	14.56	144.00	Vertical	Horizontal	Pass
12433.175	-48.10	14.70	-25.0	23.10	216.00	Vertical	Horizontal	Pass

Band: NSA DC-25A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.572	-66.93	-2.71	-25.0	41.93	216.00	Horizontal	Horizontal	Pass
902.563	-60.79	5.11	-25.0	35.79	36.00	Horizontal	Horizontal	Pass
1961.500	-29.25	8.43	-25.0	4.25	216.00	Horizontal	Horizontal	N/A
2613.500	-40.97	11.83	-25.0	15.97	144.00	Horizontal	Horizontal	N/A
6867.500	-38.82	14.98	-25.0	13.82	36.00	Horizontal	Horizontal	Pass
12036.550	-48.44	14.01	-25.0	23.44	36.00	Horizontal	Horizontal	Pass

4.70 NSA Band DC-25A-N77A (3450-3550)



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.232	-66.41	-2.50	-13.0	53.41	144.00	Vertical	Horizontal	Pass
347.432	-72.98	-4.19	-13.0	59.98	36.00	Vertical	Horizontal	Pass
1011.000	-57.70	5.43	-13.0	44.70	180.00	Vertical	Horizontal	Pass
1962.000	-37.36	8.24	-13.0	24.36	216.00	Vertical	Horizontal	N/A
4246.500	-47.65	16.13	-13.0	34.65	324.00	Vertical	Horizontal	Pass
7725.000	-39.39	23.93	-13.0	26.39	216.00	Vertical	Horizontal	Pass

Band: NSA DC-25A-N77A (3450-3550)



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.339	-71.34	-1.21	-13.0	58.34	252.00	Horizontal	Horizontal	Pass
348.402	-71.84	-3.95	-13.0	58.84	324.00	Horizontal	Horizontal	Pass
1016.500	-57.77	5.26	-13.0	44.77	216.00	Horizontal	Horizontal	Pass
1964.000	-38.33	8.10	-13.0	25.33	108.00	Horizontal	Horizontal	N/A
4459.000	-46.82	16.49	-13.0	33.82	36.00	Horizontal	Horizontal	Pass
7725.000	-39.51	23.93	-13.0	26.51	252.00	Horizontal	Horizontal	Pass