


Field Strength of Spurious Radiation

4.71 NSA Band DC-25A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.533	-52.58	-1.23	-13.0	39.58	180.00	Vertical	Horizontal	Pass
386.669	-73.63	-5.18	-13.0	60.63	216.00	Vertical	Horizontal	Pass
1015.000	-57.82	5.32	-13.0	44.82	288.00	Vertical	Horizontal	Pass
1961.000	-36.98	8.31	-13.0	23.98	288.00	Vertical	Horizontal	N/A
4462.000	-46.83	16.47	-13.0	33.83	72.00	Vertical	Horizontal	Pass
7109.000	-39.29	24.32	-13.0	26.29	144.00	Vertical	Horizontal	Pass

Band: NSA DC-25A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
104.739	-67.42	-1.32	-13.0	54.42	288.00	Horizontal	Horizontal	Pass
351.603	-73.37	-4.04	-13.0	60.37	288.00	Horizontal	Horizontal	Pass
1016.500	-57.68	5.26	-13.0	44.68	72.00	Horizontal	Horizontal	Pass
1965.500	-38.66	8.04	-13.0	25.66	144.00	Horizontal	Horizontal	N/A
4485.000	-46.51	17.60	-13.0	33.51	360.00	Horizontal	Horizontal	Pass
7111.500	-40.34	24.02	-13.0	27.34	36.00	Horizontal	Horizontal	Pass

4.72 NSA Band DC-25A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.553	-62.18	-2.08	-13.0	49.18	216.00	Vertical	Horizontal	Pass
261.054	-73.65	-6.57	-13.0	60.65	252.00	Vertical	Horizontal	Pass
1020.000	-57.98	5.31	-13.0	44.98	324.00	Vertical	Horizontal	Pass
1960.500	-37.22	8.35	-13.0	24.22	144.00	Vertical	Horizontal	N/A
3599.000	-44.56	19.57	-13.0	31.56	360.00	Vertical	Horizontal	Pass
7707.000	-39.97	23.29	-13.0	26.97	360.00	Vertical	Horizontal	Pass

Band: NSA DC-25A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.805	-67.75	-1.15	-13.0	54.75	72.00	Horizontal	Horizontal	Pass
349.470	-72.97	-3.68	-13.0	59.97	324.00	Horizontal	Horizontal	Pass
1018.500	-59.14	5.26	-13.0	46.14	360.00	Horizontal	Horizontal	Pass
1961.000	-38.15	8.31	-13.0	25.15	180.00	Horizontal	Horizontal	N/A
4401.000	-47.92	17.06	-13.0	34.92	144.00	Horizontal	Horizontal	Pass
7757.000	-40.14	23.71	-13.0	27.14	144.00	Horizontal	Horizontal	Pass

4.73 NSA Band DC-25A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.117	-50.62	-1.81	-13.0	37.62	180.00	Vertical	Horizontal	Pass
260.035	-69.05	-6.38	-13.0	56.05	180.00	Vertical	Horizontal	Pass
1025.500	-58.18	4.99	-13.0	45.18	144.00	Vertical	Horizontal	Pass
1960.500	-37.85	8.35	-13.0	24.85	180.00	Vertical	Horizontal	N/A
4298.000	-48.12	15.74	-13.0	35.12	288.00	Vertical	Horizontal	Pass
7992.000	-39.98	24.95	-13.0	26.98	108.00	Vertical	Horizontal	Pass

Band: NSA DC-25A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
109.977	-69.45	-1.57	-13.0	56.45	252.00	Horizontal	Horizontal	Pass
349.178	-72.65	-3.75	-13.0	59.65	360.00	Horizontal	Horizontal	Pass
1019.000	-57.70	5.28	-13.0	44.70	36.00	Horizontal	Horizontal	Pass
1961.500	-36.59	8.28	-13.0	23.59	108.00	Horizontal	Horizontal	N/A
4486.500	-46.85	17.57	-13.0	33.85	144.00	Horizontal	Horizontal	Pass
7728.500	-39.50	23.70	-13.0	26.50	72.00	Horizontal	Horizontal	Pass

4.74 NSA Band DC-26A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.893	-62.39	-1.79	-13.0	49.39	72.00	Vertical	Horizontal	Pass
878.217	-30.09	8.89	-13.0	17.09	216.00	Vertical	Horizontal	N/A
1557.600	-44.71	7.78	-13.0	31.71	324.00	Vertical	Horizontal	Pass
1963.200	-24.24	8.15	-13.0	11.24	216.00	Vertical	Horizontal	N/A
6255.250	-39.48	14.23	-13.0	26.48	144.00	Vertical	Horizontal	Pass
16756.012	-37.08	28.17	-13.0	24.08	108.00	Vertical	Horizontal	Pass

Band: NSA DC-26A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.766	-63.39	-2.32	-13.0	50.39	324.00	Horizontal	Horizontal	Pass
875.791	-28.80	8.64	-13.0	15.80	72.00	Horizontal	Horizontal	N/A
1887.500	-43.96	8.63	-13.0	30.96	288.00	Horizontal	Horizontal	N/A
1963.300	-23.65	8.14	-13.0	10.65	216.00	Horizontal	Horizontal	N/A
7158.000	-38.82	14.95	-13.0	25.82	36.00	Horizontal	Horizontal	Pass
17367.376	-35.84	28.16	-13.0	22.84	108.00	Horizontal	Horizontal	Pass

4.75 NSA Band DC-26A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.038	-61.55	-2.08	-25.0	36.55	360.00	Vertical	Horizontal	Pass
828.553	-43.37	9.54	-25.0	18.37	216.00	Vertical	Horizontal	N/A
878.508	-36.76	7.83	-25.0	11.76	72.00	Vertical	Horizontal	N/A
2607.000	-39.08	13.44	-25.0	14.08	72.00	Vertical	Horizontal	N/A
6216.500	-39.59	14.18	-25.0	14.59	288.00	Vertical	Horizontal	Pass
12680.175	-48.06	15.16	-25.0	23.06	216.00	Vertical	Horizontal	Pass

Band: NSA DC-26A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
109.152	-66.11	-1.03	-25.0	41.11	108.00	Horizontal	Horizontal	Pass
828.504	-45.38	9.54	-25.0	20.38	252.00	Horizontal	Horizontal	N/A
878.556	-32.67	7.83	-25.0	7.67	324.00	Horizontal	Horizontal	N/A
2594.500	-38.92	13.13	-25.0	13.92	144.00	Horizontal	Horizontal	N/A
6866.000	-38.84	14.95	-25.0	13.84	144.00	Horizontal	Horizontal	Pass
12069.800	-48.91	13.91	-25.0	23.91	144.00	Horizontal	Horizontal	Pass

4.76 NSA Band DC-26A-N78A(3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.087	-67.69	-1.91	-13.0	54.69	252.00	Vertical	Horizontal	Pass
828.504	-47.22	7.74	-13.0	34.22	324.00	Vertical	Horizontal	N/A
877.586	-38.50	8.85	-13.0	25.50	216.00	Vertical	Horizontal	N/A
1900.000	-52.94	5.86	-13.0	39.94	216.00	Vertical	Horizontal	Pass
4483.000	-43.23	20.81	-13.0	30.23	324.00	Vertical	Horizontal	Pass
7996.000	-35.10	30.15	-13.0	22.10	108.00	Vertical	Horizontal	Pass

Band: NSA DC-26A-N78A(3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
104.496	-69.10	-0.99	-13.0	56.10	252.00	Horizontal	Horizontal	Pass
828.164	-50.45	7.76	-13.0	37.45	360.00	Horizontal	Horizontal	N/A
873.754	-34.46	8.42	-13.0	21.46	360.00	Horizontal	Horizontal	N/A
1950.000	-52.57	6.79	-13.0	39.57	252.00	Horizontal	Horizontal	Pass
3591.000	-43.59	19.66	-13.0	30.59	108.00	Horizontal	Horizontal	Pass
7997.500	-34.47	30.07	-13.0	21.47	72.00	Horizontal	Horizontal	Pass

4.77 NSA Band DC-26A-N78A(3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-51.63	-1.26	-13.0	38.63	180.00	Vertical	Horizontal	Pass
828.553	-45.63	7.74	-13.0	32.63	108.00	Vertical	Horizontal	N/A
877.586	-35.69	8.85	-13.0	22.69	36.00	Vertical	Horizontal	N/A
1767.000	-51.14	5.24	-13.0	38.14	216.00	Vertical	Horizontal	Pass
3596.000	-43.94	20.23	-13.0	30.94	36.00	Vertical	Horizontal	Pass
7998.000	-34.90	30.04	-13.0	21.90	108.00	Vertical	Horizontal	Pass

Band: NSA DC-26A-N78A(3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
103.284	-68.74	-2.15	-13.0	55.74	72.00	Horizontal	Horizontal	Pass
828.601	-48.75	7.74	-13.0	35.75	72.00	Horizontal	Horizontal	N/A
879.575	-34.67	8.95	-13.0	21.67	180.00	Horizontal	Horizontal	N/A
1900.000	-52.84	5.86	-13.0	39.84	72.00	Horizontal	Horizontal	Pass
3596.000	-44.05	20.23	-13.0	31.05	144.00	Horizontal	Horizontal	Pass
7992.500	-34.46	30.00	-13.0	21.46	72.00	Horizontal	Horizontal	Pass

4.78 NSA Band DC-30A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.699	-56.33	-2.17	-40.0	16.33	72.00	Vertical	Horizontal	Pass
1006.400	-59.68	-6.20	-40.0	19.68	72.00	Vertical	Horizontal	Pass
1964.300	-40.70	-2.17	-40.0	0.70	216.00	Vertical	Horizontal	N/A
2336.300	-50.17	1.97	-40.0	10.17	216.00	Vertical	Horizontal	N/A
7126.500	-49.69	5.38	-40.0	9.69	144.00	Vertical	Horizontal	Pass
12420.112	-54.03	10.03	-40.0	14.03	144.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.117	-59.55	-1.81	-40.0	19.55	180.00	Horizontal	Horizontal	Pass
913.330	-58.93	5.41	-40.0	18.93	252.00	Horizontal	Horizontal	Pass
1964.500	-41.76	-2.19	-40.0	1.76	180.00	Horizontal	Horizontal	N/A
2335.400	-50.91	1.96	-40.0	10.91	324.00	Horizontal	Horizontal	N/A
4966.000	-52.47	0.91	-40.0	12.47	360.00	Horizontal	Horizontal	Pass
7154.500	-49.03	4.92	-40.0	9.03	108.00	Horizontal	Horizontal	Pass

4.79 NSA Band DC-30A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.553	-57.06	-1.76	-40.0	17.06	108.00	Vertical	Horizontal	Pass
827.146	-27.87	8.02	-40.0	-12.13	216.00	Vertical	Horizontal	N/A
887.529	-35.34	8.57	-40.0	-4.66	288.00	Vertical	Horizontal	N/A
2303.400	-51.08	1.79	-40.0	11.08	360.00	Vertical	Horizontal	Pass
6866.500	-49.37	4.96	-40.0	9.37	288.00	Vertical	Horizontal	Pass
12459.300	-52.69	10.83	-40.0	12.69	36.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.214	-60.63	-1.55	-40.0	20.63	216.00	Horizontal	Horizontal	Pass
827.097	-12.40	8.01	-40.0	-27.60	108.00	Horizontal	Horizontal	N/A
887.529	-33.79	8.57	-40.0	-6.21	288.00	Horizontal	Horizontal	N/A
2341.200	-49.68	2.19	-40.0	9.68	216.00	Horizontal	Horizontal	Pass
7734.750	-49.66	5.17	-40.0	9.66	324.00	Horizontal	Horizontal	Pass
11951.287	-54.02	9.74	-40.0	14.02	216.00	Horizontal	Horizontal	Pass

4.80 NSA Band DC-30A-N12A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.826	-57.13	-1.72	-40.0	17.13	360.00	Vertical	Horizontal	Pass
900.963	-54.71	9.84	-40.0	14.71	108.00	Vertical	Horizontal	Pass
1546.300	-53.79	-2.51	-40.0	13.79	216.00	Vertical	Horizontal	Pass
2340.400	-50.61	2.22	-40.0	10.61	108.00	Vertical	Horizontal	Pass
7106.000	-49.71	5.63	-40.0	9.71	72.00	Vertical	Horizontal	Pass
11792.874	-53.79	9.70	-40.0	13.79	144.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N12A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.680	-61.04	-1.98	-40.0	21.04	216.00	Horizontal	Horizontal	Pass
700.367	-58.98	7.59	-40.0	18.98	360.00	Horizontal	Horizontal	Pass
1512.200	-55.16	-2.73	-40.0	15.16	324.00	Horizontal	Horizontal	Pass
2339.800	-50.73	2.23	-40.0	10.73	216.00	Horizontal	Horizontal	Pass
6837.250	-49.13	4.34	-40.0	9.13	144.00	Horizontal	Horizontal	Pass
12457.162	-53.45	10.79	-40.0	13.45	252.00	Horizontal	Horizontal	Pass

4.81 NSA Band DC-30A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.068	-56.02	-1.78	-40.0	16.02	72.00	Vertical	Horizontal	Pass
774.233	-62.00	1.85	-40.0	22.00	252.00	Vertical	Horizontal	Pass
1511.600	-56.29	-3.08	-40.0	16.29	216.00	Vertical	Horizontal	Pass
2146.700	-40.58	-2.21	-40.0	0.58	288.00	Vertical	Horizontal	N/A
3599.250	-53.91	1.86	-40.0	13.91	72.00	Vertical	Horizontal	Pass
6852.750	-49.41	4.57	-40.0	9.41	252.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N66A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.923	-59.01	-1.87	-40.0	19.01	180.00	Horizontal	Horizontal	Pass
997.090	-58.79	6.27	-40.0	18.79	108.00	Horizontal	Horizontal	Pass
1692.200	-49.60	-3.70	-40.0	9.60	324.00	Horizontal	Horizontal	N/A
2145.500	-40.43	-2.27	-40.0	0.43	360.00	Horizontal	Horizontal	N/A
7156.750	-49.65	4.92	-40.0	9.65	360.00	Horizontal	Horizontal	Pass
11949.625	-54.36	9.70	-40.0	14.36	108.00	Horizontal	Horizontal	Pass

4.82 NSA Band DC-30A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.602	-59.06	-2.11	-40.0	19.06	324.00	Vertical	Horizontal	Pass
348.985	-70.38	-3.80	-40.0	30.38	180.00	Vertical	Horizontal	Pass
914.300	-60.22	5.43	-40.0	20.22	216.00	Vertical	Horizontal	Pass
2306.000	-50.19	0.85	-40.0	10.19	216.00	Vertical	Horizontal	N/A
7738.500	-52.46	1.42	-40.0	12.46	108.00	Vertical	Horizontal	Pass
15911.026	-58.87	7.02	-40.0	18.87	144.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
104.884	-65.16	-1.19	-40.0	25.16	0.00	Horizontal	Horizontal	Pass
347.287	-70.55	-4.23	-40.0	30.55	180.00	Horizontal	Horizontal	Pass
987.050	-59.86	5.67	-40.0	19.86	108.00	Horizontal	Horizontal	Pass
2313.000	-50.38	0.82	-40.0	10.38	252.00	Horizontal	Horizontal	N/A
7104.000	-52.61	2.48	-40.0	12.61	252.00	Horizontal	Horizontal	Pass
15888.975	-58.31	6.55	-40.0	18.31	252.00	Horizontal	Horizontal	Pass

4.83 NSA Band DC-30A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.602	-51.78	-2.11	-40.0	11.78	144.00	Vertical	Horizontal	Pass
348.839	-68.29	-3.84	-40.0	28.29	144.00	Vertical	Horizontal	Pass
946.262	-59.91	4.67	-40.0	19.91	72.00	Vertical	Horizontal	Pass
2306.500	-51.27	0.85	-40.0	11.27	72.00	Vertical	Horizontal	N/A
7117.500	-53.54	1.51	-40.0	13.54	252.00	Vertical	Horizontal	Pass
16770.449	-58.62	6.22	-40.0	18.62	360.00	Vertical	Horizontal	Pass

Band: NSA DC-30A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
96.105	-66.09	-3.05	-40.0	26.09	36.00	Horizontal	Horizontal	Pass
349.518	-70.00	-3.66	-40.0	30.00	36.00	Horizontal	Horizontal	Pass
910.954	-59.82	5.35	-40.0	19.82	108.00	Horizontal	Horizontal	Pass
2313.000	-50.85	0.82	-40.0	10.85	36.00	Horizontal	Horizontal	N/A
7997.000	-52.26	3.09	-40.0	12.26	360.00	Horizontal	Horizontal	Pass
16775.699	-58.06	6.16	-40.0	18.06	144.00	Horizontal	Horizontal	Pass

4.84 NSA Band DC-38A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-59.01	-1.75	-25.0	34.01	252.00	Vertical	Horizontal	Pass
350.682	-72.69	-3.75	-25.0	47.69	108.00	Vertical	Horizontal	Pass
1026.600	-49.69	3.82	-25.0	24.69	36.00	Vertical	Horizontal	Pass
2598.700	-41.84	11.19	-25.0	16.84	144.00	Vertical	Horizontal	N/A
7359.500	-38.17	17.78	-25.0	13.17	360.00	Vertical	Horizontal	Pass
15919.500	-39.38	29.02	-25.0	14.38	216.00	Vertical	Horizontal	Pass

Band: NSA DC-38A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.117	-69.76	-1.81	-25.0	44.76	288.00	Horizontal	Horizontal	Pass
352.573	-71.95	-4.34	-25.0	46.95	252.00	Horizontal	Horizontal	Pass
1013.500	-50.01	3.85	-25.0	25.01	72.00	Horizontal	Horizontal	Pass
2599.700	-38.65	11.20	-25.0	13.65	252.00	Horizontal	Horizontal	N/A
4481.750	-45.70	11.00	-25.0	20.70	216.00	Horizontal	Horizontal	Pass
8000.000	-37.59	19.81	-25.0	12.59	108.00	Horizontal	Horizontal	Pass

4.85 NSA Band DC-38A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.893	-49.51	-2.29	-25.0	24.51	216.00	Vertical	Horizontal	Pass
348.112	-72.91	-4.02	-25.0	47.91	144.00	Vertical	Horizontal	Pass
1018.800	-49.96	4.09	-25.0	24.96	288.00	Vertical	Horizontal	Pass
2599.600	-40.13	11.20	-25.0	15.13	252.00	Vertical	Horizontal	N/A
7383.500	-38.41	17.89	-25.0	13.41	180.00	Vertical	Horizontal	Pass
17391.499	-39.18	27.94	-25.0	14.18	360.00	Vertical	Horizontal	Pass

Band: NSA DC-38A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.921	-69.12	-1.26	-25.0	44.12	36.00	Horizontal	Horizontal	Pass
352.913	-71.63	-4.44	-25.0	46.63	108.00	Horizontal	Horizontal	Pass
1008.500	-49.78	3.72	-25.0	24.78	252.00	Horizontal	Horizontal	Pass
2599.900	-37.33	11.20	-25.0	12.33	360.00	Horizontal	Horizontal	N/A
7346.500	-38.03	17.57	-25.0	13.03	108.00	Horizontal	Horizontal	Pass
15925.500	-39.79	29.05	-25.0	14.79	108.00	Horizontal	Horizontal	Pass

4.86 NSA Band DC-41A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.214	-57.77	-1.87	-25.0	32.77	36.00	Vertical	Horizontal	Pass
365.086	-72.60	-6.19	-25.0	47.60	252.00	Vertical	Horizontal	Pass
1014.000	-49.65	3.87	-25.0	24.65	144.00	Vertical	Horizontal	Pass
2926.500	-42.33	12.02	-25.0	17.33	108.00	Vertical	Horizontal	Pass
7741.750	-38.70	18.04	-25.0	13.70	252.00	Vertical	Horizontal	Pass
15894.000	-39.73	28.76	-25.0	14.73	180.00	Vertical	Horizontal	Pass

Band: NSA DC-41A-N77A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.729	-67.45	-2.21	-25.0	42.45	360.00	Horizontal	Horizontal	Pass
348.742	-72.10	-3.86	-25.0	47.10	216.00	Horizontal	Horizontal	Pass
1019.100	-50.19	4.10	-25.0	25.19	72.00	Horizontal	Horizontal	Pass
2597.600	-38.61	11.18	-25.0	13.61	288.00	Horizontal	Horizontal	N/A
7997.000	-37.32	20.11	-25.0	12.32	108.00	Horizontal	Horizontal	Pass
16784.500	-38.61	28.02	-25.0	13.61	288.00	Horizontal	Horizontal	Pass

4.87 NSA Band DC-41A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.632	-45.54	-2.38	-25.0	20.54	180.00	Vertical	Horizontal	Pass
277.253	-66.98	-8.82	-25.0	41.98	180.00	Vertical	Horizontal	Pass
1003.300	-50.10	3.57	-25.0	25.10	72.00	Vertical	Horizontal	Pass
2974.800	-42.29	12.01	-25.0	17.29	36.00	Vertical	Horizontal	Pass
7998.250	-38.71	20.02	-25.0	13.71	252.00	Vertical	Horizontal	Pass
17398.499	-38.90	27.94	-25.0	13.90	72.00	Vertical	Horizontal	Pass

Band: NSA DC-41A-N77A (3700-3980)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.844	-68.40	-2.26	-25.0	43.40	288.00	Horizontal	Horizontal	Pass
348.500	-72.25	-3.92	-25.0	47.25	288.00	Horizontal	Horizontal	Pass
1002.200	-50.26	3.54	-25.0	25.26	36.00	Horizontal	Horizontal	Pass
2594.500	-39.52	11.16	-25.0	14.52	180.00	Horizontal	Horizontal	N/A
7992.500	-37.79	20.00	-25.0	12.79	360.00	Horizontal	Horizontal	Pass
15934.000	-38.82	29.10	-25.0	13.82	288.00	Horizontal	Horizontal	Pass

4.88 NSA Band DC-41A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.214	-58.33	-1.87	-25.0	33.33	180.00	Vertical	Horizontal	Pass
271.045	-72.27	-8.01	-25.0	47.27	252.00	Vertical	Horizontal	Pass
1024.100	-49.82	3.91	-25.0	24.82	252.00	Vertical	Horizontal	Pass
2595.500	-40.80	11.16	-25.0	15.80	324.00	Vertical	Horizontal	N/A
7722.750	-38.08	18.27	-25.0	13.08	180.00	Vertical	Horizontal	Pass
17385.501	-39.76	27.94	-25.0	14.76	36.00	Vertical	Horizontal	Pass

Band: NSA DC-41A-N78A (3450-3550)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.766	-68.89	-2.83	-25.0	43.89	36.00	Horizontal	Horizontal	Pass
348.500	-71.65	-3.92	-25.0	46.65	216.00	Horizontal	Horizontal	Pass
1025.400	-52.10	3.86	-25.0	27.10	360.00	Horizontal	Horizontal	Pass
2595.100	-40.22	11.16	-25.0	15.22	360.00	Horizontal	Horizontal	N/A
7995.250	-37.75	20.14	-25.0	12.75	324.00	Horizontal	Horizontal	Pass
17353.501	-39.58	28.14	-25.0	14.58	144.00	Horizontal	Horizontal	Pass

4.89 NSA Band DC-41A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.068	-45.06	-1.78	-25.0	20.06	216.00	Vertical	Horizontal	Pass
264.546	-67.76	-7.21	-25.0	42.76	216.00	Vertical	Horizontal	Pass
1023.000	-50.62	3.96	-25.0	25.62	252.00	Vertical	Horizontal	Pass
2594.200	-42.10	11.15	-25.0	17.10	360.00	Vertical	Horizontal	N/A
7357.500	-38.09	17.79	-25.0	13.09	324.00	Vertical	Horizontal	Pass
16774.000	-38.74	28.18	-25.0	13.74	36.00	Vertical	Horizontal	Pass

Band: NSA DC-41A-N78A (3700-3800)




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
95.184	-68.51	-2.47	-25.0	43.51	144.00	Horizontal	Horizontal	Pass
347.142	-72.01	-4.27	-25.0	47.01	180.00	Horizontal	Horizontal	Pass
1015.700	-49.76	3.94	-25.0	24.76	324.00	Horizontal	Horizontal	Pass
2594.600	-39.61	11.16	-25.0	14.61	108.00	Horizontal	Horizontal	N/A
7998.500	-38.09	20.01	-25.0	13.09	288.00	Horizontal	Horizontal	Pass
17356.501	-39.28	28.21	-25.0	14.28	36.00	Horizontal	Horizontal	Pass

4.90 NSA Band DC-66A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.535	-67.43	-2.52	-13.0	54.43	324.00	Vertical	Horizontal	Pass
889.032	-61.51	3.83	-13.0	48.51	216.00	Vertical	Horizontal	Pass
1959.000	-23.08	7.90	-13.0	10.08	72.00	Vertical	Horizontal	N/A
2155.500	-22.72	7.81	-13.0	9.72	72.00	Vertical	Horizontal	N/A
7295.500	-39.54	14.91	-13.0	26.54	324.00	Vertical	Horizontal	Pass
13561.125	-49.12	15.67	-13.0	36.12	72.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N2A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.020	-69.60	-1.72	-13.0	56.60	144.00	Horizontal	Horizontal	Pass
810.122	-62.49	2.48	-13.0	49.49	144.00	Horizontal	Horizontal	Pass
1756.500	-43.01	7.06	-13.0	30.01	180.00	Horizontal	Horizontal	N/A
1959.500	-21.83	7.86	-13.0	8.83	72.00	Horizontal	Horizontal	N/A
2156.500	-25.55	7.84	-13.0	12.55	72.00	Horizontal	Horizontal	N/A
7750.500	-38.32	15.56	-13.0	25.32	180.00	Horizontal	Horizontal	Pass

4.91 NSA Band DC-66A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
110.413	-68.43	-1.25	-13.0	55.43	216.00	Vertical	Horizontal	Pass
838.398	-57.27	7.35	-13.0	44.27	288.00	Vertical	Horizontal	N/A
881.030	-42.32	8.98	-13.0	29.32	324.00	Vertical	Horizontal	N/A
2154.000	-37.58	8.26	-13.0	24.58	108.00	Vertical	Horizontal	N/A
7089.000	-39.34	15.08	-13.0	26.34	216.00	Vertical	Horizontal	Pass
12432.224	-49.07	14.67	-13.0	36.07	252.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N5A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
110.268	-68.30	-1.14	-13.0	55.30	360.00	Horizontal	Horizontal	Pass
838.495	-48.26	7.35	-13.0	35.26	324.00	Horizontal	Horizontal	N/A
880.981	-39.10	8.98	-13.0	26.10	108.00	Horizontal	Horizontal	N/A
2155.000	-37.90	8.28	-13.0	24.90	324.00	Horizontal	Horizontal	N/A
6867.000	-39.50	14.97	-13.0	26.50	360.00	Horizontal	Horizontal	Pass
11915.900	-49.28	14.55	-13.0	36.28	180.00	Horizontal	Horizontal	Pass

4.92 NSA Band DC-66A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.408	-58.42	-1.99	-25.0	33.42	360.00	Vertical	Horizontal	Pass
797.998	-63.69	3.38	-25.0	38.69	360.00	Vertical	Horizontal	Pass
1756.400	-44.48	6.52	-25.0	19.48	360.00	Vertical	Horizontal	N/A
2154.900	-26.42	7.71	-25.0	1.42	72.00	Vertical	Horizontal	N/A
2656.100	-32.77	10.60	-25.0	7.77	180.00	Vertical	Horizontal	N/A
6921.000	-40.25	14.65	-25.0	15.25	180.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N7A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.777	-61.88	-2.13	-25.0	36.88	288.00	Horizontal	Horizontal	Pass
921.527	-61.48	5.42	-25.0	36.48	144.00	Horizontal	Horizontal	Pass
1757.100	-41.92	6.53	-25.0	16.92	360.00	Horizontal	Horizontal	N/A
2156.400	-28.44	7.75	-25.0	3.44	72.00	Horizontal	Horizontal	N/A
2659.300	-34.18	10.73	-25.0	9.18	36.00	Horizontal	Horizontal	N/A
6852.750	-40.34	14.57	-25.0	15.34	72.00	Horizontal	Horizontal	Pass

4.93 NSA Band DC-66A-N12A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.709	-68.10	-0.48	-13.0	55.10	252.00	Vertical	Horizontal	Pass
699.785	-57.46	9.97	-13.0	44.46	144.00	Vertical	Horizontal	Pass
1531.500	-44.82	7.23	-13.0	31.82	288.00	Vertical	Horizontal	Pass
2155.500	-34.42	8.30	-13.0	21.42	72.00	Vertical	Horizontal	N/A
6924.000	-39.13	14.58	-13.0	26.13	36.00	Vertical	Horizontal	Pass
13802.100	-47.82	15.45	-13.0	34.82	216.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N12A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
108.327	-66.89	-0.76	-13.0	53.89	216.00	Horizontal	Horizontal	Pass
704.683	-57.15	9.77	-13.0	44.15	108.00	Horizontal	Horizontal	Pass
1558.500	-45.05	7.86	-13.0	32.05	180.00	Horizontal	Horizontal	Pass
2156.000	-36.43	8.32	-13.0	23.43	144.00	Horizontal	Horizontal	N/A
7352.500	-39.74	15.49	-13.0	26.74	108.00	Horizontal	Horizontal	Pass
13853.025	-49.02	14.81	-13.0	36.02	108.00	Horizontal	Horizontal	Pass

4.94 NSA Band DC-66A-N14A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.563	-67.95	-0.46	-13.0	54.95	180.00	Vertical	Horizontal	Pass
762.156	-40.03	6.71	-13.0	27.03	288.00	Vertical	Horizontal	N/A
793.390	-49.83	8.15	-13.0	36.83	252.00	Vertical	Horizontal	N/A
2154.000	-37.60	8.26	-13.0	24.60	252.00	Vertical	Horizontal	N/A
7157.000	-39.96	14.92	-13.0	26.96	144.00	Vertical	Horizontal	Pass
11896.901	-48.72	14.63	-13.0	35.72	144.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N14A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
107.551	-67.93	-0.67	-13.0	54.93	216.00	Horizontal	Horizontal	Pass
762.495	-42.37	6.70	-13.0	29.37	288.00	Horizontal	Horizontal	N/A
792.468	-44.77	8.10	-13.0	31.77	324.00	Horizontal	Horizontal	N/A
2155.500	-37.18	8.30	-13.0	24.18	72.00	Horizontal	Horizontal	N/A
7743.000	-39.10	15.36	-13.0	26.10	216.00	Horizontal	Horizontal	Pass
13371.600	-48.52	15.71	-13.0	35.52	288.00	Horizontal	Horizontal	Pass

4.95 NSA Band DC-66A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.456	-61.19	-2.02	-13.0	48.19	180.00	Vertical	Horizontal	Pass
912.554	-62.32	5.39	-13.0	49.32	108.00	Vertical	Horizontal	Pass
1960.000	-33.02	7.84	-13.0	20.02	324.00	Vertical	Horizontal	N/A
2153.500	-34.06	7.76	-13.0	21.06	252.00	Vertical	Horizontal	N/A
6869.500	-47.45	14.99	-13.0	34.45	72.00	Vertical	Horizontal	Pass
17387.850	-44.79	27.94	-13.0	31.79	360.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N25A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.824	-70.02	-1.25	-13.0	57.02	252.00	Horizontal	Horizontal	Pass
909.402	-62.57	5.31	-13.0	49.57	72.00	Horizontal	Horizontal	Pass
1756.000	-48.25	7.04	-13.0	35.25	360.00	Horizontal	Horizontal	Pass
1963.000	-32.18	7.75	-13.0	19.18	252.00	Horizontal	Horizontal	N/A
2154.500	-35.23	7.78	-13.0	22.23	324.00	Horizontal	Horizontal	N/A
7164.500	-47.96	14.86	-13.0	34.96	72.00	Horizontal	Horizontal	Pass

4.96 NSA Band DC-66A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
106.775	-55.09	-1.25	-40.0	15.09	216.00	Vertical	Horizontal	Pass
906.735	-59.73	5.23	-40.0	19.73	72.00	Vertical	Horizontal	Pass
1757.000	-55.64	-2.92	-40.0	15.64	216.00	Vertical	Horizontal	Pass
2154.900	-36.66	-1.90	-40.0	-3.34	288.00	Vertical	Horizontal	N/A
6277.500	-50.65	3.84	-40.0	10.65	324.00	Vertical	Horizontal	Pass
11707.375	-54.72	9.50	-40.0	14.72	324.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N30A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.602	-63.15	-2.11	-40.0	23.15	36.00	Horizontal	Horizontal	Pass
901.399	-60.04	5.08	-40.0	20.04	72.00	Horizontal	Horizontal	Pass
1758.900	-55.19	-2.90	-40.0	15.19	144.00	Horizontal	Horizontal	Pass
2155.900	-37.34	-1.90	-40.0	-2.66	252.00	Horizontal	Horizontal	N/A
6255.250	-49.91	4.23	-40.0	9.91	252.00	Horizontal	Horizontal	Pass
11927.300	-54.27	9.63	-40.0	14.27	324.00	Horizontal	Horizontal	Pass

4.97 NSA Band DC-66A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.796	-63.27	-2.23	-25.0	38.27	360.00	Vertical	Horizontal	Pass
915.852	-61.71	5.46	-25.0	36.71	360.00	Vertical	Horizontal	Pass
1757.100	-42.21	7.68	-25.0	17.21	36.00	Vertical	Horizontal	N/A
2155.300	-30.23	7.78	-25.0	5.23	288.00	Vertical	Horizontal	N/A
6878.000	-40.96	14.90	-25.0	15.96	288.00	Vertical	Horizontal	Pass
16781.000	-39.10	28.09	-25.0	14.10	324.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N38A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.515	-67.75	-1.13	-25.0	42.75	288.00	Horizontal	Horizontal	Pass
933.555	-60.49	4.88	-25.0	35.49	36.00	Horizontal	Horizontal	Pass
1757.300	-40.74	7.69	-25.0	15.74	288.00	Horizontal	Horizontal	N/A
2158.400	-31.09	7.85	-25.0	6.09	180.00	Horizontal	Horizontal	N/A
6887.500	-40.95	14.81	-25.0	15.95	252.00	Horizontal	Horizontal	Pass
16346.000	-39.01	27.31	-25.0	14.01	36.00	Horizontal	Horizontal	Pass

4.98 NSA Band DC-66A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.117	-60.79	-1.81	-25.0	35.79	360.00	Vertical	Horizontal	Pass
1757.000	-43.16	7.68	-25.0	18.16	324.00	Vertical	Horizontal	N/A
2155.500	-29.21	7.79	-25.0	4.21	288.00	Vertical	Horizontal	N/A
3598.000	-44.24	11.73	-25.0	19.24	324.00	Vertical	Horizontal	Pass
7732.500	-38.78	15.13	-25.0	13.78	108.00	Vertical	Horizontal	Pass
12498.725	-48.13	15.44	-25.0	23.13	252.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N41A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.902	-65.98	-1.16	-25.0	40.98	324.00	Horizontal	Horizontal	Pass
893.252	-61.13	4.69	-25.0	36.13	288.00	Horizontal	Horizontal	Pass
1758.500	-40.12	7.72	-25.0	15.12	72.00	Horizontal	Horizontal	N/A
2158.000	-30.89	7.84	-25.0	5.89	108.00	Horizontal	Horizontal	N/A
7159.000	-38.94	14.97	-25.0	13.94	324.00	Horizontal	Horizontal	Pass
12428.425	-48.55	14.55	-25.0	23.55	360.00	Horizontal	Horizontal	Pass

4.99 NSA Band DC-66A-N71A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.165	-60.80	-1.53	-13.0	47.80	288.00	Vertical	Horizontal	Pass
640.518	-41.44	3.30	-13.0	28.44	180.00	Vertical	Horizontal	N/A
1352.900	-45.84	4.38	-13.0	32.84	288.00	Vertical	Horizontal	Pass
2157.000	-25.96	7.46	-13.0	12.96	360.00	Vertical	Horizontal	N/A
6867.750	-39.72	14.98	-13.0	26.72	108.00	Vertical	Horizontal	Pass
17339.288	-40.09	25.77	-13.0	27.09	108.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N71A




Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
94.214	-64.60	-1.56	-13.0	51.60	216.00	Horizontal	Horizontal	Pass
639.839	-40.47	3.20	-13.0	27.47	288.00	Horizontal	Horizontal	N/A
672.674	-55.50	4.71	-13.0	42.50	288.00	Horizontal	Horizontal	N/A
1360.900	-43.26	4.58	-13.0	30.26	108.00	Horizontal	Horizontal	Pass
2157.000	-27.23	7.46	-13.0	14.23	288.00	Horizontal	Horizontal	N/A
6637.250	-40.42	14.41	-13.0	27.42	252.00	Horizontal	Horizontal	Pass

4.100 NSA Band DC-66A-N77A (3450-3550)



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
93.923	-58.37	-1.87	-13.0	45.37	252.00	Vertical	Horizontal	Pass
353.786	-73.28	-4.71	-13.0	60.28	144.00	Vertical	Horizontal	Pass
1028.000	-57.95	4.92	-13.0	44.95	72.00	Vertical	Horizontal	Pass
2152.000	-37.37	8.21	-13.0	24.37	360.00	Vertical	Horizontal	N/A
3592.500	-43.86	19.83	-13.0	30.86	252.00	Vertical	Horizontal	Pass
7997.500	-34.29	30.07	-13.0	21.29	324.00	Vertical	Horizontal	Pass

Band: NSA DC-66A-N77A (3450-3550)



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
105.757	-70.84	-1.15	-13.0	57.84	360.00	Horizontal	Horizontal	Pass
348.257	-73.41	-3.98	-13.0	60.41	216.00	Horizontal	Horizontal	Pass
1022.500	-59.83	5.17	-13.0	46.83	288.00	Horizontal	Horizontal	Pass
1758.000	-49.90	7.54	-13.0	36.90	36.00	Horizontal	Horizontal	N/A
2152.000	-38.85	8.21	-13.0	25.85	36.00	Horizontal	Horizontal	N/A
7996.500	-35.03	30.14	-13.0	22.03	324.00	Horizontal	Horizontal	Pass