

Main Antenna Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_11.06.20

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11b CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A04

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1145.250	39.63	-15.62	74.0	34.37	Peak	152.00	150	Vertical	Pass
1**	1145.250	28.43	-15.62	54.0	25.57	AV	152.00	150	Vertical	Pass
2	2438.000	97.04	-12.38	74.0	-23.04	Peak	223.00	150	Vertical	N/A
2**	2438.000	93.91	-12.38	54.0	-39.91	AV	223.00	150	Vertical	N/A
3	4376.000	47.72	-3.45	74.0	26.28	Peak	0.00	150	Vertical	Pass
3**	4376.000	37.21	-3.45	54.0	16.79	AV	0.00	150	Vertical	Pass
4	7563.500	53.54	0.94	74.0	20.46	Peak	0.00	150	Vertical	Pass
4**	7563.500	42.71	0.94	54.0	11.29	AV	0.00	150	Vertical	Pass
5	10334.000	47.18	-3.18	74.0	26.82	Peak	360.00	150	Vertical	Pass
5**	10334.000	36.44	-3.18	54.0	17.56	AV	360.00	150	Vertical	Pass
6	16731.500	48.91	-1.58	74.0	25.09	Peak	360.00	150	Vertical	Pass
6**	16731.500	39.05	-1.58	54.0	14.95	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_11.02.58

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11b CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A04

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.250	39.96	-15.99	74.0	34.04	Peak	228.00	150	Horizontal	Pass
1**	1330.250	28.46	-15.99	54.0	25.54	AV	228.00	150	Horizontal	Pass
2	2438.250	98.52	-12.38	74.0	-24.52	Peak	200.00	150	Horizontal	N/A
2**	2438.250	95.70	-12.38	54.0	-41.70	AV	200.00	150	Horizontal	N/A
3	3996.000	47.41	-4.81	74.0	26.59	Peak	264.00	150	Horizontal	Pass
3**	3996.000	35.45	-4.81	54.0	18.55	AV	264.00	150	Horizontal	Pass
4	6853.000	53.75	0.85	74.0	20.25	Peak	341.00	150	Horizontal	Pass
4**	6853.000	42.06	0.85	54.0	11.94	AV	341.00	150	Horizontal	Pass
5	10647.000	47.30	-4.01	74.0	26.70	Peak	0.00	150	Horizontal	Pass
5**	10647.000	35.90	-4.01	54.0	18.10	AV	0.00	150	Horizontal	Pass
6	17248.999	49.42	-0.64	74.0	24.58	Peak	0.00	150	Horizontal	Pass
6**	17248.999	39.66	-0.64	54.0	14.34	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_11.10.12

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11g CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A04

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1273.000	39.56	-15.85	74.0	34.44	Peak	0.00	150	Vertical	Pass
1**	1273.000	28.08	-15.85	54.0	25.92	AV	0.00	150	Vertical	Pass
2	2442.000	99.03	-12.43	74.0	-25.03	Peak	217.00	150	Vertical	N/A
2**	2442.000	91.19	-12.43	54.0	-37.19	AV	217.00	150	Vertical	N/A
3	4619.000	48.54	-2.93	74.0	25.46	Peak	262.00	150	Vertical	Pass
3**	4619.000	38.09	-2.93	54.0	15.91	AV	262.00	150	Vertical	Pass
4	7550.500	53.65	0.70	74.0	20.35	Peak	17.00	150	Vertical	Pass
4**	7550.500	42.49	0.70	54.0	11.51	AV	17.00	150	Vertical	Pass
5	11444.500	47.51	-3.15	74.0	26.49	Peak	68.00	150	Vertical	Pass
5**	11444.500	37.96	-3.15	54.0	16.04	AV	68.00	150	Vertical	Pass
6	17246.501	50.40	-0.71	74.0	23.60	Peak	350.00	150	Vertical	Pass
6**	17246.501	39.69	-0.71	54.0	14.31	AV	350.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_11.13.36

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11g CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A04

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1348.500	39.89	-16.01	74.0	34.11	Peak	262.00	150	Horizontal	Pass
1**	1348.500	28.40	-16.01	54.0	25.60	AV	262.00	150	Horizontal	Pass
2	2443.750	101.45	-12.47	74.0	-27.45	Peak	202.00	150	Horizontal	N/A
2**	2443.750	92.39	-12.47	54.0	-38.39	AV	202.00	150	Horizontal	N/A
3	4364.500	47.76	-3.34	74.0	26.24	Peak	229.00	150	Horizontal	Pass
3**	4364.500	36.61	-3.34	54.0	17.39	AV	229.00	150	Horizontal	Pass
4	7180.500	53.11	0.03	74.0	20.89	Peak	210.00	150	Horizontal	Pass
4**	7180.500	43.14	0.03	54.0	10.86	AV	210.00	150	Horizontal	Pass
5	9802.000	46.91	-3.52	74.0	27.09	Peak	62.00	150	Horizontal	Pass
5**	9802.000	36.39	-3.52	54.0	17.61	AV	62.00	150	Horizontal	Pass
6	14154.500	50.04	-1.35	74.0	23.96	Peak	360.00	150	Horizontal	Pass
6**	14154.500	37.92	-1.35	54.0	16.08	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_14.03.07

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11n20 CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A04

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1305.500	39.15	-15.60	74.0	34.85	Peak	198.00	150	Vertical	Pass
1**	1305.500	28.66	-15.60	54.0	25.34	AV	198.00	150	Vertical	Pass
2	2441.750	93.97	-12.42	74.0	-19.97	Peak	325.00	150	Vertical	N/A
2**	2441.750	84.93	-12.42	54.0	-30.93	AV	325.00	150	Vertical	N/A
3	4796.000	49.08	-3.10	74.0	24.92	Peak	332.00	150	Vertical	Pass
3**	4796.000	37.79	-3.10	54.0	16.21	AV	332.00	150	Vertical	Pass
4	7699.000	53.03	1.34	74.0	20.97	Peak	241.00	150	Vertical	Pass
4**	7699.000	42.66	1.34	54.0	11.34	AV	241.00	150	Vertical	Pass
5	10483.000	47.77	-3.51	74.0	26.23	Peak	0.00	150	Vertical	Pass
5**	10483.000	36.86	-3.51	54.0	17.14	AV	0.00	150	Vertical	Pass
6	14909.500	49.17	-1.82	74.0	24.83	Peak	70.00	150	Vertical	Pass
6**	14909.500	37.77	-1.82	54.0	16.23	AV	70.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_13.59.56

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11n20 CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A04

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.250	41.69	-16.17	74.0	32.31	Peak	218.00	150	Horizontal	Pass
1**	1495.250	29.87	-16.17	54.0	24.13	AV	218.00	150	Horizontal	Pass
2	2442.250	100.53	-12.44	74.0	-26.53	Peak	360.00	150	Horizontal	N/A
2**	2442.250	91.46	-12.44	54.0	-37.46	AV	360.00	150	Horizontal	N/A
3	4287.500	47.51	-3.96	74.0	26.49	Peak	0.00	150	Horizontal	Pass
3**	4287.500	36.47	-3.96	54.0	17.53	AV	0.00	150	Horizontal	Pass
4	7330.500	54.04	0.88	74.0	19.96	Peak	139.00	150	Horizontal	Pass
4**	7330.500	42.48	0.88	54.0	11.52	AV	139.00	150	Horizontal	Pass
5	10737.500	47.78	-3.87	74.0	26.22	Peak	360.00	150	Horizontal	Pass
5**	10737.500	36.65	-3.87	54.0	17.35	AV	360.00	150	Horizontal	Pass
6	16713.000	49.89	-1.61	74.0	24.11	Peak	0.00	150	Horizontal	Pass
6**	16713.000	38.77	-1.61	54.0	15.23	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_14.12.09

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11n40 CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A13

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1368.750	40.13	-15.92	74.0	33.87	Peak	77.00	150	Vertical	Pass
1**	1368.750	28.37	-15.92	54.0	25.63	AV	77.00	150	Vertical	Pass
2	2423.750	92.20	-12.30	74.0	-18.20	Peak	319.00	150	Vertical	N/A
2**	2423.750	82.98	-12.30	54.0	-28.98	AV	319.00	150	Vertical	N/A
3	4636.000	48.63	-2.93	74.0	25.37	Peak	118.00	150	Vertical	Pass
3**	4636.000	37.73	-2.93	54.0	16.27	AV	118.00	150	Vertical	Pass
4	7857.000	54.77	1.63	74.0	19.23	Peak	274.00	150	Vertical	Pass
4**	7857.000	43.20	1.63	54.0	10.80	AV	274.00	150	Vertical	Pass
5	11550.500	47.89	-2.55	74.0	26.11	Peak	1.00	150	Vertical	Pass
5**	11550.500	37.15	-2.55	54.0	16.85	AV	1.00	150	Vertical	Pass
6	16638.500	49.81	-0.99	74.0	24.19	Peak	176.00	150	Vertical	Pass
6**	16638.500	39.06	-0.99	54.0	14.94	AV	176.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_14.15.47

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11n40 CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A13

RE Test case FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1319.500	39.84	-15.85	74.0	34.16	Peak	295.00	150	Horizontal	Pass
1**	1319.500	28.39	-15.85	54.0	25.61	AV	295.00	150	Horizontal	Pass
2	2450.750	98.54	-12.54	74.0	-24.54	Peak	355.00	150	Horizontal	N/A
2**	2450.750	89.15	-12.54	54.0	-35.15	AV	355.00	150	Horizontal	N/A
3	4295.500	47.46	-3.87	74.0	26.54	Peak	202.00	150	Horizontal	Pass
3**	4295.500	36.53	-3.87	54.0	17.47	AV	202.00	150	Horizontal	Pass
4	7411.000	53.77	0.71	74.0	20.23	Peak	83.00	150	Horizontal	Pass
4**	7411.000	42.67	0.71	54.0	11.33	AV	83.00	150	Horizontal	Pass
5	10490.000	47.01	-3.39	74.0	26.99	Peak	11.00	150	Horizontal	Pass
5**	10490.000	36.86	-3.39	54.0	17.14	AV	11.00	150	Horizontal	Pass
6	16901.500	50.17	-0.95	74.0	23.83	Peak	152.00	150	Horizontal	Pass
6**	16901.500	38.88	-0.95	54.0	15.12	AV	152.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_14.28.52

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11ax20 CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A13

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1360.500	39.46	-15.86	74.0	34.54	Peak	0.00	150	Vertical	Pass
1**	1360.500	28.58	-15.86	54.0	25.42	AV	0.00	150	Vertical	Pass
2	2443.000	93.52	-12.46	74.0	-19.52	Peak	323.00	150	Vertical	N/A
2**	2443.000	83.60	-12.46	54.0	-29.60	AV	323.00	150	Vertical	N/A
3	4300.500	48.04	-3.63	74.0	25.96	Peak	298.00	150	Vertical	Pass
3**	4300.500	37.09	-3.63	54.0	16.91	AV	298.00	150	Vertical	Pass
4	6728.500	53.98	0.65	74.0	20.02	Peak	198.00	150	Vertical	Pass
4**	6728.500	42.18	0.65	54.0	11.82	AV	198.00	150	Vertical	Pass
5	11126.500	47.22	-4.21	74.0	26.78	Peak	39.00	150	Vertical	Pass
5**	11126.500	36.46	-4.21	54.0	17.54	AV	39.00	150	Vertical	Pass
6	16615.999	50.04	-1.18	74.0	23.96	Peak	0.00	150	Vertical	Pass
6**	16615.999	38.42	-1.18	54.0	15.58	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_14.25.47

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11ax20 CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A13

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1341.500	39.68	-16.08	74.0	34.32	Peak	327.00	150	Horizontal	Pass
1**	1341.500	28.43	-16.08	54.0	25.57	AV	327.00	150	Horizontal	Pass
2	2445.000	101.48	-12.50	74.0	-27.48	Peak	360.00	150	Horizontal	N/A
2**	2445.000	91.55	-12.50	54.0	-37.55	AV	360.00	150	Horizontal	N/A
3	4605.500	48.70	-3.63	74.0	25.30	Peak	0.00	150	Horizontal	Pass
3**	4605.500	37.56	-3.63	54.0	16.44	AV	0.00	150	Horizontal	Pass
4	6940.500	53.79	-0.18	74.0	20.21	Peak	178.00	150	Horizontal	Pass
4**	6940.500	41.69	-0.18	54.0	12.31	AV	178.00	150	Horizontal	Pass
5	10357.500	46.99	-3.16	74.0	27.01	Peak	360.00	150	Horizontal	Pass
5**	10357.500	36.28	-3.16	54.0	17.72	AV	360.00	150	Horizontal	Pass
6	16962.000	49.63	-0.98	74.0	24.37	Peak	292.00	150	Horizontal	Pass
6**	16962.000	38.82	-0.98	54.0	15.18	AV	292.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_14.38.00

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11ax40 CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A13

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1378.250	39.38	-16.00	74.0	34.62	Peak	265.00	150	Vertical	Pass
1**	1378.250	28.22	-16.00	54.0	25.78	AV	265.00	150	Vertical	Pass
2	2422.750	92.49	-12.30	74.0	-18.49	Peak	323.00	150	Vertical	N/A
2**	2422.750	83.68	-12.30	54.0	-29.68	AV	323.00	150	Vertical	N/A
3	4337.000	48.48	-3.13	74.0	25.52	Peak	328.00	150	Vertical	Pass
3**	4337.000	37.11	-3.13	54.0	16.89	AV	328.00	150	Vertical	Pass
4	7750.000	54.21	1.50	74.0	19.79	Peak	228.00	150	Vertical	Pass
4**	7750.000	43.19	1.50	54.0	10.81	AV	228.00	150	Vertical	Pass
5	11399.000	47.33	-3.51	74.0	26.67	Peak	360.00	150	Vertical	Pass
5**	11399.000	36.59	-3.51	54.0	17.41	AV	360.00	150	Vertical	Pass
6	17119.000	49.74	-0.22	74.0	24.26	Peak	360.00	150	Vertical	Pass
6**	17119.000	38.88	-0.22	54.0	15.12	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_14.40.56

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 22.7

Model Number: SD7 Ultra E

Humidity (%RH): 52

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11ax40 CH6 P=17

Test Engineer: Zhang Mingyue

Remark: 数据线: A13

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1390.750	40.63	-16.01	74.0	33.37	Peak	313.00	150	Horizontal	Pass
1**	1390.750	28.85	-16.01	54.0	25.15	AV	313.00	150	Horizontal	Pass
2	2453.500	99.91	-12.45	74.0	-25.91	Peak	355.00	150	Horizontal	N/A
2**	2453.500	89.29	-12.45	54.0	-35.29	AV	355.00	150	Horizontal	N/A
3	4576.000	48.37	-3.37	74.0	25.63	Peak	356.00	150	Horizontal	Pass
3**	4576.000	37.56	-3.37	54.0	16.44	AV	356.00	150	Horizontal	Pass
4	7690.500	53.59	1.13	74.0	20.41	Peak	360.00	150	Horizontal	Pass
4**	7690.500	43.00	1.13	54.0	11.00	AV	360.00	150	Horizontal	Pass
5	9705.000	47.02	-3.47	74.0	26.98	Peak	66.00	150	Horizontal	Pass
5**	9705.000	36.85	-3.47	54.0	17.15	AV	66.00	150	Horizontal	Pass
6	14901.500	49.40	-1.71	74.0	24.60	Peak	0.00	150	Horizontal	Pass
6**	14901.500	38.36	-1.71	54.0	15.64	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_17.18.53

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: Normal working Link(2.4G WIFI)


Test Site: 966#2

Test Voltage: DC 5V From PC

Test Engineer: Liu Yabo

Remark: 数据线: A13

RE Test case_FCC Part 15C_15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	35.578	25.85	-27.54	40.0	14.15	Peak	174.00	100	Vertical	Pass
2	62.010	22.01	-26.50	40.0	17.99	Peak	325.00	200	Vertical	Pass
3	132.674	20.78	-29.20	43.5	22.72	Peak	245.00	200	Vertical	Pass
4	199.362	22.85	-25.74	43.5	20.65	Peak	192.00	100	Vertical	Pass
5	288.263	23.81	-23.22	46.0	22.19	Peak	300.00	200	Vertical	Pass
6	919.490	30.87	-9.21	46.0	15.13	Peak	239.00	200	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_17.00.52

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: Normal working Link(2.4G WIFI)


Test Site: 966#2

Test Voltage: DC 5V From PC

Test Engineer: Liu Yabo

Remark: 数据线: A13

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	50.370	13.05	-24.53	40.0	26.95	Peak	157.00	100	Horizontal	Pass
2	108.667	23.23	-26.52	43.5	20.27	Peak	360.00	200	Horizontal	Pass
3	192.960	26.91	-25.87	43.5	16.59	Peak	313.00	100	Horizontal	Pass
4	290.203	24.29	-23.20	46.0	21.71	Peak	1.00	200	Horizontal	Pass
5	579.990	30.91	-16.06	46.0	15.09	Peak	163.00	100	Horizontal	Pass
6	948.784	31.00	-9.08	46.0	15.00	Peak	359.00	100	Horizontal	Pass

Aux. Antenna Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_16.18.12

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11b CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1316.000	39.34	-15.88	74.0	34.66	Peak	217.00	150	Vertical	Pass
1**	1316.000	28.28	-15.88	54.0	25.72	AV	217.00	150	Vertical	Pass
2	2438.000	93.28	-12.38	74.0	-19.28	Peak	319.00	150	Vertical	N/A
2**	2438.000	89.75	-12.38	54.0	-35.75	AV	319.00	150	Vertical	N/A
3	2936.250	45.81	-8.18	74.0	28.19	Peak	353.00	150	Vertical	Pass
3**	2936.250	35.31	-8.18	54.0	18.69	AV	353.00	150	Vertical	Pass
4	6762.000	54.05	0.34	74.0	19.95	Peak	0.00	150	Vertical	Pass
4**	6762.000	41.66	0.34	54.0	12.34	AV	0.00	150	Vertical	Pass
5	8935.000	46.64	-4.23	74.0	27.36	Peak	360.00	150	Vertical	Pass
5**	8935.000	36.16	-4.23	54.0	17.84	AV	360.00	150	Vertical	Pass
6	15263.000	49.56	-1.06	74.0	24.44	Peak	349.00	150	Vertical	Pass
6**	15263.000	38.74	-1.06	54.0	15.26	AV	349.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_16.13.43

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11b CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1212.250	39.86	-15.89	74.0	34.14	Peak	262.00	150	Horizontal	Pass
1**	1212.250	28.73	-15.89	54.0	25.27	AV	262.00	150	Horizontal	Pass
2	2438.250	100.82	-12.38	74.0	-26.82	Peak	40.00	150	Horizontal	N/A
2**	2438.250	97.78	-12.38	54.0	-43.78	AV	40.00	150	Horizontal	N/A
3	2978.000	46.07	-8.91	74.0	27.93	Peak	355.00	150	Horizontal	Pass
3**	2978.000	34.98	-8.91	54.0	19.02	AV	355.00	150	Horizontal	Pass
4	6732.000	53.53	0.70	74.0	20.47	Peak	5.00	150	Horizontal	Pass
4**	6732.000	42.03	0.70	54.0	11.97	AV	5.00	150	Horizontal	Pass
5	10363.000	47.34	-3.16	74.0	26.66	Peak	241.00	150	Horizontal	Pass
5**	10363.000	36.68	-3.16	54.0	17.32	AV	241.00	150	Horizontal	Pass
6	16551.999	49.89	-0.97	74.0	24.11	Peak	184.00	150	Horizontal	Pass
6**	16551.999	40.05	-0.97	54.0	13.95	AV	184.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_16.22.15

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11g CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1287.500	39.64	-15.93	74.0	34.36	Peak	3.00	150	Vertical	Pass
1**	1287.500	28.43	-15.93	54.0	25.57	AV	3.00	150	Vertical	Pass
2	2442.000	101.83	-12.43	74.0	-27.83	Peak	0.00	150	Vertical	N/A
2**	2442.000	93.17	-12.43	54.0	-39.17	AV	0.00	150	Vertical	N/A
3	2926.000	45.09	-8.15	74.0	28.91	Peak	139.00	150	Vertical	Pass
3**	2926.000	35.54	-8.15	54.0	18.46	AV	139.00	150	Vertical	Pass
4	6402.500	53.81	0.41	74.0	20.19	Peak	310.00	150	Vertical	Pass
4**	6402.500	41.99	0.41	54.0	12.01	AV	310.00	150	Vertical	Pass
5	9981.500	47.44	-3.66	74.0	26.56	Peak	68.00	150	Vertical	Pass
5**	9981.500	36.32	-3.66	54.0	17.68	AV	68.00	150	Vertical	Pass
6	15706.000	49.70	-1.79	74.0	24.30	Peak	96.00	150	Vertical	Pass
6**	15706.000	38.89	-1.79	54.0	15.11	AV	96.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_16.26.11

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11g CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.000	41.59	-15.71	74.0	32.41	Peak	273.00	150	Horizontal	Pass
1**	1197.000	30.73	-15.71	54.0	23.27	AV	273.00	150	Horizontal	Pass
2	2438.250	105.04	-12.38	74.0	-31.04	Peak	315.00	150	Horizontal	N/A
2**	2438.250	97.01	-12.38	54.0	-43.01	AV	315.00	150	Horizontal	N/A
3	3062.500	45.09	-7.38	74.0	28.91	Peak	258.00	150	Horizontal	Pass
3**	3062.500	34.84	-7.38	54.0	19.16	AV	258.00	150	Horizontal	Pass
4	6448.000	52.11	-0.06	74.0	21.89	Peak	339.00	150	Horizontal	Pass
4**	6448.000	41.66	-0.06	54.0	12.34	AV	339.00	150	Horizontal	Pass
5	11162.000	47.43	-4.03	74.0	26.57	Peak	350.00	150	Horizontal	Pass
5**	11162.000	37.30	-4.03	54.0	16.70	AV	350.00	150	Horizontal	Pass
6	17276.500	49.77	-0.91	74.0	24.23	Peak	120.00	150	Horizontal	Pass
6**	17276.500	40.82	-0.91	54.0	13.18	AV	120.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_16.36.19

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: DC 5V From PC

Test Site: 966#2

Test Voltage: 2.4G WIFI 11n20 CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz
1.2E+2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1367.000	39.21	-15.86	74.0	34.79	Peak	228.00	150	Vertical	Pass
1**	1367.000	28.00	-15.86	54.0	26.00	AV	228.00	150	Vertical	Pass
2	2438.000	102.92	-12.38	74.0	-28.92	Peak	360.00	150	Vertical	N/A
2**	2438.000	94.68	-12.38	54.0	-40.68	AV	360.00	150	Vertical	N/A
3	2924.250	46.20	-8.27	74.0	27.80	Peak	81.00	150	Vertical	Pass
3**	2924.250	35.03	-8.27	54.0	18.97	AV	81.00	150	Vertical	Pass
4	6665.000	53.49	-0.06	74.0	20.51	Peak	256.00	150	Vertical	Pass
4**	6665.000	41.77	-0.06	54.0	12.23	AV	256.00	150	Vertical	Pass
5	10773.500	47.62	-3.08	74.0	26.38	Peak	120.00	150	Vertical	Pass
5**	10773.500	36.84	-3.08	54.0	17.16	AV	120.00	150	Vertical	Pass
6	15078.500	49.60	-1.86	74.0	24.40	Peak	350.00	150	Vertical	Pass
6**	15078.500	38.37	-1.86	54.0	15.63	AV	350.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_16.32.10

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: DC 5V From PC

Test Site: 966#2

Test Voltage: 2.4G WIFI 11n20 CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz
1.2E+2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1168.000	39.66	-15.48	74.0	34.34	Peak	267.00	150	Horizontal	Pass
1**	1168.000	28.32	-15.48	54.0	25.68	AV	267.00	150	Horizontal	Pass
2	2442.250	104.57	-12.44	74.0	-30.57	Peak	303.00	150	Horizontal	N/A
2**	2442.250	96.30	-12.44	54.0	-42.30	AV	303.00	150	Horizontal	N/A
3	3097.000	45.54	-7.20	74.0	28.46	Peak	202.00	150	Horizontal	Pass
3**	3097.000	34.65	-7.20	54.0	19.35	AV	202.00	150	Horizontal	Pass
4	6875.000	53.29	0.66	74.0	20.71	Peak	202.00	150	Horizontal	Pass
4**	6875.000	42.45	0.66	54.0	11.55	AV	202.00	150	Horizontal	Pass
5	10882.000	47.71	-3.21	74.0	26.29	Peak	301.00	150	Horizontal	Pass
5**	10882.000	37.49	-3.21	54.0	16.51	AV	301.00	150	Horizontal	Pass
6	16641.000	49.60	-1.02	74.0	24.40	Peak	0.00	150	Horizontal	Pass
6**	16641.000	39.08	-1.02	54.0	14.92	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_16.40.15

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: DC 5V From PC

Test Site: 966#2

Test Voltage: 2.4G WIFI 11n40 CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz
1.2E+2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1148.000	39.15	-15.67	74.0	34.85	Peak	199.00	150	Vertical	Pass
1**	1148.000	28.07	-15.67	54.0	25.93	AV	199.00	150	Vertical	Pass
2	2439.250	100.79	-12.37	74.0	-26.79	Peak	359.00	150	Vertical	N/A
2**	2439.250	92.87	-12.37	54.0	-38.87	AV	359.00	150	Vertical	N/A
3	3360.500	47.26	-5.75	74.0	26.74	Peak	340.00	150	Vertical	Pass
3**	3360.500	36.28	-5.75	54.0	17.72	AV	340.00	150	Vertical	Pass
4	6795.500	53.24	0.38	74.0	20.76	Peak	113.00	150	Vertical	Pass
4**	6795.500	42.33	0.38	54.0	11.67	AV	113.00	150	Vertical	Pass
5	10067.500	47.35	-3.93	74.0	26.65	Peak	0.00	150	Vertical	Pass
5**	10067.500	35.92	-3.93	54.0	18.08	AV	0.00	150	Vertical	Pass
6	16572.500	49.30	-0.74	74.0	24.70	Peak	241.00	150	Vertical	Pass
6**	16572.500	39.61	-0.74	54.0	14.39	AV	241.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_16.45.52

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: DC 5V From PC

Test Site: 966#2

Test Voltage: 2.4G WIFI 11n40 CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz
1.2E+2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1323.500	39.59	-15.87	74.0	34.41	Peak	104.00	150	Horizontal	Pass
1**	1323.500	28.40	-15.87	54.0	25.60	AV	104.00	150	Horizontal	Pass
2	2428.500	103.08	-12.27	74.0	-29.08	Peak	40.00	150	Horizontal	N/A
2**	2428.500	94.60	-12.27	54.0	-40.60	AV	40.00	150	Horizontal	N/A
3	2993.250	47.77	-8.97	74.0	26.23	Peak	150.00	150	Horizontal	Pass
3**	2993.250	36.01	-8.97	54.0	17.99	AV	150.00	150	Horizontal	Pass
4	6754.500	53.16	0.64	74.0	20.84	Peak	288.00	150	Horizontal	Pass
4**	6754.500	42.56	0.64	54.0	11.44	AV	288.00	150	Horizontal	Pass
5	9322.500	47.27	-5.23	74.0	26.73	Peak	9.00	150	Horizontal	Pass
5**	9322.500	36.46	-5.23	54.0	17.54	AV	9.00	150	Horizontal	Pass
6	15447.500	49.60	-1.77	74.0	24.40	Peak	208.00	150	Horizontal	Pass
6**	15447.500	38.75	-1.77	54.0	15.25	AV	208.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_16.55.54

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: DC 5V From PC


Test Site: 966#2

Test Voltage: 2.4G WIFI 11ax20 CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1277.500	39.31	-15.87	74.0	34.69	Peak	2.00	150	Vertical	Pass
1**	1277.500	28.21	-15.87	54.0	25.79	AV	2.00	150	Vertical	Pass
2	2438.750	105.67	-12.37	74.0	-31.67	Peak	360.00	150	Vertical	N/A
2**	2438.750	94.69	-12.37	54.0	-40.69	AV	360.00	150	Vertical	N/A
3	2933.250	45.90	-8.03	74.0	28.10	Peak	7.00	150	Vertical	Pass
3**	2933.250	34.96	-8.03	54.0	19.04	AV	7.00	150	Vertical	Pass
4	6722.000	53.14	0.54	74.0	20.86	Peak	296.00	150	Vertical	Pass
4**	6722.000	42.76	0.54	54.0	11.24	AV	296.00	150	Vertical	Pass
5	8497.000	47.22	-4.57	74.0	26.78	Peak	360.00	150	Vertical	Pass
5**	8497.000	36.33	-4.57	54.0	17.67	AV	360.00	150	Vertical	Pass
6	16624.000	49.17	-1.19	74.0	24.83	Peak	294.00	150	Vertical	Pass
6**	16624.000	38.71	-1.19	54.0	15.29	AV	294.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_16.51.21

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: DC 5V From PC

Test Site: 966#2

Test Voltage: 2.4G WIFI 11ax20 CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz
1.2E+2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.750	40.33	-15.71	74.0	33.67	Peak	211.00	150	Horizontal	Pass
1**	1196.750	29.71	-15.71	54.0	24.29	AV	211.00	150	Horizontal	Pass
2	2440.250	106.59	-12.37	74.0	-32.59	Peak	346.00	150	Horizontal	N/A
2**	2440.250	97.15	-12.37	54.0	-43.15	AV	346.00	150	Horizontal	N/A
3	2982.250	46.30	-9.27	74.0	27.70	Peak	294.00	150	Horizontal	Pass
3**	2982.250	34.85	-9.27	54.0	19.15	AV	294.00	150	Horizontal	Pass
4	6834.500	53.92	0.94	74.0	20.08	Peak	3.00	150	Horizontal	Pass
4**	6834.500	42.42	0.94	54.0	11.58	AV	3.00	150	Horizontal	Pass
5	9656.500	46.97	-3.14	74.0	27.03	Peak	97.00	150	Horizontal	Pass
5**	9656.500	37.49	-3.14	54.0	16.51	AV	97.00	150	Horizontal	Pass
6	16557.000	49.88	-0.90	74.0	24.12	Peak	359.00	150	Horizontal	Pass
6**	16557.000	39.22	-0.90	54.0	14.78	AV	359.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_16.59.35

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: DC 5V From PC

Test Site: 966#2

Test Voltage: 2.4G WIFI 11ax40 CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz
1.2E+2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1294.000	39.33	-15.75	74.0	34.67	Peak	107.00	150	Vertical	Pass
1**	1294.000	28.63	-15.75	54.0	25.37	AV	107.00	150	Vertical	Pass
2	2440.250	103.18	-12.37	74.0	-29.18	Peak	0.00	150	Vertical	N/A
2**	2440.250	91.66	-12.37	54.0	-37.66	AV	0.00	150	Vertical	N/A
3	2945.000	45.78	-8.93	74.0	28.22	Peak	130.00	150	Vertical	Pass
3**	2945.000	34.54	-8.93	54.0	19.46	AV	130.00	150	Vertical	Pass
4	6414.000	52.91	0.25	74.0	21.09	Peak	126.00	150	Vertical	Pass
4**	6414.000	41.90	0.25	54.0	12.10	AV	126.00	150	Vertical	Pass
5	9585.500	47.56	-3.46	74.0	26.44	Peak	182.00	150	Vertical	Pass
5**	9585.500	36.10	-3.46	54.0	17.90	AV	182.00	150	Vertical	Pass
6	15262.000	49.02	-1.09	74.0	24.98	Peak	182.00	150	Vertical	Pass
6**	15262.000	38.86	-1.09	54.0	15.14	AV	182.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_17.03.02

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: DC 5V From PC

Test Site: 966#2

Test Voltage: 2.4G WIFI 11ax40 CH6 P=17

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz
1.2E+2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.500	40.53	-15.72	74.0	33.47	Peak	339.00	150	Horizontal	Pass
1**	1197.500	30.67	-15.72	54.0	23.33	AV	339.00	150	Horizontal	Pass
2	2449.500	105.29	-12.55	74.0	-31.29	Peak	310.00	150	Horizontal	N/A
2**	2449.500	93.89	-12.55	54.0	-39.89	AV	310.00	150	Horizontal	N/A
3	2928.000	46.18	-8.02	74.0	27.82	Peak	185.00	150	Horizontal	Pass
3**	2928.000	35.52	-8.02	54.0	18.48	AV	185.00	150	Horizontal	Pass
4	7016.500	53.39	0.59	74.0	20.61	Peak	99.00	150	Horizontal	Pass
4**	7016.500	42.10	0.59	54.0	11.90	AV	99.00	150	Horizontal	Pass
5	9663.500	47.24	-3.29	74.0	26.76	Peak	323.00	150	Horizontal	Pass
5**	9663.500	36.55	-3.29	54.0	17.45	AV	323.00	150	Horizontal	Pass
6	17227.999	49.82	-0.41	74.0	24.18	Peak	33.00	150	Horizontal	Pass
6**	17227.999	40.20	-0.41	54.0	13.80	AV	33.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_17.15.52

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: Normal working Link(2.4G WIFI)


Test Site: 966#2

Test Voltage: DC 5V From PC

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	35.626	25.70	-27.52	40.0	14.30	Peak	211.00	100	Vertical	Pass
2	61.913	22.75	-26.48	40.0	17.25	Peak	174.00	200	Vertical	Pass
3	132.723	21.73	-29.20	43.5	21.77	Peak	138.00	200	Vertical	Pass
4	199.508	23.38	-25.75	43.5	20.12	Peak	360.00	200	Vertical	Pass
5	281.570	23.67	-23.59	46.0	22.33	Peak	266.00	200	Vertical	Pass
6	902.515	31.58	-9.19	46.0	14.42	Peak	0.00	100	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_16.58.20

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: Normal working Link(2.4G WIFI)


Test Site: 966#2

Test Voltage: DC 5V From PC

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT1

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	45.084	13.41	-24.72	40.0	26.59	Peak	301.00	100	Horizontal	Pass
2	108.473	23.19	-26.52	43.5	20.31	Peak	360.00	200	Horizontal	Pass
3	195.870	26.75	-25.51	43.5	16.75	Peak	325.00	100	Horizontal	Pass
4	287.583	24.77	-23.24	46.0	21.23	Peak	2.00	200	Horizontal	Pass
5	595.655	25.12	-15.10	46.0	20.88	Peak	318.00	100	Horizontal	Pass
6	912.458	30.54	-9.22	46.0	15.46	Peak	12.00	100	Horizontal	Pass