


Main Antenna Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_01.08.05

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11a CH36 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.90	3.82	74.0	13.10	Peak	285.01	150	Vertical	Pass
1**	5150.000	46.74	3.82	54.0	7.26	AV	285.01	150	Vertical	Pass
2	5138.300	57.82	4.04	74.0	16.18	Peak	15.00	150	Vertical	Pass
2**	5138.300	46.04	4.04	54.0	7.96	AV	15.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_01.10.15

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11a CH36 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.63	3.82	74.0	12.37	Peak	142.00	150	Horizontal	Pass
1**	5150.000	48.56	3.82	54.0	5.44	AV	142.00	150	Horizontal	Pass
2	5148.050	62.73	3.87	74.0	11.27	Peak	0.00	150	Horizontal	Pass
2**	5148.050	49.18	3.87	54.0	4.82	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_01.14.48

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11a CH48 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.37	4.04	74.0	19.63	Peak	169.00	150	Vertical	Pass
1**	5350.000	44.78	4.04	54.0	9.22	AV	169.00	150	Vertical	Pass
2	5366.390	56.31	4.07	74.0	17.69	Peak	218.00	150	Vertical	Pass
2**	5366.390	44.60	4.07	54.0	9.40	AV	218.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_01.13.08

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11a CH48 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.14	4.04	74.0	18.86	Peak	50.00	150	Horizontal	Pass
1**	5350.000	44.81	4.04	54.0	9.19	AV	50.00	150	Horizontal	Pass
2	5361.880	56.28	4.19	74.0	17.72	Peak	13.00	150	Horizontal	Pass
2**	5361.880	44.70	4.19	54.0	9.30	AV	13.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_01.03.19

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac20 CH36 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.20	3.82	74.0	18.80	Peak	93.99	150	Vertical	Pass
1**	5150.000	45.88	3.82	54.0	8.12	AV	93.99	150	Vertical	Pass
2	5148.050	57.41	3.87	74.0	16.59	Peak	276.00	150	Vertical	Pass
2**	5148.050	45.97	3.87	54.0	8.03	AV	276.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_01.02.03

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac20 CH36 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.47	3.82	74.0	16.53	Peak	119.05	150	Horizontal	Pass
1**	5150.000	47.43	3.82	54.0	6.57	AV	119.05	150	Horizontal	Pass
2	5146.750	59.56	3.91	74.0	14.44	Peak	328.00	150	Horizontal	Pass
2**	5146.750	47.52	3.91	54.0	6.48	AV	328.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_00.57.28

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac20 CH48 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.90	4.04	74.0	19.10	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.50	4.04	54.0	9.50	AV	360.00	150	Vertical	Pass
2	5351.650	56.04	4.07	74.0	17.96	Peak	360.00	150	Vertical	Pass
2**	5351.650	44.48	4.07	54.0	9.52	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_00.58.44

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac20 CH48 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.50	4.04	74.0	19.50	Peak	129.00	150	Horizontal	Pass
1**	5350.000	44.71	4.04	54.0	9.29	AV	129.00	150	Horizontal	Pass
2	5373.760	56.32	4.01	74.0	17.68	Peak	0.00	150	Horizontal	Pass
2**	5373.760	44.54	4.01	54.0	9.46	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_21.29.50

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac40 CH38 P=16.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.42	3.82	74.0	13.58	Peak	7.00	150	Vertical	Pass
1**	5150.000	49.00	3.82	54.0	5.00	AV	7.00	150	Vertical	Pass
2	5149.350	61.27	3.84	74.0	12.73	Peak	7.00	150	Vertical	Pass
2**	5149.350	49.06	3.84	54.0	4.94	AV	7.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-17_21.27.42

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac40 CH38 P=16.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.52	3.82	74.0	17.48	Peak	238.95	150	Horizontal	Pass
1**	5150.000	47.20	3.82	54.0	6.80	AV	238.95	150	Horizontal	Pass
2	5148.700	58.09	3.85	74.0	15.91	Peak	66.00	150	Horizontal	Pass
2**	5148.700	46.57	3.85	54.0	7.43	AV	66.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_00.51.57

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac40 CH46 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.98	4.04	74.0	19.02	Peak	0.00	150	Vertical	Pass
1**	5350.000	45.14	4.04	54.0	8.86	AV	0.00	150	Vertical	Pass
2	5369.800	56.62	3.96	74.0	17.38	Peak	17.00	150	Vertical	Pass
2**	5369.800	44.56	3.96	54.0	9.44	AV	17.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_00.17.42

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac40 CH46 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.68	4.04	74.0	18.32	Peak	360.00	150	Horizontal	Pass
1**	5350.000	45.42	4.04	54.0	8.58	AV	360.00	150	Horizontal	Pass
2	5374.750	57.48	4.01	74.0	16.52	Peak	144.00	150	Horizontal	Pass
2**	5374.750	45.26	4.01	54.0	8.74	AV	144.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_21.52.55

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac80 CH42 P=16.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.71	3.82	74.0	15.29	Peak	342.00	150	Vertical	Pass
1**	5150.000	49.84	3.82	54.0	4.16	AV	342.00	150	Vertical	Pass
2	5145.450	61.14	3.95	74.0	12.86	Peak	0.00	150	Vertical	Pass
2**	5145.450	50.29	3.95	54.0	3.71	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-17_21.50.38

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac80 CH42 P=16.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.43	3.82	74.0	16.57	Peak	74.99	150	Horizontal	Pass
1**	5150.000	47.80	3.82	54.0	6.20	AV	74.99	150	Horizontal	Pass
2	5135.050	59.68	3.97	74.0	14.32	Peak	360.00	150	Horizontal	Pass
2**	5135.050	48.28	3.97	54.0	5.72	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_00.07.52

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax20 CH36 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	67.26	3.82	74.0	6.74	Peak	359.98	150	Vertical	Pass
1**	5150.000	51.76	3.82	54.0	2.24	AV	359.98	150	Vertical	Pass
2	5147.400	67.31	3.89	74.0	6.69	Peak	339.00	150	Vertical	Pass
2**	5147.400	50.18	3.89	54.0	3.82	AV	339.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_00.06.00

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax20 CH36 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.34	3.82	74.0	11.66	Peak	9.04	150	Horizontal	Pass
1**	5150.000	48.53	3.82	54.0	5.47	AV	9.04	150	Horizontal	Pass
2	5146.100	64.30	3.93	74.0	9.70	Peak	0.00	150	Horizontal	Pass
2**	5146.100	48.41	3.93	54.0	5.59	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-17_23.43.20

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax20 CH48 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.03	4.04	74.0	17.97	Peak	357.00	150	Vertical	Pass
1**	5350.000	45.10	4.04	54.0	8.90	AV	357.00	150	Vertical	Pass
2	5351.760	57.05	4.08	74.0	16.95	Peak	37.00	150	Vertical	Pass
2**	5351.760	44.92	4.08	54.0	9.08	AV	37.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_23.45.28

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax20 CH48 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.70	4.04	74.0	18.30	Peak	0.00	150	Horizontal	Pass
1**	5350.000	45.48	4.04	54.0	8.52	AV	0.00	150	Horizontal	Pass
2	5380.360	58.43	4.05	74.0	15.57	Peak	190.00	150	Horizontal	Pass
2**	5380.360	45.11	4.05	54.0	8.89	AV	190.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_22.39.21

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax40 CH38 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.51	3.82	74.0	9.49	Peak	151.03	150	Vertical	Pass
1**	5150.000	51.33	3.82	54.0	2.67	AV	151.03	150	Vertical	Pass
2	5149.350	68.42	3.84	74.0	5.58	Peak	285.00	150	Vertical	Pass
2**	5149.350	51.11	3.84	54.0	2.89	AV	285.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_22.41.51

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax40 CH38 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	66.28	3.82	74.0	7.72	Peak	187.00	150	Horizontal	Pass
1**	5150.000	52.86	3.82	54.0	1.14	AV	187.00	150	Horizontal	Pass
2	5148.050	69.93	3.87	74.0	4.07	Peak	0.00	150	Horizontal	Pass
2**	5148.050	51.98	3.87	54.0	2.02	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_23.37.44

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax40 CH46 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.15	4.04	74.0	18.85	Peak	132.00	150	Vertical	Pass
1**	5350.000	45.07	4.04	54.0	8.93	AV	132.00	150	Vertical	Pass
2	5356.710	56.52	4.19	74.0	17.48	Peak	231.00	150	Vertical	Pass
2**	5356.710	44.80	4.19	54.0	9.20	AV	231.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-17_23.36.12

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax40 CH46 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.79	4.04	74.0	18.21	Peak	143.00	150	Horizontal	Pass
1**	5350.000	45.83	4.04	54.0	8.17	AV	143.00	150	Horizontal	Pass
2	5360.670	56.77	4.22	74.0	17.23	Peak	191.00	150	Horizontal	Pass
2**	5360.670	45.20	4.22	54.0	8.80	AV	191.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-17_23.16.31

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax80 CH42 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	65.71	3.82	74.0	8.29	Peak	170.01	150	Vertical	Pass
1**	5150.000	51.21	3.82	54.0	2.79	AV	170.01	150	Vertical	Pass
2	5146.100	68.17	3.93	74.0	5.83	Peak	360.00	150	Vertical	Pass
2**	5146.100	51.64	3.93	54.0	2.36	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-17_23.18.41

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax80 CH42 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	66.91	3.82	74.0	7.09	Peak	19.06	150	Horizontal	Pass
1**	5150.000	53.12	3.82	54.0	0.88	AV	19.06	150	Horizontal	Pass
2	5149.350	70.73	3.84	74.0	3.27	Peak	331.00	150	Horizontal	Pass
2**	5149.350	52.85	3.84	54.0	1.15	AV	331.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_05.03.18

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11a CH52 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.08	3.82	74.0	18.92	Peak	17.02	150	Vertical	Pass
1**	5150.000	44.80	3.82	54.0	9.20	AV	17.02	150	Vertical	Pass
2	5113.600	56.97	3.63	74.0	17.03	Peak	25.00	150	Vertical	Pass
2**	5113.600	44.53	3.63	54.0	9.47	AV	25.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_05.02.00

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11a CH52 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.02	3.82	74.0	18.98	Peak	355.00	150	Horizontal	Pass
1**	5150.000	44.80	3.82	54.0	9.20	AV	355.00	150	Horizontal	Pass
2	4956.950	56.56	3.97	74.0	17.44	Peak	8.00	150	Horizontal	Pass
2**	4956.950	44.17	3.97	54.0	9.83	AV	8.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_04.57.39

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11a CH64 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.34	4.04	74.0	11.66	Peak	1.00	150	Vertical	Pass
1**	5350.000	47.63	4.04	54.0	6.37	AV	1.00	150	Vertical	Pass
2	5350.330	63.55	4.05	74.0	10.45	Peak	20.00	150	Vertical	Pass
2**	5350.330	47.09	4.05	54.0	6.91	AV	20.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_04.58.58

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11a CH64 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.98	4.04	74.0	11.02	Peak	0.00	150	Horizontal	Pass
1**	5350.000	48.56	4.04	54.0	5.44	AV	0.00	150	Horizontal	Pass
2	5351.650	66.61	4.07	74.0	7.39	Peak	176.00	150	Horizontal	Pass
2**	5351.650	48.41	4.07	54.0	5.59	AV	176.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_04.46.53

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac20 CH52 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.44	3.82	74.0	18.56	Peak	359.97	150	Vertical	Pass
1**	5150.000	44.58	3.82	54.0	9.42	AV	359.97	150	Vertical	Pass
2	5015.450	56.17	3.58	74.0	17.83	Peak	4.00	150	Vertical	Pass
2**	5015.450	44.22	3.58	54.0	9.78	AV	4.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_04.48.59

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac20 CH52 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.42	3.82	74.0	18.58	Peak	39.99	150	Horizontal	Pass
1**	5150.000	44.82	3.82	54.0	9.18	AV	39.99	150	Horizontal	Pass
2	5111.650	56.53	3.60	74.0	17.47	Peak	215.00	150	Horizontal	Pass
2**	5111.650	44.53	3.60	54.0	9.47	AV	215.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_04.53.31

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac20 CH64 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.78	4.04	74.0	17.22	Peak	0.00	150	Vertical	Pass
1**	5350.000	46.53	4.04	54.0	7.47	AV	0.00	150	Vertical	Pass
2	5351.870	57.11	4.08	74.0	16.89	Peak	0.00	150	Vertical	Pass
2**	5351.870	45.76	4.08	54.0	8.24	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_04.51.57

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac20 CH64 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.64	4.04	74.0	17.36	Peak	6.00	150	Horizontal	Pass
1**	5350.000	46.62	4.04	54.0	7.38	AV	6.00	150	Horizontal	Pass
2	5351.760	58.84	4.08	74.0	15.16	Peak	179.00	150	Horizontal	Pass
2**	5351.760	46.70	4.08	54.0	7.30	AV	179.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_04.43.49

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac40 CH54 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.93	3.82	74.0	19.07	Peak	273.00	150	Vertical	Pass
1**	5150.000	44.63	3.82	54.0	9.37	AV	273.00	150	Vertical	Pass
2	5078.500	56.77	3.48	74.0	17.23	Peak	200.00	150	Vertical	Pass
2**	5078.500	44.29	3.48	54.0	9.71	AV	200.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_04.42.30

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac40 CH54 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.97	3.82	74.0	19.03	Peak	144.98	150	Horizontal	Pass
1**	5150.000	44.90	3.82	54.0	9.10	AV	144.98	150	Horizontal	Pass
2	5141.550	56.55	4.06	74.0	17.45	Peak	48.00	150	Horizontal	Pass
2**	5141.550	45.04	4.06	54.0	8.96	AV	48.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_04.34.57

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac40 CH62 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.39	4.04	74.0	12.61	Peak	40.00	150	Vertical	Pass
1**	5350.000	51.44	4.04	54.0	2.56	AV	40.00	150	Vertical	Pass
2	5350.220	64.90	4.04	74.0	9.10	Peak	0.00	150	Vertical	Pass
2**	5350.220	50.72	4.04	54.0	3.28	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_04.38.06

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac40 CH62 P=16.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.23	4.04	74.0	9.77	Peak	0.00	150	Horizontal	Pass
1**	5350.000	53.70	4.04	54.0	0.30	AV	0.00	150	Horizontal	Pass
2	5350.330	66.33	4.05	74.0	7.67	Peak	189.00	150	Horizontal	Pass
2**	5350.330	53.56	4.05	54.0	0.44	AV	189.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_04.30.55

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac80 CH58 P=15.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.52	4.04	74.0	13.48	Peak	39.00	150	Vertical	Pass
1**	5350.000	49.75	4.04	54.0	4.25	AV	39.00	150	Vertical	Pass
2	5356.380	61.92	4.18	74.0	12.08	Peak	14.00	150	Vertical	Pass
2**	5356.380	50.22	4.18	54.0	3.78	AV	14.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_04.29.02

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac80 CH58 P=15.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.23	4.04	74.0	12.77	Peak	8.00	150	Horizontal	Pass
1**	5350.000	53.05	4.04	54.0	0.95	AV	8.00	150	Horizontal	Pass
2	5353.740	65.44	4.11	74.0	8.56	Peak	332.00	150	Horizontal	Pass
2**	5353.740	53.37	4.11	54.0	0.63	AV	332.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_04.14.05

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac160 CH50
		P=15.5	
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.43	3.82	74.0	14.57	Peak	167.00	150	Vertical	Pass
1**	5150.000	49.65	3.82	54.0	4.35	AV	167.00	150	Vertical	Pass
2	5125.300	63.29	3.80	74.0	10.71	Peak	0.00	150	Vertical	Pass
2**	5125.300	50.54	3.80	54.0	3.46	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_04.12.28

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac160 CH50
		P=15.5	
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.35	3.82	74.0	11.65	Peak	143.97	150	Horizontal	Pass
1**	5150.000	52.36	3.82	54.0	1.64	AV	143.97	150	Horizontal	Pass
2	5148.050	64.36	3.87	74.0	9.64	Peak	360.00	150	Horizontal	Pass
2**	5148.050	53.24	3.87	54.0	0.76	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_03.57.13

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax20 CH52 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.64	3.82	74.0	18.36	Peak	294.94	150	Vertical	Pass
1**	5150.000	44.60	3.82	54.0	9.40	AV	294.94	150	Vertical	Pass
2	5059.000	56.51	3.76	74.0	17.49	Peak	53.00	150	Vertical	Pass
2**	5059.000	44.69	3.76	54.0	9.31	AV	53.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_03.55.21

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax20 CH52 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.83	3.82	74.0	18.17	Peak	359.98	150	Horizontal	Pass
1**	5150.000	44.63	3.82	54.0	9.37	AV	359.98	150	Horizontal	Pass
2	4824.350	56.36	3.59	74.0	17.64	Peak	74.00	150	Horizontal	Pass
2**	4824.350	43.88	3.59	54.0	10.12	AV	74.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_03.51.18

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax20 CH64 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.41	4.04	74.0	9.59	Peak	360.00	150	Vertical	Pass
1**	5350.000	48.14	4.04	54.0	5.86	AV	360.00	150	Vertical	Pass
2	5350.110	68.36	4.04	74.0	5.64	Peak	26.00	150	Vertical	Pass
2**	5350.110	47.84	4.04	54.0	6.16	AV	26.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_03.52.36

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax20 CH64 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.11	4.04	74.0	6.89	Peak	0.00	150	Horizontal	Pass
1**	5350.000	52.00	4.04	54.0	2.00	AV	0.00	150	Horizontal	Pass
2	5353.960	71.62	4.11	74.0	2.38	Peak	186.00	150	Horizontal	Pass
2**	5353.960	49.69	4.11	54.0	4.31	AV	186.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_03.28.53

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax40 CH54 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.30	3.82	74.0	18.70	Peak	162.02	100	Vertical	Pass
1**	5150.000	44.96	3.82	54.0	9.04	AV	162.02	100	Vertical	Pass
2	5135.700	58.18	3.98	74.0	15.82	Peak	277.00	100	Vertical	Pass
2**	5135.700	44.87	3.98	54.0	9.13	AV	277.00	100	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_03.31.10

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax40 CH54 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.47	3.82	74.0	17.53	Peak	144.97	100	Horizontal	Pass
1**	5150.000	45.02	3.82	54.0	8.98	AV	144.97	100	Horizontal	Pass
2	5144.800	60.59	3.97	74.0	13.41	Peak	0.00	100	Horizontal	Pass
2**	5144.800	45.19	3.97	54.0	8.81	AV	0.00	100	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_03.46.43

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax40 CH62 P=16
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.98	4.04	74.0	13.02	Peak	0.00	150	Vertical	Pass
1**	5350.000	50.44	4.04	54.0	3.56	AV	0.00	150	Vertical	Pass
2	5350.440	63.96	4.05	74.0	10.04	Peak	21.00	150	Vertical	Pass
2**	5350.440	49.89	4.05	54.0	4.11	AV	21.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_03.45.33

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax40 CH52 P=16
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.50	4.04	74.0	10.50	Peak	191.00	150	Horizontal	Pass
1**	5350.000	53.73	4.04	54.0	0.27	AV	191.00	150	Horizontal	Pass
2	5353.080	65.24	4.10	74.0	8.76	Peak	145.00	150	Horizontal	Pass
2**	5353.080	52.02	4.10	54.0	1.98	AV	145.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_03.24.36

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax80 CH58 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.19	3.82	74.0	13.81	Peak	309.99	100	Vertical	Pass
1**	5150.000	47.07	3.82	54.0	6.93	AV	309.99	100	Vertical	Pass
2	5148.050	61.45	3.87	74.0	12.55	Peak	356.00	100	Vertical	Pass
2**	5148.050	47.35	3.87	54.0	6.65	AV	356.00	100	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_03.22.58

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax80 CH58 P=17.5
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.35	3.82	74.0	12.65	Peak	197.03	100	Horizontal	Pass
1**	5150.000	49.40	3.82	54.0	4.60	AV	197.03	100	Horizontal	Pass
2	5147.400	63.73	3.89	74.0	10.27	Peak	193.00	100	Horizontal	Pass
2**	5147.400	49.92	3.89	54.0	4.08	AV	193.00	100	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_03.17.21

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax160 CH50
		P=15.5	
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.28	3.82	74.0	13.72	Peak	68.00	150	Vertical	Pass
1**	5150.000	50.71	3.82	54.0	3.29	AV	68.00	150	Vertical	Pass
2	5123.350	63.84	3.77	74.0	10.16	Peak	360.00	150	Vertical	Pass
2**	5123.350	52.20	3.77	54.0	1.80	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_03.18.42

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax160 CH50
		P=15.5	
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.32	3.82	74.0	11.68	Peak	333.00	150	Horizontal	Pass
1**	5150.000	52.11	3.82	54.0	1.89	AV	333.00	150	Horizontal	Pass
2	5144.800	64.13	3.97	74.0	9.87	Peak	328.00	150	Horizontal	Pass
2**	5144.800	53.70	3.97	54.0	0.30	AV	328.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_09.13.28

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11a CH100 P=16
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.79	3.78	68.2	13.41	Peak	144.55	150	Vertical	Pass
1**	5460.000	44.56	3.78	54.0	9.44	AV	144.55	150	Vertical	Pass
2	5469.040	63.37	4.07	68.2	4.83	Peak	277.00	150	Vertical	Pass
2**	5469.040	45.28	4.07	--	-45.28	AV	277.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_09.12.14

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11a CH100 P=16
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.04	3.78	68.2	13.16	Peak	166.02	150	Horizontal	Pass
1**	5460.000	45.35	3.78	54.0	8.65	AV	166.02	150	Horizontal	Pass
2	5465.560	64.05	3.96	68.2	4.15	Peak	198.00	150	Horizontal	Pass
2**	5465.560	45.92	3.96	--	-45.92	AV	198.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_09.22.18

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11a CH140 P=15
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.34	4.31	68.2	8.86	Peak	351.00	150	Vertical	Pass
2	5726.625	63.98	4.26	68.2	4.22	Peak	355.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_09.23.29

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11a CH140 P=15
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.53	4.31	68.2	11.67	Peak	354.00	150	Horizontal	Pass
2	5727.500	64.70	4.23	68.2	3.50	Peak	343.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_09.40.07

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac20 CH100
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.62	3.78	68.2	13.58	Peak	254.78	150	Vertical	Pass
1**	5460.000	44.44	3.78	54.0	9.56	AV	254.78	150	Vertical	Pass
2	5469.280	56.96	4.08	68.2	11.24	Peak	185.00	150	Vertical	Pass
2**	5469.280	45.48	4.08	--	-45.48	AV	185.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_09.38.55

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac20 CH100
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.86	3.78	68.2	13.34	Peak	115.89	150	Horizontal	Pass
1**	5460.000	44.81	3.78	54.0	9.19	AV	115.89	150	Horizontal	Pass
2	5461.600	57.06	3.83	68.2	11.14	Peak	198.00	150	Horizontal	Pass
2**	5461.600	45.06	3.83	--	-45.06	AV	198.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_09.41.34

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac20 CH140
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.93	4.31	68.2	11.27	Peak	272.00	150	Vertical	Pass
2	5756.125	57.83	4.45	68.2	10.37	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_09.42.45

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac20 CH140
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.39	4.31	68.2	10.81	Peak	360.00	150	Horizontal	Pass
2	5806.750	57.64	4.85	68.2	10.56	Peak	291.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_09.45.46

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac40 CH102
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.54	3.78	68.2	12.66	Peak	273.65	150	Vertical	Pass
1**	5460.000	45.32	3.78	54.0	8.68	AV	273.65	150	Vertical	Pass
2	5467.960	57.74	4.04	68.2	10.46	Peak	31.00	150	Vertical	Pass
2**	5467.960	46.95	4.04	--	-46.95	AV	31.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_09.44.33

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac40 CH102
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.36	3.78	68.2	12.84	Peak	117.92	150	Horizontal	Pass
1**	5460.000	45.53	3.78	54.0	8.47	AV	117.92	150	Horizontal	Pass
2	5465.800	58.88	3.97	68.2	9.32	Peak	113.00	150	Horizontal	Pass
2**	5465.800	47.02	3.97	--	-47.02	AV	113.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_09.47.10

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac40 CH134
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.97	4.31	68.2	11.23	Peak	0.00	150	Vertical	Pass
2	5726.500	58.60	4.26	68.2	9.60	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_09.48.20

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac40 CH134
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.71	4.31	68.2	11.49	Peak	71.00	150	Horizontal	Pass
2	5733.500	58.01	4.19	68.2	10.19	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_05.50.10

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac80 CH106
		P=16.5	
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.40	3.78	68.2	9.80	Peak	360.00	150	Vertical	Pass
1**	5460.000	48.84	3.78	54.0	5.16	AV	360.00	150	Vertical	Pass
2	5468.320	61.02	4.05	68.2	7.18	Peak	23.00	150	Vertical	Pass
2**	5468.320	50.56	4.05	--	-50.56	AV	23.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_05.51.59

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac80 CH106
		P=16.5	
Test Engineer:	Zhou Xu	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.18	3.78	68.2	7.02	Peak	0.00	150	Horizontal	Pass
1**	5460.000	51.23	3.78	54.0	2.77	AV	0.00	150	Horizontal	Pass
2	5461.000	63.68	3.81	68.2	4.52	Peak	191.00	150	Horizontal	Pass
2**	5461.000	51.85	3.81	--	-51.85	AV	191.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_09.52.22

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac80 CH122
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.12	4.31	68.2	12.08	Peak	360.00	150	Vertical	Pass
2	5841.625	58.18	5.38	68.2	10.02	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_09.51.13

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac80 CH122
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.11	4.31	68.2	11.09	Peak	356.00	150	Horizontal	Pass
2	5733.625	57.86	4.19	68.2	10.34	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_09.56.02

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac160 CH114
		P=16	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.89	3.78	68.2	8.31	Peak	27.00	150	Vertical	Pass
1**	5460.000	50.75	3.78	54.0	3.25	AV	27.00	150	Vertical	Pass
2	5460.400	62.26	3.79	68.2	5.94	Peak	27.00	150	Vertical	Pass
2**	5460.400	51.70	3.79	--	-51.70	AV	27.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_09.57.18

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac160 CH114
		P=16	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.79	3.78	68.2	8.41	Peak	351.00	150	Horizontal	Pass
1**	5460.000	50.62	3.78	54.0	3.38	AV	351.00	150	Horizontal	Pass
2	5463.640	64.41	3.89	68.2	3.79	Peak	190.00	150	Horizontal	Pass
2**	5463.640	53.27	3.89	--	-53.27	AV	190.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_10.00.45

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax20 CH100
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.58	3.78	68.2	13.62	Peak	47.32	150	V	Pass
1**	5460.000	45.10	3.78	54.0	8.90	AV	47.32	150	V	Pass
2	5469.880	58.67	4.09	68.2	9.53	Peak	280.00	150	Vertical	Pass
2**	5469.880	45.84	4.09	--	-45.84	AV	280.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_09.59.34

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax20 CH100
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.66	3.78	68.2	13.54	Peak	125.54	150	H	Pass
1**	5460.000	45.43	3.78	54.0	8.57	AV	125.54	150	H	Pass
2	5466.880	65.69	4.00	68.2	2.51	Peak	319.00	150	Horizontal	Pass
2**	5466.880	46.27	4.00	--	-46.27	AV	319.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_10.03.07

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax20 CH140
		P=	17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.35	4.31	68.2	5.85	Peak	0.00	150	Vertical	Pass
2	5725.375	65.14	4.30	68.2	3.06	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_10.04.19

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax20 CH140
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	65.17	4.31	68.2	3.03	Peak	2.00	150	Horizontal	Pass
2	5725.375	68.06	4.30	68.2	0.14	Peak	2.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_10.09.40

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax40 CH102
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.47	3.78	68.2	12.73	Peak	236.09	150	Vertical	Pass
1**	5460.000	45.73	3.78	54.0	8.27	AV	236.09	150	Vertical	Pass
2	5469.880	59.94	4.09	68.2	8.26	Peak	39.00	150	Vertical	Pass
2**	5469.880	48.71	4.09	--	-48.71	AV	39.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_10.10.57

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax40 CH102
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.90	3.78	68.2	12.30	Peak	55.27	150	Horizontal	Pass
1**	5460.000	46.60	3.78	54.0	7.40	AV	55.27	150	Horizontal	Pass
2	5469.400	61.73	4.08	68.2	6.47	Peak	184.00	150	Horizontal	Pass
2**	5469.400	48.74	4.08	--	-48.74	AV	184.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_10.13.43

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax40 CH134
			P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.98	4.31	68.2	11.22	Peak	0.00	150	Vertical	Pass
2	5734.625	61.60	4.20	68.2	6.60	Peak	279.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_10.12.18

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax40 CH134
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.17	4.31	68.2	9.03	Peak	346.00	150	Horizontal	Pass
2	5741.250	59.30	4.27	68.2	8.90	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_10.19.59

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax80 CH106
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.65	3.78	68.2	8.55	Peak	150.88	150	Vertical	Pass
1**	5460.000	49.53	3.78	54.0	4.47	AV	150.88	150	Vertical	Pass
2	5465.920	62.87	3.97	68.2	5.33	Peak	28.00	150	Vertical	Pass
2**	5465.920	49.59	3.97	--	-49.59	AV	28.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_10.18.35

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax80 CH106
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.73	3.78	68.2	7.47	Peak	189.01	150	Horizontal	Pass
1**	5460.000	50.00	3.78	54.0	4.00	AV	189.01	150	Horizontal	Pass
2	5464.000	63.25	3.90	68.2	4.95	Peak	147.00	150	Horizontal	Pass
2**	5464.000	52.08	3.90	--	-52.08	AV	147.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_10.21.28

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax80 CH122
			P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.15	4.31	68.2	7.05	Peak	209.00	150	Vertical	Pass
2	5728.750	66.97	4.20	68.2	1.23	Peak	277.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_10.22.39

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax80 CH122
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.88	4.31	68.2	6.32	Peak	347.00	150	Horizontal	Pass
2	5726.250	63.75	4.26	68.2	4.45	Peak	353.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_08.59.19

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax160 CH114
		P=15.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.68	3.78	68.2	9.52	Peak	20.34	150	Vertical	Pass
1**	5460.000	48.53	3.78	54.0	5.47	AV	20.34	150	Vertical	Pass
2	5462.320	59.01	3.85	68.2	9.19	Peak	14.00	150	Vertical	Pass
2**	5462.320	48.65	3.85	--	-48.65	AV	14.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_08.58.00

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax160 CH114
		P=15.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.58	3.78	68.2	8.62	Peak	240.12	150	Horizontal	Pass
1**	5460.000	49.56	3.78	54.0	4.44	AV	240.12	150	Horizontal	Pass
2	5462.440	62.48	3.86	68.2	5.72	Peak	184.00	150	Horizontal	Pass
2**	5462.440	51.54	3.86	--	-51.54	AV	184.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_13.59.51

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11a CH149 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.59	3.81	68.2	11.61	Peak	237.07	150	Vertical	Pass
2	5625.250	56.31	3.63	68.2	11.89	Peak	87.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_13.56.24

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11a CH149 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.64	3.81	68.2	12.56	Peak	5.36	150	Horizontal	Pass
2	5648.750	57.09	3.80	68.2	11.11	Peak	149.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_15.18.09

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11a CH165 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.73	6.44	68.2	11.47	Peak	33.08	150	Vertical	Pass
2	5979.000	59.55	6.06	68.2	8.65	Peak	163.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_15.25.35

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11a CH165 P=16.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.38	6.44	68.2	11.82	Peak	354.71	150	Horizontal	Pass
2	5959.200	58.21	6.10	68.2	9.99	Peak	261.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_14.01.38

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac20 CH149
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.67	3.81	68.2	12.53	Peak	38.96	150	Vertical	Pass
2	5645.000	57.11	3.77	68.2	11.09	Peak	117.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.03.10

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac20 CH149
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.41	3.81	68.2	12.79	Peak	9.36	150	Horizontal	Pass
2	5646.875	57.66	3.79	68.2	10.54	Peak	180.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_15.08.18

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac20 CH165
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.57	6.44	68.2	11.63	Peak	81.01	150	Vertical	Pass
2	5969.700	58.44	6.32	68.2	9.76	Peak	26.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_15.07.07

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac20 CH165
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.53	6.44	68.2	11.67	Peak	0.09	150	Horizontal	Pass
2	5990.850	58.41	6.39	68.2	9.79	Peak	346.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_10.21.10

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac40 CH151
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.19	3.81	68.2	12.01	Peak	177.83	150	Vertical	Pass
2	5645.250	57.28	3.77	68.2	10.92	Peak	283.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_10.22.30

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac40 CH151
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.43	3.81	68.2	12.77	Peak	166.90	150	Horizontal	Pass
2	5637.125	57.12	3.72	68.2	11.08	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.32.01

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac40 CH159
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.21	6.44	68.2	10.99	Peak	63.97	150	Vertical	Pass
2	5956.800	58.83	6.13	68.2	9.37	Peak	197.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.30.50

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac40 CH159
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.80	6.44	68.2	10.40	Peak	135.83	150	Horizontal	Pass
2	5966.850	59.04	6.26	68.2	9.16	Peak	164.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_11.04.30

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac80 CH155
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.28	3.81	68.2	11.92	Peak	352.91	150	Vertical	Pass
2	5649.125	59.02	3.81	68.2	9.18	Peak	355.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_10.58.00

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac80 CH155
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.16	3.81	68.2	10.04	Peak	195.83	150	Horizontal	Pass
2	5625.375	58.49	3.63	68.2	9.71	Peak	196.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_14.14.52

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax20 CH149
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.77	3.81	68.2	12.43	Peak	267.10	150	Vertical	Pass
2	5629.250	56.98	3.67	68.2	11.22	Peak	349.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.12.38

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax20 CH149
		P=	16.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.82	3.81	68.2	12.38	Peak	272.83	150	Horizontal	Pass
2	5642.750	57.18	3.75	68.2	11.02	Peak	136.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_14.36.18

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax20 CH165
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.57	6.44	68.2	11.63	Peak	347.68	150	Vertical	Pass
2	5969.850	58.81	6.33	68.2	9.39	Peak	155.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.58.03

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax20 CH165
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.72	6.44	68.2	10.48	Peak	99.33	150	Horizontal	Pass
2	5986.950	59.11	6.27	68.2	9.09	Peak	66.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_13.04.34

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax40 CH151
		P=	17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.39	3.81	68.2	11.81	Peak	278.07	150	Vertical	Pass
2	5647.500	58.36	3.79	68.2	9.84	Peak	278.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_13.03.09

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax40 CH151
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.95	3.81	68.2	11.25	Peak	220.98	150	Horizontal	Pass
2	5639.250	60.33	3.74	68.2	7.87	Peak	198.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.18.04

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax40 CH159
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.40	6.44	68.2	11.80	Peak	298.62	150	Vertical	Pass
2	5992.050	59.04	6.41	68.2	9.16	Peak	352.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.22.24

EUT Name: Siyata SD7 Ultra E

Temp.(°C): 23.2

Model Number: SD7 Ultra E

Humidity (%RH): 46

Sample Number: CC26050143-001-S08

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: DC 5V From PC

Test Site: 966#2


Test Voltage: 5.8G WIFI 11ax40 CH159

P=17.5

Test Engineer: Liu Yabo

Remark: 数据线: A13 ANT0

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.84	6.44	68.2	11.36	Peak	21.36	150	Horizontal	Pass
2	5986.800	59.38	6.26	68.2	8.82	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_11.07.30

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax80 CH155
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	61.81	3.81	68.2	6.39	Peak	274.00	150	Vertical	Pass
2	5648.500	64.84	3.80	68.2	3.36	Peak	278.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_11.09.38

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax80 CH155
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT0




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	63.52	3.81	68.2	4.68	Peak	199.97	150	Horizontal	Pass
2	5644.625	65.82	3.77	68.2	2.38	Peak	197.00	150	Horizontal	Pass

Aux. Antenna Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_14.55.19

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11a CH36 P=15.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	65.27	3.82	74.0	8.73	Peak	158.02	150	Vertical	Pass
1**	5150.000	47.27	3.82	54.0	6.73	AV	158.02	150	Vertical	Pass
2	5148.700	65.89	3.85	74.0	8.11	Peak	353.00	150	Vertical	Pass
2**	5148.700	46.74	3.85	54.0	7.26	AV	353.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_14.53.43

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11a CH36 P=15.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	71.31	3.82	74.0	2.69	Peak	197.03	150	Horizontal	Pass
1**	5150.000	48.62	3.82	54.0	5.38	AV	197.03	150	Horizontal	Pass
2	5149.350	70.72	3.84	74.0	3.28	Peak	325.00	150	Horizontal	Pass
2**	5149.350	48.68	3.84	54.0	5.32	AV	325.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_14.56.47

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11a CH48 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.60	4.04	74.0	18.40	Peak	33.00	150	Vertical	Pass
1**	5350.000	44.55	4.04	54.0	9.45	AV	33.00	150	Vertical	Pass
2	5361.110	56.42	4.21	74.0	17.58	Peak	144.00	150	Vertical	Pass
2**	5361.110	44.46	4.21	54.0	9.54	AV	144.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_14.58.00

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11a CH48 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.93	4.04	74.0	19.07	Peak	259.00	150	Horizontal	Pass
1**	5350.000	44.47	4.04	54.0	9.53	AV	259.00	150	Horizontal	Pass
2	5381.460	56.89	4.05	74.0	17.11	Peak	102.00	150	Horizontal	Pass
2**	5381.460	44.36	4.05	54.0	9.64	AV	102.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_15.12.49

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac20 CH36 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.71	3.82	74.0	19.29	Peak	164.02	150	Vertical	Pass
1**	5150.000	44.73	3.82	54.0	9.27	AV	164.02	150	Vertical	Pass
2	5147.400	56.61	3.89	74.0	17.39	Peak	283.00	150	Vertical	Pass
2**	5147.400	44.64	3.89	54.0	9.36	AV	283.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_15.11.33

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac20 CH36 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.73	3.82	74.0	19.27	Peak	109.01	150	Horizontal	Pass
1**	5150.000	44.97	3.82	54.0	9.03	AV	109.01	150	Horizontal	Pass
2	5149.350	57.16	3.84	74.0	16.84	Peak	184.00	150	Horizontal	Pass
2**	5149.350	44.97	3.84	54.0	9.03	AV	184.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_15.14.22

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac20 CH48 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.26	4.04	74.0	19.74	Peak	22.00	150	Vertical	Pass
1**	5350.000	44.55	4.04	54.0	9.45	AV	22.00	150	Vertical	Pass
2	5378.600	57.02	4.05	74.0	16.98	Peak	205.00	150	Vertical	Pass
2**	5378.600	44.40	4.05	54.0	9.60	AV	205.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_15.15.50

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac20 CH48 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.28	4.04	74.0	19.72	Peak	188.00	150	Horizontal	Pass
1**	5350.000	44.44	4.04	54.0	9.56	AV	188.00	150	Horizontal	Pass
2	5435.250	56.78	3.70	74.0	17.22	Peak	70.00	150	Horizontal	Pass
2**	5435.250	44.27	3.70	54.0	9.73	AV	70.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_15.18.37

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac40 CH38 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.47	3.82	74.0	16.53	Peak	166.98	150	Vertical	Pass
1**	5150.000	47.41	3.82	54.0	6.59	AV	166.98	150	Vertical	Pass
2	5148.050	59.49	3.87	74.0	14.51	Peak	29.00	150	Vertical	Pass
2**	5148.050	47.56	3.87	54.0	6.44	AV	29.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_15.17.24

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac40 CH38 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.90	3.82	74.0	15.10	Peak	183.96	150	Horizontal	Pass
1**	5150.000	47.40	3.82	54.0	6.60	AV	183.96	150	Horizontal	Pass
2	5149.350	59.75	3.84	74.0	14.25	Peak	0.00	150	Horizontal	Pass
2**	5149.350	47.97	3.84	54.0	6.03	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_15.20.10

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac40 CH46 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.05	4.04	74.0	19.95	Peak	108.00	150	Vertical	Pass
1**	5350.000	44.41	4.04	54.0	9.59	AV	108.00	150	Vertical	Pass
2	5384.430	56.43	4.06	74.0	17.57	Peak	0.00	150	Vertical	Pass
2**	5384.430	44.12	4.06	54.0	9.88	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_15.21.24

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac40 CH46 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.18	4.04	74.0	18.82	Peak	92.00	150	Horizontal	Pass
1**	5350.000	44.39	4.04	54.0	9.61	AV	92.00	150	Horizontal	Pass
2	5417.760	56.00	3.75	74.0	18.00	Peak	360.00	150	Horizontal	Pass
2**	5417.760	44.26	3.75	54.0	9.74	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_15.24.37

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac80 CH42 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.06	3.82	74.0	14.94	Peak	33.05	150	Vertical	Pass
1**	5150.000	48.23	3.82	54.0	5.77	AV	33.05	150	Vertical	Pass
2	5148.700	60.56	3.85	74.0	13.44	Peak	283.00	150	Vertical	Pass
2**	5148.700	48.40	3.85	54.0	5.60	AV	283.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_15.25.54

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ac80 CH42 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.73	3.82	74.0	14.27	Peak	333.01	150	Horizontal	Pass
1**	5150.000	49.79	3.82	54.0	4.21	AV	333.01	150	Horizontal	Pass
2	5148.700	60.47	3.85	74.0	13.53	Peak	360.00	150	Horizontal	Pass
2**	5148.700	50.09	3.85	54.0	3.91	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_15.31.17

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax20 CH36 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	65.14	3.82	74.0	8.86	Peak	282.00	150	Vertical	Pass
1**	5150.000	50.64	3.82	54.0	3.36	AV	282.00	150	Vertical	Pass
2	5148.700	66.10	3.85	74.0	7.90	Peak	279.00	150	Vertical	Pass
2**	5148.700	49.96	3.85	54.0	4.04	AV	279.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_15.32.29

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax20 CH36 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	69.63	3.82	74.0	4.37	Peak	329.00	150	Horizontal	Pass
1**	5150.000	50.22	3.82	54.0	3.78	AV	329.00	150	Horizontal	Pass
2	5148.050	67.22	3.87	74.0	6.78	Peak	180.00	150	Horizontal	Pass
2**	5148.050	49.24	3.87	54.0	4.76	AV	180.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_15.35.07

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax20 CH48 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.73	4.04	74.0	19.27	Peak	235.00	150	Vertical	Pass
1**	5350.000	44.48	4.04	54.0	9.52	AV	235.00	150	Vertical	Pass
2	5362.650	55.97	4.16	74.0	18.03	Peak	131.00	150	Vertical	Pass
2**	5362.650	44.37	4.16	54.0	9.63	AV	131.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_15.33.55

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax20 CH48 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.90	4.04	74.0	19.10	Peak	360.00	150	Horizontal	Pass
1**	5350.000	44.96	4.04	54.0	9.04	AV	360.00	150	Horizontal	Pass
2	5380.690	56.61	4.05	74.0	17.39	Peak	68.00	150	Horizontal	Pass
2**	5380.690	44.33	4.05	54.0	9.67	AV	68.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_15.36.40

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax40 CH38 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	66.75	3.82	74.0	7.25	Peak	278.96	150	Vertical	Pass
1**	5150.000	50.25	3.82	54.0	3.75	AV	278.96	150	Vertical	Pass
2	5144.150	66.81	3.99	74.0	7.19	Peak	291.00	150	Vertical	Pass
2**	5144.150	48.69	3.99	54.0	5.31	AV	291.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_15.37.53

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax40 CH38 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	65.39	3.82	74.0	8.61	Peak	193.99	150	Horizontal	Pass
1**	5150.000	51.03	3.82	54.0	2.97	AV	193.99	150	Horizontal	Pass
2	5148.050	66.67	3.87	74.0	7.33	Peak	354.00	150	Horizontal	Pass
2**	5148.050	50.52	3.87	54.0	3.48	AV	354.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_15.40.45

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax40 CH46 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.86	4.04	74.0	19.14	Peak	9.00	150	Vertical	Pass
1**	5350.000	44.60	4.04	54.0	9.40	AV	9.00	150	Vertical	Pass
2	5357.590	56.39	4.20	74.0	17.61	Peak	133.00	150	Vertical	Pass
2**	5357.590	44.49	4.20	54.0	9.51	AV	133.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_15.39.21

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax40 CH46 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.98	4.04	74.0	19.02	Peak	99.00	150	Horizontal	Pass
1**	5350.000	45.17	4.04	54.0	8.83	AV	99.00	150	Horizontal	Pass
2	5373.210	56.58	4.01	74.0	17.42	Peak	99.00	150	Horizontal	Pass
2**	5373.210	44.60	4.01	54.0	9.40	AV	99.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_15.44.31

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax80 CH42 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.58	3.82	74.0	9.42	Peak	64.02	150	Vertical	Pass
1**	5150.000	50.02	3.82	54.0	3.98	AV	64.02	150	Vertical	Pass
2	5134.400	67.06	3.96	74.0	6.94	Peak	7.00	150	Vertical	Pass
2**	5134.400	50.21	3.96	54.0	3.79	AV	7.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_15.45.51

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.2G WIFI 11ax80 CH42 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.86	3.82	74.0	9.14	Peak	335.00	150	Horizontal	Pass
1**	5150.000	52.00	3.82	54.0	2.00	AV	335.00	150	Horizontal	Pass
2	5148.050	69.94	3.87	74.0	4.06	Peak	0.00	150	Horizontal	Pass
2**	5148.050	52.46	3.87	54.0	1.54	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_16.42.33

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11a CH52 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.13	3.82	74.0	19.87	Peak	201.96	150	Vertical	Pass
1**	5150.000	44.14	3.82	54.0	9.86	AV	201.96	150	Vertical	Pass
2	5148.700	56.53	3.85	74.0	17.47	Peak	273.00	150	Vertical	Pass
2**	5148.700	44.40	3.85	54.0	9.60	AV	273.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_16.44.04

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11a CH52 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.21	3.82	74.0	18.79	Peak	181.02	150	Horizontal	Pass
1**	5150.000	44.56	3.82	54.0	9.44	AV	181.02	150	Horizontal	Pass
2	5141.550	57.69	4.06	74.0	16.31	Peak	186.00	150	Horizontal	Pass
2**	5141.550	44.26	4.06	54.0	9.74	AV	186.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_16.50.25

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11a CH64 P=15.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	69.15	4.04	74.0	4.85	Peak	34.00	150	Vertical	Pass
1**	5350.000	46.77	4.04	54.0	7.23	AV	34.00	150	Vertical	Pass
2	5353.190	68.58	4.10	74.0	5.42	Peak	8.00	150	Vertical	Pass
2**	5353.190	46.92	4.10	54.0	7.08	AV	8.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_16.48.51

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11a CH64 P=15.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	65.78	4.04	74.0	8.22	Peak	13.00	150	Horizontal	Pass
1**	5350.000	47.72	4.04	54.0	6.28	AV	13.00	150	Horizontal	Pass
2	5351.430	71.39	4.07	74.0	2.61	Peak	334.00	150	Horizontal	Pass
2**	5351.430	48.47	4.07	54.0	5.53	AV	334.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_16.52.27

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11n20 CH52 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.37	3.82	74.0	19.63	Peak	180.01	150	Vertical	Pass
1**	5150.000	44.26	3.82	54.0	9.74	AV	180.01	150	Vertical	Pass
2	4887.400	55.49	3.80	74.0	18.51	Peak	129.00	150	Vertical	Pass
2**	4887.400	43.74	3.80	54.0	10.26	AV	129.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_16.53.36

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11n20 CH52 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.81	3.82	74.0	19.19	Peak	4.00	150	Horizontal	Pass
1**	5150.000	44.32	3.82	54.0	9.68	AV	4.00	150	Horizontal	Pass
2	5090.850	56.14	3.51	74.0	17.86	Peak	95.00	150	Horizontal	Pass
2**	5090.850	44.08	3.51	54.0	9.92	AV	95.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_16.56.36

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11n20 CH64 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.55	4.04	74.0	17.45	Peak	38.00	150	Vertical	Pass
1**	5350.000	46.28	4.04	54.0	7.72	AV	38.00	150	Vertical	Pass
2	5351.760	59.10	4.08	74.0	14.90	Peak	353.00	150	Vertical	Pass
2**	5351.760	46.03	4.08	54.0	7.97	AV	353.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_16.55.03

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11n20 CH64 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.37	4.04	74.0	16.63	Peak	89.00	150	Horizontal	Pass
1**	5350.000	46.94	4.04	54.0	7.06	AV	89.00	150	Horizontal	Pass
2	5351.760	60.77	4.08	74.0	13.23	Peak	341.00	150	Horizontal	Pass
2**	5351.760	46.84	4.08	54.0	7.16	AV	341.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_16.58.52

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11n40 CH54 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.16	3.82	74.0	18.84	Peak	359.96	150	Vertical	Pass
1**	5150.000	44.55	3.82	54.0	9.45	AV	359.96	150	Vertical	Pass
2	5000.500	56.96	3.83	74.0	17.04	Peak	62.00	150	Vertical	Pass
2**	5000.500	43.97	3.83	54.0	10.03	AV	62.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_17.00.01

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11n40 CH54 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.23	3.82	74.0	19.77	Peak	0.02	150	Horizontal	Pass
1**	5150.000	44.95	3.82	54.0	9.05	AV	0.02	150	Horizontal	Pass
2	5144.150	55.89	3.99	74.0	18.11	Peak	52.00	150	Horizontal	Pass
2**	5144.150	44.84	3.99	54.0	9.16	AV	52.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_17.02.45

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11n40 CH62 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.74	4.04	74.0	13.26	Peak	205.00	150	Vertical	Pass
1**	5350.000	50.41	4.04	54.0	3.59	AV	205.00	150	Vertical	Pass
2	5352.200	64.08	4.08	74.0	9.92	Peak	9.00	150	Vertical	Pass
2**	5352.200	48.64	4.08	54.0	5.36	AV	9.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.01.29

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11n40 CH62 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1

Bandedge_FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.82	4.04	74.0	13.18	Peak	335.00	150	Horizontal	Pass
1**	5350.000	51.74	4.04	54.0	2.26	AV	335.00	150	Horizontal	Pass
2	5358.800	63.97	4.22	74.0	10.03	Peak	332.00	150	Horizontal	Pass
2**	5358.800	47.63	4.22	54.0	6.37	AV	332.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.15.14

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac80 CH58 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.36	4.04	74.0	14.64	Peak	40.00	150	Vertical	Pass
1**	5350.000	49.79	4.04	54.0	4.21	AV	40.00	150	Vertical	Pass
2	5363.970	61.93	4.11	74.0	12.07	Peak	151.00	150	Vertical	Pass
2**	5363.970	49.56	4.11	54.0	4.44	AV	151.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.16.26

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac80 CH58 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.50	4.04	74.0	12.50	Peak	186.00	150	Horizontal	Pass
1**	5350.000	53.75	4.04	54.0	0.25	AV	186.00	150	Horizontal	Pass
2	5361.440	64.91	4.20	74.0	9.09	Peak	199.00	150	Horizontal	Pass
2**	5361.440	53.40	4.20	54.0	0.60	AV	199.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.21.58

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac160 CH50
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.67	3.82	74.0	14.33	Peak	163.00	150	Vertical	Pass
1**	5150.000	50.02	3.82	54.0	3.98	AV	163.00	150	Vertical	Pass
2	5146.100	62.99	3.93	74.0	11.01	Peak	285.00	150	Vertical	Pass
2**	5146.100	51.62	3.93	54.0	2.38	AV	285.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.20.38

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ac160 CH50
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.62	3.82	74.0	13.38	Peak	147.04	150	Horizontal	Pass
1**	5150.000	51.76	3.82	54.0	2.24	AV	147.04	150	Horizontal	Pass
2	5116.200	63.84	3.67	74.0	10.16	Peak	360.00	150	Horizontal	Pass
2**	5116.200	51.54	3.67	54.0	2.46	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.23.40

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax20 CH52 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.22	3.82	74.0	19.78	Peak	124.05	150	Vertical	Pass
1**	5150.000	44.33	3.82	54.0	9.67	AV	124.05	150	Vertical	Pass
2	4875.050	55.71	4.03	74.0	18.29	Peak	6.00	150	Vertical	Pass
2**	4875.050	43.86	4.03	54.0	10.14	AV	6.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.24.49

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax20 CH52 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.06	3.82	74.0	18.94	Peak	149.04	150	Horizontal	Pass
1**	5150.000	44.53	3.82	54.0	9.47	AV	149.04	150	Horizontal	Pass
2	5092.800	56.38	3.61	74.0	17.62	Peak	190.00	150	Horizontal	Pass
2**	5092.800	44.02	3.61	54.0	9.98	AV	190.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_17.27.23

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax20 CH64 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	68.37	4.04	74.0	5.63	Peak	190.00	150	Vertical	Pass
1**	5350.000	50.70	4.04	54.0	3.30	AV	190.00	150	Vertical	Pass
2	5352.090	73.42	4.08	74.0	0.58	Peak	352.00	150	Vertical	Pass
2**	5352.090	49.00	4.08	54.0	5.00	AV	352.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_17.26.12

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax20 CH64 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	69.63	4.04	74.0	4.37	Peak	12.00	150	Horizontal	Pass
1**	5350.000	50.38	4.04	54.0	3.62	AV	12.00	150	Horizontal	Pass
2	5351.430	73.53	4.07	74.0	0.47	Peak	186.00	150	Horizontal	Pass
2**	5351.430	51.59	4.07	54.0	2.41	AV	186.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.28.54

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax40 CH54 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.44	3.82	74.0	19.56	Peak	49.00	150	Vertical	Pass
1**	5150.000	44.55	3.82	54.0	9.45	AV	49.00	150	Vertical	Pass
2	5092.150	56.26	3.58	74.0	17.74	Peak	145.00	150	Vertical	Pass
2**	5092.150	44.24	3.58	54.0	9.76	AV	145.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_17.30.05

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax40 CH54 P=17.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.70	3.82	74.0	19.30	Peak	357.00	150	Horizontal	Pass
1**	5150.000	45.05	3.82	54.0	8.95	AV	357.00	150	Horizontal	Pass
2	5143.500	56.01	4.01	74.0	17.99	Peak	355.00	150	Horizontal	Pass
2**	5143.500	44.51	4.01	54.0	9.49	AV	355.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.35.25

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax40 CH62 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.27	4.04	74.0	10.73	Peak	0.00	150	Vertical	Pass
1**	5350.000	49.88	4.04	54.0	4.12	AV	0.00	150	Vertical	Pass
2	5355.280	66.08	4.15	74.0	7.92	Peak	12.00	150	Vertical	Pass
2**	5355.280	47.31	4.15	54.0	6.69	AV	12.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.34.10

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax40 CH62 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.32	4.04	74.0	11.68	Peak	4.00	150	Horizontal	Pass
1**	5350.000	51.04	4.04	54.0	2.96	AV	4.00	150	Horizontal	Pass
2	5350.550	67.75	4.05	74.0	6.25	Peak	157.00	150	Horizontal	Pass
2**	5350.550	51.68	4.05	54.0	2.32	AV	157.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_17.41.55

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax80 CH58 P=15.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.47	4.04	74.0	13.53	Peak	271.00	150	Vertical	Pass
1**	5350.000	49.42	4.04	54.0	4.58	AV	271.00	150	Vertical	Pass
2	5354.730	63.41	4.13	74.0	10.59	Peak	10.00	150	Vertical	Pass
2**	5354.730	50.14	4.13	54.0	3.86	AV	10.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.40.30

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax80 CH58 P=15.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.50	4.04	74.0	10.50	Peak	185.00	150	Horizontal	Pass
1**	5350.000	53.14	4.04	54.0	0.86	AV	185.00	150	Horizontal	Pass
2	5352.090	67.23	4.08	74.0	6.77	Peak	194.00	150	Horizontal	Pass
2**	5352.090	53.49	4.08	54.0	0.51	AV	194.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.43.25

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax160 CH50
		P=15.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.07	3.82	74.0	15.93	Peak	191.99	150	Vertical	Pass
1**	5150.000	48.43	3.82	54.0	5.57	AV	191.99	150	Vertical	Pass
2	5118.150	61.57	3.70	74.0	12.43	Peak	7.00	150	Vertical	Pass
2**	5118.150	49.54	3.70	54.0	4.46	AV	7.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_17.44.35

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.3G WIFI 11ax160 CH50
		P=15.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.65	3.82	74.0	12.35	Peak	2.07	150	Horizontal	Pass
1**	5150.000	51.79	3.82	54.0	2.21	AV	2.07	150	Horizontal	Pass
2	5123.350	65.08	3.77	74.0	8.92	Peak	360.00	150	Horizontal	Pass
2**	5123.350	52.86	3.77	54.0	1.14	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_10.30.52

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11a CH100 P=15.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.66	3.78	68.2	11.54	Peak	153.53	150	Vertical	Pass
1**	5460.000	44.77	3.78	54.0	9.23	AV	153.53	150	Vertical	Pass
2	5468.440	66.67	4.05	68.2	1.53	Peak	145.00	150	Vertical	Pass
2**	5468.440	45.58	4.05	--	-45.58	AV	145.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_10.33.01

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11a CH100 P=15.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.88	3.78	68.2	7.32	Peak	170.01	150	Horizontal	Pass
1**	5460.000	45.29	3.78	54.0	8.71	AV	170.01	150	Horizontal	Pass
2	5469.160	66.61	4.07	68.2	1.59	Peak	0.00	150	Horizontal	Pass
2**	5469.160	45.95	4.07	--	-45.95	AV	0.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_10.56.53

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11a CH140 P=15
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.44	4.31	68.2	8.76	Peak	74.00	150	Vertical	Pass
2	5727.000	64.93	4.25	68.2	3.27	Peak	210.00	150	Vertical	Pass


Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_10.58.47

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11a CH140 P=15
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1

Bandedge_FCC-WIFI_5G_Band3_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.90	4.31	68.2	5.30	Peak	0.00	150	Horizontal	Pass
2	5726.625	66.99	4.26	68.2	1.21	Peak	342.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.02.10

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11n20 CH100 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.43	3.78	68.2	13.77	Peak	253.13	150	Vertical	Pass
1**	5460.000	44.91	3.78	54.0	9.09	AV	253.13	150	Vertical	Pass
2	5469.400	56.68	4.08	68.2	11.52	Peak	211.00	150	Vertical	Pass
2**	5469.400	45.49	4.08	--	-45.49	AV	211.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.00.48

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11n20 CH100 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.21	3.78	68.2	12.99	Peak	134.07	150	Horizontal	Pass
1**	5460.000	45.05	3.78	54.0	8.95	AV	134.07	150	Horizontal	Pass
2	5464.600	57.22	3.92	68.2	10.98	Peak	113.00	150	Horizontal	Pass
2**	5464.600	45.76	3.92	--	-45.76	AV	113.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.03.48

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11n20 CH140 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.89	4.31	68.2	11.31	Peak	360.00	150	Vertical	Pass
2	5838.500	57.88	5.38	68.2	10.32	Peak	100.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.05.02

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11n20 CH140 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.58	4.31	68.2	10.62	Peak	111.00	150	Horizontal	Pass
2	5802.875	58.32	4.77	68.2	9.88	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.07.41

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11n40 CH102 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.36	3.78	68.2	12.84	Peak	190.51	150	Vertical	Pass
1**	5460.000	44.84	3.78	54.0	9.16	AV	190.51	150	Vertical	Pass
2	5469.880	57.77	4.09	68.2	10.43	Peak	211.00	150	Vertical	Pass
2**	5469.880	46.87	4.09	--	-46.87	AV	211.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.06.30

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11n40 CH102 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.72	3.78	68.2	12.48	Peak	148.37	150	Horizontal	Pass
1**	5460.000	45.86	3.78	54.0	8.14	AV	148.37	150	Horizontal	Pass
2	5469.520	58.73	4.08	68.2	9.47	Peak	1.00	150	Horizontal	Pass
2**	5469.520	47.74	4.08	--	-47.74	AV	1.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.09.04

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11n40 CH134 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.09	4.31	68.2	10.11	Peak	274.00	150	Vertical	Pass
2	5833.625	58.21	5.32	68.2	9.99	Peak	138.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.10.17

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11n40 CH134 P=16.5
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.43	4.31	68.2	9.77	Peak	0.00	150	Horizontal	Pass
2	5747.500	58.72	4.18	68.2	9.48	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.23.48

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac80 CH106
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.38	3.78	68.2	13.82	Peak	141.23	150	Vertical	Pass
1**	5460.000	44.54	3.78	54.0	9.46	AV	141.23	150	Vertical	Pass
2	5464.960	56.16	3.94	68.2	12.04	Peak	0.00	150	Vertical	Pass
2**	5464.960	44.72	3.94	--	-44.72	AV	0.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.22.32

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac80 CH106
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.29	3.78	68.2	12.91	Peak	100.66	150	Horizontal	Pass
1**	5460.000	44.94	3.78	54.0	9.06	AV	100.66	150	Horizontal	Pass
2	5464.960	56.16	3.94	68.2	12.04	Peak	86.00	150	Horizontal	Pass
2**	5464.960	45.42	3.94	--	-45.42	AV	86.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.25.23

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac80 CH122
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.85	4.31	68.2	12.35	Peak	23.00	150	Vertical	Pass
2	5735.375	57.98	4.22	68.2	10.22	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.26.45

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac80 CH122
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.32	4.31	68.2	11.88	Peak	2.00	150	Horizontal	Pass
2	5849.375	58.50	5.22	68.2	9.70	Peak	20.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.30.05

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac160 CH114
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.83	3.78	68.2	6.37	Peak	93.13	150	Vertical	Pass
1**	5460.000	51.94	3.78	54.0	2.06	AV	93.13	150	Vertical	Pass
2	5461.600	63.73	3.83	68.2	4.47	Peak	211.00	150	Vertical	Pass
2**	5461.600	52.50	3.83	--	-52.50	AV	211.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.28.53

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ac160 CH114
		P=16.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	62.53	3.78	68.2	5.67	Peak	269.49	150	Horizontal	Pass
1**	5460.000	52.38	3.78	54.0	1.62	AV	269.49	150	Horizontal	Pass
2	5464.480	66.70	3.92	68.2	1.50	Peak	188.00	150	Horizontal	Pass
2**	5464.480	54.83	3.92	--	-54.83	AV	188.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.31.55

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax20 CH100
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.38	3.78	68.2	12.82	Peak	88.11	150	Vertical	Pass
1**	5460.000	44.89	3.78	54.0	9.11	AV	88.11	150	Vertical	Pass
2	5469.880	59.43	4.09	68.2	8.77	Peak	215.00	150	Vertical	Pass
2**	5469.880	46.07	4.09	--	-46.07	AV	215.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.33.11

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax20 CH100
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.29	3.78	68.2	12.91	Peak	188.34	150	Horizontal	Pass
1**	5460.000	45.57	3.78	54.0	8.43	AV	188.34	150	Horizontal	Pass
2	5461.480	60.04	3.83	68.2	8.16	Peak	184.00	150	Horizontal	Pass
2**	5461.480	46.03	3.83	--	-46.03	AV	184.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.35.55

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax20 CH140
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.51	4.31	68.2	9.69	Peak	274.00	150	Vertical	Pass
2	5726.875	59.76	4.25	68.2	8.44	Peak	352.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.34.37

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax20 CH140
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.45	4.31	68.2	8.75	Peak	144.00	150	Horizontal	Pass
2	5726.500	59.69	4.26	68.2	8.51	Peak	194.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.37.30

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax40 CH102
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.06	3.78	68.2	12.14	Peak	26.68	150	Vertical	Pass
1**	5460.000	45.69	3.78	54.0	8.31	AV	26.68	150	Vertical	Pass
2	5469.760	59.90	4.09	68.2	8.30	Peak	31.00	150	Vertical	Pass
2**	5469.760	48.79	4.09	--	-48.79	AV	31.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.38.41

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax40 CH102
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.68	3.78	68.2	11.52	Peak	178.02	150	Horizontal	Pass
1**	5460.000	46.24	3.78	54.0	7.76	AV	178.02	150	Horizontal	Pass
2	5469.160	60.98	4.07	68.2	7.22	Peak	355.00	150	Horizontal	Pass
2**	5469.160	48.98	4.07	--	-48.98	AV	355.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.41.21

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax40 CH134
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.87	4.31	68.2	11.33	Peak	0.00	150	Vertical	Pass
2	5816.375	58.20	5.20	68.2	10.00	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.40.07

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax40 CH134
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.73	4.31	68.2	10.47	Peak	360.00	150	Horizontal	Pass
2	5731.750	59.57	4.18	68.2	8.63	Peak	4.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.42.53

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax80 CH106
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.43	3.78	68.2	8.77	Peak	19.68	150	Vertical	Pass
1**	5460.000	49.59	3.78	54.0	4.41	AV	19.68	150	Vertical	Pass
2	5468.320	61.66	4.05	68.2	6.54	Peak	190.00	150	Vertical	Pass
2**	5468.320	51.06	4.05	--	-51.06	AV	190.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.44.01

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax80 CH106
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.66	3.78	68.2	8.54	Peak	62.47	150	Horizontal	Pass
1**	5460.000	50.07	3.78	54.0	3.93	AV	62.47	150	Horizontal	Pass
2	5460.760	64.22	3.80	68.2	3.98	Peak	199.00	150	Horizontal	Pass
2**	5460.760	50.80	3.80	--	-50.80	AV	199.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.47.08

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax80 CH122
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.13	4.31	68.2	12.07	Peak	358.00	150	Vertical	Pass
2	5730.875	59.66	4.17	68.2	8.54	Peak	277.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.45.54

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax80 CH122
		P=17.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.09	4.31	68.2	11.11	Peak	197.00	150	Horizontal	Pass
2	5813.500	58.32	5.07	68.2	9.88	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-18_11.48.44

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax160 CH114
		P=15.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.85	3.78	68.2	8.35	Peak	92.79	150	Vertical	Pass
1**	5460.000	49.76	3.78	54.0	4.24	AV	92.79	150	Vertical	Pass
2	5462.440	61.81	3.86	68.2	6.39	Peak	210.00	150	Vertical	Pass
2**	5462.440	49.50	3.86	--	-49.50	AV	210.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-18_11.50.34

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	22.8
Model Number:	SD7 Ultra E	Humidity (%RH):	51
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.6G WIFI 11ax160 CH114
		P=15.5	
Test Engineer:	Zhang Mingyue	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.51	3.78	68.2	9.69	Peak	354.67	150	Horizontal	Pass
1**	5460.000	49.60	3.78	54.0	4.40	AV	354.67	150	Horizontal	Pass
2	5464.360	62.81	3.92	68.2	5.39	Peak	197.00	150	Horizontal	Pass
2**	5464.360	51.80	3.92	--	-51.80	AV	197.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_13.53.16

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11a CH149 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.61	3.81	68.2	12.59	Peak	359.98	150	Vertical	Pass
2	5646.250	57.06	3.78	68.2	11.14	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_13.54.48

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11a CH149 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.67	3.81	68.2	12.53	Peak	115.24	150	Horizontal	Pass
2	5614.500	57.48	3.59	68.2	10.72	Peak	358.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_15.13.20

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11a CH165 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.80	6.44	68.2	11.40	Peak	3.22	150	Vertical	Pass
2	5930.550	58.72	6.30	68.2	9.48	Peak	354.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_15.15.01

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11a CH165 P=17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.90	6.44	68.2	11.30	Peak	11.00	150	Horizontal	Pass
2	5967.900	59.23	6.30	68.2	8.97	Peak	84.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_14.06.26

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac20 CH149
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.62	3.81	68.2	12.58	Peak	173.12	150	Vertical	Pass
2	5635.625	57.14	3.71	68.2	11.06	Peak	32.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.04.43

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac20 CH149
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.97	3.81	68.2	11.23	Peak	25.13	150	Horizontal	Pass
2	5635.875	57.16	3.71	68.2	11.04	Peak	118.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_15.02.53

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac20 CH165
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.34	6.44	68.2	10.86	Peak	311.77	150	Vertical	Pass
2	5987.850	59.45	6.32	68.2	8.75	Peak	160.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_15.04.47

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac20 CH165
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.39	6.44	68.2	10.81	Peak	230.09	150	Horizontal	Pass
2	5970.150	58.41	6.32	68.2	9.79	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_10.27.08

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac40 CH151
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.84	3.81	68.2	12.36	Peak	49.24	150	Vertical	Pass
2	5632.000	56.94	3.69	68.2	11.26	Peak	202.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_10.25.42

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac40 CH151
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.21	3.81	68.2	12.99	Peak	190.98	150	Horizontal	Pass
2	5630.625	57.14	3.68	68.2	11.06	Peak	248.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_14.27.10

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac40 CH159
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.86	6.44	68.2	11.34	Peak	191.98	150	Vertical	Pass
2	5965.650	58.68	6.22	68.2	9.52	Peak	315.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_14.28.31

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac40 CH159
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.36	6.44	68.2	10.84	Peak	360.00	150	Horizontal	Pass
2	5992.650	58.74	6.42	68.2	9.46	Peak	354.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_10.31.20

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac80 CH155
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.68	3.81	68.2	12.52	Peak	324.87	150	Vertical	Pass
2	5648.875	58.31	3.80	68.2	9.89	Peak	256.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_10.32.40

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ac80 CH155
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.68	3.81	68.2	12.52	Peak	204.91	150	Horizontal	Pass
2	5643.875	57.74	3.76	68.2	10.46	Peak	173.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_14.08.14

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax20 CH149
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.72	3.81	68.2	12.48	Peak	294.70	150	Vertical	Pass
2	5628.500	56.56	3.67	68.2	11.64	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.09.56

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax20 CH149
		P=16.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.13	3.81	68.2	13.07	Peak	353.69	150	Horizontal	Pass
2	5642.500	58.02	3.74	68.2	10.18	Peak	32.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_15.01.07

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax20 CH165
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.78	6.44	68.2	11.42	Peak	311.71	150	Vertical	Pass
2	5987.100	58.25	6.28	68.2	9.95	Peak	354.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.59.47

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax20 CH165
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.87	6.44	68.2	11.33	Peak	90.16	150	Horizontal	Pass
2	5944.800	58.63	6.15	68.2	9.57	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_13.07.38

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax40 CH151
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.13	3.81	68.2	12.07	Peak	359.99	150	Vertical	Pass
2	5648.250	59.03	3.80	68.2	9.17	Peak	284.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005
Test Time: 2026-07-19_13.10.13

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax40 CH151
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.88	3.81	68.2	11.32	Peak	192.80	150	Horizontal	Pass
2	5616.625	58.34	3.58	68.2	9.86	Peak	196.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.25.13

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax40 CH159
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.90	6.44	68.2	10.30	Peak	71.98	150	Vertical	Pass
2	5966.700	58.49	6.25	68.2	9.71	Peak	176.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_14.23.57

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax40 CH159
		P=	17.5
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.43	6.44	68.2	10.77	Peak	349.74	150	Horizontal	Pass
2	5982.000	58.89	6.11	68.2	9.31	Peak	47.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_11.23.35

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax80 CH155
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	63.04	3.81	68.2	5.16	Peak	276.00	150	Vertical	Pass
2	5648.625	64.53	3.80	68.2	3.67	Peak	211.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060005

Test Time: 2026-07-19_11.25.19

EUT Name:	Siyata SD7 Ultra E	Temp.(°C):	23.2
Model Number:	SD7 Ultra E	Humidity (%RH):	46
Sample Number:	CC26050143-001-S08	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	DC 5V From PC
Test Site:	966#2	Test Voltage:	5.8G WIFI 11ax80 CH155
		P=17.5	
Test Engineer:	Liu Yabo	Remark:	数据线: A13 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	63.92	3.81	68.2	4.28	Peak	198.00	150	Horizontal	Pass
2	5649.625	65.34	3.81	68.2	2.86	Peak	198.00	150	Horizontal	Pass