



11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.700	45.10	-18.62	74.0	28.90	Peak	92.00	300	Vertical	Pass
1**	1497.700	31.75	-18.62	54.0	22.25	AV	92.00	300	Vertical	Pass
2	2767.900	42.98	-12.05	74.0	31.02	Peak	352.00	400	Vertical	Pass
2**	2767.900	33.37	-12.05	54.0	20.63	AV	352.00	400	Vertical	Pass
3	4245.800	44.52	-8.29	74.0	29.48	Peak	140.00	100	Vertical	Pass
3**	4245.800	34.98	-8.29	54.0	19.02	AV	140.00	100	Vertical	Pass
4	5792.000	94.07	-6.17	--	--	Peak	78.00	200	Vertical	N/A
4**	5792.000	85.62	-6.17	--	--	AV	78.00	200	Vertical	N/A
5	7726.800	47.13	-3.41	74.0	26.87	Peak	165.00	200	Vertical	Pass
5**	7726.800	44.88	-3.41	54.0	9.12	AV	165.00	200	Vertical	Pass
6	11039.375	49.92	2.95	74.0	24.08	Peak	138.00	400	Vertical	Pass
6**	11039.375	41.27	2.95	54.0	12.73	AV	138.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.600	39.66	-17.69	74.0	34.34	Peak	294.00	300	Horizontal	Pass
1**	1332.600	28.73	-17.69	54.0	25.27	AV	294.00	300	Horizontal	Pass
2	2837.900	42.87	-11.64	74.0	31.13	Peak	360.00	200	Horizontal	Pass
2**	2837.900	32.55	-11.64	54.0	21.45	AV	360.00	200	Horizontal	Pass
3	3717.000	44.65	-8.91	74.0	29.35	Peak	219.00	100	Horizontal	Pass
3**	3717.000	34.85	-8.91	54.0	19.15	AV	219.00	100	Horizontal	Pass
4	5749.600	109.03	-5.70	--	--	Peak	38.00	100	Horizontal	N/A
4**	5749.600	100.23	-5.70	--	--	AV	38.00	100	Horizontal	N/A
5	7660.100	43.82	-3.24	74.0	30.18	Peak	37.00	100	Horizontal	Pass
5**	7660.100	40.58	-3.24	54.0	13.42	AV	37.00	100	Horizontal	Pass
6	11041.675	51.66	3.06	74.0	22.34	Peak	135.00	400	Horizontal	Pass
6**	11041.675	41.37	3.06	54.0	12.63	AV	135.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.300	43.37	-17.56	74.0	30.63	Peak	126.00	100	Vertical	Pass
1**	1329.300	36.96	-17.56	54.0	17.04	AV	126.00	100	Vertical	Pass
2	2752.200	43.18	-11.79	74.0	30.82	Peak	0.00	400	Vertical	Pass
2**	2752.200	33.41	-11.79	54.0	20.59	AV	0.00	400	Vertical	Pass
3	3728.800	44.52	-8.86	74.0	29.48	Peak	136.00	100	Vertical	Pass
3**	3728.800	35.20	-8.86	54.0	18.80	AV	136.00	100	Vertical	Pass
4	5746.200	95.17	-5.86	--	--	Peak	117.00	300	Vertical	N/A
4**	5746.200	87.74	-5.86	--	--	AV	117.00	300	Vertical	N/A
5	7660.388	45.71	-3.24	74.0	28.29	Peak	200.00	300	Vertical	Pass
5**	7660.388	43.23	-3.24	54.0	10.77	AV	200.00	300	Vertical	Pass
6	11049.725	50.47	3.53	74.0	23.53	Peak	289.00	400	Vertical	Pass
6**	11049.725	41.24	3.53	54.0	12.76	AV	289.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.500	41.32	-18.42	74.0	32.68	Peak	116.00	100	Horizontal	Pass
1**	1496.500	29.71	-18.42	54.0	24.29	AV	116.00	100	Horizontal	Pass
2	2807.400	42.73	-11.86	74.0	31.27	Peak	282.00	200	Horizontal	Pass
2**	2807.400	33.32	-11.86	54.0	20.68	AV	282.00	200	Horizontal	Pass
3	3765.600	44.63	-8.75	74.0	29.37	Peak	264.00	200	Horizontal	Pass
3**	3765.600	35.27	-8.75	54.0	18.73	AV	264.00	200	Horizontal	Pass
4	5783.600	109.62	-5.36	--	--	Peak	39.00	100	Horizontal	N/A
4**	5783.600	103.35	-5.36	--	--	AV	39.00	100	Horizontal	N/A
5	7713.288	44.44	-3.55	74.0	29.56	Peak	34.00	200	Horizontal	Pass
5**	7713.288	41.45	-3.55	54.0	12.55	AV	34.00	200	Horizontal	Pass
6	11048.863	50.80	3.48	74.0	23.20	Peak	52.00	100	Horizontal	Pass
6**	11048.863	42.12	3.48	54.0	11.88	AV	52.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	47.18	-17.78	74.0	26.82	Peak	122.00	300	Vertical	Pass
1**	1331.200	35.04	-17.78	54.0	18.96	AV	122.00	300	Vertical	Pass
2	2790.600	42.68	-11.87	74.0	31.32	Peak	280.00	300	Vertical	Pass
2**	2790.600	33.44	-11.87	54.0	20.56	AV	280.00	300	Vertical	Pass
3	4353.400	44.34	-8.62	74.0	29.66	Peak	119.00	200	Vertical	Pass
3**	4353.400	35.06	-8.62	54.0	18.94	AV	119.00	200	Vertical	Pass
4	5783.400	96.64	-5.37	--	--	Peak	78.00	300	Vertical	N/A
4**	5783.400	89.34	-5.37	--	--	AV	78.00	300	Vertical	N/A
5	7713.575	47.40	-3.54	74.0	26.60	Peak	197.00	200	Vertical	Pass
5**	7713.575	44.55	-3.54	54.0	9.45	AV	197.00	200	Vertical	Pass
6	11598.562	50.28	3.81	74.0	23.72	Peak	16.00	300	Vertical	Pass
6**	11598.562	40.61	3.81	54.0	13.39	AV	16.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.100	39.31	-17.77	74.0	34.69	Peak	0.00	300	Horizontal	Pass
1**	1332.100	28.68	-17.77	54.0	25.32	AV	0.00	300	Horizontal	Pass
2	2764.400	42.34	-11.89	74.0	31.66	Peak	110.00	200	Horizontal	Pass
2**	2764.400	33.51	-11.89	54.0	20.49	AV	110.00	200	Horizontal	Pass
3	3757.400	44.74	-8.33	74.0	29.26	Peak	0.00	200	Horizontal	Pass
3**	3757.400	35.25	-8.33	54.0	18.75	AV	0.00	200	Horizontal	Pass
4	5823.800	108.68	-5.34	--	--	Peak	31.00	200	Horizontal	N/A
4**	5823.800	101.51	-5.34	--	--	AV	31.00	200	Horizontal	N/A
5	7767.050	46.17	-2.71	68.2	22.03	Peak	47.00	400	Horizontal	Pass
5**	7767.050	42.64	-2.71	--	--	AV	47.00	400	Horizontal	N/A
6	11025.575	50.30	2.97	74.0	23.70	Peak	78.00	400	Horizontal	Pass
6**	11025.575	41.04	2.97	54.0	12.96	AV	78.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.300	44.07	-17.82	74.0	29.93	Peak	101.00	200	Vertical	Pass
1**	1333.300	29.05	-17.82	54.0	24.95	AV	101.00	200	Vertical	Pass
2	2751.000	42.72	-11.85	74.0	31.28	Peak	296.00	100	Vertical	Pass
2**	2751.000	33.62	-11.85	54.0	20.38	AV	296.00	100	Vertical	Pass
3	4128.400	44.68	-9.19	74.0	29.32	Peak	96.00	100	Vertical	Pass
3**	4128.400	34.34	-9.19	54.0	19.66	AV	96.00	100	Vertical	Pass
4	5826.400	96.08	-5.34	--	--	Peak	36.00	200	Vertical	N/A
4**	5826.400	87.41	-5.34	--	--	AV	36.00	200	Vertical	N/A
5	7766.475	48.72	-2.73	68.2	19.48	Peak	203.00	200	Vertical	Pass
5**	7766.475	44.64	-2.73	--	--	AV	203.00	200	Vertical	N/A
6	11029.313	50.14	2.77	74.0	23.86	Peak	340.00	300	Vertical	Pass
6**	11029.313	40.80	2.77	54.0	13.20	AV	340.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.800	39.71	-18.26	74.0	34.29	Peak	49.00	400	Horizontal	Pass
1**	1162.800	29.64	-18.26	54.0	24.36	AV	49.00	400	Horizontal	Pass
2	2849.000	42.84	-11.93	74.0	31.16	Peak	163.00	400	Horizontal	Pass
2**	2849.000	32.98	-11.93	54.0	21.02	AV	163.00	400	Horizontal	Pass
3	4326.600	44.56	-7.56	74.0	29.44	Peak	280.00	200	Horizontal	Pass
3**	4326.600	35.41	-7.56	54.0	18.59	AV	280.00	200	Horizontal	Pass
4	5759.800	105.93	-5.50	--	--	Peak	14.00	100	Horizontal	N/A
4**	5759.800	96.63	-5.50	--	--	AV	14.00	100	Horizontal	N/A
5	7673.325	43.74	-3.23	74.0	30.26	Peak	60.00	200	Horizontal	Pass
5**	7673.325	40.94	-3.23	54.0	13.06	AV	60.00	200	Horizontal	Pass
6	11042.825	49.90	3.13	74.0	24.10	Peak	247.00	200	Horizontal	Pass
6**	11042.825	41.87	3.13	54.0	12.13	AV	247.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	45.66	-17.58	74.0	28.34	Peak	122.00	400	Vertical	Pass
1**	1329.400	35.35	-17.58	54.0	18.65	AV	122.00	400	Vertical	Pass
2	2818.400	42.88	-11.88	74.0	31.12	Peak	0.00	200	Vertical	Pass
2**	2818.400	33.93	-11.88	54.0	20.07	AV	0.00	200	Vertical	Pass
3	4373.800	44.65	-7.97	74.0	29.35	Peak	37.00	200	Vertical	Pass
3**	4373.800	35.03	-7.97	54.0	18.97	AV	37.00	200	Vertical	Pass
4	5756.200	92.97	-5.40	--	--	Peak	59.00	400	Vertical	N/A
4**	5756.200	85.51	-5.40	--	--	AV	59.00	400	Vertical	N/A
5	7673.612	46.62	-3.23	74.0	27.38	Peak	142.00	100	Vertical	Pass
5**	7673.612	44.20	-3.23	54.0	9.80	AV	142.00	100	Vertical	Pass
6	11047.425	49.98	3.40	74.0	24.02	Peak	74.00	300	Vertical	Pass
6**	11047.425	41.55	3.40	54.0	12.45	AV	74.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.000	40.18	-18.46	74.0	33.82	Peak	19.00	200	Horizontal	Pass
1**	1502.000	32.91	-18.46	54.0	21.09	AV	19.00	200	Horizontal	Pass
2	2807.600	43.19	-11.77	74.0	30.81	Peak	347.00	100	Horizontal	Pass
2**	2807.600	32.91	-11.77	54.0	21.09	AV	347.00	100	Horizontal	Pass
3	3684.000	45.05	-7.43	74.0	28.95	Peak	282.00	100	Horizontal	Pass
3**	3684.000	35.71	-7.43	54.0	18.29	AV	282.00	100	Horizontal	Pass
4	5797.200	106.35	-6.26	--	--	Peak	6.00	300	Horizontal	N/A
4**	5797.200	98.08	-6.26	--	--	AV	6.00	300	Horizontal	N/A
5	7726.800	44.69	-3.41	74.0	29.31	Peak	38.00	300	Horizontal	Pass
5**	7726.800	41.57	-3.41	54.0	12.43	AV	38.00	300	Horizontal	Pass
6	11035.062	51.20	2.85	74.0	22.80	Peak	87.00	400	Horizontal	Pass
6**	11035.062	41.44	2.85	54.0	12.56	AV	87.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.700	43.85	-18.62	74.0	30.15	Peak	101.00	100	Vertical	Pass
1**	1497.700	33.58	-18.62	54.0	20.42	AV	101.00	100	Vertical	Pass
2	2791.600	45.05	-12.27	74.0	28.95	Peak	90.00	300	Vertical	Pass
2**	2791.600	33.57	-12.27	54.0	20.43	AV	90.00	300	Vertical	Pass
3	4344.800	44.67	-7.87	74.0	29.33	Peak	297.00	200	Vertical	Pass
3**	4344.800	35.29	-7.87	54.0	18.71	AV	297.00	200	Vertical	Pass
4	5791.200	95.29	-5.76	--	--	Peak	58.00	400	Vertical	N/A
4**	5791.200	85.78	-5.76	--	--	AV	58.00	400	Vertical	N/A
5	7726.800	47.32	-3.41	74.0	26.68	Peak	144.00	200	Vertical	Pass
5**	7726.800	44.33	-3.41	54.0	9.67	AV	144.00	200	Vertical	Pass
6	11056.625	50.20	2.83	74.0	23.80	Peak	21.00	400	Vertical	Pass
6**	11056.625	41.74	2.83	54.0	12.26	AV	21.00	400	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.600	41.12	-18.58	74.0	32.88	Peak	122.00	300	Horizontal	Pass
1**	1501.600	27.65	-18.58	54.0	26.35	AV	122.00	300	Horizontal	Pass
2	2857.500	42.63	-11.66	74.0	31.37	Peak	122.00	300	Horizontal	Pass
2**	2857.500	33.02	-11.66	54.0	20.98	AV	122.00	300	Horizontal	Pass
3	4342.000	44.71	-8.22	74.0	29.29	Peak	201.00	200	Horizontal	Pass
3**	4342.000	35.11	-8.22	54.0	18.89	AV	201.00	200	Horizontal	Pass
4	5782.600	103.18	-5.21	--	--	Peak	19.00	200	Horizontal	N/A
4**	5782.600	94.73	-5.21	--	--	AV	19.00	200	Horizontal	N/A
5	7700.350	43.99	-3.51	74.0	30.01	Peak	39.00	200	Horizontal	Pass
5**	7700.350	41.55	-3.51	54.0	12.45	AV	39.00	200	Horizontal	Pass
6	11048.863	50.27	3.48	74.0	23.73	Peak	237.00	100	Horizontal	Pass
6**	11048.863	41.24	3.48	54.0	12.76	AV	237.00	100	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.000	45.90	-18.04	74.0	28.10	Peak	90.00	400	Vertical	Pass
1**	1497.000	32.82	-18.04	54.0	21.18	AV	90.00	400	Vertical	Pass
2	2873.600	42.56	-11.58	74.0	31.44	Peak	70.00	300	Vertical	Pass
2**	2873.600	33.39	-11.58	54.0	20.61	AV	70.00	300	Vertical	Pass
3	4341.800	44.53	-8.32	74.0	29.47	Peak	149.00	100	Vertical	Pass
3**	4341.800	35.10	-8.32	54.0	18.90	AV	149.00	100	Vertical	Pass
4	5772.600	90.43	-4.78	--	--	Peak	39.00	400	Vertical	N/A
4**	5772.600	83.61	-4.78	--	--	AV	39.00	400	Vertical	N/A
5	7700.350	45.67	-3.51	74.0	28.33	Peak	167.00	300	Vertical	Pass
5**	7700.350	44.12	-3.51	54.0	9.88	AV	167.00	300	Vertical	Pass
6	11027.588	50.54	2.86	74.0	23.46	Peak	74.00	200	Vertical	Pass
6**	11027.588	41.09	2.86	54.0	12.91	AV	74.00	200	Vertical	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.600	38.02	-18.44	74.0	35.98	Peak	213.00	100	Horizontal	Pass
1**	1163.600	28.67	-18.44	54.0	25.33	AV	213.00	100	Horizontal	Pass
2	3756.200	44.56	-8.31	74.0	29.44	Peak	360.00	300	Horizontal	Pass
2**	3756.200	35.44	-8.31	54.0	18.56	AV	360.00	300	Horizontal	Pass
3	5717.600	108.25	-5.62	--	--	Peak	162.00	100	Horizontal	N/A
3**	5717.600	100.65	-5.62	--	--	AV	162.00	100	Horizontal	N/A
4	7627.038	43.18	-3.18	74.0	30.82	Peak	146.00	400	Horizontal	Pass
4**	7627.038	41.20	-3.18	54.0	12.80	AV	146.00	400	Horizontal	Pass
5	11047.999	49.97	3.43	74.0	24.03	Peak	0.00	100	Horizontal	Pass
5**	11047.999	41.07	3.43	54.0	12.93	AV	0.00	100	Horizontal	Pass
6	15998.437	50.81	7.06	74.0	23.19	Peak	142.00	100	Horizontal	Pass
6**	15998.437	42.24	7.06	54.0	11.76	AV	142.00	100	Horizontal	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.700	38.95	-17.58	74.0	35.05	Peak	124.00	100	Vertical	Pass
1**	1190.700	29.64	-17.58	54.0	24.36	AV	124.00	100	Vertical	Pass
2	3725.200	44.62	-9.11	74.0	29.38	Peak	63.00	100	Vertical	Pass
2**	3725.200	34.61	-9.11	54.0	19.39	AV	63.00	100	Vertical	Pass
3	5719.400	101.22	-6.11	--	--	Peak	171.00	400	Vertical	N/A
3**	5719.400	93.97	-6.11	--	--	AV	171.00	400	Vertical	N/A
4	7627.038	48.44	-3.18	74.0	25.56	Peak	92.00	100	Vertical	Pass
4**	7627.038	47.44	-3.18	54.0	6.56	AV	92.00	100	Vertical	Pass
5	11115.850	50.37	1.14	74.0	23.63	Peak	232.00	400	Vertical	Pass
5**	11115.850	40.19	1.14	54.0	13.81	AV	232.00	400	Vertical	Pass
6	15998.437	50.97	7.06	74.0	23.03	Peak	302.00	100	Vertical	Pass
6**	15998.437	43.12	7.06	54.0	10.88	AV	302.00	100	Vertical	Pass

11n20, U-NII-2C&U-NII-3,1 GHz to 18 GHz, 144 Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.100	39.48	-18.37	74.0	34.52	Peak	360.00	300	Horizontal	Pass
1**	1499.100	27.85	-18.37	54.0	26.15	AV	360.00	300	Horizontal	Pass
2	3690.200	44.43	-7.86	74.0	29.57	Peak	290.00	400	Horizontal	Pass
2**	3690.200	35.37	-7.86	54.0	18.63	AV	290.00	400	Horizontal	Pass
3	5719.000	108.63	-6.05	--	--	Peak	38.00	300	Horizontal	N/A
3**	5719.000	100.48	-6.05	--	--	AV	38.00	300	Horizontal	N/A
4	7626.750	44.13	-3.19	74.0	29.87	Peak	150.00	100	Horizontal	Pass
4**	7626.750	40.31	-3.19	54.0	13.69	AV	150.00	100	Horizontal	Pass
5	11049.725	50.43	3.53	74.0	23.57	Peak	8.00	300	Horizontal	Pass
5**	11049.725	41.70	3.53	54.0	12.30	AV	8.00	300	Horizontal	Pass
6	15990.038	50.85	5.35	74.0	23.15	Peak	57.00	100	Horizontal	Pass
6**	15990.038	41.73	5.35	54.0	12.27	AV	57.00	100	Horizontal	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.500	38.87	-18.22	74.0	35.13	Peak	42.00	100	Vertical	Pass
1**	1161.500	28.68	-18.22	54.0	25.32	AV	42.00	100	Vertical	Pass
2	3757.200	44.60	-8.24	74.0	29.40	Peak	360.00	200	Vertical	Pass
2**	3757.200	35.99	-8.24	54.0	18.01	AV	360.00	200	Vertical	Pass
3	5721.000	100.85	-6.33	--	--	Peak	165.00	400	Vertical	N/A
3**	5721.000	93.16	-6.33	--	--	AV	165.00	400	Vertical	N/A
4	7626.750	49.39	-3.19	74.0	24.61	Peak	93.00	100	Vertical	Pass
4**	7626.750	48.04	-3.19	54.0	5.96	AV	93.00	100	Vertical	Pass
5	11207.276	50.49	1.35	74.0	23.51	Peak	208.00	400	Vertical	Pass
5**	11207.276	40.17	1.35	54.0	13.83	AV	208.00	400	Vertical	Pass
6	16000.275	51.11	7.31	74.0	22.89	Peak	56.00	100	Vertical	Pass
6**	16000.275	42.55	7.31	54.0	11.45	AV	56.00	100	Vertical	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1185.500	38.52	-17.72	74.0	35.48	Peak	312.00	100	Horizontal	Pass
1**	1185.500	29.77	-17.72	54.0	24.23	AV	312.00	100	Horizontal	Pass
2	3753.800	44.81	-8.11	74.0	29.19	Peak	352.00	200	Horizontal	Pass
2**	3753.800	35.36	-8.11	54.0	18.64	AV	352.00	200	Horizontal	Pass
3	5698.000	108.17	-5.89	--	--	Peak	41.00	100	Horizontal	N/A
3**	5698.000	100.78	-5.89	--	--	AV	41.00	100	Horizontal	N/A
4	7613.525	44.73	-3.14	74.0	29.27	Peak	145.00	100	Horizontal	Pass
4**	7613.525	41.14	-3.14	54.0	12.86	AV	145.00	100	Horizontal	Pass
5	10952.838	49.86	2.16	74.0	24.14	Peak	50.00	400	Horizontal	Pass
5**	10952.838	40.08	2.16	54.0	13.92	AV	50.00	400	Horizontal	Pass
6	15990.300	50.87	5.40	74.0	23.13	Peak	53.00	200	Horizontal	Pass
6**	15990.300	41.26	5.40	54.0	12.74	AV	53.00	200	Horizontal	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.200	39.59	-18.27	74.0	34.41	Peak	84.00	100	Vertical	Pass
1**	1158.200	27.89	-18.27	54.0	26.11	AV	84.00	100	Vertical	Pass
2	3731.000	44.60	-8.60	74.0	29.40	Peak	41.00	300	Vertical	Pass
2**	3731.000	35.05	-8.60	54.0	18.95	AV	41.00	300	Vertical	Pass
3	5696.400	101.47	-5.70	--	--	Peak	170.00	100	Vertical	N/A
3**	5696.400	94.92	-5.70	--	--	AV	170.00	100	Vertical	N/A
4	7613.525	49.83	-3.14	74.0	24.17	Peak	87.00	100	Vertical	Pass
4**	7613.525	48.34	-3.14	54.0	5.66	AV	87.00	100	Vertical	Pass
5	11193.187	50.48	1.38	74.0	23.52	Peak	194.00	400	Vertical	Pass
5**	11193.187	40.27	1.38	54.0	13.73	AV	194.00	400	Vertical	Pass
6	16000.012	50.83	7.38	74.0	23.17	Peak	72.00	100	Vertical	Pass
6**	16000.012	42.47	7.38	54.0	11.53	AV	72.00	100	Vertical	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.000	38.15	-17.57	74.0	35.85	Peak	312.00	100	Horizontal	Pass
1**	1196.000	29.18	-17.57	54.0	24.82	AV	312.00	100	Horizontal	Pass
2	3697.400	44.71	-8.76	74.0	29.29	Peak	0.00	200	Horizontal	Pass
2**	3697.400	35.60	-8.76	54.0	18.40	AV	0.00	200	Horizontal	Pass
3	5717.600	108.75	-5.62	--	--	Peak	38.00	200	Horizontal	N/A
3**	5717.600	100.43	-5.62	--	--	AV	38.00	200	Horizontal	N/A
4	7626.750	44.05	-3.19	74.0	29.95	Peak	146.00	100	Horizontal	Pass
4**	7626.750	40.28	-3.19	54.0	13.72	AV	146.00	100	Horizontal	Pass
5	10965.488	50.15	2.31	74.0	23.85	Peak	59.00	200	Horizontal	Pass
5**	10965.488	41.44	2.31	54.0	12.56	AV	59.00	200	Horizontal	Pass
6	15998.437	50.60	7.06	74.0	23.40	Peak	13.00	300	Horizontal	Pass
6**	15998.437	42.27	7.06	54.0	11.73	AV	13.00	300	Horizontal	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1132.600	38.28	-18.91	74.0	35.72	Peak	104.00	100	Vertical	Pass
1**	1132.600	28.47	-18.91	54.0	25.53	AV	104.00	100	Vertical	Pass
2	3777.200	44.24	-8.32	74.0	29.76	Peak	221.00	100	Vertical	Pass
2**	3777.200	35.19	-8.32	54.0	18.81	AV	221.00	100	Vertical	Pass
3	5718.000	101.14	-5.49	--	--	Peak	161.00	100	Vertical	N/A
3**	5718.000	94.33	-5.49	--	--	AV	161.00	100	Vertical	N/A
4	7626.750	50.66	-3.19	74.0	23.34	Peak	88.00	100	Vertical	Pass
4**	7626.750	48.01	-3.19	54.0	5.99	AV	88.00	100	Vertical	Pass
5	7972.038	43.30	-1.04	68.2	24.90	Peak	115.00	100	Vertical	Pass
5**	7972.038	41.05	-1.04	--	--	AV	115.00	100	Vertical	N/A
6	16003.687	51.91	6.49	74.0	22.09	Peak	0.00	300	Vertical	Pass
6**	16003.687	41.88	6.49	54.0	12.12	AV	0.00	300	Vertical	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	38.58	-17.64	74.0	35.42	Peak	40.00	100	Horizontal	Pass
1**	1329.600	27.77	-17.64	54.0	26.23	AV	40.00	100	Horizontal	Pass
2	3749.800	44.25	-8.53	74.0	29.75	Peak	318.00	300	Horizontal	Pass
2**	3749.800	34.45	-8.53	54.0	19.55	AV	318.00	300	Horizontal	Pass
3	5715.000	105.86	-5.87	--	--	Peak	41.00	400	Horizontal	N/A
3**	5715.000	97.88	-5.87	--	--	AV	41.00	400	Horizontal	N/A
4	7613.813	44.24	-3.15	74.0	29.76	Peak	97.00	100	Horizontal	Pass
4**	7613.813	42.20	-3.15	54.0	11.80	AV	97.00	100	Horizontal	Pass
5	10982.162	50.31	3.26	74.0	23.69	Peak	155.00	400	Horizontal	Pass
5**	10982.162	40.75	3.26	54.0	13.25	AV	155.00	400	Horizontal	Pass
6	16039.650	51.04	5.21	74.0	22.96	Peak	350.00	300	Horizontal	Pass
6**	16039.650	41.97	5.21	54.0	12.03	AV	350.00	300	Horizontal	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1184.600	38.69	-17.73	74.0	35.31	Peak	110.00	100	Vertical	Pass
1**	1184.600	30.27	-17.73	54.0	23.73	AV	110.00	100	Vertical	Pass
2	3743.600	45.43	-8.37	74.0	28.57	Peak	223.00	300	Vertical	Pass
2**	3743.600	34.98	-8.37	54.0	19.02	AV	223.00	300	Vertical	Pass
3	5715.000	96.61	-5.87	--	--	Peak	100.00	300	Vertical	N/A
3**	5715.000	88.34	-5.87	--	--	AV	100.00	300	Vertical	N/A
4	7613.525	49.81	-3.14	74.0	24.19	Peak	92.00	100	Vertical	Pass
4**	7613.525	48.57	-3.14	54.0	5.43	AV	92.00	100	Vertical	Pass
5	11039.088	50.05	2.94	74.0	23.95	Peak	129.00	300	Vertical	Pass
5**	11039.088	41.07	2.94	54.0	12.93	AV	129.00	300	Vertical	Pass
6	16047.263	51.30	5.52	74.0	22.70	Peak	282.00	200	Vertical	Pass
6**	16047.263	42.30	5.52	54.0	11.70	AV	282.00	200	Vertical	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	39.59	-17.54	74.0	34.41	Peak	36.00	300	Horizontal	Pass
1**	1329.200	30.23	-17.54	54.0	23.77	AV	36.00	300	Horizontal	Pass
2	3686.400	44.46	-7.86	74.0	29.54	Peak	296.00	200	Horizontal	Pass
2**	3686.400	35.16	-7.86	54.0	18.84	AV	296.00	200	Horizontal	Pass
3	5695.400	102.44	-5.75	--	--	Peak	61.00	200	Horizontal	N/A
3**	5695.400	94.95	-5.75	--	--	AV	61.00	200	Horizontal	N/A
4	7587.075	43.50	-2.80	74.0	30.50	Peak	86.00	100	Horizontal	Pass
4**	7587.075	41.42	-2.80	54.0	12.58	AV	86.00	100	Horizontal	Pass
5	11050.588	50.04	3.49	74.0	23.96	Peak	359.00	300	Horizontal	Pass
5**	11050.588	41.88	3.49	54.0	12.12	AV	359.00	300	Horizontal	Pass
6	16045.162	50.96	5.44	74.0	23.04	Peak	314.00	400	Horizontal	Pass
6**	16045.162	41.42	5.44	54.0	12.58	AV	314.00	400	Horizontal	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1194.200	41.38	-17.40	74.0	32.62	Peak	52.00	100	Vertical	Pass
1**	1194.200	29.30	-17.40	54.0	24.70	AV	52.00	100	Vertical	Pass
2	3772.600	44.89	-8.73	74.0	29.11	Peak	0.00	300	Vertical	Pass
2**	3772.600	35.31	-8.73	54.0	18.69	AV	0.00	300	Vertical	Pass
3	5698.200	93.58	-5.81	--	--	Peak	181.00	400	Vertical	N/A
3**	5698.200	85.64	-5.81	--	--	AV	181.00	400	Vertical	N/A
4	7586.788	48.73	-2.79	74.0	25.27	Peak	86.00	100	Vertical	Pass
4**	7586.788	46.70	-2.79	54.0	7.30	AV	86.00	100	Vertical	Pass
5	10883.838	50.43	2.43	74.0	23.57	Peak	254.00	300	Vertical	Pass
5**	10883.838	40.43	2.43	54.0	13.57	AV	254.00	300	Vertical	Pass
6	16043.588	51.13	5.38	74.0	22.87	Peak	37.00	300	Vertical	Pass
6**	16043.588	42.41	5.38	54.0	11.59	AV	37.00	300	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass


	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass

Test Band	Mode	Channel	Verdict
U-NII-2C&U-NII-3	802.11a	144	Pass
	802.11n(HT20)	144	Pass
	802.11n(HT40)	142	Pass
	802.11ac(VHT20)	144	Pass
	802.11ac(VHT40)	142	Pass
	802.11ac(VHT80)	138	Pass

Note: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5114.900	59.92	74.0	14.08	Peak	342.00	200	Horizontal	Pass
1**	5114.900	46.65	54.0	7.35	AV	342.00	200	Horizontal	Pass
2	5150.000	59.80	74.0	14.20	Peak	325.00	200	Horizontal	Pass
2**	5150.000	49.65	54.0	4.35	AV	325.00	200	Horizontal	Pass
3	5149.350	59.40	74.0	14.60	Peak	326.00	200	Horizontal	Pass
3**	5149.350	49.91	54.0	4.09	AV	326.00	200	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.37	74.0	17.63	Peak	289.00	300	Horizontal	Pass
1**	5350.000	45.52	54.0	8.48	AV	289.00	300	Horizontal	Pass
2	5361.734	57.50	74.0	16.50	Peak	236.00	200	Horizontal	Pass
2**	5361.734	45.29	54.0	8.71	AV	236.00	200	Horizontal	Pass
3	5447.533	56.04	74.0	17.96	Peak	145.00	300	Horizontal	Pass
3**	5447.533	45.90	54.0	8.10	AV	145.00	300	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.850	58.82	74.0	15.18	Peak	323.00	400	Horizontal	Pass
1**	5142.850	48.31	54.0	5.69	AV	323.00	400	Horizontal	Pass
2	5150.000	57.92	74.0	16.08	Peak	323.00	100	Horizontal	Pass
2**	5150.000	48.84	54.0	5.16	AV	323.00	100	Horizontal	Pass
3	5148.375	57.59	74.0	16.41	Peak	75.00	400	Horizontal	Pass
3**	5148.375	49.41	54.0	4.59	AV	75.00	400	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.69	74.0	18.31	Peak	4.00	300	Horizontal	Pass
1**	5350.000	45.63	54.0	8.37	AV	4.00	300	Horizontal	Pass
2	5459.633	57.40	74.0	16.60	Peak	57.00	400	Horizontal	Pass
2**	5459.633	45.59	54.0	8.41	AV	57.00	400	Horizontal	Pass
3	5449.000	56.27	74.0	17.73	Peak	219.00	150	Horizontal	Pass
3**	5449.000	45.91	54.0	8.09	AV	219.00	150	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.500	60.49	74.0	13.51	Peak	321.00	200	Horizontal	Pass
1**	5143.500	49.97	54.0	4.03	AV	321.00	200	Horizontal	Pass
2	5150.000	59.85	74.0	14.15	Peak	326.00	300	Horizontal	Pass
2**	5150.000	50.34	54.0	3.66	AV	326.00	300	Horizontal	Pass
3	5147.725	58.99	74.0	15.01	Peak	328.00	150	Horizontal	Pass
3**	5147.725	50.84	54.0	3.16	AV	328.00	150	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.86	74.0	17.14	Peak	94.00	200	Horizontal	Pass
1**	5350.000	45.58	54.0	8.42	AV	94.00	200	Horizontal	Pass
2	5432.500	57.49	74.0	16.51	Peak	358.00	400	Horizontal	Pass
2**	5432.500	45.34	54.0	8.66	AV	358.00	400	Horizontal	Pass
3	5369.983	56.67	74.0	17.33	Peak	350.00	100	Horizontal	Pass
3**	5369.983	45.86	54.0	8.14	AV	350.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	58.60	74.0	15.40	Peak	325.00	100	Horizontal	Pass
1**	5149.675	49.55	54.0	4.45	AV	325.00	100	Horizontal	Pass
2	5150.000	57.90	74.0	16.10	Peak	328.00	100	Horizontal	Pass
2**	5150.000	49.39	54.0	4.61	AV	328.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.51	74.0	18.49	Peak	140.00	200	Horizontal	Pass
1**	5350.000	45.48	54.0	8.52	AV	140.00	200	Horizontal	Pass
2	5368.150	57.64	74.0	16.36	Peak	166.00	300	Horizontal	Pass
2**	5368.150	45.50	54.0	8.50	AV	166.00	300	Horizontal	Pass
3	5368.883	56.92	74.0	17.08	Peak	0.00	200	Horizontal	Pass
3**	5368.883	45.79	54.0	8.21	AV	0.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	60.71	74.0	13.29	Peak	324.00	400	Horizontal	Pass
1**	5148.050	50.92	54.0	3.08	AV	324.00	400	Horizontal	Pass
2	5150.000	59.82	74.0	14.18	Peak	323.00	100	Horizontal	Pass
2**	5150.000	50.91	54.0	3.09	AV	323.00	100	Horizontal	Pass
3	5147.725	60.06	74.0	13.94	Peak	324.00	150	Horizontal	Pass
3**	5147.725	50.95	54.0	3.05	AV	324.00	150	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.95	74.0	18.05	Peak	189.00	200	Horizontal	Pass
1**	5350.000	45.87	54.0	8.13	AV	189.00	200	Horizontal	Pass
2	5350.183	57.88	74.0	16.12	Peak	60.00	300	Horizontal	Pass
2**	5350.183	45.80	54.0	8.20	AV	60.00	300	Horizontal	Pass
3	5353.483	56.41	74.0	17.59	Peak	325.00	300	Horizontal	Pass
3**	5353.483	46.02	54.0	7.98	AV	325.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.800	61.12	74.0	12.88	Peak	326.00	200	Horizontal	Pass
1**	5144.800	50.98	54.0	3.02	AV	326.00	200	Horizontal	Pass
2	5150.000	59.40	74.0	14.60	Peak	326.00	400	Horizontal	Pass
2**	5150.000	50.10	54.0	3.90	AV	326.00	400	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.15	74.0	17.85	Peak	88.00	200	Horizontal	Pass
1**	5350.000	45.59	54.0	8.41	AV	88.00	200	Horizontal	Pass
2	5455.234	57.70	74.0	16.30	Peak	36.00	100	Horizontal	Pass
2**	5455.234	45.42	54.0	8.58	AV	36.00	100	Horizontal	Pass
3	5372.000	55.76	74.0	18.24	Peak	140.00	100	Horizontal	Pass
3**	5372.000	45.87	54.0	8.13	AV	140.00	100	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5051.200	57.38	74.0	16.62	Peak	0.00	300	Horizontal	Pass
1**	5051.200	45.90	54.0	8.10	AV	0.00	300	Horizontal	Pass
2	5150.000	56.60	74.0	17.40	Peak	336.00	100	Horizontal	Pass
2**	5150.000	46.00	54.0	8.00	AV	336.00	100	Horizontal	Pass
3	5031.375	56.38	74.0	17.62	Peak	226.00	100	Horizontal	Pass
3**	5031.375	46.54	54.0	7.46	AV	226.00	100	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.83	74.0	17.17	Peak	311.00	300	Horizontal	Pass
1**	5350.000	48.00	54.0	6.00	AV	311.00	300	Horizontal	Pass
2	5353.300	58.56	74.0	15.44	Peak	318.00	300	Horizontal	Pass
2**	5353.300	47.51	54.0	6.49	AV	318.00	300	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5045.675	57.96	74.0	16.04	Peak	179.00	200	Horizontal	Pass
1**	5045.675	46.05	54.0	7.95	AV	179.00	200	Horizontal	Pass
2	5150.000	56.00	74.0	18.00	Peak	0.00	100	Horizontal	Pass
2**	5150.000	45.77	54.0	8.23	AV	0.00	100	Horizontal	Pass
3	5119.450	55.47	74.0	18.53	Peak	272.00	100	Horizontal	Pass
3**	5119.450	46.43	54.0	7.57	AV	272.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.77	74.0	17.23	Peak	68.00	300	Horizontal	Pass
1**	5350.000	47.24	54.0	6.76	AV	68.00	300	Horizontal	Pass
2	5356.233	58.66	74.0	15.34	Peak	62.00	200	Horizontal	Pass
2**	5356.233	46.35	54.0	7.65	AV	62.00	200	Horizontal	Pass
3	5352.016	56.53	74.0	17.47	Peak	334.00	200	Horizontal	Pass
3**	5352.016	47.70	54.0	6.30	AV	334.00	200	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.475	56.81	74.0	17.19	Peak	181.00	100	Horizontal	Pass
1**	5144.475	45.54	54.0	8.46	AV	181.00	100	Horizontal	Pass
2	5150.000	55.22	74.0	18.78	Peak	38.00	400	Horizontal	Pass
2**	5150.000	45.86	54.0	8.14	AV	38.00	400	Horizontal	Pass
3	5045.350	54.89	74.0	19.11	Peak	186.00	400	Horizontal	Pass
3**	5045.350	46.31	54.0	7.69	AV	186.00	400	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.35	74.0	12.65	Peak	60.00	100	Horizontal	Pass
1**	5350.000	50.12	54.0	3.88	AV	60.00	100	Horizontal	Pass
2	5350.733	63.70	74.0	10.30	Peak	315.00	400	Horizontal	Pass
2**	5350.733	50.54	54.0	3.46	AV	315.00	400	Horizontal	Pass
3	5350.550	60.89	74.0	13.11	Peak	64.00	100	Horizontal	Pass
3**	5350.550	50.65	54.0	3.35	AV	64.00	100	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5120.100	57.07	74.0	16.93	Peak	37.00	100	Horizontal	Pass
1**	5120.100	45.77	54.0	8.23	AV	37.00	100	Horizontal	Pass
2	5150.000	55.41	74.0	18.59	Peak	106.00	400	Horizontal	Pass
2**	5150.000	45.45	54.0	8.55	AV	106.00	400	Horizontal	Pass
3	5132.775	55.33	74.0	18.67	Peak	231.00	400	Horizontal	Pass
3**	5132.775	46.18	54.0	7.82	AV	231.00	400	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.74	74.0	16.26	Peak	334.00	300	Horizontal	Pass
1**	5350.000	47.74	54.0	6.26	AV	334.00	300	Horizontal	Pass
2	5361.183	58.89	74.0	15.11	Peak	65.00	300	Horizontal	Pass
2**	5361.183	46.59	54.0	7.41	AV	65.00	300	Horizontal	Pass
3	5350.733	58.36	74.0	15.64	Peak	60.00	300	Horizontal	Pass
3**	5350.733	47.96	54.0	6.04	AV	60.00	300	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.825	57.91	74.0	16.09	Peak	86.00	300	Horizontal	Pass
1**	5078.825	45.34	54.0	8.66	AV	86.00	300	Horizontal	Pass
2	5150.000	54.85	74.0	19.15	Peak	0.00	200	Horizontal	Pass
2**	5150.000	45.57	54.0	8.43	AV	0.00	200	Horizontal	Pass
3	5133.425	55.53	74.0	18.47	Peak	101.00	150	Horizontal	Pass
3**	5133.425	46.19	54.0	7.81	AV	101.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.62	74.0	10.38	Peak	57.00	300	Horizontal	Pass
1**	5350.000	50.89	54.0	3.11	AV	57.00	300	Horizontal	Pass
2	5350.550	64.19	74.0	9.81	Peak	62.00	100	Horizontal	Pass
2**	5350.550	50.82	54.0	3.18	AV	62.00	100	Horizontal	Pass
3	5350.183	61.51	74.0	12.49	Peak	63.00	150	Horizontal	Pass
3**	5350.183	50.97	54.0	3.03	AV	63.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5117.500	56.94	74.0	17.06	Peak	176.00	200	Horizontal	Pass
1**	5117.500	45.84	54.0	8.16	AV	176.00	200	Horizontal	Pass
2	5150.000	56.44	74.0	17.56	Peak	264.00	100	Horizontal	Pass
2**	5150.000	45.52	54.0	8.48	AV	264.00	100	Horizontal	Pass
3	5130.175	54.92	74.0	19.08	Peak	270.00	100	Horizontal	Pass
3**	5130.175	46.19	54.0	7.81	AV	270.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.16	74.0	12.84	Peak	65.00	300	Horizontal	Pass
1**	5350.000	48.96	54.0	5.04	AV	65.00	300	Horizontal	Pass
2	5353.483	63.63	74.0	10.37	Peak	64.00	300	Horizontal	Pass
2**	5353.483	49.42	54.0	4.58	AV	64.00	300	Horizontal	Pass
3	5365.767	59.56	74.0	14.44	Peak	65.00	300	Horizontal	Pass
3**	5365.767	50.00	54.0	4.00	AV	65.00	300	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.000	57.91	74.0	16.09	Peak	65.00	200	Horizontal	Pass
1**	5455.000	46.38	54.0	7.62	AV	65.00	200	Horizontal	Pass
2	5460.000	56.82	74.0	17.18	Peak	333.00	200	Horizontal	Pass
2**	5460.000	47.17	54.0	6.83	AV	333.00	200	Horizontal	Pass
3	5466.400	60.02	68.2	8.18	Peak	65.00	100	Horizontal	Pass
3**	5466.400	47.99	--	--	AV	65.00	100	Horizontal	N/A
4	5470.000	57.99	68.2	10.21	Peak	320.00	200	Horizontal	Pass
4**	5470.000	48.50	--	--	AV	320.00	200	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.96	68.2	5.24	Peak	330.00	100	Horizontal	Pass
2	5726.042	64.24	68.2	3.96	Peak	344.00	150	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.200	58.03	74.0	15.97	Peak	259.00	200	Horizontal	Pass
1**	5445.200	45.97	54.0	8.03	AV	259.00	200	Horizontal	Pass
2	5460.000	56.07	74.0	17.93	Peak	177.00	400	Horizontal	Pass
2**	5460.000	46.84	54.0	7.16	AV	177.00	400	Horizontal	Pass
3	5469.000	59.77	68.2	8.43	Peak	65.00	200	Horizontal	Pass
3**	5469.000	48.95	--	--	AV	65.00	200	Horizontal	N/A
4	5470.000	58.74	68.2	9.46	Peak	65.00	200	Horizontal	Pass
4**	5470.000	48.88	--	--	AV	65.00	200	Horizontal	N/A
5	5458.200	56.64	74.0	17.36	Peak	67.00	150	Horizontal	Pass
5**	5458.200	47.16	54.0	6.84	AV	67.00	150	Horizontal	Pass

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.98	68.2	4.22	Peak	328.00	400	Horizontal	Pass
2	5725.625	64.68	68.2	3.52	Peak	348.00	400	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	59.85	74.0	14.15	Peak	66.00	300	Horizontal	Pass
1**	5459.800	49.03	54.0	4.97	AV	66.00	300	Horizontal	Pass
2	5460.000	59.51	74.0	14.49	Peak	66.00	100	Horizontal	Pass
2**	5460.000	49.23	54.0	4.77	AV	66.00	100	Horizontal	Pass
3	5469.400	64.12	68.2	4.08	Peak	66.00	300	Horizontal	Pass
3**	5469.400	52.18	--	--	AV	66.00	300	Horizontal	N/A
4	5470.000	62.59	68.2	5.61	Peak	66.00	300	Horizontal	Pass
4**	5470.000	52.75	--	--	AV	66.00	300	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.30	68.2	5.90	Peak	331.00	400	Horizontal	Pass
2	5727.291	63.49	68.2	4.71	Peak	331.00	400	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5450.800	57.23	74.0	16.77	Peak	336.00	400	Horizontal	Pass
1**	5450.800	45.68	54.0	8.32	AV	336.00	400	Horizontal	Pass
2	5460.000	56.20	74.0	17.80	Peak	70.00	200	Horizontal	Pass
2**	5460.000	46.76	54.0	7.24	AV	70.00	200	Horizontal	Pass
3	5469.400	59.11	68.2	9.09	Peak	70.00	400	Horizontal	Pass
3**	5469.400	48.18	--	--	AV	70.00	400	Horizontal	N/A
4	5470.000	57.29	68.2	10.91	Peak	70.00	200	Horizontal	Pass
4**	5470.000	48.41	--	--	AV	70.00	200	Horizontal	N/A
5	5459.800	56.60	74.0	17.40	Peak	0.00	200	Horizontal	Pass
5**	5459.800	46.87	54.0	7.13	AV	0.00	200	Horizontal	Pass

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.86	68.2	4.34	Peak	330.00	200	Horizontal	Pass
2	5725.625	64.24	68.2	3.96	Peak	348.00	400	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.400	58.85	-0.83	74.0	15.15	Peak	300.00	100	Horizontal	Pass
1**	5459.400	46.37	-0.83	54.0	7.63	AV	300.00	100	Horizontal	Pass
2	5460.000	56.18	-0.92	74.0	17.82	Peak	293.00	400	Horizontal	Pass
2**	5460.000	47.00	-0.92	54.0	7.00	AV	293.00	400	Horizontal	Pass
3	5464.400	64.64	-0.51	68.2	3.56	Peak	293.00	300	Horizontal	Pass
3**	5464.400	50.28	-0.51	--	--	AV	293.00	300	Horizontal	N/A
4	5470.000	64.48	-0.10	68.2	3.72	Peak	300.00	400	Horizontal	Pass
4**	5470.000	52.53	-0.10	--	--	AV	300.00	400	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.72	-0.12	68.2	11.48	Peak	26.00	300	Horizontal	Pass
2	5725.834	57.00	-0.06	68.2	11.20	Peak	151.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.800	62.37	-1.02	74.0	11.63	Peak	298.00	100	Horizontal	Pass
1**	5452.800	47.21	-1.02	54.0	6.79	AV	298.00	100	Horizontal	Pass
2	5460.000	56.69	-0.92	74.0	17.31	Peak	146.00	200	Horizontal	Pass
2**	5460.000	46.58	-0.92	54.0	7.42	AV	146.00	200	Horizontal	Pass
3	5469.800	65.20	-0.18	68.2	3.00	Peak	291.00	400	Horizontal	Pass
3**	5469.800	47.62	-0.18	--	--	AV	291.00	400	Horizontal	N/A
4	5470.000	63.32	-0.10	68.2	4.88	Peak	37.00	200	Horizontal	Pass
4**	5470.000	47.81	-0.10	--	--	AV	37.00	200	Horizontal	N/A
5	5457.800	56.30	-0.50	74.0	17.70	Peak	298.00	200	Horizontal	Pass
5**	5457.800	47.85	-0.50	54.0	6.15	AV	298.00	200	Horizontal	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.37	-0.12	68.2	11.83	Peak	54.00	400	Horizontal	Pass
2	5725.625	58.21	-0.10	68.2	9.99	Peak	146.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.875	53.52	-0.15	68.2	14.68	Peak	132.00	100	Horizontal	Pass
2	5650.000	52.60	0.18	68.2	15.60	Peak	321.00	100	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.49	0.09	68.4	15.91	Peak	289.00	100	Horizontal	Pass
2	5996.500	55.27	0.57	68.2	12.93	Peak	327.00	150	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.334	53.82	0.03	68.2	14.38	Peak	316.00	150	Horizontal	Pass
2	5650.000	52.47	0.18	68.2	15.73	Peak	359.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.62	0.09	68.4	15.78	Peak	305.00	150	Horizontal	Pass
2	5926.250	55.02	0.85	68.2	13.18	Peak	218.00	150	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.417	54.76	-0.41	68.2	13.44	Peak	265.00	200	Horizontal	Pass
2	5650.000	53.44	0.18	68.2	14.76	Peak	5.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	53.85	0.09	68.4	14.55	Peak	252.00	100	Horizontal	Pass
2	5958.750	54.93	0.72	68.2	13.27	Peak	183.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.875	54.34	0.30	68.2	13.86	Peak	246.00	200	Horizontal	Pass
2	5650.000	52.02	0.18	68.2	16.18	Peak	195.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.31	0.09	68.4	16.09	Peak	296.00	150	Horizontal	Pass
2	5961.750	55.45	0.53	68.2	12.75	Peak	255.00	100	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.625	53.73	-0.63	68.2	14.47	Peak	36.00	200	Horizontal	Pass
2	5650.000	52.33	0.18	68.2	15.87	Peak	143.00	150	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.18	0.09	68.4	16.22	Peak	348.00	150	Horizontal	Pass
2	5932.500	55.78	0.90	68.2	12.42	Peak	240.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.375	58.15	0.33	68.2	10.05	Peak	144.00	200	Horizontal	Pass
2	5650.000	58.21	0.18	68.2	9.99	Peak	219.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	54.74	0.09	68.4	13.66	Peak	159.00	100	Horizontal	Pass
2	5927.750	57.13	0.72	68.2	11.07	Peak	159.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5373.800	54.09	0.55	74.0	19.91	Peak	224.00	200	Horizontal	Pass
1**	5373.800	42.23	0.55	54.0	11.77	AV	224.00	200	Horizontal	Pass
2	5460.000	51.01	-0.92	74.0	22.99	Peak	349.00	100	Horizontal	Pass
2**	5460.000	41.18	-0.92	54.0	12.82	AV	349.00	100	Horizontal	Pass
3	5468.000	53.03	-0.02	68.2	15.17	Peak	64.00	200	Horizontal	Pass
3**	5468.000	41.91	-0.02	--	--	AV	64.00	200	Horizontal	N/A
4	5469.800	52.32	-0.18	68.2	15.88	Peak	326.00	200	Horizontal	Pass
4**	5469.800	41.66	-0.18	--	--	AV	326.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.16	0.09	68.4	16.24	Peak	111.00	100	Horizontal	Pass
2	5937.750	55.29	0.76	68.2	12.91	Peak	211.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.600	54.07	0.78	74.0	19.93	Peak	271.00	100	Horizontal	Pass
1**	5381.600	42.66	0.78	54.0	11.34	AV	271.00	100	Horizontal	Pass
2	5460.000	51.28	-0.92	74.0	22.72	Peak	0.00	200	Horizontal	Pass
2**	5460.000	41.03	-0.92	54.0	12.97	AV	0.00	200	Horizontal	Pass
3	5468.400	52.91	-0.18	68.2	15.29	Peak	44.00	200	Horizontal	Pass
3**	5468.400	41.80	-0.18	--	--	AV	44.00	200	Horizontal	N/A
4	5469.800	52.14	-0.18	68.2	16.06	Peak	297.00	150	Horizontal	Pass
4**	5469.800	41.76	-0.18	--	--	AV	297.00	150	Horizontal	N/A

U-NII-2C&U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.10	0.09	68.4	16.30	Peak	27.00	100	Horizontal	Pass
2	5975.750	54.68	0.16	68.2	13.52	Peak	276.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5375.600	54.40	0.80	74.0	19.60	Peak	92.00	150	Horizontal	Pass
1**	5375.600	42.70	0.80	54.0	11.30	AV	92.00	150	Horizontal	Pass
2	5460.000	52.35	-0.92	74.0	21.65	Peak	74.00	200	Horizontal	Pass
2**	5460.000	41.32	-0.92	54.0	12.68	AV	74.00	200	Horizontal	Pass
3	5461.400	52.92	-0.64	68.2	15.28	Peak	281.00	150	Horizontal	Pass
3**	5461.400	41.25	-0.64	--	--	AV	281.00	150	Horizontal	N/A
4	5469.800	51.56	-0.18	68.2	16.64	Peak	22.00	200	Horizontal	Pass
4**	5469.800	41.81	-0.18	--	--	AV	22.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.34	0.09	68.4	16.06	Peak	57.00	150	Horizontal	Pass
2	5926.250	54.73	0.85	68.2	13.47	Peak	60.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5380.400	55.29	0.50	74.0	18.71	Peak	86.00	200	Horizontal	Pass
1**	5380.400	42.33	0.50	54.0	11.67	AV	86.00	200	Horizontal	Pass
2	5460.000	51.39	-0.92	74.0	22.61	Peak	89.00	100	Horizontal	Pass
2**	5460.000	41.09	-0.92	54.0	12.91	AV	89.00	100	Horizontal	Pass
3	5468.000	53.52	-0.02	68.2	14.68	Peak	52.00	200	Horizontal	Pass
3**	5468.000	41.85	-0.02	--	--	AV	52.00	200	Horizontal	N/A
4	5469.800	51.82	-0.18	68.2	16.38	Peak	315.00	100	Horizontal	Pass
4**	5469.800	41.68	-0.18	--	--	AV	315.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.47	0.09	68.4	15.93	Peak	239.00	200	Horizontal	Pass
2	5931.250	55.45	1.08	68.2	12.75	Peak	242.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5374.200	54.47	0.52	74.0	19.53	Peak	357.00	100	Horizontal	Pass
1**	5374.200	42.43	0.52	54.0	11.57	AV	357.00	100	Horizontal	Pass
2	5460.000	51.21	-0.92	74.0	22.79	Peak	223.00	200	Horizontal	Pass
2**	5460.000	41.16	-0.92	54.0	12.84	AV	223.00	200	Horizontal	Pass
3	5468.600	52.86	-0.31	68.2	15.34	Peak	200.00	200	Horizontal	Pass
3**	5468.600	41.52	-0.31	--	--	AV	200.00	200	Horizontal	N/A
4	5469.800	52.36	-0.18	68.2	15.84	Peak	141.00	100	Horizontal	Pass
4**	5469.800	41.64	-0.18	--	--	AV	141.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.75	0.09	68.4	15.65	Peak	296.00	200	Horizontal	Pass
2	5938.250	55.24	0.84	68.2	12.96	Peak	140.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5379.200	54.28	0.45	74.0	19.72	Peak	350.00	100	Horizontal	Pass
1**	5379.200	42.28	0.45	54.0	11.72	AV	350.00	100	Horizontal	Pass
2	5460.000	52.63	-0.92	74.0	21.37	Peak	347.00	200	Horizontal	Pass
2**	5460.000	41.00	-0.92	54.0	13.00	AV	347.00	200	Horizontal	Pass
3	5467.200	53.43	-0.54	68.2	14.77	Peak	150.00	200	Horizontal	Pass
3**	5467.200	41.32	-0.54	--	--	AV	150.00	200	Horizontal	N/A
4	5469.800	52.33	-0.18	68.2	15.87	Peak	343.00	200	Horizontal	Pass
4**	5469.800	41.74	-0.18	--	--	AV	343.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11ac80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	52.60	0.09	68.4	15.80	Peak	236.00	150	Horizontal	Pass
2	5964.500	54.74	0.52	68.2	13.46	Peak	31.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26040197-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26040197-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26040197-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--