

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_09.29.03

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11b CH1 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.12	-4.87	74.0	22.88	Peak	21.35	150	Vertical	Pass
1**	2390.000	40.46	-4.87	54.0	13.54	AV	21.35	150	Vertical	Pass
2	2380.300	52.53	-4.33	74.0	21.47	Peak	180.00	150	Vertical	Pass
2**	2380.300	40.51	-4.33	54.0	13.49	AV	180.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_09.27.52

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11b CH1 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.02	-4.87	74.0	22.98	Peak	14.22	150	Horizontal	Pass
1**	2390.000	41.43	-4.87	54.0	12.57	AV	14.22	150	Horizontal	Pass
2	2377.600	52.80	-4.23	74.0	21.20	Peak	230.00	150	Horizontal	Pass
2**	2377.600	40.77	-4.23	54.0	13.23	AV	230.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_09.44.09

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11b CH11 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.11	-3.78	74.0	22.89	Peak	240.00	150	Vertical	Pass
1**	2483.500	41.03	-3.78	54.0	12.97	AV	240.00	150	Vertical	Pass
2	2489.890	52.66	-3.83	74.0	21.34	Peak	308.00	150	Vertical	Pass
2**	2489.890	40.82	-3.83	54.0	13.18	AV	308.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_09.41.47

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11b CH11 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.32	-3.78	74.0	21.68	Peak	0.00	150	Horizontal	Pass
1**	2483.500	41.59	-3.78	54.0	12.41	AV	0.00	150	Horizontal	Pass
2	2486.650	53.61	-3.79	74.0	20.39	Peak	169.00	150	Horizontal	Pass
2**	2486.650	41.03	-3.79	54.0	12.97	AV	169.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_09.57.54

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11g CH1 P=39
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.78	-4.87	74.0	18.22	Peak	0.19	150	Vertical	Pass
1**	2390.000	40.86	-4.87	54.0	13.14	AV	0.19	150	Vertical	Pass
2	2389.700	58.42	-4.86	74.0	15.58	Peak	78.00	150	Vertical	Pass
2**	2389.700	40.74	-4.86	54.0	13.26	AV	78.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_09.56.26

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11g CH1 P=39
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.23	-4.87	74.0	9.77	Peak	178.00	150	Horizontal	Pass
1**	2390.000	46.07	-4.87	54.0	7.93	AV	178.00	150	Horizontal	Pass
2	2389.900	68.32	-4.87	74.0	5.68	Peak	175.00	150	Horizontal	Pass
2**	2389.900	45.05	-4.87	54.0	8.95	AV	175.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_10.14.16

EUT Name: Dash Cam

Temp.(°C): 22.4

Model Number: A900ULTRA-RC43S

Humidity (%RH): 50

Sample Number: EE26050418-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G 11g CH11 P=39


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark:

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.29	-3.78	74.0	10.71	Peak	143.00	150	Vertical	Pass
1**	2483.500	44.65	-3.78	54.0	9.35	AV	143.00	150	Vertical	Pass
2	2483.890	69.77	-3.78	74.0	4.23	Peak	163.00	150	Vertical	Pass
2**	2483.890	43.54	-3.78	54.0	10.46	AV	163.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_10.13.05

EUT Name: Dash Cam

Temp.(°C): 22.4

Model Number: A900ULTRA-RC43S

Humidity (%RH): 50

Sample Number: EE26050418-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G 11g CH11 P=39


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark:

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.25	-3.78	74.0	8.75	Peak	282.00	150	Horizontal	Pass
1**	2483.500	45.06	-3.78	54.0	8.94	AV	282.00	150	Horizontal	Pass
2	2484.460	67.85	-3.78	74.0	6.15	Peak	10.00	150	Horizontal	Pass
2**	2484.460	44.82	-3.78	54.0	9.18	AV	10.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_10.22.37

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11n20 CH1 P=39
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	67.05	-4.87	74.0	6.95	Peak	354.87	150	Vertical	Pass
1**	2390.000	43.67	-4.87	54.0	10.33	AV	354.87	150	Vertical	Pass
2	2389.800	70.17	-4.86	74.0	3.83	Peak	130.00	150	Vertical	Pass
2**	2389.800	44.87	-4.86	54.0	9.13	AV	130.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_10.21.24

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11n20 CH1 P=39
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	70.49	-4.87	74.0	3.51	Peak	281.82	150	Horizontal	Pass
1**	2390.000	45.53	-4.87	54.0	8.47	AV	281.82	150	Horizontal	Pass
2	2388.900	70.53	-4.81	74.0	3.47	Peak	260.00	150	Horizontal	Pass
2**	2388.900	46.56	-4.81	54.0	7.44	AV	260.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_10.37.09

EUT Name: Dash Cam

Temp.(°C): 22.4

Model Number: A900ULTRA-RC43S

Humidity (%RH): 50

Sample Number: EE26050418-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G 11n20 CH11 P=39


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark:

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.98	-3.78	74.0	15.02	Peak	111.00	150	Vertical	Pass
1**	2483.500	43.05	-3.78	54.0	10.95	AV	111.00	150	Vertical	Pass
2	2484.340	61.32	-3.78	74.0	12.68	Peak	120.00	150	Vertical	Pass
2**	2484.340	42.72	-3.78	54.0	11.28	AV	120.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_10.35.54

EUT Name: Dash Cam

Temp.(°C): 22.4

Model Number: A900ULTRA-RC43S

Humidity (%RH): 50

Sample Number: EE26050418-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G 11n20 CH11 P=39


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark:

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.86	-3.78	74.0	7.14	Peak	186.00	150	Horizontal	Pass
1**	2483.500	48.48	-3.78	54.0	5.52	AV	186.00	150	Horizontal	Pass
2	2484.040	69.09	-3.78	74.0	4.91	Peak	288.00	150	Horizontal	Pass
2**	2484.040	46.99	-3.78	54.0	7.01	AV	288.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_10.48.23

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11n40 CH3 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.84	-4.87	74.0	19.16	Peak	124.84	150	Vertical	Pass
1**	2390.000	42.16	-4.87	54.0	11.84	AV	124.84	150	Vertical	Pass
2	2386.500	60.28	-4.67	74.0	13.72	Peak	127.00	150	Vertical	Pass
2**	2386.500	42.16	-4.67	54.0	11.84	AV	127.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_10.47.08

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11n40 CH3 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	68.45	-4.87	74.0	5.55	Peak	243.00	150	Horizontal	Pass
1**	2390.000	50.96	-4.87	54.0	3.04	AV	243.00	150	Horizontal	Pass
2	2384.100	70.36	-4.54	74.0	3.64	Peak	194.00	150	Horizontal	Pass
2**	2384.100	50.34	-4.54	54.0	3.66	AV	194.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_11.03.06

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11n40 CH9 P=39
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.01	-3.78	74.0	16.99	Peak	151.00	150	Vertical	Pass
1**	2483.500	45.33	-3.78	54.0	8.67	AV	151.00	150	Vertical	Pass
2	2489.710	61.92	-3.83	74.0	12.08	Peak	154.00	150	Vertical	Pass
2**	2489.710	44.57	-3.83	54.0	9.43	AV	154.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_11.01.48

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11n40 CH9 P=39
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.84	-3.78	74.0	11.16	Peak	78.00	150	Horizontal	Pass
1**	2483.500	50.91	-3.78	54.0	3.09	AV	78.00	150	Horizontal	Pass
2	2489.230	69.11	-3.82	74.0	4.89	Peak	279.00	150	Horizontal	Pass
2**	2489.230	50.98	-3.82	54.0	3.02	AV	279.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_11.11.57

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11ax20 CH1 P=39
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.55	-4.87	74.0	16.45	Peak	93.34	150	Vertical	Pass
1**	2390.000	41.41	-4.87	54.0	12.59	AV	93.34	150	Vertical	Pass
2	2389.800	64.71	-4.86	74.0	9.29	Peak	122.00	150	Vertical	Pass
2**	2389.800	41.19	-4.86	54.0	12.81	AV	122.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_11.10.43

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11ax20 CH1 P=39
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	69.68	-4.87	74.0	4.32	Peak	259.87	150	Horizontal	Pass
1**	2390.000	46.90	-4.87	54.0	7.10	AV	259.87	150	Horizontal	Pass
2	2387.900	70.75	-4.76	74.0	3.25	Peak	262.00	150	Horizontal	Pass
2**	2387.900	45.90	-4.76	54.0	8.10	AV	262.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_11.26.25

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11ax20 CH11 P=39
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.45	-3.78	74.0	8.55	Peak	145.00	150	Vertical	Pass
1**	2483.500	49.01	-3.78	54.0	4.99	AV	145.00	150	Vertical	Pass
2	2484.430	70.96	-3.78	74.0	3.04	Peak	138.00	150	Vertical	Pass
2**	2484.430	47.48	-3.78	54.0	6.52	AV	138.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_11.25.09

EUT Name: Dash Cam

Temp.(°C): 22.4

Model Number: A900ULTRA-RC43S

Humidity (%RH): 50

Sample Number: EE26050418-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G 11ax20 CH11 P=39


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark:

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.49	-3.78	74.0	8.51	Peak	0.00	150	Horizontal	Pass
1**	2483.500	47.20	-3.78	54.0	6.80	AV	0.00	150	Horizontal	Pass
2	2483.980	70.93	-3.78	74.0	3.07	Peak	279.00	150	Horizontal	Pass
2**	2483.980	47.69	-3.78	54.0	6.31	AV	279.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_11.37.37

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11ax40 CH3 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.15	-4.87	74.0	9.85	Peak	2.15	150	Vertical	Pass
1**	2390.000	50.00	-4.87	54.0	4.00	AV	2.15	150	Vertical	Pass
2	2380.700	69.13	-4.35	74.0	4.87	Peak	360.00	150	Vertical	Pass
2**	2380.700	47.08	-4.35	54.0	6.92	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_11.36.11

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11ax40 CH3 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	66.74	-4.87	74.0	7.26	Peak	241.00	150	Horizontal	Pass
1**	2390.000	50.63	-4.87	54.0	3.37	AV	241.00	150	Horizontal	Pass
2	2388.400	70.76	-4.79	74.0	3.24	Peak	260.00	150	Horizontal	Pass
2**	2388.400	50.98	-4.79	54.0	3.02	AV	260.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_13.12.27

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11ax40 CH9 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.62	-3.78	74.0	13.38	Peak	162.00	150	Vertical	Pass
1**	2483.500	45.71	-3.78	54.0	8.29	AV	162.00	150	Vertical	Pass
2	2484.640	60.56	-3.78	74.0	13.44	Peak	123.00	150	Vertical	Pass
2**	2484.640	45.33	-3.78	54.0	8.67	AV	123.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_13.10.45

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G 11ax40 CH9 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.38	-3.78	74.0	12.62	Peak	249.00	150	Horizontal	Pass
1**	2483.500	50.99	-3.78	54.0	3.01	AV	249.00	150	Horizontal	Pass
2	2484.160	67.05	-3.78	74.0	6.95	Peak	246.00	150	Horizontal	Pass
2**	2484.160	50.40	-3.78	54.0	3.60	AV	246.00	150	Horizontal	Pass