


Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_17.10.50

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.07	3.82	74.0	17.93	Peak	112.98	150	Vertical	Pass
1**	5150.000	45.18	3.82	54.0	8.82	AV	112.98	150	Vertical	Pass
2	5148.050	57.86	3.87	74.0	16.14	Peak	123.00	150	Vertical	Pass
2**	5148.050	45.35	3.87	54.0	8.65	AV	123.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_17.13.40

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.49	3.82	74.0	17.51	Peak	94.05	150	Horizontal	Pass
1**	5150.000	46.33	3.82	54.0	7.67	AV	94.05	150	Horizontal	Pass
2	5146.100	60.75	3.93	74.0	13.25	Peak	57.00	150	Horizontal	Pass
2**	5146.100	46.29	3.93	54.0	7.71	AV	57.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_17.18.47

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.16	4.04	74.0	19.84	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.77	4.04	54.0	9.23	AV	360.00	150	Vertical	Pass
2	5353.740	56.34	4.11	74.0	17.66	Peak	220.00	150	Vertical	Pass
2**	5353.740	44.65	4.11	54.0	9.35	AV	220.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_17.16.53

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.79	4.04	74.0	19.21	Peak	74.00	150	Horizontal	Pass
1**	5350.000	44.75	4.04	54.0	9.25	AV	74.00	150	Horizontal	Pass
2	5365.510	56.79	4.08	74.0	17.21	Peak	343.00	150	Horizontal	Pass
2**	5365.510	44.58	4.08	54.0	9.42	AV	343.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_17.24.38

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.92	3.82	74.0	18.08	Peak	146.99	150	Vertical	Pass
1**	5150.000	45.26	3.82	54.0	8.74	AV	146.99	150	Vertical	Pass
2	4947.850	56.64	3.93	74.0	17.36	Peak	348.00	150	Vertical	Pass
2**	4947.850	44.20	3.93	54.0	9.80	AV	348.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_17.26.38

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.32	3.82	74.0	12.68	Peak	184.97	150	Horizontal	Pass
1**	5150.000	46.65	3.82	54.0	7.35	AV	184.97	150	Horizontal	Pass
2	5146.750	61.86	3.91	74.0	12.14	Peak	71.00	150	Horizontal	Pass
2**	5146.750	46.15	3.91	54.0	7.85	AV	71.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_17.40.39

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.49	4.04	74.0	19.51	Peak	21.00	150	Vertical	Pass
1**	5350.000	44.73	4.04	54.0	9.27	AV	21.00	150	Vertical	Pass
2	5358.910	56.37	4.23	74.0	17.63	Peak	169.00	150	Vertical	Pass
2**	5358.910	44.74	4.23	54.0	9.26	AV	169.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_17.42.20

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.72	4.04	74.0	19.28	Peak	360.00	150	Horizontal	Pass
1**	5350.000	44.87	4.04	54.0	9.13	AV	360.00	150	Horizontal	Pass
2	5359.680	56.71	4.24	74.0	17.29	Peak	360.00	150	Horizontal	Pass
2**	5359.680	44.70	4.24	54.0	9.30	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_18.44.04

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=35
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.80	3.82	74.0	16.20	Peak	167.99	150	Vertical	Pass
1**	5150.000	46.40	3.82	54.0	7.60	AV	167.99	150	Vertical	Pass
2	5141.550	58.62	4.06	74.0	15.38	Peak	173.00	150	Vertical	Pass
2**	5141.550	45.21	4.06	54.0	8.79	AV	173.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_18.42.34

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=35
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.97	3.82	74.0	9.03	Peak	330.97	150	Horizontal	Pass
1**	5150.000	50.19	3.82	54.0	3.81	AV	330.97	150	Horizontal	Pass
2	5146.100	63.87	3.93	74.0	10.13	Peak	72.00	150	Horizontal	Pass
2**	5146.100	49.56	3.93	54.0	4.44	AV	72.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_18.48.54

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=35
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.36	4.04	74.0	18.64	Peak	233.00	150	Vertical	Pass
1**	5350.000	44.81	4.04	54.0	9.19	AV	233.00	150	Vertical	Pass
2	5360.010	56.23	4.24	74.0	17.77	Peak	290.00	150	Vertical	Pass
2**	5360.010	44.75	4.24	54.0	9.25	AV	290.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_18.50.39

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=35
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.29	4.04	74.0	17.71	Peak	39.00	150	Horizontal	Pass
1**	5350.000	44.77	4.04	54.0	9.23	AV	39.00	150	Horizontal	Pass
2	5393.450	56.75	4.03	74.0	17.25	Peak	101.00	150	Horizontal	Pass
2**	5393.450	44.56	4.03	54.0	9.44	AV	101.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-17_10.02.15

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=40
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.11	3.82	74.0	16.89	Peak	283.94	150	Vertical	Pass
1**	5150.000	46.63	3.82	54.0	7.37	AV	283.94	150	Vertical	Pass
2	5145.450	56.89	3.95	74.0	17.11	Peak	313.00	150	Vertical	Pass
2**	5145.450	46.21	3.95	54.0	7.79	AV	313.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-17_10.01.01

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=40
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.65	3.82	74.0	15.35	Peak	124.03	150	Horizontal	Pass
1**	5150.000	47.83	3.82	54.0	6.17	AV	124.03	150	Horizontal	Pass
2	5131.800	58.51	3.86	74.0	15.49	Peak	208.00	150	Horizontal	Pass
2**	5131.800	46.46	3.86	54.0	7.54	AV	208.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_19.06.48

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.03	3.82	74.0	18.97	Peak	5.02	150	Vertical	Pass
1**	5150.000	45.15	3.82	54.0	8.85	AV	5.02	150	Vertical	Pass
2	5059.000	56.53	3.76	74.0	17.47	Peak	64.00	150	Vertical	Pass
2**	5059.000	44.55	3.76	54.0	9.45	AV	64.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_19.05.02

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.01	3.82	74.0	13.99	Peak	6.01	150	Horizontal	Pass
1**	5150.000	47.46	3.82	54.0	6.54	AV	6.01	150	Horizontal	Pass
2	5147.400	59.66	3.89	74.0	14.34	Peak	33.00	150	Horizontal	Pass
2**	5147.400	47.34	3.89	54.0	6.66	AV	33.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_19.27.53

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.23	4.04	74.0	18.77	Peak	314.00	150	Vertical	Pass
1**	5350.000	44.67	4.04	54.0	9.33	AV	314.00	150	Vertical	Pass
2	5362.100	56.63	4.18	74.0	17.37	Peak	35.00	150	Vertical	Pass
2**	5362.100	44.66	4.18	54.0	9.34	AV	35.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_19.26.22

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.62	4.04	74.0	19.38	Peak	344.00	150	Horizontal	Pass
1**	5350.000	44.69	4.04	54.0	9.31	AV	344.00	150	Horizontal	Pass
2	5365.180	56.79	4.09	74.0	17.21	Peak	314.00	150	Horizontal	Pass
2**	5365.180	44.61	4.09	54.0	9.39	AV	314.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_19.53.01

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=35
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.43	3.82	74.0	15.57	Peak	120.00	150	Vertical	Pass
1**	5150.000	47.29	3.82	54.0	6.71	AV	120.00	150	Vertical	Pass
2	5146.100	59.33	3.93	74.0	14.67	Peak	178.00	150	Vertical	Pass
2**	5146.100	46.99	3.93	54.0	7.01	AV	178.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_19.54.31

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=35
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.31	3.82	74.0	10.69	Peak	48.00	150	Horizontal	Pass
1**	5150.000	50.18	3.82	54.0	3.82	AV	48.00	150	Horizontal	Pass
2	5145.450	62.82	3.95	74.0	11.18	Peak	84.00	150	Horizontal	Pass
2**	5145.450	49.55	3.95	54.0	4.45	AV	84.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_19.59.16

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.40	4.04	74.0	19.60	Peak	195.00	150	Vertical	Pass
1**	5350.000	44.55	4.04	54.0	9.45	AV	195.00	150	Vertical	Pass
2	5357.480	56.71	4.20	74.0	17.29	Peak	260.00	150	Vertical	Pass
2**	5357.480	44.84	4.20	54.0	9.16	AV	260.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_19.57.51

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=38
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.62	4.04	74.0	19.38	Peak	211.00	150	Horizontal	Pass
1**	5350.000	44.79	4.04	54.0	9.21	AV	211.00	150	Horizontal	Pass
2	5360.890	56.26	4.22	74.0	17.74	Peak	360.00	150	Horizontal	Pass
2**	5360.890	44.92	4.22	54.0	9.08	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-17_10.16.18

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=40
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.87	3.82	74.0	18.13	Peak	118.00	150	Vertical	Pass
1**	5150.000	46.84	3.82	54.0	7.16	AV	118.00	150	Vertical	Pass
2	5147.400	57.36	3.89	74.0	16.64	Peak	115.00	150	Vertical	Pass
2**	5147.400	46.28	3.89	54.0	7.72	AV	115.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-17_10.14.39

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=40
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.62	3.82	74.0	14.38	Peak	127.02	150	Horizontal	Pass
1**	5150.000	47.69	3.82	54.0	6.31	AV	127.02	150	Horizontal	Pass
2	5122.050	60.78	3.76	74.0	13.22	Peak	161.00	150	Horizontal	Pass
2**	5122.050	45.62	3.76	54.0	8.38	AV	161.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_20.16.15

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.32	3.81	68.2	12.88	Peak	205.79	150	Vertical	Pass
2	5649.625	57.10	3.81	68.2	11.10	Peak	72.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_20.17.51

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.36	3.81	68.2	11.84	Peak	239.82	150	Horizontal	Pass
2	5645.625	57.46	3.78	68.2	10.74	Peak	107.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_20.34.04

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.92	6.44	68.2	11.28	Peak	81.94	150	Vertical	Pass
2	5925.150	59.03	6.44	68.2	9.17	Peak	203.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_20.35.32

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.73	6.44	68.2	11.47	Peak	41.31	150	Horizontal	Pass
2	5954.250	59.06	6.16	68.2	9.14	Peak	237.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_20.42.32

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.70	3.81	68.2	12.50	Peak	194.80	150	Vertical	Pass
2	5646.625	57.16	3.78	68.2	11.04	Peak	88.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_20.40.59

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.44	3.81	68.2	12.76	Peak	5.36	150	Horizontal	Pass
2	5638.250	57.00	3.73	68.2	11.20	Peak	347.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_21.03.07

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.91	6.44	68.2	11.29	Peak	0.35	150	Vertical	Pass
2	5974.500	58.62	6.20	68.2	9.58	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_21.01.10

EUT Name: Dash Cam

Temp.(°C): 22.4

Model Number: A900ULTRA-RC43S

Humidity (%RH): 50

Sample Number: EE26050418-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E


Work Mode: 5.8G WIFI 11ac20 CH165

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.15	6.44	68.2	11.05	Peak	360.00	150	Horizontal	Pass
2	5973.600	59.22	6.23	68.2	8.98	Peak	190.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_21.19.27

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.75	3.81	68.2	12.45	Peak	0.03	150	Vertical	Pass
2	5622.000	57.76	3.62	68.2	10.44	Peak	89.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_21.18.06

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.91	3.81	68.2	10.29	Peak	360.00	150	Horizontal	Pass
2	5633.750	56.76	3.70	68.2	11.44	Peak	80.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_21.23.07

EUT Name: Dash Cam

Temp.(°C): 22.4

Model Number: A900ULTRA-RC43S

Humidity (%RH): 50

Sample Number: EE26050418-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E


Work Mode: 5.8G WIFI 11ac40 CH151

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.29	6.44	68.2	10.91	Peak	325.69	150	Vertical	Pass
2	5941.350	58.67	6.07	68.2	9.53	Peak	5.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_21.24.20

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.43	6.44	68.2	10.77	Peak	265.66	150	Horizontal	Pass
2	5931.000	58.37	6.30	68.2	9.83	Peak	221.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-17_10.29.02

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.13	3.81	68.2	12.07	Peak	0.15	150	Vertical	Pass
2	5641.750	56.43	3.74	68.2	11.77	Peak	86.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-17_10.27.49

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.81	3.81	68.2	12.39	Peak	359.74	150	Horizontal	Pass
2	5647.875	57.91	3.80	68.2	10.29	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_21.29.57

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.72	3.81	68.2	12.48	Peak	112.88	150	Vertical	Pass
2	5609.750	57.35	3.59	68.2	10.85	Peak	34.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_21.28.27

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.07	3.81	68.2	13.13	Peak	197.98	150	Horizontal	Pass
2	5617.625	57.88	3.58	68.2	10.32	Peak	298.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_21.48.55

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.93	6.44	68.2	11.27	Peak	0.23	150	Vertical	Pass
2	5936.850	58.78	6.12	68.2	9.42	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_21.47.38

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.47	6.44	68.2	10.73	Peak	28.42	150	Horizontal	Pass
2	5936.100	58.35	6.14	68.2	9.85	Peak	263.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_22.04.18

EUT Name: Dash Cam

Temp.(°C): 22.4

Model Number: A900ULTRA-RC43S

Humidity (%RH): 50

Sample Number: EE26050418-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E


Work Mode: 5.8G WIFI 11ax40 CH151

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.02	3.81	68.2	12.18	Peak	354.98	150	Vertical	Pass
2	5624.250	56.51	3.63	68.2	11.69	Peak	120.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_22.02.16

EUT Name: Dash Cam

Temp.(°C): 22.4

Model Number: A900ULTRA-RC43S

Humidity (%RH): 50

Sample Number: EE26050418-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E


Work Mode: 5.8G WIFI 11ax40 CH151

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.33	3.81	68.2	11.87	Peak	295.89	150	Horizontal	Pass
2	5628.750	57.06	3.67	68.2	11.14	Peak	307.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-11_22.08.03

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.94	6.44	68.2	11.26	Peak	312.89	150	Vertical	Pass
2	5964.450	59.00	6.21	68.2	9.20	Peak	100.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-11_22.09.33

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.35	6.44	68.2	10.85	Peak	259.94	150	Horizontal	Pass
2	5964.300	59.51	6.21	68.2	8.69	Peak	351.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050516
Test Time: 2026-06-17_10.40.53

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.04	3.81	68.2	12.16	Peak	283.85	150	Vertical	Pass
2	5635.875	57.10	3.71	68.2	11.10	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050516

Test Time: 2026-06-17_10.39.42

EUT Name:	Dash Cam	Temp.(°C):	22.4
Model Number:	A900ULTRA-RC43S	Humidity (%RH):	50
Sample Number:	EE26050418-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.64	3.81	68.2	12.56	Peak	14.35	150	Horizontal	Pass
2	5639.125	56.88	3.74	68.2	11.32	Peak	71.00	150	Horizontal	Pass