


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_11.41.14

EUT Name:	Dash Cam	Temp.(°C):	23.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	53
Sample Number:	EE26080325-001-S20	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhou Xu	Remark:	数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.20	-4.87	74.0	22.80	Peak	142.84	150	Vertical	Pass
1**	2390.000	41.22	-4.87	54.0	12.78	AV	142.84	150	Vertical	Pass
2	2386.000	53.35	-4.64	74.0	20.65	Peak	326.00	150	Vertical	Pass
2**	2386.000	44.60	-4.64	54.0	9.40	AV	326.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_11.42.48

EUT Name:	Dash Cam	Temp.(°C):	23.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	53
Sample Number:	EE26080325-001-S20	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhou Xu	Remark:	数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.29	-4.87	74.0	18.71	Peak	283.93	150	Horizontal	Pass
1**	2390.000	45.24	-4.87	54.0	8.76	AV	283.93	150	Horizontal	Pass
2	2386.200	57.23	-4.65	74.0	16.77	Peak	296.00	150	Horizontal	Pass
2**	2386.200	50.66	-4.65	54.0	3.34	AV	296.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_14.23.10

EUT Name:	Dash Cam	Temp.(°C):	23.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	53
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhou Xu	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.50	-3.78	74.0	22.50	Peak	124.00	150	Vertical	Pass
1**	2483.500	41.73	-3.78	54.0	12.27	AV	124.00	150	Vertical	Pass
2	2486.230	53.69	-3.79	74.0	20.31	Peak	58.00	150	Vertical	Pass
2**	2486.230	41.29	-3.79	54.0	12.71	AV	58.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_14.21.31

EUT Name:	Dash Cam	Temp.(°C):	23.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	53
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhou Xu	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.37	-3.78	74.0	19.63	Peak	54.00	150	Horizontal	Pass
1**	2483.500	42.40	-3.78	54.0	11.60	AV	54.00	150	Horizontal	Pass
2	2485.690	54.69	-3.78	74.0	19.31	Peak	176.00	150	Horizontal	Pass
2**	2485.690	41.79	-3.78	54.0	12.21	AV	176.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_14.41.29

EUT Name:	Dash Cam	Temp.(°C):	23.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	53
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=44
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhou Xu	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.59	-4.87	74.0	12.41	Peak	108.00	150	Vertical	Pass
1**	2390.000	42.84	-4.87	54.0	11.16	AV	108.00	150	Vertical	Pass
2	2389.700	63.10	-4.86	74.0	10.90	Peak	77.00	150	Vertical	Pass
2**	2389.700	42.74	-4.86	54.0	11.26	AV	77.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_14.39.45

EUT Name:	Dash Cam	Temp.(°C):	23.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	53
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=44
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhou Xu	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.59	-4.87	74.0	8.41	Peak	59.00	150	Horizontal	Pass
1**	2390.000	45.05	-4.87	54.0	8.95	AV	59.00	150	Horizontal	Pass
2	2384.100	62.95	-4.54	74.0	11.05	Peak	63.00	150	Horizontal	Pass
2**	2384.100	44.17	-4.54	54.0	9.83	AV	63.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_14.32.49

EUT Name:	Dash Cam	Temp.(°C):	23.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	53
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=44
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhou Xu	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.98	-3.78	74.0	9.02	Peak	111.00	150	Vertical	Pass
1**	2483.500	46.48	-3.78	54.0	7.52	AV	111.00	150	Vertical	Pass
2	2484.970	66.57	-3.78	74.0	7.43	Peak	111.00	150	Vertical	Pass
2**	2484.970	45.36	-3.78	54.0	8.64	AV	111.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_14.34.24

EUT Name:	Dash Cam	Temp.(°C):	23.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	53
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=44
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhou Xu	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	69.28	-3.78	74.0	4.72	Peak	65.00	150	Horizontal	Pass
1**	2483.500	49.80	-3.78	54.0	4.20	AV	65.00	150	Horizontal	Pass
2	2484.580	71.61	-3.78	74.0	2.39	Peak	56.00	150	Horizontal	Pass
2**	2484.580	48.57	-3.78	54.0	5.43	AV	56.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534
Test Time: 2026-09-01_15.17.03

EUT Name:	Dash Cam	Temp.(°C):	23.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	53
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=44
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhou Xu	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.08	-4.87	74.0	12.92	Peak	117.95	150	Vertical	Pass
1**	2390.000	44.45	-4.87	54.0	9.55	AV	117.95	150	Vertical	Pass
2	2388.500	62.68	-4.79	74.0	11.32	Peak	106.00	150	Vertical	Pass
2**	2388.500	43.75	-4.79	54.0	10.25	AV	106.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_15.15.46

EUT Name:	Dash Cam	Temp.(°C):	23.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	53
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=44
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhou Xu	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.59	-4.87	74.0	10.41	Peak	174.01	150	Horizontal	Pass
1**	2390.000	47.15	-4.87	54.0	6.85	AV	174.01	150	Horizontal	Pass
2	2388.800	66.08	-4.81	74.0	7.92	Peak	89.00	150	Horizontal	Pass
2**	2388.800	47.18	-4.81	54.0	6.82	AV	89.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.53.21

EUT Name: Dash Cam

Temp.(°C): 22.9

Model Number: A810LITESPEEDEYE-RC21

Humidity (%RH): 52

Sample Number: EE26080325-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH11 P=39


Test Site: 966#2

Test Voltage: DC 5V From PC

Test Engineer: Zhang Mingyue

Remark: 实验室数据线

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.26	-3.78	74.0	11.74	Peak	121.00	150	Vertical	Pass
1**	2483.500	43.91	-3.78	54.0	10.09	AV	121.00	150	Vertical	Pass
2	2484.040	64.02	-3.78	74.0	9.98	Peak	121.00	150	Vertical	Pass
2**	2484.040	44.35	-3.78	54.0	9.65	AV	121.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.52.01

EUT Name: Dash Cam

Temp.(°C): 22.9

Model Number: A810LITESPEEDEYE-RC21

Humidity (%RH): 52

Sample Number: EE26080325-001-S05

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH11 P=39


Test Site: 966#2

Test Voltage: DC 5V From PC

Test Engineer: Zhang Mingyue

Remark: 实验室数据线

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.08	-3.78	74.0	8.92	Peak	68.00	150	Horizontal	Pass
1**	2483.500	45.20	-3.78	54.0	8.80	AV	68.00	150	Horizontal	Pass
2	2484.520	67.38	-3.78	74.0	6.62	Peak	89.00	150	Horizontal	Pass
2**	2484.520	45.30	-3.78	54.0	8.70	AV	89.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_15.45.28

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=41
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.27	-4.87	74.0	15.73	Peak	115.20	150	Vertical	Pass
1**	2390.000	46.63	-4.87	54.0	7.37	AV	115.20	150	Vertical	Pass
2	2387.100	64.12	-4.71	74.0	9.88	Peak	72.00	150	Vertical	Pass
2**	2387.100	47.04	-4.71	54.0	6.96	AV	72.00	150	Vertical	Pass


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_15.44.12

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=41
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线

Bandedge_FCC-WIFI_2.4G_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.08	-4.87	74.0	11.92	Peak	48.16	150	Horizontal	Pass
1**	2390.000	51.00	-4.87	54.0	3.00	AV	48.16	150	Horizontal	Pass
2	2387.400	69.24	-4.73	74.0	4.76	Peak	71.00	150	Horizontal	Pass
2**	2387.400	50.65	-4.73	54.0	3.35	AV	71.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.46.47

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=40
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.10	-3.78	74.0	13.90	Peak	126.00	150	Vertical	Pass
1**	2483.500	47.32	-3.78	54.0	6.68	AV	126.00	150	Vertical	Pass
2	2483.590	67.28	-3.78	74.0	6.72	Peak	113.00	150	Vertical	Pass
2**	2483.590	47.35	-3.78	54.0	6.65	AV	113.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.45.33

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=40
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.48	-3.78	74.0	7.52	Peak	55.00	150	Horizontal	Pass
1**	2483.500	48.74	-3.78	54.0	5.26	AV	55.00	150	Horizontal	Pass
2	2485.300	71.00	-3.78	74.0	3.00	Peak	57.00	150	Horizontal	Pass
2**	2485.300	48.80	-3.78	54.0	5.20	AV	57.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.05.14

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH1 P=44
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.51	-4.87	74.0	16.49	Peak	258.75	150	Vertical	Pass
1**	2390.000	46.46	-4.87	54.0	7.54	AV	258.75	150	Vertical	Pass
2	2389.900	67.23	-4.87	74.0	6.77	Peak	66.00	150	Vertical	Pass
2**	2389.900	44.90	-4.87	54.0	9.10	AV	66.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.07.09

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH1 P=44
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.07	-4.87	74.0	8.93	Peak	69.14	150	Horizontal	Pass
1**	2390.000	47.81	-4.87	54.0	6.19	AV	69.14	150	Horizontal	Pass
2	2388.800	67.19	-4.81	74.0	6.81	Peak	180.00	150	Horizontal	Pass
2**	2388.800	48.26	-4.81	54.0	5.74	AV	180.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.41.58

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH11 P=38
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.87	-3.78	74.0	16.13	Peak	168.00	150	Vertical	Pass
1**	2483.500	44.35	-3.78	54.0	9.65	AV	168.00	150	Vertical	Pass
2	2483.890	64.25	-3.78	74.0	9.75	Peak	125.00	150	Vertical	Pass
2**	2483.890	44.48	-3.78	54.0	9.52	AV	125.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.40.40

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH11 P=38
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.59	-3.78	74.0	11.41	Peak	360.00	150	Horizontal	Pass
1**	2483.500	46.21	-3.78	54.0	7.79	AV	360.00	150	Horizontal	Pass
2	2485.810	68.96	-3.78	74.0	5.04	Peak	75.00	150	Horizontal	Pass
2**	2485.810	44.59	-3.78	54.0	9.41	AV	75.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.22.06

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH3 P=42
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.15	-4.87	74.0	13.85	Peak	290.96	150	Vertical	Pass
1**	2390.000	46.89	-4.87	54.0	7.11	AV	290.96	150	Vertical	Pass
2	2388.400	64.26	-4.79	74.0	9.74	Peak	71.00	150	Vertical	Pass
2**	2388.400	46.70	-4.79	54.0	7.30	AV	71.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.20.44

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH3 P=42
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.47	-4.87	74.0	9.53	Peak	337.79	150	Horizontal	Pass
1**	2390.000	50.56	-4.87	54.0	3.44	AV	337.79	150	Horizontal	Pass
2	2389.500	70.33	-4.85	74.0	3.67	Peak	80.00	150	Horizontal	Pass
2**	2389.500	51.00	-4.85	54.0	3.00	AV	80.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.37.16

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH9 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.88	-3.78	74.0	18.12	Peak	123.00	150	Vertical	Pass
1**	2483.500	46.16	-3.78	54.0	7.84	AV	123.00	150	Vertical	Pass
2	2488.840	63.62	-3.82	74.0	10.38	Peak	141.00	150	Vertical	Pass
2**	2488.840	46.22	-3.82	54.0	7.78	AV	141.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_16.35.17

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH9 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.84	-3.78	74.0	15.16	Peak	170.00	150	Horizontal	Pass
1**	2483.500	48.94	-3.78	54.0	5.06	AV	170.00	150	Horizontal	Pass
2	2486.890	68.50	-3.80	74.0	5.50	Peak	11.00	150	Horizontal	Pass
2**	2486.890	48.20	-3.80	54.0	5.80	AV	11.00	150	Horizontal	Pass