


Test Result

Project Number: P-EE26080534
Test Time: 2026-09-01_17.30.38

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.42	3.82	74.0	18.58	Peak	20.04	150	Vertical	Pass
1**	5150.000	44.75	3.82	54.0	9.25	AV	20.04	150	Vertical	Pass
2	4843.850	56.28	4.35	74.0	17.72	Peak	62.00	150	Vertical	Pass
2**	4843.850	44.12	4.35	54.0	9.88	AV	62.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_17.39.08

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.41	3.82	74.0	19.59	Peak	321.98	150	Horizontal	Pass
1**	5150.000	44.79	3.82	54.0	9.21	AV	321.98	150	Horizontal	Pass
2	5125.300	56.47	3.80	74.0	17.53	Peak	234.00	150	Horizontal	Pass
2**	5125.300	44.55	3.80	54.0	9.45	AV	234.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_17.50.13

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.59	4.04	74.0	18.41	Peak	289.00	150	Vertical	Pass
1**	5350.000	44.59	4.04	54.0	9.41	AV	289.00	150	Vertical	Pass
2	5396.750	56.54	4.07	74.0	17.46	Peak	149.00	150	Vertical	Pass
2**	5396.750	44.31	4.07	54.0	9.69	AV	149.00	150	Vertical	Pass


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_17.51.30

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线

Bandedge_FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.15	4.04	74.0	18.85	Peak	180.00	150	Horizontal	Pass
1**	5350.000	44.59	4.04	54.0	9.41	AV	180.00	150	Horizontal	Pass
2	5383.220	56.78	4.06	74.0	17.22	Peak	202.00	150	Horizontal	Pass
2**	5383.220	44.55	4.06	54.0	9.45	AV	202.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_19.26.42

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.40	3.82	74.0	18.60	Peak	266.01	150	Vertical	Pass
1**	5150.000	45.14	3.82	54.0	8.86	AV	266.01	150	Vertical	Pass
2	4984.250	57.08	3.50	74.0	16.92	Peak	96.00	150	Vertical	Pass
2**	4984.250	44.55	3.50	54.0	9.45	AV	96.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_19.25.34

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.40	3.82	74.0	18.60	Peak	178.03	150	Horizontal	Pass
1**	5150.000	45.32	3.82	54.0	8.68	AV	178.03	150	Horizontal	Pass
2	4903.000	56.44	3.47	74.0	17.56	Peak	0.00	150	Horizontal	Pass
2**	4903.000	44.25	3.47	54.0	9.75	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_19.37.23

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.59	4.04	74.0	18.41	Peak	210.00	150	Vertical	Pass
1**	5350.000	44.75	4.04	54.0	9.25	AV	210.00	150	Vertical	Pass
2	5431.730	56.62	3.70	74.0	17.38	Peak	118.00	150	Vertical	Pass
2**	5431.730	44.58	3.70	54.0	9.42	AV	118.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_19.36.17

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.90	4.04	74.0	19.10	Peak	358.00	150	Horizontal	Pass
1**	5350.000	44.59	4.04	54.0	9.41	AV	358.00	150	Horizontal	Pass
2	5426.120	56.78	3.72	74.0	17.22	Peak	82.00	150	Horizontal	Pass
2**	5426.120	44.56	3.72	54.0	9.44	AV	82.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_19.39.06

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.21	3.82	74.0	17.79	Peak	20.00	150	Vertical	Pass
1**	5150.000	46.52	3.82	54.0	7.48	AV	20.00	150	Vertical	Pass
2	4884.150	56.21	3.98	74.0	17.79	Peak	196.00	150	Vertical	Pass
2**	4884.150	44.32	3.98	54.0	9.68	AV	196.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534
Test Time: 2026-09-01_19.40.17

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.14	3.82	74.0	17.86	Peak	38.00	150	Horizontal	Pass
1**	5150.000	46.29	3.82	54.0	7.71	AV	38.00	150	Horizontal	Pass
2	5146.100	57.16	3.93	74.0	16.84	Peak	47.00	150	Horizontal	Pass
2**	5146.100	45.95	3.93	54.0	8.05	AV	47.00	150	Horizontal	Pass


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_19.43.00

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.23	4.04	74.0	18.77	Peak	76.00	150	Vertical	Pass
1**	5350.000	44.59	4.04	54.0	9.41	AV	76.00	150	Vertical	Pass
2	5366.280	56.49	4.07	74.0	17.51	Peak	50.00	150	Vertical	Pass
2**	5366.280	44.67	4.07	54.0	9.33	AV	50.00	150	Vertical	Pass


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_19.41.46

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.62	4.04	74.0	19.38	Peak	326.00	150	Horizontal	Pass
1**	5350.000	44.75	4.04	54.0	9.25	AV	326.00	150	Horizontal	Pass
2	5357.480	56.80	4.20	74.0	17.20	Peak	248.00	150	Horizontal	Pass
2**	5357.480	44.76	4.20	54.0	9.24	AV	248.00	150	Horizontal	Pass


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_19.54.31

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.10	3.82	74.0	18.90	Peak	360.00	150	Vertical	Pass
1**	5150.000	45.02	3.82	54.0	8.98	AV	360.00	150	Vertical	Pass
2	4954.350	57.00	3.95	74.0	17.00	Peak	360.00	150	Vertical	Pass
2**	4954.350	44.41	3.95	54.0	9.59	AV	360.00	150	Vertical	Pass


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_19.53.04

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线

Bandedge_FCC-WIFI_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.26	3.82	74.0	18.74	Peak	222.97	150	Horizontal	Pass
1**	5150.000	45.06	3.82	54.0	8.94	AV	222.97	150	Horizontal	Pass
2	5136.350	56.48	4.00	74.0	17.52	Peak	277.00	150	Horizontal	Pass
2**	5136.350	44.85	4.00	54.0	9.15	AV	277.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_20.05.49

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.22	4.04	74.0	18.78	Peak	154.00	150	Vertical	Pass
1**	5350.000	44.70	4.04	54.0	9.30	AV	154.00	150	Vertical	Pass
2	5400.270	56.62	4.15	74.0	17.38	Peak	320.00	150	Vertical	Pass
2**	5400.270	44.63	4.15	54.0	9.37	AV	320.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534
Test Time: 2026-09-01_20.04.29

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.44	4.04	74.0	18.56	Peak	92.00	150	Horizontal	Pass
1**	5350.000	44.71	4.04	54.0	9.29	AV	92.00	150	Horizontal	Pass
2	5360.670	56.75	4.22	74.0	17.25	Peak	0.00	150	Horizontal	Pass
2**	5360.670	44.89	4.22	54.0	9.11	AV	0.00	150	Horizontal	Pass


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_20.07.09

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线

Bandedge_FCC-WIFI_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.00	3.82	74.0	19.00	Peak	0.00	150	Vertical	Pass
1**	5150.000	46.06	3.82	54.0	7.94	AV	0.00	150	Vertical	Pass
2	4917.300	55.57	3.68	74.0	18.43	Peak	0.00	150	Vertical	Pass
2**	4917.300	44.52	3.68	54.0	9.48	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_20.08.27

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.58	3.82	74.0	17.42	Peak	219.00	150	Horizontal	Pass
1**	5150.000	45.83	3.82	54.0	8.17	AV	219.00	150	Horizontal	Pass
2	5092.150	57.06	3.58	74.0	16.94	Peak	161.00	150	Horizontal	Pass
2**	5092.150	44.38	3.58	54.0	9.62	AV	161.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_20.11.10

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.69	4.04	74.0	19.31	Peak	192.00	150	Vertical	Pass
1**	5350.000	44.66	4.04	54.0	9.34	AV	192.00	150	Vertical	Pass
2	5401.150	56.56	4.10	74.0	17.44	Peak	21.00	150	Vertical	Pass
2**	5401.150	44.45	4.10	54.0	9.55	AV	21.00	150	Vertical	Pass


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_20.09.53

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线

Bandedge_FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.37	4.04	74.0	19.63	Peak	139.00	150	Horizontal	Pass
1**	5350.000	44.81	4.04	54.0	9.19	AV	139.00	150	Horizontal	Pass
2	5446.470	56.86	3.86	74.0	17.14	Peak	80.00	150	Horizontal	Pass
2**	5446.470	44.48	3.86	54.0	9.52	AV	80.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_20.40.43

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.35	3.81	68.2	12.85	Peak	280.05	150	Vertical	Pass
2	5634.875	56.88	3.71	68.2	11.32	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_20.39.25

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.17	3.81	68.2	13.03	Peak	357.80	150	Horizontal	Pass
2	5646.000	57.10	3.78	68.2	11.10	Peak	174.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_20.51.25

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.26	6.44	68.2	10.94	Peak	359.75	150	Vertical	Pass
2	5930.100	57.93	6.31	68.2	10.27	Peak	77.00	150	Vertical	Pass


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_20.50.13

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.83	6.44	68.2	11.37	Peak	241.06	150	Horizontal	Pass
2	5931.300	58.48	6.29	68.2	9.72	Peak	344.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534
Test Time: 2026-09-01_20.53.41

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.64	3.81	68.2	12.56	Peak	132.05	150	Vertical	Pass
2	5643.250	56.86	3.75	68.2	11.34	Peak	75.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_20.55.02

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.37	3.81	68.2	12.83	Peak	71.96	150	Horizontal	Pass
2	5646.375	57.72	3.78	68.2	10.48	Peak	271.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.04.49

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.59	6.44	68.2	11.61	Peak	0.26	150	Vertical	Pass
2	5938.200	59.35	6.08	68.2	8.85	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.09.40

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.69	6.44	68.2	11.51	Peak	125.30	150	Horizontal	Pass
2	5934.450	57.90	6.20	68.2	10.30	Peak	136.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.12.46

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.81	3.81	68.2	12.39	Peak	194.07	150	Vertical	Pass
2	5643.375	57.13	3.76	68.2	11.07	Peak	37.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.11.36

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.84	3.81	68.2	12.36	Peak	138.02	150	Horizontal	Pass
2	5639.000	57.43	3.74	68.2	10.77	Peak	241.00	150	Horizontal	Pass


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.23.03

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH159 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.17	6.44	68.2	12.03	Peak	211.08	150	Vertical	Pass
2	5966.550	58.84	6.25	68.2	9.36	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.21.49

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH159 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.59	6.44	68.2	11.61	Peak	299.62	150	Horizontal	Pass
2	5977.950	58.83	6.08	68.2	9.37	Peak	357.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.24.52

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.76	3.81	68.2	12.44	Peak	79.92	150	Vertical	Pass
2	5638.500	56.93	3.73	68.2	11.27	Peak	187.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.26.30

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.06	3.81	68.2	12.14	Peak	320.75	150	Horizontal	Pass
2	5637.125	57.90	3.72	68.2	10.30	Peak	295.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.36.10

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.35	6.44	68.2	10.85	Peak	273.66	150	Vertical	Pass
2	5937.300	58.81	6.10	68.2	9.39	Peak	150.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.39.37

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.35	6.44	68.2	11.85	Peak	203.90	150	Horizontal	Pass
2	5936.250	59.06	6.14	68.2	9.14	Peak	267.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.42.04

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.34	3.81	68.2	12.86	Peak	359.92	150	Vertical	Pass
2	5638.500	57.51	3.73	68.2	10.69	Peak	308.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.41.00

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.22	3.81	68.2	11.98	Peak	31.97	150	Horizontal	Pass
2	5647.750	57.67	3.80	68.2	10.53	Peak	46.00	150	Horizontal	Pass


Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.55.37

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.66	6.44	68.2	10.54	Peak	169.24	150	Vertical	Pass
2	5970.600	59.60	6.31	68.2	8.60	Peak	236.00	150	Vertical	Pass

Test Result

Project Number: P-EE26080534

Test Time: 2026-09-01_21.54.29

EUT Name:	Dash Cam	Temp.(°C):	22.9
Model Number:	A810LITESPEEDEYE-RC21	Humidity (%RH):	52
Sample Number:	EE26080325-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	实验室数据线



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.35	6.44	68.2	10.85	Peak	4.01	150	Horizontal	Pass
2	5964.150	59.25	6.21	68.2	8.95	Peak	236.00	150	Horizontal	Pass