

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_09.33.16

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.69	3.82	74.0	17.31	Peak	99.00	150	Vertical	Pass
1**	5150.000	47.09	3.82	54.0	6.91	AV	99.00	150	Vertical	Pass
2	5148.700	58.52	3.85	74.0	15.48	Peak	99.00	150	Vertical	Pass
2**	5148.700	46.72	3.85	54.0	7.28	AV	99.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_09.31.34

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.10	3.82	74.0	17.90	Peak	0.07	150	Horizontal	Pass
1**	5150.000	45.86	3.82	54.0	8.14	AV	0.07	150	Horizontal	Pass
2	5142.850	56.30	4.02	74.0	17.70	Peak	74.00	150	Horizontal	Pass
2**	5142.850	45.49	4.02	54.0	8.51	AV	74.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_09.35.18

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.68	4.04	74.0	19.32	Peak	345.00	150	Vertical	Pass
1**	5350.000	44.94	4.04	54.0	9.06	AV	345.00	150	Vertical	Pass
2	5401.150	56.40	4.10	74.0	17.60	Peak	67.00	150	Vertical	Pass
2**	5401.150	44.57	4.10	54.0	9.43	AV	67.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_09.36.33

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.85	4.04	74.0	19.15	Peak	4.00	150	Horizontal	Pass
1**	5350.000	44.70	4.04	54.0	9.30	AV	4.00	150	Horizontal	Pass
2	5422.930	56.69	3.73	74.0	17.31	Peak	360.00	150	Horizontal	Pass
2**	5422.930	44.75	3.73	54.0	9.25	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_09.40.31

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.70	3.82	74.0	17.30	Peak	111.00	150	Vertical	Pass
1**	5150.000	47.24	3.82	54.0	6.76	AV	111.00	150	Vertical	Pass
2	5148.050	58.34	3.87	74.0	15.66	Peak	116.00	150	Vertical	Pass
2**	5148.050	46.57	3.87	54.0	7.43	AV	116.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_09.39.18

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.43	3.82	74.0	17.57	Peak	69.99	150	Horizontal	Pass
1**	5150.000	45.93	3.82	54.0	8.07	AV	69.99	150	Horizontal	Pass
2	5149.350	59.04	3.84	74.0	14.96	Peak	0.00	150	Horizontal	Pass
2**	5149.350	46.44	3.84	54.0	7.56	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_09.42.36

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.88	4.04	74.0	19.12	Peak	224.00	150	Vertical	Pass
1**	5350.000	44.69	4.04	54.0	9.31	AV	224.00	150	Vertical	Pass
2	5458.130	56.72	3.77	74.0	17.28	Peak	115.00	150	Vertical	Pass
2**	5458.130	44.39	3.77	54.0	9.61	AV	115.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_09.43.49

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.95	4.04	74.0	19.05	Peak	304.00	150	Horizontal	Pass
1**	5350.000	44.82	4.04	54.0	9.18	AV	304.00	150	Horizontal	Pass
2	5376.730	56.47	4.03	74.0	17.53	Peak	2.00	150	Horizontal	Pass
2**	5376.730	44.74	4.03	54.0	9.26	AV	2.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_09.56.13

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=40
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	65.07	3.82	74.0	8.93	Peak	50.01	150	Vertical	Pass
1**	5150.000	49.98	3.82	54.0	4.02	AV	50.01	150	Vertical	Pass
2	5141.550	65.30	4.06	74.0	8.70	Peak	68.00	150	Vertical	Pass
2**	5141.550	48.22	4.06	54.0	5.78	AV	68.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_09.57.26

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=40
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	68.32	3.82	74.0	5.68	Peak	77.05	150	Horizontal	Pass
1**	5150.000	47.55	3.82	54.0	6.45	AV	77.05	150	Horizontal	Pass
2	5144.800	64.87	3.97	74.0	9.13	Peak	360.00	150	Horizontal	Pass
2**	5144.800	47.17	3.97	54.0	6.83	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_10.02.09

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.78	4.04	74.0	19.22	Peak	214.00	150	Vertical	Pass
1**	5350.000	44.68	4.04	54.0	9.32	AV	214.00	150	Vertical	Pass
2	5371.230	56.73	3.99	74.0	17.27	Peak	360.00	150	Vertical	Pass
2**	5371.230	44.59	3.99	54.0	9.41	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_09.59.33

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.17	4.04	74.0	19.83	Peak	228.00	150	Horizontal	Pass
1**	5350.000	44.72	4.04	54.0	9.28	AV	228.00	150	Horizontal	Pass
2	5366.280	56.83	4.07	74.0	17.17	Peak	0.00	150	Horizontal	Pass
2**	5366.280	44.76	4.07	54.0	9.24	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_10.05.00

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.15	3.82	74.0	15.85	Peak	103.03	150	Vertical	Pass
1**	5150.000	47.38	3.82	54.0	6.62	AV	103.03	150	Vertical	Pass
2	5145.450	58.13	3.95	74.0	15.87	Peak	222.00	150	Vertical	Pass
2**	5145.450	46.59	3.95	54.0	7.41	AV	222.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_10.06.14

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.60	3.82	74.0	17.40	Peak	359.99	150	Horizontal	Pass
1**	5150.000	46.32	3.82	54.0	7.68	AV	359.99	150	Horizontal	Pass
2	5148.050	57.47	3.87	74.0	16.53	Peak	360.00	150	Horizontal	Pass
2**	5148.050	46.33	3.87	54.0	7.67	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_10.09.32

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.55	4.04	74.0	19.45	Peak	101.00	150	Vertical	Pass
1**	5350.000	44.67	4.04	54.0	9.33	AV	101.00	150	Vertical	Pass
2	5356.820	56.77	4.19	74.0	17.23	Peak	341.00	150	Vertical	Pass
2**	5356.820	44.67	4.19	54.0	9.33	AV	341.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_10.08.20

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.67	4.04	74.0	19.33	Peak	357.00	150	Horizontal	Pass
1**	5350.000	44.67	4.04	54.0	9.33	AV	357.00	150	Horizontal	Pass
2	5443.610	56.55	3.79	74.0	17.45	Peak	352.00	150	Horizontal	Pass
2**	5443.610	44.44	3.79	54.0	9.56	AV	352.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_10.22.33

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.18	3.82	74.0	13.82	Peak	60.00	150	Vertical	Pass
1**	5150.000	48.11	3.82	54.0	5.89	AV	60.00	150	Vertical	Pass
2	5148.050	59.80	3.87	74.0	14.20	Peak	231.00	150	Vertical	Pass
2**	5148.050	47.47	3.87	54.0	6.53	AV	231.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_10.23.45

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.59	3.82	74.0	18.41	Peak	0.00	150	Horizontal	Pass
1**	5150.000	45.78	3.82	54.0	8.22	AV	0.00	150	Horizontal	Pass
2	5147.400	57.45	3.89	74.0	16.55	Peak	308.00	150	Horizontal	Pass
2**	5147.400	45.60	3.89	54.0	8.40	AV	308.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_10.27.05

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.16	4.04	74.0	18.84	Peak	0.00	150	Vertical	Pass
1**	5350.000	45.01	4.04	54.0	8.99	AV	0.00	150	Vertical	Pass
2	5386.630	57.06	4.05	74.0	16.94	Peak	170.00	150	Vertical	Pass
2**	5386.630	44.73	4.05	54.0	9.27	AV	170.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_10.25.51

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.32	4.04	74.0	19.68	Peak	268.00	150	Horizontal	Pass
1**	5350.000	44.87	4.04	54.0	9.13	AV	268.00	150	Horizontal	Pass
2	5371.120	56.98	3.98	74.0	17.02	Peak	360.00	150	Horizontal	Pass
2**	5371.120	44.77	3.98	54.0	9.23	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_11.24.56

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.05	3.81	68.2	12.15	Peak	336.99	150	Vertical	Pass
2	5632.250	57.61	3.69	68.2	10.59	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_11.22.57

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.43	3.81	68.2	12.77	Peak	3.07	150	Horizontal	Pass
2	5641.375	57.12	3.74	68.2	11.08	Peak	117.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_11.27.04

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.82	6.44	68.2	11.38	Peak	318.78	150	Vertical	Pass
2	5928.600	59.10	6.35	68.2	9.10	Peak	302.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_11.28.11

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.49	6.44	68.2	11.71	Peak	295.90	150	Horizontal	Pass
2	5997.300	58.72	6.48	68.2	9.48	Peak	212.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_11.31.46

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.82	3.81	68.2	12.38	Peak	299.85	150	Vertical	Pass
2	5642.125	57.00	3.74	68.2	11.20	Peak	157.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_11.30.30

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.55	3.81	68.2	12.65	Peak	222.13	150	Horizontal	Pass
2	5633.375	56.91	3.70	68.2	11.29	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_13.10.48

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.17	6.44	68.2	12.03	Peak	338.76	150	Vertical	Pass
2	5933.850	58.08	6.22	68.2	10.12	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_13.13.24

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.55	6.44	68.2	11.65	Peak	205.20	150	Horizontal	Pass
2	5966.550	59.08	6.25	68.2	9.12	Peak	280.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_13.17.24

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.14	3.81	68.2	12.06	Peak	359.83	150	Vertical	Pass
2	5644.000	56.92	3.77	68.2	11.28	Peak	249.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_13.16.09

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.97	3.81	68.2	12.23	Peak	3.01	150	Horizontal	Pass
2	5640.625	57.22	3.74	68.2	10.98	Peak	287.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_13.19.26

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.00	6.44	68.2	11.20	Peak	37.28	150	Vertical	Pass
2	5948.850	58.76	6.20	68.2	9.44	Peak	358.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_13.20.37

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.39	6.44	68.2	10.81	Peak	85.98	150	Horizontal	Pass
2	5990.850	58.97	6.39	68.2	9.23	Peak	90.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_13.24.00

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.56	3.81	68.2	12.64	Peak	247.12	150	Vertical	Pass
2	5632.375	57.14	3.69	68.2	11.06	Peak	224.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_13.22.48

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.31	3.81	68.2	12.89	Peak	94.94	150	Horizontal	Pass
2	5643.625	56.75	3.76	68.2	11.45	Peak	99.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_13.25.57

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.50	6.44	68.2	11.70	Peak	311.60	150	Vertical	Pass
2	5942.250	58.21	6.08	68.2	9.99	Peak	355.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_13.27.07

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.37	6.44	68.2	11.83	Peak	133.29	150	Horizontal	Pass
2	5977.950	58.81	6.08	68.2	9.39	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_13.30.20

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.86	3.81	68.2	12.34	Peak	197.17	150	Vertical	Pass
2	5627.500	56.83	3.65	68.2	11.37	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_13.29.10

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.91	3.81	68.2	12.29	Peak	115.09	150	Horizontal	Pass
2	5642.250	56.81	3.74	68.2	11.39	Peak	166.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_13.32.18

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.31	6.44	68.2	11.89	Peak	211.76	150	Vertical	Pass
2	5972.850	58.54	6.26	68.2	9.66	Peak	355.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_13.33.26

EUT Name:	Dash Cam	Temp.(°C):	22.7
Model Number:	A900-RC44H	Humidity (%RH):	51
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=45
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Zhang Mingyue	Remark:	数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.56	6.44	68.2	11.64	Peak	84.01	150	Horizontal	Pass
2	5997.600	58.98	6.49	68.2	9.22	Peak	199.00	150	Horizontal	Pass