

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_03.59.08

EUT Name: Dash Cam

Temp.(°C): 23.1

Model Number: A900-RC44H

Humidity (%RH): 50

Sample Number: EE26050537-002-S03

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11b CH1 P=39

Test Site: 966#2

Test Voltage: DC 5V From PC

Test Engineer: Liu Yabo

Remark: 数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.83	-4.87	74.0	23.17	Peak	342.97	150	Vertical	Pass
1**	2390.000	40.62	-4.87	54.0	13.38	AV	342.97	150	Vertical	Pass
2	2385.200	52.36	-4.60	74.0	21.64	Peak	348.00	150	Vertical	Pass
2**	2385.200	40.83	-4.60	54.0	13.17	AV	348.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_03.57.24

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.21	-4.87	74.0	22.79	Peak	321.75	150	Horizontal	Pass
1**	2390.000	41.46	-4.87	54.0	12.54	AV	321.75	150	Horizontal	Pass
2	2386.900	54.04	-4.69	74.0	19.96	Peak	307.00	150	Horizontal	Pass
2**	2386.900	41.17	-4.69	54.0	12.83	AV	307.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_03.33.14

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	50.82	-3.78	74.0	23.18	Peak	6.00	150	Vertical	Pass
1**	2483.500	41.23	-3.78	54.0	12.77	AV	6.00	150	Vertical	Pass
2	2487.220	52.98	-3.80	74.0	21.02	Peak	0.00	150	Vertical	Pass
2**	2487.220	41.06	-3.80	54.0	12.94	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_03.31.18

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.07	-3.78	74.0	21.93	Peak	284.00	150	Horizontal	Pass
1**	2483.500	41.78	-3.78	54.0	12.22	AV	284.00	150	Horizontal	Pass
2	2485.630	54.91	-3.78	74.0	19.09	Peak	309.00	150	Horizontal	Pass
2**	2485.630	41.74	-3.78	54.0	12.26	AV	309.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_04.11.18

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=41
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.25	-4.87	74.0	14.75	Peak	127.03	150	Vertical	Pass
1**	2390.000	42.84	-4.87	54.0	11.16	AV	127.03	150	Vertical	Pass
2	2375.400	56.91	-4.17	74.0	17.09	Peak	160.00	150	Vertical	Pass
2**	2375.400	41.41	-4.17	54.0	12.59	AV	160.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_04.09.41

EUT Name: Dash Cam

Temp.(°C): 23.1

Model Number: A900-RC44H

Humidity (%RH): 50

Sample Number: EE26050537-002-S03

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH1 P=41


Test Site: 966#2

Test Voltage: DC 5V From PC

Test Engineer: Liu Yabo

Remark: 数据线: A09

Bandedge_FCC-WIFI_2.4G_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	67.46	-4.87	74.0	6.54	Peak	310.97	150	Horizontal	Pass
1**	2390.000	50.22	-4.87	54.0	3.78	AV	310.97	150	Horizontal	Pass
2	2388.700	67.06	-4.80	74.0	6.94	Peak	305.00	150	Horizontal	Pass
2**	2388.700	48.99	-4.80	54.0	5.01	AV	305.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_03.26.02

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=38
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.96	-3.78	74.0	20.04	Peak	28.00	150	Vertical	Pass
1**	2483.500	41.70	-3.78	54.0	12.30	AV	28.00	150	Vertical	Pass
2	2484.040	60.05	-3.78	74.0	13.95	Peak	189.00	150	Vertical	Pass
2**	2484.040	41.74	-3.78	54.0	12.26	AV	189.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_03.24.18

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=38
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	68.26	-3.78	74.0	5.74	Peak	298.00	150	Horizontal	Pass
1**	2483.500	44.89	-3.78	54.0	9.11	AV	298.00	150	Horizontal	Pass
2	2484.490	68.34	-3.78	74.0	5.66	Peak	298.00	150	Horizontal	Pass
2**	2484.490	44.44	-3.78	54.0	9.56	AV	298.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_04.21.07

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=40
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.27	-4.87	74.0	16.73	Peak	146.05	150	Vertical	Pass
1**	2390.000	42.85	-4.87	54.0	11.15	AV	146.05	150	Vertical	Pass
2	2389.800	60.72	-4.86	74.0	13.28	Peak	138.00	150	Vertical	Pass
2**	2389.800	42.86	-4.86	54.0	11.14	AV	138.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_04.19.23

EUT Name: Dash Cam

Temp.(°C): 23.1

Model Number: A900-RC44H

Humidity (%RH): 50

Sample Number: EE26050537-002-S03

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH1 P=40


Test Site: 966#2

Test Voltage: DC 5V From PC

Test Engineer: Liu Yabo

Remark: 数据线: A09

Bandedge_FCC-WIFI_2.4G_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.72	-4.87	74.0	8.28	Peak	291.00	150	Horizontal	Pass
1**	2390.000	50.66	-4.87	54.0	3.34	AV	291.00	150	Horizontal	Pass
2	2388.800	67.28	-4.81	74.0	6.72	Peak	300.00	150	Horizontal	Pass
2**	2388.800	50.02	-4.81	54.0	3.98	AV	300.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_03.16.59

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=32
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.43	-3.78	74.0	18.57	Peak	181.00	150	Vertical	Pass
1**	2483.500	42.50	-3.78	54.0	11.50	AV	181.00	150	Vertical	Pass
2	2483.830	64.26	-3.78	74.0	9.74	Peak	218.00	150	Vertical	Pass
2**	2483.830	42.06	-3.78	54.0	11.94	AV	218.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_03.18.33

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=32
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.75	-3.78	74.0	18.25	Peak	303.00	150	Horizontal	Pass
1**	2483.500	45.04	-3.78	54.0	8.96	AV	303.00	150	Horizontal	Pass
2	2484.040	70.46	-3.78	74.0	3.54	Peak	332.00	150	Horizontal	Pass
2**	2484.040	44.40	-3.78	54.0	9.60	AV	332.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_04.32.35

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=32
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.01	-4.87	74.0	20.99	Peak	177.95	150	Vertical	Pass
1**	2390.000	42.82	-4.87	54.0	11.18	AV	177.95	150	Vertical	Pass
2	2386.000	56.58	-4.64	74.0	17.42	Peak	150.00	150	Vertical	Pass
2**	2386.000	43.05	-4.64	54.0	10.95	AV	150.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_04.31.13

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=32
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.04	-4.87	74.0	12.96	Peak	302.02	150	Horizontal	Pass
1**	2390.000	50.19	-4.87	54.0	3.81	AV	302.02	150	Horizontal	Pass
2	2383.400	67.45	-4.50	74.0	6.55	Peak	296.00	150	Horizontal	Pass
2**	2383.400	49.42	-4.50	54.0	4.58	AV	296.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_02.55.13

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=36
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.97	-3.78	74.0	15.03	Peak	3.00	150	Vertical	Pass
1**	2483.500	44.86	-3.78	54.0	9.14	AV	3.00	150	Vertical	Pass
2	2484.160	64.06	-3.78	74.0	9.94	Peak	0.00	150	Vertical	Pass
2**	2484.160	44.31	-3.78	54.0	9.69	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_02.53.29

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=36
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.11	-3.78	74.0	13.89	Peak	322.00	150	Horizontal	Pass
1**	2483.500	49.35	-3.78	54.0	4.65	AV	322.00	150	Horizontal	Pass
2	2485.240	68.78	-3.78	74.0	5.22	Peak	352.00	150	Horizontal	Pass
2**	2485.240	48.27	-3.78	54.0	5.73	AV	352.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_04.48.26

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH1 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.77	-4.87	74.0	19.23	Peak	140.96	150	Vertical	Pass
1**	2390.000	41.19	-4.87	54.0	12.81	AV	140.96	150	Vertical	Pass
2	2389.800	60.70	-4.86	74.0	13.30	Peak	129.00	150	Vertical	Pass
2**	2389.800	41.24	-4.86	54.0	12.76	AV	129.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_04.46.55

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH1 P=39
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.35	-4.87	74.0	8.65	Peak	226.86	150	Horizontal	Pass
1**	2390.000	45.33	-4.87	54.0	8.67	AV	226.86	150	Horizontal	Pass
2	2389.500	70.63	-4.85	74.0	3.37	Peak	322.00	150	Horizontal	Pass
2**	2389.500	44.71	-4.85	54.0	9.29	AV	322.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_02.37.57

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH11 P=36
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.39	-3.78	74.0	19.61	Peak	118.00	150	Vertical	Pass
1**	2483.500	41.79	-3.78	54.0	12.21	AV	118.00	150	Vertical	Pass
2	2483.770	59.30	-3.78	74.0	14.70	Peak	46.00	150	Vertical	Pass
2**	2483.770	41.91	-3.78	54.0	12.09	AV	46.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_02.36.14

EUT Name: Dash Cam

Temp.(°C): 23.1

Model Number: A900-RC44H

Humidity (%RH): 50

Sample Number: EE26050537-002-S03

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax20 CH11 P=36


Test Site: 966#2

Test Voltage: DC 5V From PC

Test Engineer: Liu Yabo

Remark: 数据线: A09

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.59	-3.78	74.0	13.41	Peak	356.00	150	Horizontal	Pass
1**	2483.500	46.54	-3.78	54.0	7.46	AV	356.00	150	Horizontal	Pass
2	2483.890	67.45	-3.78	74.0	6.55	Peak	0.00	150	Horizontal	Pass
2**	2483.890	46.52	-3.78	54.0	7.48	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_04.57.09

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH3 P=32
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.30	-4.87	74.0	20.70	Peak	114.02	150	Vertical	Pass
1**	2390.000	42.96	-4.87	54.0	11.04	AV	114.02	150	Vertical	Pass
2	2379.500	59.69	-4.30	74.0	14.31	Peak	150.00	150	Vertical	Pass
2**	2379.500	42.96	-4.30	54.0	11.04	AV	150.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691

Test Time: 2026-06-12_04.55.35

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH3 P=32
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.83	-4.87	74.0	10.17	Peak	287.00	150	Horizontal	Pass
1**	2390.000	50.17	-4.87	54.0	3.83	AV	287.00	150	Horizontal	Pass
2	2387.200	69.68	-4.71	74.0	4.32	Peak	299.00	150	Horizontal	Pass
2**	2387.200	50.08	-4.71	54.0	3.92	AV	299.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_02.22.49

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH9 P=36
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.30	-3.78	74.0	14.70	Peak	112.00	150	Vertical	Pass
1**	2483.500	43.33	-3.78	54.0	10.67	AV	112.00	150	Vertical	Pass
2	2484.760	61.28	-3.78	74.0	12.72	Peak	282.00	150	Vertical	Pass
2**	2484.760	43.07	-3.78	54.0	10.93	AV	282.00	150	Vertical	Pass

Test Result

Project Number: P-EE26050691
Test Time: 2026-06-12_02.20.47

EUT Name:	Dash Cam	Temp.(°C):	23.1
Model Number:	A900-RC44H	Humidity (%RH):	50
Sample Number:	EE26050537-002-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH9 P=36
Test Site:	966#2	Test Voltage:	DC 5V From PC
Test Engineer:	Liu Yabo	Remark:	数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.10	-3.78	74.0	11.90	Peak	213.00	150	Horizontal	Pass
1**	2483.500	49.05	-3.78	54.0	4.95	AV	213.00	150	Horizontal	Pass
2	2484.400	70.55	-3.78	74.0	3.45	Peak	38.00	150	Horizontal	Pass
2**	2484.400	49.30	-3.78	54.0	4.70	AV	38.00	150	Horizontal	Pass