




802.11g LOW CHANNEL CARRIER LEVEL




802.11g LOW CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11g LOW CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11g MIDDLE CHANNEL CARRIER LEVEL



802.11g MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11g MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11g HIGH CHANNEL CARRIER LEVEL






802.11g HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11g HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-20 MHz LOW CHANNEL CARRIER LEVEL

802.11n-20 MHz LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11n-20 MHz LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz


802.11n-20 MHz MIDDLE CHANNEL CARRIER LEVEL




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-20 MHz HIGH CHANNEL CARRIER LEVEL






802.11n-20 MHz HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-20 MHz HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-40 MHz LOW CHANNEL CARRIER LEVEL

802.11n-40 MHz LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11n-40 MHz LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz


802.11n-40 MHz MIDDLE CHANNEL CARRIER LEVEL




802.11n-40 MHz MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-40 MHz MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-40 MHz HIGH CHANNEL CARRIER LEVEL






802.11n-40 MHz HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-40 MHz HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) LOW CHANNEL CARRIER LEVEL

802.11ax-20 MHz(SU) LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11ax-20 MHz(SU) LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz


802.11ax-20 MHz(SU) MIDDLE CHANNEL CARRIER LEVEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11ax-20 MHz(SU) MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11ax-20 MHz(SU) HIGH CHANNEL CARRIER LEVEL







802.11ax-20 MHz(SU) HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11ax-20 MHz(SU) HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11ax-40 MHz(SU) LOW CHANNEL CARRIER LEVEL

802.11ax-40 MHz(SU) LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11ax-40 MHz(SU) LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz802.11ax-40 MHz(SU) MIDDLE CHANNEL CARRIER
LEVEL


802.11ax-40 MHz(SU) MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz





802.11ax-40 MHz(SU) MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



802.11ax-40 MHz(SU) HIGH CHANNEL CARRIER LEVEL



802.11ax-40 MHz(SU) HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



A.4 Band Edge (Authorized-band band-edge)

Note: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

Test Data

802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-42.63	7.38	-12.63	Pass
High Channel	-43.69	7.14	-12.86	Pass

802.11g Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-36.74	7.63	-12.37	Pass
High Channel	-43.89	8.41	-11.59	Pass

802.11n-20 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-35.15	8.14	-11.86	Pass
High Channel	-44.40	8.43	-11.57	Pass

802.11n-40 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-38.29	4.13	-15.87	Pass
High Channel	-40.69	4.60	-15.40	Pass

802.11ax-20 MHz(SU) Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-36.99	8.22	-11.78	Pass
High Channel	-43.16	8.76	-11.24	Pass

802.11ax-40 MHz(SU) Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low Channel	-40.97	3.73	-16.27	Pass
High Channel	-42.69	4.40	-15.60	Pass

Test Plots


802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL



802.11b HIGH CHANNEL, BAND EDGE



802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL




802.11g HIGH CHANNEL, BAND EDGE



802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE




802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE




802.11n-40 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-40 MHz LOW CHANNEL, BAND EDGE




802.11n-40 MHz HIGH CHANNEL, CARRIER LEVEL




802.11n-40 MHz HIGH CHANNEL, BAND EDGE




802.11ax-20 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) LOW CHANNEL, BAND EDGE




802.11ax-20 MHz(SU) HIGH CHANNEL, CARRIER LEVEL




802.11ax-20 MHz(SU) HIGH CHANNEL, BAND EDGE




802.11ax-40 MHz(SU) LOW CHANNEL, CARRIER LEVEL




802.11ax-40 MHz(SU) LOW CHANNEL, BAND EDGE



802.11ax-40 MHz(SU) HIGH CHANNEL, CARRIER LEVEL



802.11ax-40 MHz(SU) HIGH CHANNEL, BAND EDGE



A.5 Conducted Emissions

Note: Not applicable.

A.6 Radiated Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, According the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note ⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots

30 MHz to 1 GHz, ANT H


10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	61.517	17.35	-29.98	29.5	12.15	Peak	42.00	200	Horizontal	Pass
2	116.551	20.56	-30.95	33.0	12.44	Peak	287.00	200	Horizontal	Pass
3	239.953	25.53	-29.36	35.5	9.97	Peak	317.00	200	Horizontal	Pass
4	479.450	31.90	-21.33	35.5	3.60	Peak	258.00	179	Horizontal	N/A
4*	479.450	30.17	-21.33	35.5	5.33	QP	258.00	179	Horizontal	Pass
5	863.992	30.42	-13.13	35.5	5.08	Peak	32.00	100	Horizontal	Pass
6	959.998	38.37	-11.94	35.5	-2.87	Peak	322.00	102	Horizontal	N/A
6*	959.998	32.00	-11.94	35.5	3.50	QP	322.00	102	Horizontal	Pass

30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	55.456	24.00	-29.25	29.5	5.50	Peak	119.00	100	Vertical	Pass
2	60.547	27.79	-29.80	29.5	1.71	Peak	74.00	181	Vertical	N/A
2*	60.547	21.78	-29.80	29.5	7.72	QP	74.00	181	Vertical	Pass
3	117.251	31.85	-30.95	33.0	1.15	Peak	211.00	128	Vertical	N/A
3*	117.251	29.62	-30.95	33.0	3.38	QP	211.00	128	Vertical	Pass
4	205.526	27.24	-31.09	33.0	5.76	Peak	25.00	100	Vertical	Pass
5	481.665	30.80	-21.30	35.5	4.70	Peak	357.00	100	Vertical	Pass
6	959.997	32.50	-11.94	35.5	3.00	Peak	176.00	196	Vertical	N/A
6*	959.997	29.57	-11.94	35.5	5.93	QP	176.00	196	Vertical	Pass


Note¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note²: The spurious above 18G is noise only, do not show on the report.

Note³: The RSE Plot only shows the worst-case scenario, while all other data are presented in tabular form.

1 GHz to 18 GHz, ANT H 802.11b Low Channel


3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.000	41.48	74.0	32.52	Peak	360.00	200	Horizontal	Pass
1**	1459.000	31.71	54.0	22.29	AV	360.00	200	Horizontal	Pass
2	3929.600	46.32	74.0	27.68	Peak	360.00	150	Horizontal	Pass
2**	3929.600	36.51	54.0	17.49	AV	360.00	150	Horizontal	Pass
3	4943.400	48.17	74.0	25.83	Peak	360.00	200	Horizontal	Pass
3**	4943.400	38.57	54.0	15.43	AV	360.00	200	Horizontal	Pass
4	7537.337	45.08	74.0	28.92	Peak	360.00	200	Horizontal	Pass
4**	7537.337	35.51	54.0	18.49	AV	360.00	200	Horizontal	Pass
5	11407.375	47.56	74.0	26.44	Peak	360.00	150	Horizontal	Pass
5**	11407.375	36.40	54.0	17.60	AV	360.00	150	Horizontal	Pass
6	15805.763	50.70	74.0	23.30	Peak	360.00	300	Horizontal	Pass
6**	15805.763	44.31	54.0	9.69	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Low Channel

3#_RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1350.000	40.84	74.0	33.16	Peak	360.00	150	Vertical	Pass
1**	1350.000	31.36	54.0	22.64	AV	360.00	150	Vertical	Pass
2	3918.800	45.75	74.0	28.25	Peak	360.00	150	Vertical	Pass
2**	3918.800	37.24	54.0	16.76	AV	360.00	150	Vertical	Pass
3	4988.200	48.38	74.0	25.62	Peak	360.00	150	Vertical	Pass
3**	4988.200	39.11	54.0	14.89	AV	360.00	150	Vertical	Pass
4	7546.537	45.79	74.0	28.21	Peak	360.00	100	Vertical	Pass
4**	7546.537	36.85	54.0	17.15	AV	360.00	100	Vertical	Pass
5	12438.638	47.74	74.0	26.26	Peak	360.00	100	Vertical	Pass
5**	12438.638	38.01	54.0	15.99	AV	360.00	100	Vertical	Pass
6	16180.088	51.05	74.0	22.95	Peak	360.00	200	Vertical	Pass
6**	16180.088	41.08	54.0	12.92	AV	360.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.960	41.00	74.0	33.00	Peak	352.00	300	Horizontal	Pass
1**	1460.960	31.44	54.0	22.57	AV	352.00	300	Horizontal	Pass
2	3929.577	45.76	74.0	28.24	Peak	66.00	400	Horizontal	Pass
2**	3929.577	36.21	54.0	17.79	AV	66.00	400	Horizontal	Pass
3	4943.280	47.93	74.0	26.07	Peak	275.00	200	Horizontal	Pass
3**	4943.280	37.86	54.0	16.14	AV	275.00	200	Horizontal	Pass
4	7537.853	44.82	74.0	29.18	Peak	315.00	100	Horizontal	Pass
4**	7537.853	35.48	54.0	18.52	AV	315.00	100	Horizontal	Pass
5	11409.715	46.86	74.0	27.14	Peak	57.00	100	Horizontal	Pass
5**	11409.715	35.77	54.0	18.23	AV	57.00	100	Horizontal	Pass
6	15802.010	50.58	74.0	23.42	Peak	303.00	200	Horizontal	Pass
6**	15802.010	43.52	54.0	10.48	AV	303.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.458	41.68	74.0	32.32	Peak	25.00	300	Vertical	Pass
1**	1334.458	30.45	54.0	23.55	AV	25.00	300	Vertical	Pass
2	2080.665	50.59	74.0	23.41	Peak	264.00	200	Vertical	Pass
2**	2080.665	43.17	54.0	10.83	AV	264.00	200	Vertical	Pass
3	6807.276	52.06	74.0	21.94	Peak	129.00	200	Vertical	Pass
3**	6807.276	43.35	54.0	10.65	AV	129.00	200	Vertical	Pass
4	7964.579	55.76	74.0	18.24	Peak	68.00	200	Vertical	Pass
4**	7964.579	43.07	54.0	10.93	AV	68.00	200	Vertical	Pass
5	12462.966	49.35	74.0	24.65	Peak	72.00	200	Vertical	Pass
5**	12462.966	39.81	54.0	14.19	AV	72.00	200	Vertical	Pass
6	17101.839	50.87	74.0	23.13	Peak	141.00	300	Vertical	Pass
6**	17101.839	42.78	54.0	11.22	AV	141.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.413	41.17	74.0	32.83	Peak	160.00	300	Horizontal	Pass
1**	1461.413	31.65	54.0	22.36	AV	160.00	300	Horizontal	Pass
2	3931.712	46.40	74.0	27.60	Peak	106.00	400	Horizontal	Pass
2**	3931.712	36.31	54.0	17.69	AV	106.00	400	Horizontal	Pass
3	4947.181	47.68	74.0	26.32	Peak	243.00	200	Horizontal	Pass
3**	4947.181	37.80	54.0	16.20	AV	243.00	200	Horizontal	Pass
4	7538.467	44.73	74.0	29.27	Peak	326.00	400	Horizontal	Pass
4**	7538.467	35.01	54.0	18.99	AV	326.00	400	Horizontal	Pass
5	11409.224	47.30	74.0	26.70	Peak	88.00	300	Horizontal	Pass
5**	11409.224	35.56	54.0	18.44	AV	88.00	300	Horizontal	Pass
6	15803.042	50.00	74.0	24.00	Peak	303.00	100	Horizontal	Pass
6**	15803.042	43.90	54.0	10.10	AV	303.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.246	41.91	74.0	32.09	Peak	61.00	100	Vertical	Pass
1**	1333.246	30.92	54.0	23.08	AV	61.00	100	Vertical	Pass
2	2078.802	50.51	74.0	23.49	Peak	268.00	300	Vertical	Pass
2**	2078.802	43.67	54.0	10.33	AV	268.00	300	Vertical	Pass
3	6807.585	51.48	74.0	22.52	Peak	314.00	200	Vertical	Pass
3**	6807.585	43.36	54.0	10.64	AV	314.00	200	Vertical	Pass
4	7967.023	56.20	74.0	17.80	Peak	69.00	300	Vertical	Pass
4**	7967.023	42.81	54.0	11.19	AV	69.00	300	Vertical	Pass
5	12468.224	49.94	74.0	24.06	Peak	185.00	100	Vertical	Pass
5**	12468.224	39.42	54.0	14.58	AV	185.00	100	Vertical	Pass
6	17106.405	50.93	74.0	23.07	Peak	248.00	100	Vertical	Pass
6**	17106.405	42.15	54.0	11.85	AV	248.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.649	41.29	74.0	32.71	Peak	158.00	400	Horizontal	Pass
1**	1458.649	31.27	54.0	22.74	AV	158.00	400	Horizontal	Pass
2	3929.263	46.55	74.0	27.45	Peak	111.00	300	Horizontal	Pass
2**	3929.263	36.22	54.0	17.78	AV	111.00	300	Horizontal	Pass
3	4946.796	47.84	74.0	26.16	Peak	212.00	200	Horizontal	Pass
3**	4946.796	37.75	54.0	16.25	AV	212.00	200	Horizontal	Pass
4	7540.538	45.00	74.0	29.00	Peak	179.00	400	Horizontal	Pass
4**	7540.538	34.63	54.0	19.37	AV	179.00	400	Horizontal	Pass
5	11403.697	47.44	74.0	26.56	Peak	158.00	300	Horizontal	Pass
5**	11403.697	36.36	54.0	17.64	AV	158.00	300	Horizontal	Pass
6	15806.213	49.88	74.0	24.12	Peak	235.00	400	Horizontal	Pass
6**	15806.213	43.73	54.0	10.27	AV	235.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.824	41.17	74.0	32.83	Peak	341.00	300	Vertical	Pass
1**	1331.824	29.65	54.0	24.35	AV	341.00	300	Vertical	Pass
2	2081.533	50.24	74.0	23.76	Peak	208.00	100	Vertical	Pass
2**	2081.533	42.34	54.0	11.66	AV	208.00	100	Vertical	Pass
3	6801.214	51.12	74.0	22.88	Peak	25.00	200	Vertical	Pass
3**	6801.214	42.88	54.0	11.12	AV	25.00	200	Vertical	Pass
4	7968.082	54.86	74.0	19.14	Peak	230.00	200	Vertical	Pass
4**	7968.082	42.37	54.0	11.63	AV	230.00	200	Vertical	Pass
5	12466.732	49.04	74.0	24.96	Peak	120.00	100	Vertical	Pass
5**	12466.732	39.53	54.0	14.47	AV	120.00	100	Vertical	Pass
6	17106.987	50.32	74.0	23.68	Peak	266.00	300	Vertical	Pass
6**	17106.987	42.23	54.0	11.77	AV	266.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.610	40.90	74.0	33.10	Peak	191.00	200	Horizontal	Pass
1**	1456.610	30.94	54.0	23.07	AV	191.00	200	Horizontal	Pass
2	3931.528	45.57	74.0	28.43	Peak	338.00	200	Horizontal	Pass
2**	3931.528	36.09	54.0	17.91	AV	338.00	200	Horizontal	Pass
3	4939.706	47.90	74.0	26.10	Peak	230.00	200	Horizontal	Pass
3**	4939.706	36.88	54.0	17.12	AV	230.00	200	Horizontal	Pass
4	7534.873	44.23	74.0	29.77	Peak	306.00	200	Horizontal	Pass
4**	7534.873	35.26	54.0	18.74	AV	306.00	200	Horizontal	Pass
5	11409.498	46.44	74.0	27.56	Peak	277.00	400	Horizontal	Pass
5**	11409.498	34.79	54.0	19.21	AV	277.00	400	Horizontal	Pass
6	15807.546	50.15	74.0	23.85	Peak	104.00	400	Horizontal	Pass
6**	15807.546	42.93	54.0	11.07	AV	104.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.872	41.22	74.0	32.78	Peak	17.00	200	Vertical	Pass
1**	1330.872	30.58	54.0	23.42	AV	17.00	200	Vertical	Pass
2	2082.142	50.32	74.0	23.68	Peak	203.00	300	Vertical	Pass
2**	2082.142	43.04	54.0	10.96	AV	203.00	300	Vertical	Pass
3	6805.703	51.03	74.0	22.97	Peak	181.00	200	Vertical	Pass
3**	6805.703	43.01	54.0	10.99	AV	181.00	200	Vertical	Pass
4	7964.241	55.73	74.0	18.27	Peak	226.00	300	Vertical	Pass
4**	7964.241	42.03	54.0	11.97	AV	226.00	300	Vertical	Pass
5	12466.222	49.18	74.0	24.82	Peak	19.00	200	Vertical	Pass
5**	12466.222	39.18	54.0	14.82	AV	19.00	200	Vertical	Pass
6	17101.483	50.05	74.0	23.95	Peak	43.00	100	Vertical	Pass
6**	17101.483	41.89	54.0	12.11	AV	43.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.363	41.16	74.0	32.84	Peak	216.00	400	Horizontal	Pass
1**	1455.363	30.70	54.0	23.31	AV	216.00	400	Horizontal	Pass
2	3930.086	46.08	74.0	27.92	Peak	207.00	400	Horizontal	Pass
2**	3930.086	35.39	54.0	18.61	AV	207.00	400	Horizontal	Pass
3	4947.368	47.34	74.0	26.66	Peak	47.00	200	Horizontal	Pass
3**	4947.368	37.77	54.0	16.23	AV	47.00	200	Horizontal	Pass
4	7534.591	44.40	74.0	29.60	Peak	140.00	100	Horizontal	Pass
4**	7534.591	34.52	54.0	19.48	AV	140.00	100	Horizontal	Pass
5	11407.511	46.46	74.0	27.54	Peak	106.00	100	Horizontal	Pass
5**	11407.511	35.31	54.0	18.69	AV	106.00	100	Horizontal	Pass
6	15805.702	49.54	74.0	24.46	Peak	124.00	400	Horizontal	Pass
6**	15805.702	43.01	54.0	10.99	AV	124.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.597	41.12	74.0	32.88	Peak	95.00	400	Vertical	Pass
1**	1328.597	29.57	54.0	24.43	AV	95.00	400	Vertical	Pass
2	2078.502	50.20	74.0	23.80	Peak	110.00	200	Vertical	Pass
2**	2078.502	42.27	54.0	11.73	AV	110.00	200	Vertical	Pass
3	6800.728	51.03	74.0	22.97	Peak	8.00	200	Vertical	Pass
3**	6800.728	42.85	54.0	11.15	AV	8.00	200	Vertical	Pass
4	7964.914	54.80	74.0	19.20	Peak	219.00	100	Vertical	Pass
4**	7964.914	42.36	54.0	11.64	AV	219.00	100	Vertical	Pass
5	12468.039	49.00	74.0	25.00	Peak	158.00	300	Vertical	Pass
5**	12468.039	39.46	54.0	14.54	AV	158.00	300	Vertical	Pass
6	17107.719	50.28	74.0	23.72	Peak	246.00	400	Vertical	Pass
6**	17107.719	42.21	54.0	11.79	AV	246.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.165	41.26	74.0	32.74	Peak	118.00	300	Horizontal	Pass
1**	1461.165	31.21	54.0	22.79	AV	118.00	300	Horizontal	Pass
2	3929.594	46.47	74.0	27.53	Peak	133.00	300	Horizontal	Pass
2**	3929.594	36.14	54.0	17.86	AV	133.00	300	Horizontal	Pass
3	4945.887	47.75	74.0	26.25	Peak	165.00	200	Horizontal	Pass
3**	4945.887	37.68	54.0	16.33	AV	165.00	200	Horizontal	Pass
4	7536.265	44.99	74.0	29.01	Peak	278.00	300	Horizontal	Pass
4**	7536.265	34.53	54.0	19.47	AV	278.00	300	Horizontal	Pass
5	11407.214	47.38	74.0	26.62	Peak	92.00	200	Horizontal	Pass
5**	11407.214	36.29	54.0	17.72	AV	92.00	200	Horizontal	Pass
6	15804.238	49.86	74.0	24.14	Peak	274.00	400	Horizontal	Pass
6**	15804.238	43.68	54.0	10.32	AV	274.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.634	41.18	74.0	32.82	Peak	360.00	300	Vertical	Pass
1**	1332.634	30.57	54.0	23.43	AV	360.00	300	Vertical	Pass
2	2081.886	50.32	74.0	23.68	Peak	194.00	200	Vertical	Pass
2**	2081.886	43.00	54.0	11.00	AV	194.00	200	Vertical	Pass
3	6807.098	50.94	74.0	23.06	Peak	266.00	200	Vertical	Pass
3**	6807.098	42.99	54.0	11.01	AV	266.00	200	Vertical	Pass
4	7965.691	55.72	74.0	18.28	Peak	40.00	300	Vertical	Pass
4**	7965.691	41.99	54.0	12.02	AV	40.00	300	Vertical	Pass
5	12465.059	49.16	74.0	24.84	Peak	196.00	100	Vertical	Pass
5**	12465.059	39.16	54.0	14.84	AV	196.00	100	Vertical	Pass
6	17105.255	50.05	74.0	23.95	Peak	352.00	400	Vertical	Pass
6**	17105.255	41.88	54.0	12.12	AV	352.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.594	41.50	74.0	32.51	Peak	162.00	100	Horizontal	Pass
1**	1457.594	31.88	54.0	22.12	AV	162.00	100	Horizontal	Pass
2	3930.328	46.57	74.0	27.43	Peak	134.00	200	Horizontal	Pass
2**	3930.328	36.51	54.0	17.49	AV	134.00	200	Horizontal	Pass
3	4943.448	48.35	74.0	25.65	Peak	327.00	200	Horizontal	Pass
3**	4943.448	38.55	54.0	15.45	AV	327.00	200	Horizontal	Pass
4	7534.877	45.06	74.0	28.95	Peak	13.00	300	Horizontal	Pass
4**	7534.877	35.47	54.0	18.53	AV	13.00	300	Horizontal	Pass
5	11410.618	47.73	74.0	26.27	Peak	119.00	100	Horizontal	Pass
5**	11410.618	36.46	54.0	17.54	AV	119.00	100	Horizontal	Pass
6	15809.200	50.79	74.0	23.21	Peak	211.00	300	Horizontal	Pass
6**	15809.200	43.46	54.0	10.54	AV	211.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.879	40.25	74.0	33.75	Peak	154.00	200	Vertical	Pass
1**	1334.879	29.20	54.0	24.80	AV	154.00	200	Vertical	Pass
2	2081.102	49.55	74.0	24.45	Peak	277.00	200	Vertical	Pass
2**	2081.102	41.89	54.0	12.11	AV	277.00	200	Vertical	Pass
3	6804.230	50.87	74.0	23.13	Peak	45.00	200	Vertical	Pass
3**	6804.230	42.01	54.0	11.99	AV	45.00	200	Vertical	Pass
4	7970.092	54.64	74.0	19.36	Peak	48.00	300	Vertical	Pass
4**	7970.092	42.28	54.0	11.72	AV	48.00	300	Vertical	Pass
5	12465.314	48.51	74.0	25.49	Peak	123.00	300	Vertical	Pass
5**	12465.314	39.25	54.0	14.75	AV	123.00	300	Vertical	Pass
6	17102.458	49.39	74.0	24.61	Peak	34.00	100	Vertical	Pass
6**	17102.458	41.95	54.0	12.05	AV	34.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.133	41.48	74.0	32.52	Peak	225.00	200	Horizontal	Pass
1**	1459.133	31.84	54.0	22.16	AV	225.00	200	Horizontal	Pass
2	3929.318	46.56	74.0	27.44	Peak	204.00	400	Horizontal	Pass
2**	3929.318	36.51	54.0	17.49	AV	204.00	400	Horizontal	Pass
3	4944.194	48.35	74.0	25.65	Peak	346.00	200	Horizontal	Pass
3**	4944.194	38.56	54.0	15.44	AV	346.00	200	Horizontal	Pass
4	7534.243	45.06	74.0	28.95	Peak	40.00	100	Horizontal	Pass
4**	7534.243	35.53	54.0	18.47	AV	40.00	100	Horizontal	Pass
5	11408.281	47.76	74.0	26.24	Peak	219.00	200	Horizontal	Pass
5**	11408.281	36.42	54.0	17.58	AV	219.00	200	Horizontal	Pass
6	15804.615	50.73	74.0	23.27	Peak	297.00	100	Horizontal	Pass
6**	15804.615	43.46	54.0	10.54	AV	297.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.707	41.09	74.0	32.91	Peak	336.00	200	Vertical	Pass
1**	1334.707	30.10	54.0	23.90	AV	336.00	200	Vertical	Pass
2	2080.781	49.93	74.0	24.07	Peak	31.00	300	Vertical	Pass
2**	2080.781	42.52	54.0	11.48	AV	31.00	300	Vertical	Pass
3	6806.874	50.33	74.0	23.67	Peak	85.00	200	Vertical	Pass
3**	6806.874	42.77	54.0	11.23	AV	85.00	200	Vertical	Pass
4	7970.579	55.23	74.0	18.77	Peak	20.00	300	Vertical	Pass
4**	7970.579	41.68	54.0	12.33	AV	20.00	300	Vertical	Pass
5	12460.887	48.88	74.0	25.12	Peak	132.00	300	Vertical	Pass
5**	12460.887	38.86	54.0	15.14	AV	132.00	300	Vertical	Pass
6	17103.956	49.31	74.0	24.69	Peak	254.00	300	Vertical	Pass
6**	17103.956	41.62	54.0	12.38	AV	254.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.053	41.50	74.0	32.50	Peak	170.00	100	Horizontal	Pass
1**	1458.053	31.86	54.0	22.14	AV	170.00	100	Horizontal	Pass
2	3926.873	46.52	74.0	27.48	Peak	70.00	200	Horizontal	Pass
2**	3926.873	36.52	54.0	17.49	AV	70.00	200	Horizontal	Pass
3	4939.622	48.41	74.0	25.59	Peak	213.00	200	Horizontal	Pass
3**	4939.622	38.50	54.0	15.50	AV	213.00	200	Horizontal	Pass
4	7540.791	45.14	74.0	28.86	Peak	226.00	400	Horizontal	Pass
4**	7540.791	35.51	54.0	18.49	AV	226.00	400	Horizontal	Pass
5	11409.815	47.78	74.0	26.22	Peak	96.00	100	Horizontal	Pass
5**	11409.815	36.38	54.0	17.62	AV	96.00	100	Horizontal	Pass
6	15807.638	50.80	74.0	23.20	Peak	278.00	400	Horizontal	Pass
6**	15807.638	43.49	54.0	10.51	AV	278.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.880	42.34	74.0	31.66	Peak	237.00	100	Vertical	Pass
1**	1328.880	30.35	54.0	23.65	AV	237.00	100	Vertical	Pass
2	2078.434	50.01	74.0	23.99	Peak	283.00	200	Vertical	Pass
2**	2078.434	42.95	54.0	11.05	AV	283.00	200	Vertical	Pass
3	6800.112	52.11	74.0	21.89	Peak	199.00	200	Vertical	Pass
3**	6800.112	43.30	54.0	10.70	AV	199.00	200	Vertical	Pass
4	7967.298	56.09	74.0	17.91	Peak	226.00	200	Vertical	Pass
4**	7967.298	42.99	54.0	11.01	AV	226.00	200	Vertical	Pass
5	12461.195	49.67	74.0	24.33	Peak	62.00	200	Vertical	Pass
5**	12461.195	38.92	54.0	15.08	AV	62.00	200	Vertical	Pass
6	17107.205	51.52	74.0	22.48	Peak	302.00	400	Vertical	Pass
6**	17107.205	42.41	54.0	11.59	AV	302.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.531	40.11	74.0	33.89	Peak	180.00	200	Horizontal	Pass
1**	1460.531	31.25	54.0	22.76	AV	180.00	200	Horizontal	Pass
2	3931.972	45.17	74.0	28.83	Peak	69.00	100	Horizontal	Pass
2**	3931.972	35.78	54.0	18.22	AV	69.00	100	Horizontal	Pass
3	4943.402	47.84	74.0	26.16	Peak	229.00	200	Horizontal	Pass
3**	4943.402	37.53	54.0	16.47	AV	229.00	200	Horizontal	Pass
4	7541.108	44.54	74.0	29.46	Peak	267.00	300	Horizontal	Pass
4**	7541.108	34.68	54.0	19.32	AV	267.00	300	Horizontal	Pass
5	11409.750	46.50	74.0	27.50	Peak	251.00	400	Horizontal	Pass
5**	11409.750	35.43	54.0	18.57	AV	251.00	400	Horizontal	Pass
6	15804.486	50.08	74.0	23.92	Peak	198.00	400	Horizontal	Pass
6**	15804.486	42.58	54.0	11.42	AV	198.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.385	41.19	74.0	32.81	Peak	78.00	100	Vertical	Pass
1**	1336.385	29.56	54.0	24.44	AV	78.00	100	Vertical	Pass
2	2083.354	49.68	74.0	24.32	Peak	261.00	300	Vertical	Pass
2**	2083.354	42.65	54.0	11.35	AV	261.00	300	Vertical	Pass
3	6806.954	51.45	74.0	22.55	Peak	344.00	200	Vertical	Pass
3**	6806.954	43.04	54.0	10.96	AV	344.00	200	Vertical	Pass
4	7968.645	55.42	74.0	18.58	Peak	220.00	400	Vertical	Pass
4**	7968.645	42.99	54.0	11.01	AV	220.00	400	Vertical	Pass
5	12467.030	48.75	74.0	25.25	Peak	108.00	300	Vertical	Pass
5**	12467.030	39.80	54.0	14.20	AV	108.00	300	Vertical	Pass
6	17108.085	50.37	74.0	23.63	Peak	165.00	200	Vertical	Pass
6**	17108.085	41.94	54.0	12.06	AV	165.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.312	40.94	74.0	33.06	Peak	189.00	300	Horizontal	Pass
1**	1458.312	31.42	54.0	22.59	AV	189.00	300	Horizontal	Pass
2	3929.007	45.84	74.0	28.16	Peak	16.00	200	Horizontal	Pass
2**	3929.007	36.27	54.0	17.73	AV	16.00	200	Horizontal	Pass
3	4939.975	47.52	74.0	26.48	Peak	179.00	200	Horizontal	Pass
3**	4939.975	37.71	54.0	16.29	AV	179.00	200	Horizontal	Pass
4	7535.776	44.43	74.0	29.57	Peak	264.00	100	Horizontal	Pass
4**	7535.776	34.80	54.0	19.20	AV	264.00	100	Horizontal	Pass
5	11403.994	47.47	74.0	26.53	Peak	36.00	400	Horizontal	Pass
5**	11403.994	35.92	54.0	18.08	AV	36.00	400	Horizontal	Pass
6	15802.092	50.55	74.0	23.45	Peak	195.00	100	Horizontal	Pass
6**	15802.092	43.55	54.0	10.45	AV	195.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.271	42.13	74.0	31.87	Peak	107.00	200	Vertical	Pass
1**	1333.271	30.57	54.0	23.43	AV	107.00	200	Vertical	Pass
2	2083.633	50.76	74.0	23.24	Peak	142.00	100	Vertical	Pass
2**	2083.633	43.62	54.0	10.38	AV	142.00	100	Vertical	Pass
3	6804.456	52.25	74.0	21.75	Peak	23.00	200	Vertical	Pass
3**	6804.456	43.12	54.0	10.88	AV	23.00	200	Vertical	Pass
4	7963.788	56.25	74.0	17.75	Peak	85.00	200	Vertical	Pass
4**	7963.788	43.31	54.0	10.69	AV	85.00	200	Vertical	Pass
5	12467.691	49.47	74.0	24.53	Peak	270.00	300	Vertical	Pass
5**	12467.691	38.94	54.0	15.06	AV	270.00	300	Vertical	Pass
6	17106.327	51.13	74.0	22.87	Peak	259.00	200	Vertical	Pass
6**	17106.327	42.20	54.0	11.80	AV	259.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.939	40.78	74.0	33.22	Peak	125.00	100	Horizontal	Pass
1**	1456.939	31.17	54.0	22.84	AV	125.00	100	Horizontal	Pass
2	3928.770	45.50	74.0	28.50	Peak	323.00	200	Horizontal	Pass
2**	3928.770	35.25	54.0	18.75	AV	323.00	200	Horizontal	Pass
3	4947.058	47.52	74.0	26.48	Peak	40.00	200	Horizontal	Pass
3**	4947.058	37.17	54.0	16.83	AV	40.00	200	Horizontal	Pass
4	7537.124	44.02	74.0	29.98	Peak	164.00	400	Horizontal	Pass
4**	7537.124	34.59	54.0	19.41	AV	164.00	400	Horizontal	Pass
5	11407.095	45.88	74.0	28.12	Peak	95.00	200	Horizontal	Pass
5**	11407.095	35.58	54.0	18.42	AV	95.00	200	Horizontal	Pass
6	15806.530	50.05	74.0	23.95	Peak	234.00	300	Horizontal	Pass
6**	15806.530	43.47	54.0	10.53	AV	234.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.415	40.85	74.0	33.15	Peak	31.00	400	Vertical	Pass
1**	1334.415	29.48	54.0	24.52	AV	31.00	400	Vertical	Pass
2	2083.031	50.12	74.0	23.88	Peak	302.00	200	Vertical	Pass
2**	2083.031	42.59	54.0	11.41	AV	302.00	200	Vertical	Pass
3	6805.353	51.70	74.0	22.30	Peak	143.00	200	Vertical	Pass
3**	6805.353	42.49	54.0	11.51	AV	143.00	200	Vertical	Pass
4	7971.015	54.86	74.0	19.14	Peak	105.00	300	Vertical	Pass
4**	7971.015	42.91	54.0	11.09	AV	105.00	300	Vertical	Pass
5	12460.881	49.11	74.0	24.89	Peak	221.00	300	Vertical	Pass
5**	12460.881	39.39	54.0	14.61	AV	221.00	300	Vertical	Pass
6	17100.919	50.46	74.0	23.54	Peak	309.00	100	Vertical	Pass
6**	17100.919	42.09	54.0	11.91	AV	309.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.009	40.89	74.0	33.11	Peak	163.00	100	Horizontal	Pass
1**	1458.009	30.96	54.0	23.05	AV	163.00	100	Horizontal	Pass
2	3932.798	45.48	74.0	28.52	Peak	232.00	400	Horizontal	Pass
2**	3932.798	35.63	54.0	18.37	AV	232.00	400	Horizontal	Pass
3	4942.541	46.91	74.0	27.09	Peak	129.00	200	Horizontal	Pass
3**	4942.541	37.67	54.0	16.33	AV	129.00	200	Horizontal	Pass
4	7537.949	43.95	74.0	30.05	Peak	11.00	400	Horizontal	Pass
4**	7537.949	34.16	54.0	19.84	AV	11.00	400	Horizontal	Pass
5	11410.294	46.59	74.0	27.41	Peak	213.00	400	Horizontal	Pass
5**	11410.294	34.84	54.0	19.16	AV	213.00	400	Horizontal	Pass
6	15809.614	49.88	74.0	24.12	Peak	0.00	300	Horizontal	Pass
6**	15809.614	43.04	54.0	10.96	AV	0.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.628	40.92	74.0	33.08	Peak	287.00	100	Vertical	Pass
1**	1334.628	30.31	54.0	23.69	AV	287.00	100	Vertical	Pass
2	2081.390	50.01	74.0	23.99	Peak	5.00	300	Vertical	Pass
2**	2081.390	42.94	54.0	11.06	AV	5.00	300	Vertical	Pass
3	6804.309	50.98	74.0	23.02	Peak	343.00	200	Vertical	Pass
3**	6804.309	42.42	54.0	11.58	AV	343.00	200	Vertical	Pass
4	7969.649	56.13	74.0	17.87	Peak	273.00	100	Vertical	Pass
4**	7969.649	42.12	54.0	11.88	AV	273.00	100	Vertical	Pass
5	12462.204	49.33	74.0	24.67	Peak	163.00	300	Vertical	Pass
5**	12462.204	38.43	54.0	15.57	AV	163.00	300	Vertical	Pass
6	17104.740	50.42	74.0	23.58	Peak	111.00	200	Vertical	Pass
6**	17104.740	41.47	54.0	12.53	AV	111.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.318	41.44	74.0	32.56	Peak	322.00	100	Horizontal	Pass
1**	1457.318	31.00	54.0	23.01	AV	322.00	100	Horizontal	Pass
2	3928.175	45.63	74.0	28.37	Peak	261.00	400	Horizontal	Pass
2**	3928.175	35.55	54.0	18.45	AV	261.00	400	Horizontal	Pass
3	4944.038	48.01	74.0	25.99	Peak	35.00	200	Horizontal	Pass
3**	4944.038	38.52	54.0	15.48	AV	35.00	200	Horizontal	Pass
4	7539.105	44.83	74.0	29.17	Peak	84.00	300	Horizontal	Pass
4**	7539.105	35.38	54.0	18.62	AV	84.00	300	Horizontal	Pass
5	11404.640	46.86	74.0	27.14	Peak	25.00	200	Horizontal	Pass
5**	11404.640	36.38	54.0	17.62	AV	25.00	200	Horizontal	Pass
6	15804.679	50.57	74.0	23.43	Peak	217.00	300	Horizontal	Pass
6**	15804.679	43.56	54.0	10.44	AV	217.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.404	41.73	74.0	32.27	Peak	25.00	300	Vertical	Pass
1**	1331.404	30.88	54.0	23.12	AV	25.00	300	Vertical	Pass
2	2083.267	50.47	74.0	23.53	Peak	34.00	100	Vertical	Pass
2**	2083.267	43.55	54.0	10.45	AV	34.00	100	Vertical	Pass
3	6803.454	52.04	74.0	21.96	Peak	239.00	200	Vertical	Pass
3**	6803.454	42.86	54.0	11.14	AV	239.00	200	Vertical	Pass
4	7968.251	55.82	74.0	18.18	Peak	202.00	100	Vertical	Pass
4**	7968.251	43.57	54.0	10.43	AV	202.00	100	Vertical	Pass
5	12466.503	49.46	74.0	24.54	Peak	126.00	100	Vertical	Pass
5**	12466.503	39.83	54.0	14.17	AV	126.00	100	Vertical	Pass
6	17108.196	50.91	74.0	23.09	Peak	113.00	300	Vertical	Pass
6**	17108.196	42.08	54.0	11.92	AV	113.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.273	40.81	74.0	33.19	Peak	356.00	300	Horizontal	Pass
1**	1461.273	31.15	54.0	22.86	AV	356.00	300	Horizontal	Pass
2	3926.373	46.07	74.0	27.93	Peak	107.00	400	Horizontal	Pass
2**	3926.373	36.27	54.0	17.73	AV	107.00	400	Horizontal	Pass
3	4939.466	48.33	74.0	25.67	Peak	100.00	200	Horizontal	Pass
3**	4939.466	38.29	54.0	15.71	AV	100.00	200	Horizontal	Pass
4	7540.853	44.73	74.0	29.27	Peak	200.00	300	Horizontal	Pass
4**	7540.853	34.71	54.0	19.29	AV	200.00	300	Horizontal	Pass
5	11410.464	47.56	74.0	26.44	Peak	83.00	400	Horizontal	Pass
5**	11410.464	36.04	54.0	17.96	AV	83.00	400	Horizontal	Pass
6	15803.463	50.15	74.0	23.85	Peak	263.00	400	Horizontal	Pass
6**	15803.463	43.65	54.0	10.35	AV	263.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.785	42.39	74.0	31.61	Peak	246.00	400	Vertical	Pass
1**	1329.785	30.46	54.0	23.54	AV	246.00	400	Vertical	Pass
2	2076.643	50.47	74.0	23.53	Peak	314.00	300	Vertical	Pass
2**	2076.643	43.54	54.0	10.46	AV	314.00	300	Vertical	Pass
3	6803.373	51.59	74.0	22.41	Peak	344.00	200	Vertical	Pass
3**	6803.373	43.37	54.0	10.63	AV	344.00	200	Vertical	Pass
4	7968.281	55.59	74.0	18.41	Peak	235.00	400	Vertical	Pass
4**	7968.281	43.43	54.0	10.57	AV	235.00	400	Vertical	Pass
5	12466.378	49.48	74.0	24.52	Peak	231.00	400	Vertical	Pass
5**	12466.378	39.33	54.0	14.67	AV	231.00	400	Vertical	Pass
6	17108.823	50.92	74.0	23.08	Peak	31.00	100	Vertical	Pass
6**	17108.823	42.75	54.0	11.25	AV	31.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.361	40.20	74.0	33.80	Peak	32.00	300	Horizontal	Pass
1**	1460.361	30.66	54.0	23.35	AV	32.00	300	Horizontal	Pass
2	3931.427	45.39	74.0	28.61	Peak	349.00	400	Horizontal	Pass
2**	3931.427	36.03	54.0	17.97	AV	349.00	400	Horizontal	Pass
3	4946.951	47.67	74.0	26.33	Peak	245.00	200	Horizontal	Pass
3**	4946.951	37.79	54.0	16.21	AV	245.00	200	Horizontal	Pass
4	7536.806	44.00	74.0	30.00	Peak	74.00	200	Horizontal	Pass
4**	7536.806	34.52	54.0	19.48	AV	74.00	200	Horizontal	Pass
5	11410.636	46.75	74.0	27.25	Peak	324.00	200	Horizontal	Pass
5**	11410.636	35.37	54.0	18.63	AV	324.00	200	Horizontal	Pass
6	15802.932	50.54	74.0	23.46	Peak	70.00	200	Horizontal	Pass
6**	15802.932	42.84	54.0	11.16	AV	70.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.592	41.18	74.0	32.82	Peak	182.00	300	Vertical	Pass
1**	1333.592	29.49	54.0	24.51	AV	182.00	300	Vertical	Pass
2	2083.558	50.12	74.0	23.88	Peak	138.00	100	Vertical	Pass
2**	2083.558	42.51	54.0	11.49	AV	138.00	100	Vertical	Pass
3	6804.200	51.58	74.0	22.42	Peak	291.00	200	Vertical	Pass
3**	6804.200	42.68	54.0	11.32	AV	291.00	200	Vertical	Pass
4	7970.183	55.14	74.0	18.86	Peak	42.00	100	Vertical	Pass
4**	7970.183	42.96	54.0	11.04	AV	42.00	100	Vertical	Pass
5	12466.624	49.26	74.0	24.74	Peak	316.00	400	Vertical	Pass
5**	12466.624	39.10	54.0	14.90	AV	316.00	400	Vertical	Pass
6	17105.253	50.23	74.0	23.77	Peak	295.00	100	Vertical	Pass
6**	17105.253	41.92	54.0	12.08	AV	295.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.024	40.42	74.0	33.58	Peak	96.00	400	Horizontal	Pass
1**	1461.024	30.92	54.0	23.09	AV	96.00	400	Horizontal	Pass
2	3930.237	46.02	74.0	27.98	Peak	234.00	100	Horizontal	Pass
2**	3930.237	35.77	54.0	18.23	AV	234.00	100	Horizontal	Pass
3	4945.958	47.54	74.0	26.46	Peak	153.00	200	Horizontal	Pass
3**	4945.958	36.92	54.0	17.08	AV	153.00	200	Horizontal	Pass
4	7538.220	44.67	74.0	29.33	Peak	112.00	400	Horizontal	Pass
4**	7538.220	34.08	54.0	19.92	AV	112.00	400	Horizontal	Pass
5	11408.202	46.34	74.0	27.66	Peak	267.00	400	Horizontal	Pass
5**	11408.202	35.15	54.0	18.85	AV	267.00	400	Horizontal	Pass
6	15808.202	49.37	74.0	24.63	Peak	279.00	200	Horizontal	Pass
6**	15808.202	43.19	54.0	10.81	AV	279.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.899	41.15	74.0	32.85	Peak	67.00	300	Vertical	Pass
1**	1333.899	30.55	54.0	23.45	AV	67.00	300	Vertical	Pass
2	2076.423	49.90	74.0	24.10	Peak	59.00	400	Vertical	Pass
2**	2076.423	43.24	54.0	10.76	AV	59.00	400	Vertical	Pass
3	6806.073	51.34	74.0	22.66	Peak	301.00	200	Vertical	Pass
3**	6806.073	43.02	54.0	10.98	AV	301.00	200	Vertical	Pass
4	7966.950	55.35	74.0	18.65	Peak	336.00	200	Vertical	Pass
4**	7966.950	42.32	54.0	11.68	AV	336.00	200	Vertical	Pass
5	12466.071	49.14	74.0	24.86	Peak	24.00	200	Vertical	Pass
5**	12466.071	39.25	54.0	14.75	AV	24.00	200	Vertical	Pass
6	17104.167	50.48	74.0	23.52	Peak	352.00	200	Vertical	Pass
6**	17104.167	41.79	54.0	12.21	AV	352.00	200	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note ³: According the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Note ⁵: The RSE Plot only shows the worst-case scenario, while all other data are presented in tabular form.

Test Data and Plots


802.11b LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2379.000	56.53	74.0	17.47	Peak	360.00	200	Horizontal	Pass
1**	2379.000	44.92	54.0	9.08	AV	360.00	200	Horizontal	Pass
2	2389.833	54.34	74.0	19.66	Peak	360.00	100	Horizontal	Pass
2**	2389.833	44.21	54.0	9.79	AV	360.00	100	Horizontal	Pass

802.11b HIGH CHANNEL

3#_Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.81	74.0	18.19	Peak	360.00	200	Horizontal	Pass
1**	2483.500	45.97	54.0	8.03	AV	360.00	200	Horizontal	Pass
2	2490.100	56.70	74.0	17.30	Peak	360.00	100	Horizontal	Pass
2**	2490.100	44.35	54.0	9.65	AV	360.00	100	Horizontal	Pass

802.11g LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2335.368	54.68	74.0	19.32	Peak	60.00	100	Horizontal	Pass
1**	2335.368	42.99	54.0	11.01	AV	60.00	100	Horizontal	Pass
2	2390.000	56.25	74.0	17.75	Peak	350.00	300	Horizontal	Pass
2**	2390.000	44.79	54.0	9.21	AV	350.00	300	Horizontal	Pass

802.11g HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.07	74.0	18.93	Peak	95.00	300	Horizontal	Pass
1**	2483.500	44.52	54.0	9.48	AV	95.00	300	Horizontal	Pass
2	2486.511	56.08	74.0	17.92	Peak	208.00	300	Horizontal	Pass
2**	2486.511	44.28	54.0	9.72	AV	208.00	300	Horizontal	Pass

802.11n20 LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.382	56.44	74.0	17.56	Peak	208.00	100	Horizontal	Pass
1**	2388.382	45.47	54.0	8.53	AV	208.00	100	Horizontal	Pass
2	2390.000	56.41	74.0	17.59	Peak	101.00	100	Horizontal	Pass
2**	2390.000	44.96	54.0	9.04	AV	101.00	100	Horizontal	Pass

802.11n20 HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.77	74.0	14.23	Peak	161.00	300	Horizontal	Pass
1**	2483.500	45.83	54.0	8.17	AV	161.00	300	Horizontal	Pass
2	2484.044	58.54	74.0	15.46	Peak	271.00	200	Horizontal	Pass
2**	2484.044	45.07	54.0	8.93	AV	271.00	200	Horizontal	Pass

802.11n40 LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2379.031	54.90	74.0	19.10	Peak	68.00	200	Horizontal	Pass
1**	2379.031	42.27	54.0	11.73	AV	68.00	200	Horizontal	Pass
2	2390.000	53.62	74.0	20.38	Peak	74.00	300	Horizontal	Pass
2**	2390.000	43.18	54.0	10.82	AV	74.00	300	Horizontal	Pass

802.11n40 HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.19	74.0	13.81	Peak	258.00	100	Horizontal	Pass
1**	2483.500	45.43	54.0	8.57	AV	258.00	100	Horizontal	Pass
2	2486.162	61.69	74.0	12.31	Peak	352.00	300	Horizontal	Pass
2**	2486.162	45.63	54.0	8.37	AV	352.00	300	Horizontal	Pass

802.11ax20(SU) LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2380.159	56.63	74.0	17.37	Peak	26.00	200	Horizontal	Pass
1**	2380.159	45.54	54.0	8.46	AV	26.00	200	Horizontal	Pass
2	2390.000	56.00	74.0	18.00	Peak	274.00	200	Horizontal	Pass
2**	2390.000	45.09	54.0	8.91	AV	274.00	200	Horizontal	Pass

802.11ax20(SU) HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.34	74.0	14.66	Peak	290.00	200	Horizontal	Pass
1**	2483.500	45.68	54.0	8.32	AV	290.00	200	Horizontal	Pass
2	2486.559	58.75	74.0	15.25	Peak	239.00	300	Horizontal	Pass
2**	2486.559	44.64	54.0	9.36	AV	239.00	300	Horizontal	Pass

802.11ax40(SU) LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2381.346	55.60	74.0	18.40	Peak	194.00	200	Horizontal	Pass
1**	2381.346	42.24	54.0	11.76	AV	194.00	200	Horizontal	Pass
2	2390.000	54.31	74.0	19.69	Peak	271.00	100	Horizontal	Pass
2**	2390.000	43.78	54.0	10.22	AV	271.00	100	Horizontal	Pass

802.11ax40(SU) HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.88	74.0	15.12	Peak	209.00	100	Horizontal	Pass
1**	2483.500	44.96	54.0	9.04	AV	209.00	100	Horizontal	Pass
2	2484.473	59.73	74.0	14.27	Peak	65.00	200	Horizontal	Pass
2**	2484.473	44.18	54.0	9.82	AV	65.00	200	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

802.11b Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-7.25	8	Pass
Middle	-7.93	8	Pass
High	-8.08	8	Pass

802.11g Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-7.67	8	Pass
Middle	-8.29	8	Pass
High	-7.54	8	Pass

802.11n-20 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-7.25	8	Pass
Middle	-7.67	8	Pass
High	-7.60	8	Pass

802.11n-40 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-11.15	8	Pass
Middle	-10.79	8	Pass
High	-10.76	8	Pass

802.11ax-20 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.10	8	Pass
Middle	-8.55	8	Pass
High	-7.57	8	Pass

802.11ax-40 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-11.75	8	Pass
Middle	-11.08	8	Pass
High	-11.31	8	Pass

Test Plots

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL



802.11n-20 MHz LOW CHANNEL



802.11n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



802.11n-40 MHz LOW CHANNEL



802.11n-40 MHz MIDDLE CHANNEL



802.11n-40 MHz HIGH CHANNEL



802.11ax-20 MHz(SU) LOW CHANNEL



802.11ax-20 MHz(SU) MIDDLE CHANNEL



802.11ax-20 MHz(SU) HIGH CHANNEL



802.11ax-40 MHz(SU) LOW CHANNEL



802.11ax-40 MHz(SU) MIDDLE CHANNEL



802.11ax-40 MHz(SU) HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-EE26060117-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-EE26060117-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-EE26060117-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--