










Appendix H: Emissions in Restricted Bands

Test Result



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	2.67	37.03	39.70	74.00	34.30	35.02	37.69	54.00	16.31	150	52	Horizontal	PASS
2	2323.3900	2.86	39.38	42.24	74.00	31.76	37.52	40.38	54.00	13.62	150	123	Horizontal	PASS
3	2342.6300	2.89	39.29	42.18	74.00	31.82	35.30	38.19	54.00	15.81	150	120	Horizontal	PASS
4	2372.9200	3.01	39.65	42.66	74.00	31.34	36.81	39.82	54.00	14.18	150	229	Horizontal	PASS
5	2383.5800	3.02	39.65	42.67	74.00	31.33	38.29	41.31	54.00	12.69	150	226	Horizontal	PASS
6	2390.0000	2.95	39.12	42.07	74.00	31.93	36.86	39.81	54.00	14.19	150	22	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: B

Channel: 2412 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	2.67	37.22	39.89	74.00	34.11	35.43	38.10	54.00	15.90	150	7	Vertical	PASS
2	2330.6700	2.79	39.19	41.98	74.00	32.02	36.69	39.48	54.00	14.52	150	336	Vertical	PASS
3	2349.2600	3.02	38.62	41.64	74.00	32.36	36.78	39.80	54.00	14.20	150	118	Vertical	PASS
4	2365.3800	2.99	41.81	44.80	74.00	29.20	40.37	43.36	54.00	10.64	150	196	Vertical	PASS
5	2387.0900	2.96	41.7	44.66	74.00	29.34	39.65	42.61	54.00	11.39	150	326	Vertical	PASS
6	2390.0000	2.95	39.85	42.80	74.00	31.20	38.29	41.24	54.00	12.76	150	307	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: B

Channel: 2462 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	37.17	40.63	74.00	33.37	35.54	39.00	54.00	15.00	150	46	Horizonta	PASS
2	2486.6000	3.51	38.64	42.15	74.00	31.85	36.62	40.13	54.00	13.87	150	176	Horizonta	PASS
3	2488.3000	3.49	40.27	43.76	74.00	30.24	38.28	41.77	54.00	12.23	150	188	Horizonta	PASS
4	2493.5500	3.59	38.95	42.54	74.00	31.46	36.61	40.20	54.00	13.80	150	157	Horizonta	PASS
5	2496.2000	3.57	38.81	42.38	74.00	31.62	36.22	39.79	54.00	14.21	150	306	Horizonta	PASS
6	2500.0000	3.50	37.85	41.35	74.00	32.65	36.02	39.52	54.00	14.48	150	160	Horizonta	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: B

Channel: 2462 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	40.19	43.65	74.00	30.35	38.59	42.05	54.00	11.95	150	318	Vertical	PASS
2	2485.4000	3.51	39.87	43.38	74.00	30.62	36.77	40.28	54.00	13.72	150	321	Vertical	PASS
3	2487.8500	3.47	40.21	43.68	74.00	30.32	36.66	40.13	54.00	13.87	150	152	Vertical	PASS
4	2492.9500	3.57	39.43	43.00	74.00	31.00	37.67	41.24	54.00	12.76	150	337	Vertical	PASS
5	2494.7000	3.57	39.16	42.73	74.00	31.27	37.07	40.64	54.00	13.36	150	211	Vertical	PASS
6	2500.0000	3.50	37.39	40.89	74.00	33.11	35.89	39.39	54.00	14.61	150	91	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 2412 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	2.67	37.07	39.74	74.00	34.26	35.47	38.14	54.00	15.86	150	300	Vertical	PASS
2	2350.0400	3.05	45.33	48.38	74.00	25.62	39.83	42.88	54.00	11.12	150	110	Vertical	PASS
3	2380.7200	3.03	47.08	50.11	74.00	23.89	40.99	44.02	54.00	9.98	150	78	Vertical	PASS
4	2386.5700	2.98	50.91	53.89	74.00	20.11	43.34	46.32	54.00	7.68	150	331	Vertical	PASS
5	2388.0000	2.94	52.7	55.64	74.00	18.36	44.59	47.53	54.00	6.47	150	331	Vertical	PASS
6	2390.0000	2.95	50.31	53.26	74.00	20.74	45.78	48.73	54.00	5.27	150	318	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 2412 MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	2.67	37.32	39.99	74.00	34.01	34.81	37.48	54.00	16.52	150	351	Horizontal	PASS
2	2358.7500	2.95	39.63	42.58	74.00	31.42	37.98	40.93	54.00	13.07	150	308	Horizontal	PASS
3	2374.0900	3.00	40.84	43.84	74.00	30.16	38.09	41.09	54.00	12.91	150	225	Horizontal	PASS
4	2379.2900	3.05	41.41	44.46	74.00	29.54	39.08	42.13	54.00	11.87	150	188	Horizontal	PASS
5	2388.3900	2.94	49.28	52.22	74.00	21.78	47.27	50.21	54.00	3.79	150	191	Horizontal	PASS
6	2390.0000	2.95	46.36	49.31	74.00	24.69	44.50	47.45	54.00	6.55	150	111	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2462 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	53.98	57.44	74.00	16.56	42.83	46.29	54.00	7.71	150	318	Vertical	PASS
2	2484.1500	3.47	53.71	57.18	74.00	16.82	41.28	44.75	54.00	9.25	150	327	Vertical	PASS
3	2486.3500	3.49	50.45	53.94	74.00	20.06	40.11	43.60	54.00	10.40	150	330	Vertical	PASS
4	2487.3000	3.52	50.1	53.62	74.00	20.38	38.40	41.92	54.00	12.08	150	321	Vertical	PASS
5	2488.7000	3.53	47.58	51.11	74.00	22.89	35.00	38.53	54.00	15.47	150	321	Vertical	PASS
6	2500.0000	3.50	38.63	42.13	74.00	31.87	30.15	33.65	54.00	20.35	150	321	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 2462 MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	42.5	45.96	74.00	28.04	38.31	41.77	54.00	12.23	150	128	Horizontal	PASS
2	2484.3000	3.48	49.12	52.60	74.00	21.40	45.89	49.37	54.00	4.63	150	185	Horizontal	PASS
3	2484.9500	3.54	48.75	52.29	74.00	21.71	44.58	48.12	54.00	5.88	150	207	Horizontal	PASS
4	2485.8000	3.48	47.83	51.31	74.00	22.69	45.27	48.75	54.00	5.25	150	222	Horizontal	PASS
5	2486.4500	3.50	47.09	50.59	74.00	23.41	39.86	43.36	54.00	10.64	150	207	Horizontal	PASS
6	2500.0000	3.50	37.62	41.12	74.00	32.88	35.32	38.82	54.00	15.18	150	160	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2422 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	2.67	37.16	39.83	74.00	34.17	35.54	38.21	54.00	15.79	150	202	Vertical	PASS
2	2371.3600	3.03	51.93	54.96	74.00	19.04	39.76	42.79	54.00	11.21	150	340	Vertical	PASS
3	2376.4300	3.05	56.12	59.17	74.00	14.83	43.69	46.74	54.00	7.26	150	320	Vertical	PASS
4	2386.9600	2.96	58.44	61.40	74.00	12.60	44.49	47.45	54.00	6.55	150	337	Vertical	PASS
5	2387.8700	2.94	60.41	63.35	74.00	10.65	46.67	49.61	54.00	4.39	150	323.8	Vertical	PASS
6	2390.0000	2.95	58.15	61.10	74.00	12.90	46.9	49.85	54.00	4.15	150	317	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2422 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	2.67	37.43	40.10	74.00	33.90	35.57	38.24	54.00	15.76	150	69	Horizontal	PASS
2	2384.1000	3.04	51.84	54.88	74.00	19.12	37.80	40.84	54.00	13.16	150	187	Horizontal	PASS
3	2385.5300	3.02	52.84	55.86	74.00	18.14	44.29	47.31	54.00	6.69	150	171	Horizontal	PASS
4	2387.7400	2.94	55.19	58.13	74.00	15.87	45.91	48.85	54.00	5.15	150	187	Horizontal	PASS
5	2389.0400	2.95	58.09	61.04	74.00	12.96	46.30	49.25	54.00	4.75	150	187	Horizontal	PASS
6	2390.0000	2.95	50.59	53.54	74.00	20.46	47.11	50.06	54.00	3.94	150	171	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2452 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	53.13	56.59	74.00	17.41	42.54	46.00	54.00	8.00	150	290	Vertical	PASS
2	2484.6500	3.51	57.99	61.50	74.00	12.50	44.18	47.69	54.00	6.31	150	331	Vertical	PASS
3	2485.2000	3.53	57.99	61.52	74.00	12.48	45.18	48.71	54.00	5.29	150	328	Vertical	PASS
4	2486.6500	3.52	57.17	60.69	74.00	13.31	44.01	47.53	54.00	6.47	150	325	Vertical	PASS
5	2488.1000	3.47	56.25	59.72	74.00	14.28	43.73	47.20	54.00	6.80	150	318	Vertical	PASS
6	2500.0000	3.50	49.29	52.79	74.00	21.21	36.86	40.36	54.00	13.64	150	200	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX40

Channel: 2452 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	53.77	57.23	74.00	16.77	45.65	49.11	54.00	4.89	150	27	Horizontal	PASS
2	2484.2000	3.48	53.33	56.81	74.00	17.19	44.83	48.31	54.00	5.69	150	205	Horizontal	PASS
3	2486.0500	3.47	51.64	55.11	74.00	18.89	43.33	46.80	54.00	7.20	150	346	Horizontal	PASS
4	2487.5500	3.50	53.72	57.22	74.00	16.78	42.47	45.97	54.00	8.03	150	226	Horizontal	PASS
5	2488.4000	3.50	52.78	56.28	74.00	17.72	40.10	43.60	54.00	10.40	150	226	Horizontal	PASS
6	2500.0000	3.50	44.69	48.19	74.00	25.81	32.37	35.87	54.00	18.13	150	133	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: N20

Channel: 2412 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	2.67	37.6	40.27	74.00	33.73	35.45	38.12	54.00	15.88	150	100	Vertical	PASS
2	2363.8200	2.94	41.46	44.40	74.00	29.60	39.93	42.87	54.00	11.13	150	194	Vertical	PASS
3	2377.6000	3.09	45.89	48.98	74.00	25.02	40.70	43.79	54.00	10.21	150	332	Vertical	PASS
4	2386.5700	2.98	48.45	51.43	74.00	22.57	42.66	45.64	54.00	8.36	150	319	Vertical	PASS
5	2389.3000	2.95	53.06	56.01	74.00	17.99	44.66	47.61	54.00	6.39	150	327	Vertical	PASS
6	2390.0000	2.95	51.45	54.40	74.00	19.60	45.73	48.68	54.00	5.32	150	319	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2412 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	2.67	37.06	39.73	74.00	34.27	35.55	38.22	54.00	15.78	150	324	Horizontal	PASS
2	2354.7200	2.98	38.7	41.68	74.00	32.32	36.97	39.95	54.00	14.05	150	354	Horizontal	PASS
3	2365.9000	2.99	38.87	41.86	74.00	32.14	37.55	40.54	54.00	13.46	150	301	Horizontal	PASS
4	2385.9200	3.00	44.31	47.31	74.00	26.69	41.92	44.92	54.00	9.08	150	184	Horizontal	PASS
5	2389.0400	2.95	47.87	50.82	74.00	23.18	45.25	48.20	54.00	5.80	150	187	Horizontal	PASS
6	2390.0000	2.95	48.5	51.45	74.00	22.55	46.23	49.18	54.00	4.82	150	169	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: N20

Channel: 2462 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	51.33	54.79	74.00	19.21	46.35	49.81	54.00	4.19	150	150	Vertical	PASS
2	2483.8500	3.45	52.89	56.34	74.00	17.66	45.70	49.15	54.00	4.85	150	318	Vertical	PASS
3	2484.8000	3.52	52.6	56.12	74.00	17.88	44.38	47.90	54.00	6.10	150	328	Vertical	PASS
4	2485.6500	3.49	51.68	55.17	74.00	18.83	43.94	47.43	54.00	6.57	150	324	Vertical	PASS
5	2486.8000	3.53	50.12	53.65	74.00	20.35	42.89	46.42	54.00	7.58	150	343	Vertical	PASS
6	2500.0000	3.50	39.28	42.78	74.00	31.22	38.35	41.85	54.00	12.15	150	59	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N20

Channel: 2462 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	42.68	46.14	74.00	27.86	39.14	42.60	54.00	11.40	150	103	Horizonta	PASS
2	2483.9500	3.45	48.97	52.42	74.00	21.58	40.09	43.54	54.00	10.46	150	187	Horizonta	PASS
3	2485.8500	3.48	47.93	51.41	74.00	22.59	44.26	47.74	54.00	6.26	150	212	Horizonta	PASS
4	2486.2000	3.48	47.57	51.05	74.00	22.95	43.85	47.33	54.00	6.67	150	218	Horizonta	PASS
5	2487.4000	3.51	46.64	50.15	74.00	23.85	43.17	46.68	54.00	7.32	150	181	Horizonta	PASS
6	2500.0000	3.50	37.1	40.60	74.00	33.40	34.85	38.35	54.00	15.65	150	6	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: N40

Channel: 2422 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	2.67	38.82	41.49	74.00	32.51	37.02	39.69	54.00	14.31	150	137	Vertical	PASS
2	2378.2500	3.07	53.8	56.87	74.00	17.13	42.46	45.53	54.00	8.47	150	333	Vertical	PASS
3	2383.7100	3.02	56.48	59.50	74.00	14.50	43.34	46.36	54.00	7.64	150	315	Vertical	PASS
4	2385.9200	3.00	59.29	62.29	74.00	11.71	44.29	47.29	54.00	6.71	150	325	Vertical	PASS
5	2389.9500	2.95	61.41	64.36	74.00	9.64	46.41	49.36	54.00	4.64	150	322	Vertical	PASS
6	2390.0000	2.95	57.42	60.37	74.00	13.63	46.78	49.73	54.00	4.27	150	139	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: N40

Channel: 2422 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	2.67	39.12	41.79	74.00	32.21	35.43	38.10	54.00	15.90	150	298	Horizontal	PASS
2	2382.0200	3.02	50.17	53.19	74.00	20.81	40.63	43.65	54.00	10.35	150	185	Horizontal	PASS
3	2385.0100	3.04	53.79	56.83	74.00	17.17	42.00	45.04	54.00	8.96	150	185	Horizontal	PASS
4	2385.9200	3.00	55.67	58.67	74.00	15.33	43.36	46.36	54.00	7.64	150	173	Horizontal	PASS
5	2386.8300	2.97	54.84	57.81	74.00	16.19	44.99	47.96	54.00	6.04	150	170	Horizontal	PASS
6	2390.0000	2.95	49.85	52.80	74.00	21.20	45.26	48.21	54.00	5.79	150	185	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: N40

Channel: 2452 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	54.54	58.00	74.00	16.00	38.99	42.45	54.00	11.55	150	327	Vertical	PASS
2	2483.5500	3.46	60.45	63.91	74.00	10.09	37.25	40.71	54.00	13.29	150	330	Vertical	PASS
3	2485.2500	3.52	59.59	63.11	74.00	10.89	36.96	40.48	54.00	13.52	150	314	Vertical	PASS
4	2487.5500	3.50	59.73	63.23	74.00	10.77	36.46	39.96	54.00	14.04	150	324	Vertical	PASS
5	2489.6000	3.57	58.69	62.26	74.00	11.74	36.17	39.74	54.00	14.26	150	324	Vertical	PASS
6	2500.0000	3.50	49.02	52.52	74.00	21.48	30.77	34.27	54.00	19.73	150	303	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: N40

Channel: 2452 MHz

Test Graph


★ PK Detector * AV Detector

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	3.46	56.13	59.59	74.00	14.41	33.47	36.93	54.00	17.07	150	189	Horizontal	PASS
2	2484.2000	3.48	56.36	59.84	74.00	14.16	32.05	35.53	54.00	18.47	150	217	Horizontal	PASS
3	2486.5500	3.51	56.37	59.88	74.00	14.12	31.74	35.25	54.00	18.75	150	180	Horizontal	PASS
4	2487.1500	3.53	56.06	59.59	74.00	14.41	30.76	34.29	54.00	19.71	150	217	Horizontal	PASS
5	2488.2500	3.48	54.59	58.07	74.00	15.93	29.99	33.47	54.00	20.53	150	214	Horizontal	PASS
6	2500.0000	3.50	43.44	46.94	74.00	27.06	26.46	29.96	54.00	24.04	150	348	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level


Appendix I: Spurious emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.


During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (AX20-2412MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	46.4916	51.52	35.54	-15.98	40.00	4.46	150	176	Vertical	PASS
2	66.5727	53.90	36.39	-17.51	40.00	3.61	150	62	Vertical	PASS
3	96.0636	57.11	37.23	-19.88	43.50	6.27	150	81	Vertical	PASS
4	168.1418	48.31	32.21	-16.10	43.50	11.29	150	111	Vertical	PASS
5	203.9384	54.02	35.02	-19.00	43.50	8.48	150	111	Vertical	PASS
6	332.8643	41.21	26.17	-15.04	46.00	19.83	150	262	Vertical	PASS



NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	31.0671	51.41	34.87	-16.54	40.00	5.13	150	226	Horizontal	PASS
2	47.9468	53.06	36.98	-16.08	40.00	3.02	150	229	Horizontal	PASS
3	96.0636	58.31	38.43	-19.88	43.50	5.07	150	96	Horizontal	PASS
4	168.2388	48.09	31.98	-16.11	43.50	11.52	150	127	Horizontal	PASS
5	203.9384	53.66	34.66	-19.00	43.50	8.84	150	118	Horizontal	PASS
6	332.1852	41.69	26.67	-15.02	46.00	19.33	150	279	Horizontal	PASS



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1178.4000	-0.19	38.6	38.41	74.00	35.59	38.37	38.18	54.00	15.82	150	344	Vertical	PASS
2	1699.8000	0.55	38.19	38.74	74.00	35.26	37.98	38.53	54.00	15.47	150	333	Vertical	PASS
3	4824.0000	-14.91	61.26	46.35	74.00	27.65	58.82	43.91	54.00	10.09	150	360	Vertical	PASS
4	6483.5000	-10.15	51.05	40.90	74.00	33.10	49.37	39.22	54.00	14.78	150	350	Vertical	PASS
5	8033.5000	-7.73	52.26	44.53	74.00	29.47	49.52	41.79	54.00	12.21	150	350	Vertical	PASS
6	10883.500	-3.48	50.43	46.95	74.00	27.05	47.22	43.74	54.00	10.26	150	360	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: B

Channel: 2412 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1319.0000	-0.25	38.13	37.88	74.00	36.12	37.94	37.69	54.00	16.31	150	337	Horizontal	PASS
2	1733.0000	0.70	37.79	38.49	74.00	35.51	37.58	38.28	54.00	15.72	150	356	Horizontal	PASS
3	4824.0000	-14.91	61.17	46.26	74.00	27.74	57.50	42.59	54.00	11.41	150	354	Horizontal	PASS
4	6262.0000	-10.48	51.73	41.25	74.00	32.75	48.52	38.04	54.00	15.96	150	347	Horizontal	PASS
5	8318.5000	-7.61	51.18	43.57	74.00	30.43	49.13	41.52	54.00	12.48	150	347	Horizontal	PASS
6	9811.0000	-4.37	49.84	45.47	74.00	28.53	45.20	40.83	54.00	13.17	150	359	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: B

Channel: 2437 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.2000	-0.35	38.77	38.42	74.00	35.58	38.42	38.07	54.00	15.93	150	212	Vertical	PASS
2	1622.0000	0.33	38.99	39.32	74.00	34.68	38.82	39.15	54.00	14.85	150	286	Vertical	PASS
3	4737.0000	-15.24	63.88	48.64	74.00	25.36	61.00	45.76	54.00	8.24	150	38	Vertical	PASS
4	5255.0000	-13.40	59.43	46.03	74.00	27.97	56.27	42.87	54.00	11.13	150	152	Vertical	PASS
5	8570.5000	-7.12	51.82	44.70	74.00	29.30	47.78	40.66	54.00	13.34	150	77	Vertical	PASS
6	11597.500	-2.55	49.26	46.71	74.00	27.29	47.99	45.44	54.00	8.56	150	6	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: B

Channel: 2437 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1350.4000	-0.30	39.12	38.82	74.00	35.18	38.93	38.63	54.00	15.37	150	209	Horizontal	PASS
2	1708.8000	0.69	40.4	41.09	74.00	32.91	40.21	40.90	54.00	13.10	150	90	Horizontal	PASS
3	4874.0000	-14.20	65.22	51.02	74.00	22.98	63.90	49.70	54.00	4.30	150	86	Horizontal	PASS
4	6350.0000	-10.14	52.66	42.52	74.00	31.48	51.57	41.43	54.00	12.57	150	104	Horizontal	PASS
5	9044.0000	-6.23	51.63	45.40	74.00	28.60	48.77	42.54	54.00	11.46	150	50	Horizontal	PASS
6	11053.000	-2.83	49.78	46.95	74.00	27.05	48.40	45.57	54.00	8.43	150	160	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: B

Channel: 2462 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1172.6000	-0.11	39.04	38.93	74.00	35.07	38.82	38.71	54.00	15.29	150	330	Vertical	PASS
2	1806.0000	1.01	39.12	40.13	74.00	33.87	38.96	39.97	54.00	14.03	150	360	Vertical	PASS
3	4731.0000	-15.19	59.25	44.06	74.00	29.94	55.48	40.29	54.00	13.71	150	40	Vertical	PASS
4	4924.0000	-13.68	58.6	44.92	74.00	29.08	56.79	43.11	54.00	10.89	150	21	Vertical	PASS
5	8350.5000	-7.20	52.57	45.37	74.00	28.63	49.47	42.27	54.00	11.73	150	178	Vertical	PASS
6	11063.500	-2.95	50.3	47.35	74.00	26.65	48.89	45.94	54.00	8.06	150	292	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: B

Channel: 2462 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1436.2000	-0.17	39.68	39.51	74.00	34.49	39.45	39.28	54.00	14.72	150	90	Horizontal	PASS
2	1740.4000	0.81	38.55	39.36	74.00	34.64	38.27	39.08	54.00	14.92	150	326	Horizontal	PASS
3	4923.5000	-13.66	62.27	48.61	74.00	25.39	60.31	46.65	54.00	7.35	150	91	Horizontal	PASS
4	8031.5000	-7.67	52.5	44.83	74.00	29.17	48.01	40.34	54.00	13.66	150	312	Horizontal	PASS
5	9522.0000	-4.66	51.55	46.89	74.00	27.11	48.84	44.18	54.00	9.82	150	211	Horizontal	PASS
6	10130.500	-4.18	51.59	47.41	74.00	26.59	48.73	44.55	54.00	9.45	150	211	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 2412 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1271.4000	-0.45	39.95	39.50	74.00	34.50	39.77	39.32	54.00	14.68	150	270	Vertical	PASS
2	1639.6000	0.28	39.59	39.87	74.00	34.13	39.31	39.59	54.00	14.41	150	259	Vertical	PASS
3	4822.0000	-15.00	66.07	51.07	74.00	22.93	64.65	49.65	54.00	4.35	150	137	Vertical	PASS
4	6344.0000	-10.30	53.18	42.88	74.00	31.12	49.58	39.28	54.00	14.72	150	218	Vertical	PASS
5	8998.5000	-6.34	51.43	45.09	74.00	28.91	48.99	42.65	54.00	11.35	150	243	Vertical	PASS
6	11044.000	-2.71	49.98	47.27	74.00	26.73	48.72	46.01	54.00	7.99	150	218	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 2412 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1389.4000	-0.43	38.8	38.37	74.00	35.63	38.48	38.05	54.00	15.95	150	318	Horizontal	PASS
2	1816.4000	1.12	38.14	39.26	74.00	34.74	37.81	38.93	54.00	15.07	150	236	Horizontal	PASS
3	4819.2967	-14.84	73.88	59.04	74.00	14.96	61.93	47.09	54.00	6.91	150	212.5	Horizontal	PASS
4	6205.5000	-10.95	53.45	42.50	74.00	31.50	50.79	39.84	54.00	14.16	150	337	Horizontal	PASS
5	7891.5000	-8.26	52.73	44.47	74.00	29.53	50.64	42.38	54.00	11.62	150	211	Horizontal	PASS
6	9988.5000	-4.49	51.31	46.82	74.00	27.18	49.01	44.52	54.00	9.48	150	85	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 2437 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1339.0000	-0.41	39.05	38.64	74.00	35.36	38.88	38.47	54.00	15.53	150	314	Vertical	PASS
2	1853.0000	1.27	39.18	40.45	74.00	33.55	39.07	40.34	54.00	13.66	150	118	Vertical	PASS
3	4873.5000	-14.21	62.44	48.23	74.00	25.77	59.28	45.07	54.00	8.93	150	41	Vertical	PASS
4	5262.0000	-13.30	57.28	43.98	74.00	30.02	55.17	41.87	54.00	12.13	150	110	Vertical	PASS
5	7110.0000	-9.98	54.43	44.45	74.00	29.55	51.47	41.49	54.00	12.51	150	147	Vertical	PASS
6	10396.500	-4.05	51.02	46.97	74.00	27.03	49.56	45.51	54.00	8.49	150	260	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 2437 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1341.4000	-0.38	38.87	38.49	74.00	35.51	38.75	38.37	54.00	15.63	150	13	Horizontal	PASS
2	1846.0000	1.31	38.35	39.66	74.00	34.34	38.18	39.49	54.00	14.51	150	297	Horizontal	PASS
3	4875.5000	-14.18	66.77	52.59	74.00	21.41	64.83	50.65	54.00	3.35	150	98	Horizontal	PASS
4	6484.5000	-10.09	53.41	43.32	74.00	30.68	51.57	41.48	54.00	12.52	150	301	Horizontal	PASS
5	9623.0000	-4.98	51.32	46.34	74.00	27.66	48.08	43.10	54.00	10.90	150	314	Horizontal	PASS
6	12553.500	-1.22	48.34	47.12	74.00	26.88	42.97	41.75	54.00	12.25	150	130	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 2462 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1331.6000	-0.58	40.41	39.83	74.00	34.17	40.13	39.55	54.00	14.45	150	35	Vertical	PASS
2	1842.0000	1.33	39.59	40.92	74.00	33.08	39.30	40.63	54.00	13.37	150	262	Vertical	PASS
3	4917.5000	-13.40	61.59	48.19	74.00	25.81	58.74	45.34	54.00	8.66	150	28	Vertical	PASS
4	6177.0000	-11.21	53.52	42.31	74.00	31.69	51.46	40.25	54.00	13.75	150	204	Vertical	PASS
5	7961.5000	-7.37	52.88	45.51	74.00	28.49	51.24	43.87	54.00	10.13	150	304	Vertical	PASS
6	9800.0000	-4.51	51.43	46.92	74.00	27.08	49.76	45.25	54.00	8.75	150	78	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 2462 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1386.0000	-0.40	39.43	39.03	74.00	34.97	39.13	38.73	54.00	15.27	150	41	Horizonta	PASS
2	1807.4000	1.01	39.11	40.12	74.00	33.88	38.85	39.86	54.00	14.14	150	191	Horizonta	PASS
3	4912.5000	-13.21	65.57	52.36	74.00	21.64	63.56	50.35	54.00	3.65	150	85	Horizonta	PASS
4	6518.5000	-9.93	53	43.07	74.00	30.93	50.96	41.03	54.00	12.97	150	217	Horizonta	PASS
5	8673.0000	-7.03	51.99	44.96	74.00	29.04	50.17	43.14	54.00	10.86	150	304	Horizonta	PASS
6	10979.000	-3.17	50.46	47.29	74.00	26.71	48.46	45.29	54.00	8.71	150	279	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2422 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1311.6000	-0.28	39.65	39.37	74.00	34.63	39.30	39.02	54.00	14.98	150	251	Vertical	PASS
2	1775.0000	0.97	38.65	39.62	74.00	34.38	38.51	39.48	54.00	14.52	150	36	Vertical	PASS
3	4848.0000	-14.73	63.89	49.16	74.00	24.84	61.48	46.75	54.00	7.25	150	214	Vertical	PASS
4	6441.0000	-10.56	54.34	43.78	74.00	30.22	51.85	41.29	54.00	12.71	150	52	Vertical	PASS
5	8782.5000	-6.55	52.3	45.75	74.00	28.25	49.03	42.48	54.00	11.52	150	67	Vertical	PASS
6	10759.000	-3.35	50.51	47.16	74.00	26.84	47.69	44.34	54.00	9.66	150	288	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2422 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1315.8000	-0.26	39.33	39.07	74.00	34.93	39.27	39.01	54.00	14.99	150	248	Horizontal	PASS
2	1706.6000	0.66	39.56	40.22	74.00	33.78	39.38	40.04	54.00	13.96	150	209	Horizontal	PASS
3	4849.0000	-14.77	69.07	54.30	74.00	19.70	63.13	48.36	54.00	5.64	150	105	Horizontal	PASS
4	7264.5000	-9.55	52.8	43.25	74.00	30.75	49.80	40.25	54.00	13.75	150	135	Horizontal	PASS
5	9357.5000	-5.00	51.48	46.48	74.00	27.52	49.79	44.79	54.00	9.21	150	236	Horizontal	PASS
6	11083.000	-3.04	50.16	47.12	74.00	26.88	46.77	43.73	54.00	10.27	150	105	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 2437 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1375.8000	-0.35	38.9	38.55	74.00	35.45	38.58	38.23	54.00	15.77	150	219	Vertical	PASS
2	1742.2000	0.80	38.56	39.36	74.00	34.64	38.48	39.28	54.00	14.72	150	204	Vertical	PASS
3	3951.5000	-17.34	57.77	40.43	74.00	33.57	56.79	39.45	54.00	14.55	150	219	Vertical	PASS
4	5251.0000	-13.54	58.39	44.85	74.00	29.15	55.59	42.05	54.00	11.95	150	111	Vertical	PASS
5	8223.0000	-7.13	51.93	44.80	74.00	29.20	49.28	42.15	54.00	11.85	150	231	Vertical	PASS
6	10584.500	-3.80	51.1	47.30	74.00	26.70	48.64	44.84	54.00	9.16	150	293	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level