



ACCESSORIES APPROVAL SHEET

MANUFACTURER NAME: Guangdong Jinsheng intelligent Co., Ltd

PART NAME: Coil

SERIES NO.: Y.013.00166

USED IN: 6x0.08x72px11TSxG41.5-lead wire with 37mm drivepipe

APPROVED: 2024.04.07

MANUFACTURER SIGNATURE			APPROVED SIGNATURE				
TESTED BY	CHECKED BY	APPROVED BY	QA	ED	R&D		
			TESTED BY	VERIFY	TESTED BY	CHECKED BY	APPROVED BY

Address: 5th Floor, Building B, Taixinglong Industrial City, Hezhou, Xixiang Town, Bao'an District, Shenzhen City, Guangdong Province, China

Page 1	Customer Code	Version	Edit Date	Contractor
		A3	2024.04.07	Jinsheng Intelligence Co., LTD



Guangdong Jinsheng intelligent Co., Ltd

SPECIFICATION FOR APPROVAL

Customer	Shenzhen Lanzhiyang Technology Co., Ltd.
Material description	Coil
Model Name	16x0.08x72px11TSxG41.5-lead wire with 37mm drivepipe
Approved No.	
Customer Code	
Date	2024.04.07
Production material number	
Version/Page	A3

The contractor confirms

Tested by	Checked by	Approved by
Xuesong He	Xiangyuan Yang	Wei Ru

User confirmation

R&D Checked by	Checked by	Approved by

The customer is required to complete the product inspection within 10 days after receiving the goods, and notify the supplier of the inspection results in writing. Otherwise, it will be regarded as having passed the inspection.

Contractor: **Guangdong Jinsheng intelligent Co., Ltd**

Address: Building B, 2nd Floor, No. 289, Wen Zhou Road, Dongcheng District, Dongguan City

Tel: 0769-22252827

Page 2	Customer Code	Version	Edit Date	Contractor
		A3	2024.04.07	Jinsheng Intelligence Co., LTD



Guangdong Jinsheng intelligent Co., Ltd

Modification records

No.	Version	Date	The modification	Charger
1	A0	2022.09.15	New Specification Confirmed	Xuesong He
2	A1	2023.03.25	The length of the tin head changed from 2 plus or minus 1 to 2 plus or minus 1.5.	Xuesong He
3	A2	2023.06.15	The length of the lead wire changed from 45 to 37.	Xuesong He
4	A3	2024.04.07	The length of the lead wire changed from crossing to non-crossing.	Xuesong He


Page 3	Customer Code	Version	Edit Date	Contractor
		A3	2024.04.07	Jinsheng Intelligence Co., LTD



Guangdong Jinsheng intelligent Co., Ltd

Structure Size

1.Demension: (Unit: mm)



Note: The coil must not extend beyond the magnetic plate. The defect rate of non-crossing leads should be controlled at 3%.

2. Behaviour of electricity (L) :

Content	Standard	Test condition	Test Device	Remark
Inductance 1	$6.3 \pm 5\%$	100KHZ,1V	TH2817B+	Magnetic disk testing
DCR	$65m\Omega$ MAX	100KHZ,1V	TH2817B+	Magnetic disk testing
Q Valye	50MIN	100KHZ,1V	TH2817B+	Magnetic disk testing

3.Appearance Requirement:

- 1) The shape and size of the product must be strictly controlled.
- 2) The surface of the product is free of oil stains, impurities, burrs, etc.
- 3) The materials cannot be changed without the client's confirmation.

Page 4	Customer Code	Versi on	Edit Date	Contractor
		A3	2024.04.07	Jinsheng Intelligence Co., LTD

4) *The product must comply with the ROHS*

Page 5	Customer Code	Versi on	Edit Date	Contractor
		A3	2024.04.07	Jinsheng Intelligence Co., LTD



Guangdong Jinsheng intelligent Co., Ltd

Material List

Bill of materials

number	Material name	Description	Material Code
1	Cables	0.08*72P hot air twisted wire	
2	Magnetic sheet	G41x0.5H Slotted and perforated	
3	Adhesive plaster	3mm Brownish hot adhesive tape	
4	White glues	Industrial-specific silicone sealant	
5	Gum	40.5*0.08H(With holes and hands for tearing)	
6	Drivepipe	34*1.0 ultrathin	

Page 6	Customer Code	Versi on	Edit Date	Contractor
		A3	2024.04.07	Jinsheng Intelligence Co., LTD