




8DPSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



8DPSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8DPSK HIGH CHANNEL, CARRIER LEVEL




8DPSK HIGH CHANNEL, BAND EDGE




8DPSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



8DPSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz






GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)



GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz




8DPSK HOPPING, CARRIER LEVEL



8DPSK Hopping BAND EDGE (LOW)



8DPSK Hopping BAND EDGE (HIGH)

8DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions


Note¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)


Test Data and Plots

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.250	39.27	10.23	61.76	22.49	Peak	L	Pass
1**	0.250	29.00	10.23	51.76	22.76	AV	L	Pass
2	0.324	40.69	10.24	59.60	18.91	Peak	L	Pass
2**	0.324	27.43	10.24	49.60	22.17	AV	L	Pass
3	0.442	37.57	10.25	57.02	19.45	Peak	L	Pass
3**	0.442	24.22	10.25	47.02	22.80	AV	L	Pass
4	1.288	34.63	10.35	56.00	21.37	Peak	L	Pass
4**	1.288	20.83	10.35	46.00	25.17	AV	L	Pass
5	6.208	33.06	11.76	60.00	26.94	Peak	L	Pass
5**	6.208	19.12	11.76	50.00	30.88	AV	L	Pass
6	22.330	45.25	15.44	60.00	14.75	Peak	L	Pass
6**	22.330	32.65	15.44	50.00	17.35	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.166	41.33	10.22	65.16	23.83	Peak	N	Pass
1**	0.166	27.94	10.22	55.16	27.22	AV	N	Pass
2	0.288	40.11	10.22	60.58	20.47	Peak	N	Pass
2**	0.288	28.05	10.22	50.58	22.53	AV	N	Pass
3	0.490	36.30	10.23	56.17	19.87	Peak	N	Pass
3**	0.490	22.71	10.23	46.17	23.46	AV	N	Pass
4	1.524	33.65	10.36	56.00	22.35	Peak	N	Pass
4**	1.524	19.78	10.36	46.00	26.22	AV	N	Pass
5	6.046	34.82	11.66	60.00	25.18	Peak	N	Pass
5**	6.046	21.24	11.66	50.00	28.76	AV	N	Pass
6	22.522	46.31	15.56	60.00	13.69	Peak	N	Pass
6**	22.522	34.47	15.56	50.00	15.53	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.

Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	87.230	20.90	-29.32	40.0	19.10	Peak	256.00	200	Horizontal	Pass
2	112.353	24.34	-26.73	43.5	19.16	Peak	258.00	100	Horizontal	Pass
3	256.058	35.05	-25.02	46.0	10.95	Peak	225.00	100	Horizontal	Pass
4	445.790	32.93	-19.54	46.0	13.07	Peak	258.00	200	Horizontal	Pass
5	497.297	33.22	-17.86	46.0	12.78	Peak	222.00	200	Horizontal	Pass
6	921.333	31.25	-8.58	46.0	14.75	Peak	126.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	86.794	18.88	-29.47	40.0	21.12	Peak	297.00	100	Vertical	Pass
2	120.840	22.25	-28.48	43.5	21.25	Peak	267.00	100	Vertical	Pass
3	193.251	28.07	-25.64	43.5	15.43	Peak	41.00	100	Vertical	Pass
4	286.177	31.67	-23.41	46.0	14.33	Peak	176.00	200	Vertical	Pass
5	389.482	34.36	-20.88	46.0	11.64	Peak	181.00	100	Vertical	Pass
6	498.607	32.97	-17.86	46.0	13.03	Peak	178.00	100	Vertical	Pass

Note¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.


Note²: The spurious from 18GHz-25GHz is noise only, do not show on the report.

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1241.300	41.89	-17.29	74.0	32.11	Peak	360.00	300	Horizontal	Pass
1**	1241.300	32.72	-17.29	54.0	21.28	AV	360.00	300	Horizontal	Pass
2	2401.800	102.87	-13.91	--	--	Peak	180.00	100	Horizontal	N/A
2**	2401.800	101.95	-13.91	--	--	AV	180.00	100	Horizontal	N/A
3	2993.300	50.61	-11.09	74.0	23.39	Peak	221.00	200	Horizontal	Pass
3**	2993.300	40.34	-11.09	54.0	13.66	AV	221.00	200	Horizontal	Pass
4	4841.800	46.52	-6.78	74.0	27.48	Peak	164.00	400	Horizontal	Pass
4**	4841.800	37.30	-6.78	54.0	16.70	AV	164.00	400	Horizontal	Pass
5	7205.850	47.64	-1.99	74.0	26.36	Peak	10.00	100	Horizontal	Pass
5**	7205.850	43.48	-1.99	--	--	AV	10.00	100	Horizontal	N/A
6	17457.676	51.55	8.16	74.0	22.45	Peak	124.00	100	Horizontal	Pass
6**	17457.676	42.71	8.16	54.0	11.29	AV	124.00	100	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.500	43.74	-17.61	74.0	30.26	Peak	111.00	400	Vertical	Pass
1**	1329.500	32.17	-17.61	54.0	21.83	AV	111.00	400	Vertical	Pass
2	2401.700	104.54	-13.85	--	--	Peak	184.00	200	Vertical	N/A
2**	2401.700	102.87	-13.85	--	--	AV	184.00	200	Vertical	N/A
3	2913.900	49.79	-10.97	74.0	24.21	Peak	80.00	100	Vertical	Pass
3**	2913.900	40.16	-10.97	54.0	13.84	AV	80.00	100	Vertical	Pass
4	4855.800	46.99	-6.25	74.0	27.01	Peak	182.00	200	Vertical	Pass
4**	4855.800	38.16	-6.25	54.0	15.84	AV	182.00	200	Vertical	Pass
5	6971.800	51.60	-1.16	74.0	22.40	Peak	98.00	100	Vertical	Pass
5**	6971.800	41.96	-1.16	54.0	12.04	AV	98.00	100	Vertical	Pass
6	14125.763	51.24	5.58	74.0	22.76	Peak	15.00	100	Vertical	Pass
6**	14125.763	41.87	5.58	54.0	12.13	AV	15.00	100	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.100	42.49	-18.30	74.0	31.51	Peak	132.00	400	Horizontal	Pass
1**	1156.100	32.00	-18.30	54.0	22.00	AV	132.00	400	Horizontal	Pass
2	2441.200	105.04	-13.31	--	--	Peak	181.00	200	Horizontal	N/A
2**	2441.200	104.49	-13.31	--	--	AV	181.00	200	Horizontal	N/A
3	2937.900	50.18	-11.70	74.0	23.82	Peak	229.00	100	Horizontal	Pass
3**	2937.900	39.08	-11.70	54.0	14.92	AV	229.00	100	Horizontal	Pass
4	4850.200	46.89	-6.15	74.0	27.11	Peak	233.00	200	Horizontal	Pass
4**	4850.200	38.19	-6.15	54.0	15.81	AV	233.00	200	Horizontal	Pass
5	7323.725	48.64	-1.93	74.0	25.36	Peak	113.00	300	Horizontal	Pass
5**	7323.725	44.65	-1.93	54.0	9.35	AV	113.00	300	Horizontal	Pass
6	16715.588	51.49	6.89	74.0	22.51	Peak	291.00	100	Horizontal	Pass
6**	16715.588	41.67	6.89	54.0	12.33	AV	291.00	100	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1262.900	41.97	-17.86	74.0	32.03	Peak	135.00	400	Vertical	Pass
1**	1262.900	32.31	-17.86	54.0	21.69	AV	135.00	400	Vertical	Pass
2	2441.100	105.29	-13.39	--	--	Peak	198.00	200	Vertical	N/A
2**	2441.100	105.09	-13.39	--	--	AV	198.00	200	Vertical	N/A
3	2905.600	49.03	-11.30	74.0	24.97	Peak	193.00	200	Vertical	Pass
3**	2905.600	39.77	-11.30	54.0	14.23	AV	193.00	200	Vertical	Pass
4	4832.000	46.24	-6.97	74.0	27.76	Peak	118.00	200	Vertical	Pass
4**	4832.000	36.93	-6.97	54.0	17.07	AV	118.00	200	Vertical	Pass
5	7323.150	47.57	-1.93	74.0	26.43	Peak	45.00	100	Vertical	Pass
5**	7323.150	43.88	-1.93	54.0	10.12	AV	45.00	100	Vertical	Pass
6	16743.412	51.96	6.20	74.0	22.04	Peak	221.00	100	Vertical	Pass
6**	16743.412	41.79	6.20	54.0	12.21	AV	221.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1252.500	41.96	-17.79	74.0	32.04	Peak	46.00	300	Horizontal	Pass
1**	1252.500	32.18	-17.79	54.0	21.82	AV	46.00	300	Horizontal	Pass
2	2480.100	104.36	-13.55	--	--	Peak	169.00	100	Horizontal	N/A
2**	2480.100	104.18	-13.55	--	--	AV	169.00	100	Horizontal	N/A
3	2794.900	49.30	-11.64	74.0	24.70	Peak	294.00	200	Horizontal	Pass
3**	2794.900	40.29	-11.64	54.0	13.71	AV	294.00	200	Horizontal	Pass
4	4814.200	46.15	-7.44	74.0	27.85	Peak	301.00	100	Horizontal	Pass
4**	4814.200	36.42	-7.44	54.0	17.58	AV	301.00	100	Horizontal	Pass
5	7440.163	45.63	-1.56	74.0	28.37	Peak	360.00	100	Horizontal	Pass
5**	7440.163	41.55	-1.56	54.0	12.45	AV	360.00	100	Horizontal	Pass
6	17467.912	51.75	8.52	74.0	22.25	Peak	190.00	100	Horizontal	Pass
6**	17467.912	42.05	8.52	54.0	11.95	AV	190.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.600	42.34	-17.78	74.0	31.66	Peak	79.00	400	Vertical	Pass
1**	1331.600	32.42	-17.78	54.0	21.58	AV	79.00	400	Vertical	Pass
2	2480.100	105.22	-13.55	--	--	Peak	203.00	200	Vertical	N/A
2**	2480.100	104.95	-13.55	--	--	AV	203.00	200	Vertical	N/A
3	2785.600	49.13	-12.09	74.0	24.87	Peak	47.00	200	Vertical	Pass
3**	2785.600	38.66	-12.09	54.0	15.34	AV	47.00	200	Vertical	Pass
4	4824.000	46.33	-7.59	74.0	27.67	Peak	278.00	200	Vertical	Pass
4**	4824.000	37.24	-7.59	54.0	16.76	AV	278.00	200	Vertical	Pass
5	7440.163	45.61	-1.56	74.0	28.39	Peak	46.00	300	Vertical	Pass
5**	7440.163	42.41	-1.56	54.0	11.59	AV	46.00	300	Vertical	Pass
6	17448.489	51.68	8.37	74.0	22.32	Peak	350.00	100	Vertical	Pass
6**	17448.489	42.44	8.37	54.0	11.56	AV	350.00	100	Vertical	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1418.700	42.27	-18.09	74.0	31.73	Peak	221.00	100	Horizontal	Pass
1**	1418.700	31.54	-18.09	54.0	22.46	AV	221.00	100	Horizontal	Pass
2	2401.800	102.14	-13.91	--	--	Peak	170.00	200	Horizontal	N/A
2**	2401.800	99.38	-13.91	--	--	AV	170.00	200	Horizontal	N/A
3	2914.100	50.03	-11.01	74.0	23.97	Peak	106.00	100	Horizontal	Pass
3**	2914.100	39.51	-11.01	54.0	14.49	AV	106.00	100	Horizontal	Pass
4	4844.400	46.17	-6.54	74.0	27.83	Peak	124.00	300	Horizontal	Pass
4**	4844.400	37.31	-6.54	54.0	16.69	AV	124.00	300	Horizontal	Pass
5	6993.000	51.58	-0.85	74.0	22.42	Peak	273.00	100	Horizontal	Pass
5**	6993.000	43.17	-0.85	54.0	10.83	AV	273.00	100	Horizontal	Pass
6	17467.650	51.79	8.50	74.0	22.21	Peak	311.00	100	Horizontal	Pass
6**	17467.650	42.97	8.50	54.0	11.03	AV	311.00	100	Horizontal	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1380.400	41.94	-17.52	74.0	32.06	Peak	62.00	200	Vertical	Pass
1**	1380.400	32.12	-17.52	54.0	21.88	AV	62.00	200	Vertical	Pass
2	2401.900	104.51	-13.97	74.0	-30.51	Peak	203.00	100	Vertical	N/A
2**	2401.900	102.90	-13.97	54.0	-48.90	AV	203.00	100	Vertical	N/A
3	2995.000	48.98	-11.31	74.0	25.02	Peak	249.00	200	Vertical	Pass
3**	2995.000	39.37	-11.31	54.0	14.63	AV	249.00	200	Vertical	Pass
4	4857.600	46.91	-6.55	74.0	27.09	Peak	159.00	100	Vertical	Pass
4**	4857.600	37.03	-6.55	54.0	16.97	AV	159.00	100	Vertical	Pass
5	6999.000	51.55	-1.55	74.0	22.45	Peak	229.00	200	Vertical	Pass
5**	6999.000	42.80	-1.55	54.0	11.20	AV	229.00	200	Vertical	Pass
6	17995.536	51.15	6.05	74.0	22.85	Peak	334.00	100	Vertical	Pass
6**	17995.536	42.10	6.05	54.0	11.90	AV	334.00	100	Vertical	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1383.200	41.80	-17.27	74.0	32.20	Peak	0.00	100	Horizontal	Pass
1**	1383.200	32.73	-17.27	54.0	21.27	AV	0.00	100	Horizontal	Pass
2	2440.700	104.16	-13.73	--	--	Peak	173.00	200	Horizontal	N/A
2**	2440.700	102.02	-13.73	--	--	AV	173.00	200	Horizontal	N/A
3	2995.300	49.03	-11.12	74.0	24.97	Peak	207.00	200	Horizontal	Pass
3**	2995.300	39.74	-11.12	54.0	14.26	AV	207.00	200	Horizontal	Pass
4	4845.800	46.01	-6.61	74.0	27.99	Peak	241.00	100	Horizontal	Pass
4**	4845.800	37.78	-6.61	54.0	16.22	AV	241.00	100	Horizontal	Pass
5	7323.150	45.77	-1.93	74.0	28.23	Peak	0.00	100	Horizontal	Pass
5**	7323.150	42.57	-1.93	54.0	11.43	AV	0.00	100	Horizontal	Pass
6	14022.600	52.57	5.67	74.0	21.43	Peak	161.00	100	Horizontal	Pass
6**	14022.600	42.05	5.67	54.0	11.95	AV	161.00	100	Horizontal	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.100	41.67	-17.52	74.0	32.33	Peak	138.00	100	Vertical	Pass
1**	1329.100	32.07	-17.52	54.0	21.93	AV	138.00	100	Vertical	Pass
2	2440.800	104.74	-13.65	--	--	Peak	193.00	100	Vertical	N/A
2**	2440.800	101.68	-13.65	--	--	AV	193.00	100	Vertical	N/A
3	2977.900	49.69	-11.10	74.0	24.31	Peak	0.00	200	Vertical	Pass
3**	2977.900	40.33	-11.10	54.0	13.67	AV	0.00	200	Vertical	Pass
4	4853.400	45.88	-6.58	74.0	28.12	Peak	32.00	300	Vertical	Pass
4**	4853.400	37.60	-6.58	54.0	16.40	AV	32.00	300	Vertical	Pass
5	7323.438	47.23	-1.93	74.0	26.77	Peak	40.00	100	Vertical	Pass
5**	7323.438	43.64	-1.93	54.0	10.36	AV	40.00	100	Vertical	Pass
6	17456.886	51.61	8.18	74.0	22.39	Peak	138.00	100	Vertical	Pass
6**	17456.886	42.64	8.18	54.0	11.36	AV	138.00	100	Vertical	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1193.100	42.35	-17.65	74.0	31.65	Peak	177.00	400	Horizontal	Pass
1**	1193.100	32.23	-17.65	54.0	21.77	AV	177.00	400	Horizontal	Pass
2	2480.000	103.93	-13.55	--	--	Peak	177.00	200	Horizontal	N/A
2**	2480.000	101.78	-13.55	--	--	AV	177.00	200	Horizontal	N/A
3	2979.500	50.16	-10.74	74.0	23.84	Peak	322.00	200	Horizontal	Pass
3**	2979.500	40.02	-10.74	54.0	13.98	AV	322.00	200	Horizontal	Pass
4	4847.600	46.48	-6.41	74.0	27.52	Peak	196.00	400	Horizontal	Pass
4**	4847.600	38.12	-6.41	54.0	15.88	AV	196.00	400	Horizontal	Pass
5	6877.800	51.76	-1.39	74.0	22.24	Peak	0.00	300	Horizontal	Pass
5**	6877.800	41.13	-1.39	54.0	12.87	AV	0.00	300	Horizontal	Pass
6	17517.525	51.46	7.86	74.0	22.54	Peak	299.00	100	Horizontal	Pass
6**	17517.525	41.23	7.86	54.0	12.77	AV	299.00	100	Horizontal	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1408.000	41.51	-17.34	74.0	32.49	Peak	359.00	400	Vertical	Pass
1**	1408.000	33.32	-17.34	54.0	20.68	AV	359.00	400	Vertical	Pass
2	2480.000	103.63	-13.55	--	--	Peak	189.00	200	Vertical	N/A
2**	2480.000	101.18	-13.55	--	--	AV	189.00	200	Vertical	N/A
3	2984.700	49.47	-11.01	74.0	24.53	Peak	44.00	200	Vertical	Pass
3**	2984.700	40.32	-11.01	54.0	13.68	AV	44.00	200	Vertical	Pass
4	4848.000	46.30	-6.23	74.0	27.70	Peak	40.00	300	Vertical	Pass
4**	4848.000	37.64	-6.23	54.0	16.36	AV	40.00	300	Vertical	Pass
5	6989.800	51.88	-1.27	74.0	22.12	Peak	334.00	100	Vertical	Pass
5**	6989.800	42.60	-1.27	54.0	11.40	AV	334.00	100	Vertical	Pass
6	17465.025	51.53	8.36	74.0	22.47	Peak	252.00	100	Vertical	Pass
6**	17465.025	41.76	8.36	54.0	12.24	AV	252.00	100	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: The Level (dBuV/m) has been corrected by factor.

Note ⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

GFSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2357.333	54.00	-1.95	74.0	20.00	Peak	47.00	200	Vertical	Pass
1**	2357.333	41.40	-1.95	54.0	12.60	AV	47.00	200	Vertical	Pass
2	2390.000	51.73	-2.16	74.0	22.27	Peak	267.00	100	Vertical	Pass
2**	2390.000	41.19	-2.16	54.0	12.81	AV	267.00	100	Vertical	Pass
3	2310.333	52.74	-1.32	74.0	21.26	Peak	76.00	100	Vertical	Pass
3**	2310.333	42.12	-1.32	54.0	11.88	AV	76.00	100	Vertical	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.55	-1.04	74.0	20.45	Peak	211.00	300	Vertical	Pass
1**	2483.500	45.32	-1.04	54.0	8.68	AV	211.00	300	Vertical	Pass
2	2496.650	54.11	-1.24	74.0	19.89	Peak	117.00	300	Vertical	Pass
2**	2496.650	41.87	-1.24	54.0	12.13	AV	117.00	300	Vertical	Pass

8DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2370.500	53.73	-2.37	74.0	20.27	Peak	81.00	400	Vertical	Pass
1**	2370.500	40.98	-2.37	54.0	13.02	AV	81.00	400	Vertical	Pass
2	2390.000	52.10	-2.16	74.0	21.90	Peak	20.00	100	Vertical	Pass
2**	2390.000	41.39	-2.16	54.0	12.61	AV	20.00	100	Vertical	Pass
3	2381.833	51.98	-1.52	74.0	22.02	Peak	3.00	100	Vertical	Pass
3**	2381.833	42.00	-1.52	54.0	12.00	AV	3.00	100	Vertical	Pass

8DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.38	-1.04	74.0	14.62	Peak	231.00	200	Vertical	Pass
1**	2483.500	47.34	-1.04	54.0	6.66	AV	231.00	200	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26060345-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26060345-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26060345-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--