


## Test Result B4

| Test Mode  | Antenna | Ch. Name | Frequency[ MHz] | FreqRange [MHz] | Result [dBm] | Limit [dBm] | Verdict |
|------------|---------|----------|-----------------|-----------------|--------------|-------------|---------|
| 11A        | Ant1    | Low      | 5745            | 5720~5725       | -44.78       | ≤16.60      | PASS    |
| 11A        | Ant1    | Low      | 5745            | 5700~5720       | -43.73       | ≤10.64      | PASS    |
| 11A        | Ant1    | Low      | 5745            | 5650~5700       | -47.8        | ≤-26.96     | PASS    |
| 11A        | Ant1    | Low      | 5745            | 5760~5650       | -47.53       | ≤-27        | PASS    |
| 11A        | Ant1    | High     | 5825            | 5850~5855       | -42.57       | ≤15.73      | PASS    |
| 11A        | Ant1    | High     | 5825            | 5855~5875       | -45.09       | ≤10.13      | PASS    |
| 11A        | Ant1    | High     | 5825            | 5875~5925       | -47.72       | ≤-26.61     | PASS    |
| 11A        | Ant1    | High     | 5825            | 5925~5935       | -46.11       | ≤-27        | PASS    |
| 11N20SISO  | Ant1    | Low      | 5745            | 5720~5725       | -43.91       | ≤16.60      | PASS    |
| 11N20SISO  | Ant1    | Low      | 5745            | 5700~5720       | -45.03       | ≤10.99      | PASS    |
| 11N20SISO  | Ant1    | Low      | 5745            | 5650~5700       | -47.13       | ≤-26.36     | PASS    |
| 11N20SISO  | Ant1    | Low      | 5745            | 5760~5650       | -46.54       | ≤-27        | PASS    |
| 11N20SISO  | Ant1    | High     | 5825            | 5850~5855       | -41.55       | ≤18.80      | PASS    |
| 11N20SISO  | Ant1    | High     | 5825            | 5855~5875       | -46.7        | ≤10.36      | PASS    |
| 11N20SISO  | Ant1    | High     | 5825            | 5875~5925       | -47.84       | ≤-26.81     | PASS    |
| 11N20SISO  | Ant1    | High     | 5825            | 5925~5935       | -47.27       | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | Low      | 5745            | 5720~5725       | -42.81       | ≤16.08      | PASS    |
| 11AC20SISO | Ant1    | Low      | 5745            | 5700~5720       | -45.25       | ≤10.02      | PASS    |
| 11AC20SISO | Ant1    | Low      | 5745            | 5650~5700       | -48.02       | ≤-26.79     | PASS    |
| 11AC20SISO | Ant1    | Low      | 5745            | 5760~5650       | -47.53       | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | High     | 5825            | 5925~5935       | -45.82       | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | High     | 5825            | 5850~5855       | -41.65       | ≤18.50      | PASS    |
| 11AC20SISO | Ant1    | High     | 5825            | 5855~5875       | -45.4        | ≤10.47      | PASS    |
| 11AC20SISO | Ant1    | High     | 5825            | 5875~5925       | -45.77       | ≤-26.21     | PASS    |
| 11AX20SISO | Ant1    | Low      | 5745            | 5720~5725       | -43.3        | ≤16.87      | PASS    |
| 11AX20SISO | Ant1    | Low      | 5745            | 5700~5720       | -45.26       | ≤10.41      | PASS    |
| 11AX20SISO | Ant1    | Low      | 5745            | 5650~5700       | -47.64       | ≤-26.53     | PASS    |
| 11AX20SISO | Ant1    | Low      | 5745            | 5760~5650       | -47.39       | ≤-27        | PASS    |
| 11AX20SISO | Ant1    | High     | 5825            | 5850~5855       | -42.49       | ≤17.57      | PASS    |
| 11AX20SISO | Ant1    | High     | 5825            | 5855~5875       | -46.21       | ≤10.66      | PASS    |
| 11AX20SISO | Ant1    | High     | 5825            | 5875~5925       | -47.11       | ≤-26.71     | PASS    |
| 11AX20SISO | Ant1    | High     | 5825            | 5925~5935       | -46.26       | ≤-27        | PASS    |

Note: The margin plus the antenna gain also meets the limit.

## Test Graphs B1/2/3




## Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)





#### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)




#### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)











## Test Graphs B4



## Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)




#### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)






## Appendix F: DFS Detection Thresholds

### Test Result

| TestMode | Frequency[dBm] | Radar Type | Result | Limit[dbm] | Verdict |
|----------|----------------|------------|--------|------------|---------|
| 11A      | 5260           | Type0      | -62.35 | -62.00     | PASS    |
| 11A      | 5260           | Type1      | -62.49 | -62.00     | PASS    |
| 11A      | 5260           | Type2      | -62.38 | -62.00     | PASS    |
| 11A      | 5260           | Type3      | -62.19 | -62.00     | PASS    |
| 11A      | 5260           | Type4      | -62.31 | -62.00     | PASS    |
| 11A      | 5260           | Type5      | -62.33 | -62.00     | PASS    |
| 11A      | 5260           | Type6      | -62.49 | -62.00     | PASS    |
| 11A      | 5500           | Type0      | -62.35 | -62.00     | PASS    |
| 11A      | 5500           | Type1      | -62.43 | -62.00     | PASS    |
| 11A      | 5500           | Type2      | -62.47 | -62.00     | PASS    |
| 11A      | 5500           | Type3      | -62.20 | -62.00     | PASS    |
| 11A      | 5500           | Type4      | -62.08 | -62.00     | PASS    |
| 11A      | 5500           | Type5      | -62.42 | -62.00     | PASS    |
| 11A      | 5500           | Type6      | -62.48 | -62.00     | PASS    |


Test Graphs





Shenzhen Anbotek Compliance Laboratory Limited


Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)














**Shenzhen Anbotek Compliance Laboratory Limited**

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500    web: [www.anbotek.com](http://www.anbotek.com)    E-mail: [service@anbotek.com](mailto:service@anbotek.com)


---

## Appendix G: Channel Loading

### Test Result

| TestMode | Frequency[MHz] | Result | Limit [%] | Verdict |
|----------|----------------|--------|-----------|---------|
| 11A      | 5260           | 17.75  | 17        | PASS    |
| 11A      | 5500           | 36.66  | 17        | PASS    |

Test Graphs



---

## Appendix H: Channel Availability Check Time


### Test Result


| TestMode | Frequency[MHz] | Result         | Verdict |
|----------|----------------|----------------|---------|
| 11A      | 5260           | See test Graph | PASS    |
| 11A      | 5500           | See test Graph | PASS    |


| TestMode | Frequency[MHz] | Result         | Verdict |
|----------|----------------|----------------|---------|
| 11A      | 5260           | See test Graph | PASS    |
| 11A      | 5500           | See test Graph | PASS    |

| TestMode | Frequency[MHz] | Result         | Verdict |
|----------|----------------|----------------|---------|
| 11A      | 5260           | See test Graph | PASS    |
| 11A      | 5500           | See test Graph | PASS    |

Test Graphs








## Appendix I: Channel Move Time and Channel Closing

### Transmission Time

#### Test Result

| TestMode | Frequency[MHz] | CCTT[ms] | Limit[ms] | CMT[ms] | Limit[ms] | Verdict |
|----------|----------------|----------|-----------|---------|-----------|---------|
| 11A      | 5260           | 200+1.3  | 200+60    | 282     | 10000     | PASS    |
| 11A      | 5500           | 200+0    | 200+60    | 0       | 10000     | PASS    |

Test Graphs




---

## Appendix J: Non-Occupancy Period

### Test Result

| TestMode | Frequency[MHz] | Result         | Limit[s] | Verdict |
|----------|----------------|----------------|----------|---------|
| 11A      | 5260           | see test graph | ≥1800    | PASS    |
| 11A      | 5500           | see test graph | ≥1800    | PASS    |

Test Graphs




## Appendix K: U-NII Detection Bandwidth

### Test Result

| TestMode | Frequency[MHz] | FL[MHz] | FH[MHz] | Detection Bandwidth [MHz] | OCB [MHz] | Ratio [%] | Limit [%] | Verdict |
|----------|----------------|---------|---------|---------------------------|-----------|-----------|-----------|---------|
| 11A      | 5260           | 5251    | 5269    | 18                        | 16.772    | 107.32    | ≥100      | PASS    |
| 11A      | 5500           | 5491    | 5509    | 18                        | 16.375    | 109.92    | ≥100      | PASS    |

| Test Mode | Frequency[MHz] | Radar Freq. | Trial 1 | Trial 2 | Trial 3 | Trial 4 | Trial 5 | Trial 6 | Trial 7 | Trial 8 | Trial 9 | Trial 10 | Ratio (%) |
|-----------|----------------|-------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|-----------|
| 11A       | 5260           | 5260        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5260           | 5255        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5260           | 5254        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5260           | 5253        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5260           | 5252        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5260           | 5251        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5260           | 5250        | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0         |
| 11A       | 5260           | 5265        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5260           | 5266        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5260           | 5267        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5260           | 5268        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5260           | 5269        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5260           | 5270        | 0       | 0       | 0       | 0       | 0       | 1       | 0       | 0       | 0       | 0        | 10        |
| 11A       | 5500           | 5500        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5500           | 5495        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5500           | 5494        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5500           | 5493        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5500           | 5492        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5500           | 5491        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5500           | 5490        | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0         |
| 11A       | 5500           | 5505        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5500           | 5506        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5500           | 5507        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5500           | 5508        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5500           | 5509        | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1       | 1        | 100       |
| 11A       | 5500           | 5510        | 1       | 0       | 0       | 0       | 0       | 0       | 1       | 0       | 0       | 0        | 20        |

## Test Graphs



### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)

## Appendix H: Statistical Performance check

### Test Result

| TestMode | Frequency[MHz] | Radar Type | Pass Times | Fail Times | Probability (%) | Limit (%) | Verdict |
|----------|----------------|------------|------------|------------|-----------------|-----------|---------|
| 11A      | 5260           | Type0      | 30         | 0          | 100.00          | 60        | PASS    |
| 11A      | 5260           | Type1      | 30         | 0          | 100.00          | 60        | PASS    |
| 11A      | 5260           | Type2      | 29         | 1          | 96.67           | 60        | PASS    |
| 11A      | 5260           | Type3      | 28         | 2          | 93.33           | 60        | PASS    |
| 11A      | 5260           | Type4      | 22         | 8          | 73.33           | 60        | PASS    |
| 11A      | 5260           | Type 1-4   | ---        | ---        | 90.83           | 80        | PASS    |
| 11A      | 5260           | Type5      | 30         | 0          | 100.00          | 80        | PASS    |
| 11A      | 5260           | Type6      | 30         | 0          | 100.00          | 70        | PASS    |
| 11A      | 5500           | Type0      | 30         | 0          | 100.00          | 60        | PASS    |
| 11A      | 5500           | Type1      | 29         | 1          | 96.67           | 60        | PASS    |
| 11A      | 5500           | Type2      | 29         | 1          | 96.67           | 60        | PASS    |
| 11A      | 5500           | Type3      | 28         | 2          | 93.33           | 60        | PASS    |
| 11A      | 5500           | Type4      | 24         | 6          | 80.00           | 60        | PASS    |
| 11A      | 5500           | Type 1-4   | ---        | ---        | 91.67           | 80        | PASS    |
| 11A      | 5500           | Type5      | 30         | 0          | 100.00          | 80        | PASS    |
| 11A      | 5500           | Type6      | 26         | 4          | 86.67           | 70        | PASS    |

| TestMode | Frequency[MHz] | Radar Type | Trial ID | Pulse width(μs) | PRI(μs) | Pulses per Burst | Detection (1: Yes; 0: No) |
|----------|----------------|------------|----------|-----------------|---------|------------------|---------------------------|
| 11A      | 5260           | Type0      | 15       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 1        | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 2        | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 3        | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 8        | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 12       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 24       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 0        | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 4        | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 5        | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 6        | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 7        | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 9        | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 10       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 11       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 13       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 14       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 16       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 17       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 18       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 19       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 20       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 21       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 22       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 23       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 25       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 26       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 27       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 28       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type0      | 29       | 1.0             | 1428.0  | 18               | 1                         |
| 11A      | 5260           | Type1      | 2        | 1.0             | 618.0   | 86               | 1                         |
| 11A      | 5260           | Type1      | 23       | 1.0             | 1624.0  | 33               | 1                         |
| 11A      | 5260           | Type1      | 24       | 1.0             | 2878.0  | 19               | 1                         |
| 11A      | 5260           | Type1      | 25       | 1.0             | 1027.0  | 52               | 1                         |
| 11A      | 5260           | Type1      | 26       | 1.0             | 2485.0  | 22               | 1                         |
| 11A      | 5260           | Type1      | 27       | 1.0             | 1600.0  | 33               | 1                         |
| 11A      | 5260           | Type1      | 28       | 1.0             | 1172.0  | 46               | 1                         |
| 11A      | 5260           | Type1      | 29       | 1.0             | 1177.0  | 45               | 1                         |
| 11A      | 5260           | Type1      | 0        | 1.0             | 938.0   | 57               | 1                         |
| 11A      | 5260           | Type1      | 1        | 1.0             | 698.0   | 76               | 1                         |

|     |      |       |    |     |        |    |   |
|-----|------|-------|----|-----|--------|----|---|
| 11A | 5260 | Type1 | 3  | 1.0 | 538.0  | 99 | 1 |
| 11A | 5260 | Type1 | 4  | 1.0 | 878.0  | 61 | 1 |
| 11A | 5260 | Type1 | 5  | 1.0 | 3066.0 | 18 | 1 |
| 11A | 5260 | Type1 | 6  | 1.0 | 638.0  | 83 | 1 |
| 11A | 5260 | Type1 | 7  | 1.0 | 918.0  | 58 | 1 |
| 11A | 5260 | Type1 | 8  | 1.0 | 838.0  | 63 | 1 |
| 11A | 5260 | Type1 | 9  | 1.0 | 858.0  | 62 | 1 |
| 11A | 5260 | Type1 | 10 | 1.0 | 798.0  | 67 | 1 |
| 11A | 5260 | Type1 | 11 | 1.0 | 718.0  | 74 | 1 |
| 11A | 5260 | Type1 | 12 | 1.0 | 578.0  | 92 | 1 |
| 11A | 5260 | Type1 | 13 | 1.0 | 598.0  | 89 | 1 |
| 11A | 5260 | Type1 | 14 | 1.0 | 558.0  | 95 | 1 |
| 11A | 5260 | Type1 | 15 | 1.0 | 2536.0 | 21 | 1 |
| 11A | 5260 | Type1 | 16 | 1.0 | 966.0  | 55 | 1 |
| 11A | 5260 | Type1 | 17 | 1.0 | 827.0  | 64 | 1 |
| 11A | 5260 | Type1 | 18 | 1.0 | 2501.0 | 22 | 1 |
| 11A | 5260 | Type1 | 19 | 1.0 | 2595.0 | 21 | 1 |
| 11A | 5260 | Type1 | 20 | 1.0 | 1114.0 | 48 | 1 |
| 11A | 5260 | Type1 | 21 | 1.0 | 1302.0 | 41 | 1 |
| 11A | 5260 | Type1 | 22 | 1.0 | 3045.0 | 18 | 1 |
| 11A | 5260 | Type2 | 0  | 3.2 | 179.0  | 26 | 1 |
| 11A | 5260 | Type2 | 1  | 1.1 | 207.0  | 23 | 0 |
| 11A | 5260 | Type2 | 2  | 2.1 | 230.0  | 24 | 1 |
| 11A | 5260 | Type2 | 3  | 4.8 | 200.0  | 29 | 1 |
| 11A | 5260 | Type2 | 4  | 3.9 | 214.0  | 28 | 1 |
| 11A | 5260 | Type2 | 5  | 2.9 | 222.0  | 26 | 1 |
| 11A | 5260 | Type2 | 6  | 3.2 | 204.0  | 26 | 1 |
| 11A | 5260 | Type2 | 7  | 2.5 | 192.0  | 25 | 1 |
| 11A | 5260 | Type2 | 8  | 3.1 | 164.0  | 26 | 1 |
| 11A | 5260 | Type2 | 9  | 1.2 | 156.0  | 23 | 1 |
| 11A | 5260 | Type2 | 10 | 3.9 | 210.0  | 27 | 1 |
| 11A | 5260 | Type2 | 11 | 4.6 | 201.0  | 29 | 1 |
| 11A | 5260 | Type2 | 12 | 3.2 | 162.0  | 26 | 1 |
| 11A | 5260 | Type2 | 14 | 4.5 | 163.0  | 29 | 1 |
| 11A | 5260 | Type2 | 15 | 3.0 | 203.0  | 26 | 1 |
| 11A | 5260 | Type2 | 16 | 5.0 | 168.0  | 29 | 1 |
| 11A | 5260 | Type2 | 17 | 2.4 | 217.0  | 25 | 1 |
| 11A | 5260 | Type2 | 18 | 2.9 | 191.0  | 26 | 1 |
| 11A | 5260 | Type2 | 19 | 2.3 | 166.0  | 25 | 1 |
| 11A | 5260 | Type2 | 20 | 3.7 | 150.0  | 27 | 1 |
| 11A | 5260 | Type2 | 21 | 2.2 | 176.0  | 25 | 1 |
| 11A | 5260 | Type2 | 22 | 4.9 | 195.0  | 29 | 1 |

### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)

|     |      |       |    |      |       |    |   |
|-----|------|-------|----|------|-------|----|---|
| 11A | 5260 | Type2 | 23 | 2.9  | 202.0 | 26 | 1 |
| 11A | 5260 | Type2 | 24 | 2.5  | 178.0 | 25 | 1 |
| 11A | 5260 | Type2 | 25 | 1.1  | 206.0 | 23 | 1 |
| 11A | 5260 | Type2 | 26 | 3.8  | 155.0 | 27 | 1 |
| 11A | 5260 | Type2 | 27 | 4.7  | 157.0 | 29 | 1 |
| 11A | 5260 | Type2 | 28 | 2.4  | 224.0 | 25 | 1 |
| 11A | 5260 | Type2 | 29 | 4.2  | 159.0 | 28 | 1 |
| 11A | 5260 | Type2 | 13 | 2.2  | 197.0 | 25 | 1 |
| 11A | 5260 | Type3 | 0  | 8.2  | 355.0 | 17 | 1 |
| 11A | 5260 | Type3 | 1  | 6.1  | 487.0 | 16 | 1 |
| 11A | 5260 | Type3 | 2  | 7.1  | 344.0 | 16 | 1 |
| 11A | 5260 | Type3 | 3  | 9.8  | 288.0 | 18 | 1 |
| 11A | 5260 | Type3 | 4  | 8.9  | 230.0 | 18 | 1 |
| 11A | 5260 | Type3 | 5  | 7.9  | 432.0 | 17 | 1 |
| 11A | 5260 | Type3 | 6  | 8.2  | 207.0 | 17 | 0 |
| 11A | 5260 | Type3 | 7  | 7.5  | 443.0 | 17 | 1 |
| 11A | 5260 | Type3 | 8  | 8.1  | 439.0 | 17 | 1 |
| 11A | 5260 | Type3 | 9  | 6.2  | 223.0 | 16 | 1 |
| 11A | 5260 | Type3 | 10 | 8.9  | 208.0 | 18 | 1 |
| 11A | 5260 | Type3 | 11 | 9.6  | 463.0 | 18 | 1 |
| 11A | 5260 | Type3 | 12 | 8.2  | 441.0 | 17 | 1 |
| 11A | 5260 | Type3 | 13 | 7.2  | 323.0 | 16 | 1 |
| 11A | 5260 | Type3 | 14 | 9.5  | 297.0 | 18 | 1 |
| 11A | 5260 | Type3 | 15 | 8.0  | 412.0 | 17 | 1 |
| 11A | 5260 | Type3 | 16 | 10.0 | 324.0 | 18 | 1 |
| 11A | 5260 | Type3 | 17 | 7.4  | 271.0 | 17 | 1 |
| 11A | 5260 | Type3 | 18 | 7.9  | 349.0 | 17 | 1 |
| 11A | 5260 | Type3 | 19 | 7.3  | 409.0 | 16 | 1 |
| 11A | 5260 | Type3 | 20 | 8.7  | 373.0 | 18 | 1 |
| 11A | 5260 | Type3 | 21 | 7.2  | 254.0 | 16 | 1 |
| 11A | 5260 | Type3 | 22 | 9.9  | 274.0 | 18 | 1 |
| 11A | 5260 | Type3 | 23 | 7.9  | 278.0 | 17 | 1 |
| 11A | 5260 | Type3 | 24 | 7.5  | 317.0 | 17 | 1 |
| 11A | 5260 | Type3 | 26 | 8.8  | 211.0 | 18 | 1 |
| 11A | 5260 | Type3 | 27 | 9.7  | 272.0 | 18 | 1 |
| 11A | 5260 | Type3 | 28 | 7.4  | 264.0 | 17 | 1 |
| 11A | 5260 | Type3 | 29 | 9.2  | 284.0 | 18 | 0 |
| 11A | 5260 | Type3 | 25 | 6.1  | 260.0 | 16 | 1 |
| 11A | 5260 | Type4 | 0  | 16.0 | 355.0 | 14 | 1 |
| 11A | 5260 | Type4 | 1  | 11.3 | 487.0 | 12 | 1 |
| 11A | 5260 | Type4 | 2  | 13.5 | 344.0 | 13 | 1 |
| 11A | 5260 | Type4 | 3  | 19.4 | 288.0 | 16 | 0 |

### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)

|     |      |       |    |      |        |    |   |
|-----|------|-------|----|------|--------|----|---|
| 11A | 5260 | Type4 | 4  | 17.5 | 230.0  | 15 | 1 |
| 11A | 5260 | Type4 | 5  | 15.3 | 432.0  | 14 | 1 |
| 11A | 5260 | Type4 | 6  | 15.9 | 207.0  | 14 | 0 |
| 11A | 5260 | Type4 | 7  | 14.3 | 443.0  | 13 | 1 |
| 11A | 5260 | Type4 | 8  | 15.8 | 439.0  | 14 | 0 |
| 11A | 5260 | Type4 | 9  | 11.5 | 223.0  | 12 | 1 |
| 11A | 5260 | Type4 | 10 | 17.4 | 208.0  | 15 | 1 |
| 11A | 5260 | Type4 | 11 | 19.0 | 463.0  | 16 | 1 |
| 11A | 5260 | Type4 | 12 | 16.0 | 441.0  | 14 | 0 |
| 11A | 5260 | Type4 | 13 | 13.8 | 323.0  | 13 | 1 |
| 11A | 5260 | Type4 | 14 | 18.9 | 297.0  | 16 | 1 |
| 11A | 5260 | Type4 | 15 | 15.5 | 412.0  | 14 | 1 |
| 11A | 5260 | Type4 | 16 | 19.9 | 324.0  | 16 | 0 |
| 11A | 5260 | Type4 | 17 | 14.1 | 271.0  | 13 | 0 |
| 11A | 5260 | Type4 | 18 | 15.2 | 349.0  | 14 | 1 |
| 11A | 5260 | Type4 | 19 | 13.8 | 409.0  | 13 | 1 |
| 11A | 5260 | Type4 | 20 | 17.1 | 373.0  | 15 | 1 |
| 11A | 5260 | Type4 | 21 | 13.8 | 254.0  | 13 | 0 |
| 11A | 5260 | Type4 | 22 | 19.8 | 274.0  | 16 | 1 |
| 11A | 5260 | Type4 | 23 | 15.3 | 278.0  | 14 | 1 |
| 11A | 5260 | Type4 | 24 | 14.5 | 317.0  | 13 | 1 |
| 11A | 5260 | Type4 | 25 | 11.3 | 260.0  | 12 | 1 |
| 11A | 5260 | Type4 | 26 | 17.3 | 211.0  | 15 | 1 |
| 11A | 5260 | Type4 | 27 | 19.2 | 272.0  | 16 | 1 |
| 11A | 5260 | Type4 | 28 | 14.2 | 264.0  | 13 | 0 |
| 11A | 5260 | Type4 | 29 | 18.2 | 284.0  | 15 | 1 |
| 11A | 5500 | Type0 | 0  | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 1  | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 2  | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 3  | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 4  | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 5  | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 6  | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 7  | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 8  | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 9  | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 10 | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 11 | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 12 | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 13 | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 14 | 1.0  | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 15 | 1.0  | 1428.0 | 18 | 1 |

### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)

|     |      |       |    |     |        |    |   |
|-----|------|-------|----|-----|--------|----|---|
| 11A | 5500 | Type0 | 16 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 17 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 18 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 19 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 20 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 21 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 22 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 23 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 24 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 25 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 26 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 27 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 28 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type0 | 29 | 1.0 | 1428.0 | 18 | 1 |
| 11A | 5500 | Type1 | 0  | 1.0 | 938.0  | 57 | 1 |
| 11A | 5500 | Type1 | 1  | 1.0 | 698.0  | 76 | 1 |
| 11A | 5500 | Type1 | 2  | 1.0 | 618.0  | 86 | 1 |
| 11A | 5500 | Type1 | 3  | 1.0 | 538.0  | 99 | 1 |
| 11A | 5500 | Type1 | 4  | 1.0 | 878.0  | 61 | 1 |
| 11A | 5500 | Type1 | 5  | 1.0 | 3066.0 | 18 | 1 |
| 11A | 5500 | Type1 | 6  | 1.0 | 638.0  | 83 | 1 |
| 11A | 5500 | Type1 | 7  | 1.0 | 918.0  | 58 | 1 |
| 11A | 5500 | Type1 | 8  | 1.0 | 838.0  | 63 | 1 |
| 11A | 5500 | Type1 | 9  | 1.0 | 858.0  | 62 | 1 |
| 11A | 5500 | Type1 | 10 | 1.0 | 798.0  | 67 | 1 |
| 11A | 5500 | Type1 | 11 | 1.0 | 718.0  | 74 | 1 |
| 11A | 5500 | Type1 | 12 | 1.0 | 578.0  | 92 | 1 |
| 11A | 5500 | Type1 | 13 | 1.0 | 598.0  | 89 | 1 |
| 11A | 5500 | Type1 | 14 | 1.0 | 558.0  | 95 | 1 |
| 11A | 5500 | Type1 | 15 | 1.0 | 2536.0 | 21 | 1 |
| 11A | 5500 | Type1 | 16 | 1.0 | 966.0  | 55 | 1 |
| 11A | 5500 | Type1 | 17 | 1.0 | 827.0  | 64 | 1 |
| 11A | 5500 | Type1 | 18 | 1.0 | 2501.0 | 22 | 1 |
| 11A | 5500 | Type1 | 19 | 1.0 | 2595.0 | 21 | 1 |
| 11A | 5500 | Type1 | 20 | 1.0 | 1114.0 | 48 | 1 |
| 11A | 5500 | Type1 | 21 | 1.0 | 1302.0 | 41 | 1 |
| 11A | 5500 | Type1 | 22 | 1.0 | 3045.0 | 18 | 1 |
| 11A | 5500 | Type1 | 23 | 1.0 | 1624.0 | 33 | 1 |
| 11A | 5500 | Type1 | 24 | 1.0 | 2878.0 | 19 | 0 |
| 11A | 5500 | Type1 | 25 | 1.0 | 1027.0 | 52 | 1 |
| 11A | 5500 | Type1 | 26 | 1.0 | 2485.0 | 22 | 1 |
| 11A | 5500 | Type1 | 27 | 1.0 | 1600.0 | 33 | 1 |

### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)

|     |      |       |    |     |        |    |   |
|-----|------|-------|----|-----|--------|----|---|
| 11A | 5500 | Type1 | 28 | 1.0 | 1172.0 | 46 | 1 |
| 11A | 5500 | Type1 | 29 | 1.0 | 1177.0 | 45 | 1 |
| 11A | 5500 | Type2 | 0  | 3.2 | 179.0  | 26 | 1 |
| 11A | 5500 | Type2 | 1  | 1.1 | 207.0  | 23 | 1 |
| 11A | 5500 | Type2 | 2  | 2.1 | 230.0  | 24 | 1 |
| 11A | 5500 | Type2 | 3  | 4.8 | 200.0  | 29 | 1 |
| 11A | 5500 | Type2 | 4  | 3.9 | 214.0  | 28 | 1 |
| 11A | 5500 | Type2 | 5  | 2.9 | 222.0  | 26 | 1 |
| 11A | 5500 | Type2 | 6  | 3.2 | 204.0  | 26 | 1 |
| 11A | 5500 | Type2 | 7  | 2.5 | 192.0  | 25 | 1 |
| 11A | 5500 | Type2 | 8  | 3.1 | 164.0  | 26 | 1 |
| 11A | 5500 | Type2 | 9  | 1.2 | 156.0  | 23 | 1 |
| 11A | 5500 | Type2 | 10 | 3.9 | 210.0  | 27 | 1 |
| 11A | 5500 | Type2 | 11 | 4.6 | 201.0  | 29 | 0 |
| 11A | 5500 | Type2 | 12 | 3.2 | 162.0  | 26 | 1 |
| 11A | 5500 | Type2 | 13 | 2.2 | 197.0  | 25 | 1 |
| 11A | 5500 | Type2 | 14 | 4.5 | 163.0  | 29 | 1 |
| 11A | 5500 | Type2 | 15 | 3.0 | 203.0  | 26 | 1 |
| 11A | 5500 | Type2 | 16 | 5.0 | 168.0  | 29 | 1 |
| 11A | 5500 | Type2 | 17 | 2.4 | 217.0  | 25 | 1 |
| 11A | 5500 | Type2 | 18 | 2.9 | 191.0  | 26 | 1 |
| 11A | 5500 | Type2 | 19 | 2.3 | 166.0  | 25 | 1 |
| 11A | 5500 | Type2 | 20 | 3.7 | 150.0  | 27 | 1 |
| 11A | 5500 | Type2 | 21 | 2.2 | 176.0  | 25 | 1 |
| 11A | 5500 | Type2 | 22 | 4.9 | 195.0  | 29 | 1 |
| 11A | 5500 | Type2 | 23 | 2.9 | 202.0  | 26 | 1 |
| 11A | 5500 | Type2 | 24 | 2.5 | 178.0  | 25 | 1 |
| 11A | 5500 | Type2 | 25 | 1.1 | 206.0  | 23 | 1 |
| 11A | 5500 | Type2 | 26 | 3.8 | 155.0  | 27 | 1 |
| 11A | 5500 | Type2 | 27 | 4.7 | 157.0  | 29 | 1 |
| 11A | 5500 | Type2 | 28 | 2.4 | 224.0  | 25 | 1 |
| 11A | 5500 | Type2 | 29 | 4.2 | 159.0  | 28 | 1 |
| 11A | 5500 | Type3 | 0  | 8.2 | 355.0  | 17 | 1 |
| 11A | 5500 | Type3 | 1  | 6.1 | 487.0  | 16 | 1 |
| 11A | 5500 | Type3 | 2  | 7.1 | 344.0  | 16 | 1 |
| 11A | 5500 | Type3 | 3  | 9.8 | 288.0  | 18 | 1 |
| 11A | 5500 | Type3 | 4  | 8.9 | 230.0  | 18 | 1 |
| 11A | 5500 | Type3 | 5  | 7.9 | 432.0  | 17 | 1 |
| 11A | 5500 | Type3 | 6  | 8.2 | 207.0  | 17 | 1 |
| 11A | 5500 | Type3 | 7  | 7.5 | 443.0  | 17 | 0 |
| 11A | 5500 | Type3 | 8  | 8.1 | 439.0  | 17 | 1 |
| 11A | 5500 | Type3 | 9  | 6.2 | 223.0  | 16 | 1 |

### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)

|     |      |       |    |      |       |    |   |
|-----|------|-------|----|------|-------|----|---|
| 11A | 5500 | Type3 | 10 | 8.9  | 208.0 | 18 | 0 |
| 11A | 5500 | Type3 | 11 | 9.6  | 463.0 | 18 | 1 |
| 11A | 5500 | Type3 | 12 | 8.2  | 441.0 | 17 | 1 |
| 11A | 5500 | Type3 | 13 | 7.2  | 323.0 | 16 | 1 |
| 11A | 5500 | Type3 | 14 | 9.5  | 297.0 | 18 | 1 |
| 11A | 5500 | Type3 | 15 | 8.0  | 412.0 | 17 | 1 |
| 11A | 5500 | Type3 | 16 | 10.0 | 324.0 | 18 | 1 |
| 11A | 5500 | Type3 | 17 | 7.4  | 271.0 | 17 | 1 |
| 11A | 5500 | Type3 | 18 | 7.9  | 349.0 | 17 | 1 |
| 11A | 5500 | Type3 | 19 | 7.3  | 409.0 | 16 | 1 |
| 11A | 5500 | Type3 | 20 | 8.7  | 373.0 | 18 | 1 |
| 11A | 5500 | Type3 | 21 | 7.2  | 254.0 | 16 | 1 |
| 11A | 5500 | Type3 | 22 | 9.9  | 274.0 | 18 | 1 |
| 11A | 5500 | Type3 | 23 | 7.9  | 278.0 | 17 | 1 |
| 11A | 5500 | Type3 | 24 | 7.5  | 317.0 | 17 | 1 |
| 11A | 5500 | Type3 | 25 | 6.1  | 260.0 | 16 | 1 |
| 11A | 5500 | Type3 | 26 | 8.8  | 211.0 | 18 | 1 |
| 11A | 5500 | Type3 | 27 | 9.7  | 272.0 | 18 | 1 |
| 11A | 5500 | Type3 | 28 | 7.4  | 264.0 | 17 | 1 |
| 11A | 5500 | Type3 | 29 | 9.2  | 284.0 | 18 | 1 |
| 11A | 5500 | Type4 | 0  | 16.0 | 355.0 | 14 | 1 |
| 11A | 5500 | Type4 | 1  | 11.3 | 487.0 | 12 | 1 |
| 11A | 5500 | Type4 | 2  | 13.5 | 344.0 | 13 | 1 |
| 11A | 5500 | Type4 | 3  | 19.4 | 288.0 | 16 | 1 |
| 11A | 5500 | Type4 | 4  | 17.5 | 230.0 | 15 | 0 |
| 11A | 5500 | Type4 | 5  | 15.3 | 432.0 | 14 | 1 |
| 11A | 5500 | Type4 | 6  | 15.9 | 207.0 | 14 | 1 |
| 11A | 5500 | Type4 | 7  | 14.3 | 443.0 | 13 | 1 |
| 11A | 5500 | Type4 | 8  | 15.8 | 439.0 | 14 | 1 |
| 11A | 5500 | Type4 | 9  | 11.5 | 223.0 | 12 | 0 |
| 11A | 5500 | Type4 | 10 | 17.4 | 208.0 | 15 | 0 |
| 11A | 5500 | Type4 | 11 | 19.0 | 463.0 | 16 | 1 |
| 11A | 5500 | Type4 | 12 | 16.0 | 441.0 | 14 | 1 |
| 11A | 5500 | Type4 | 13 | 13.8 | 323.0 | 13 | 1 |
| 11A | 5500 | Type4 | 14 | 18.9 | 297.0 | 16 | 1 |
| 11A | 5500 | Type4 | 15 | 15.5 | 412.0 | 14 | 1 |
| 11A | 5500 | Type4 | 16 | 19.9 | 324.0 | 16 | 0 |
| 11A | 5500 | Type4 | 17 | 14.1 | 271.0 | 13 | 1 |
| 11A | 5500 | Type4 | 18 | 15.2 | 349.0 | 14 | 1 |
| 11A | 5500 | Type4 | 19 | 13.8 | 409.0 | 13 | 1 |
| 11A | 5500 | Type4 | 20 | 17.1 | 373.0 | 15 | 1 |
| 11A | 5500 | Type4 | 21 | 13.8 | 254.0 | 13 | 1 |

#### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)

|     |      |       |    |      |       |    |   |
|-----|------|-------|----|------|-------|----|---|
| 11A | 5500 | Type4 | 22 | 19.8 | 274.0 | 16 | 1 |
| 11A | 5500 | Type4 | 23 | 15.3 | 278.0 | 14 | 1 |
| 11A | 5500 | Type4 | 24 | 14.5 | 317.0 | 13 | 0 |
| 11A | 5500 | Type4 | 25 | 11.3 | 260.0 | 12 | 0 |
| 11A | 5500 | Type4 | 26 | 17.3 | 211.0 | 15 | 1 |
| 11A | 5500 | Type4 | 27 | 19.2 | 272.0 | 16 | 1 |
| 11A | 5500 | Type4 | 28 | 14.2 | 264.0 | 13 | 1 |
| 11A | 5500 | Type4 | 29 | 18.2 | 284.0 | 15 | 1 |

| TestMode | Frequen<br>cy[MHz] | Radar Type | Trial<br>ID | Number<br>Of Bursts | Wavform<br>Length<br>(s)) | Radar<br>Frequency | Detection<br>(1: Yes; 0: No) |
|----------|--------------------|------------|-------------|---------------------|---------------------------|--------------------|------------------------------|
| 11A      | 5260               | Type5      | 0           | 15                  | 12                        | 5260               | 1                            |
| 11A      | 5260               | Type5      | 1           | 8                   | 12                        | 5260               | 1                            |
| 11A      | 5260               | Type5      | 2           | 11                  | 12                        | 5260               | 1                            |
| 11A      | 5260               | Type5      | 3           | 20                  | 12                        | 5260               | 1                            |
| 11A      | 5260               | Type5      | 4           | 17                  | 12                        | 5260               | 1                            |
| 11A      | 5260               | Type5      | 5           | 14                  | 12                        | 5260               | 1                            |
| 11A      | 5260               | Type5      | 6           | 15                  | 12                        | 5260               | 1                            |
| 11A      | 5260               | Type5      | 7           | 12                  | 12                        | 5260               | 1                            |
| 11A      | 5260               | Type5      | 8           | 14                  | 12                        | 5260               | 1                            |
| 11A      | 5260               | Type5      | 9           | 8                   | 12                        | 5260               | 1                            |
| 11A      | 5260               | Type5      | 10          | 17                  | 12                        | 5258.014           | 1                            |
| 11A      | 5260               | Type5      | 11          | 19                  | 12                        | 5259.214           | 1                            |
| 11A      | 5260               | Type5      | 12          | 15                  | 12                        | 5256.814           | 1                            |
| 11A      | 5260               | Type5      | 13          | 12                  | 12                        | 5255.614           | 1                            |
| 11A      | 5260               | Type5      | 14          | 19                  | 12                        | 5258.814           | 1                            |
| 11A      | 5260               | Type5      | 15          | 14                  | 12                        | 5256.414           | 1                            |
| 11A      | 5260               | Type5      | 16          | 20                  | 12                        | 5259.614           | 1                            |
| 11A      | 5260               | Type5      | 17          | 12                  | 12                        | 5255.614           | 1                            |
| 11A      | 5260               | Type5      | 18          | 14                  | 12                        | 5256.414           | 1                            |
| 11A      | 5260               | Type5      | 19          | 12                  | 12                        | 5255.614           | 1                            |
| 11A      | 5260               | Type5      | 20          | 16                  | 12                        | 5262.386           | 1                            |
| 11A      | 5260               | Type5      | 21          | 12                  | 12                        | 5264.786           | 1                            |
| 11A      | 5260               | Type5      | 22          | 20                  | 12                        | 5260.386           | 1                            |
| 11A      | 5260               | Type5      | 23          | 14                  | 12                        | 5263.586           | 1                            |
| 11A      | 5260               | Type5      | 24          | 13                  | 12                        | 5263.986           | 1                            |
| 11A      | 5260               | Type5      | 25          | 8                   | 12                        | 5266.386           | 1                            |
| 11A      | 5260               | Type5      | 26          | 17                  | 12                        | 5261.986           | 1                            |
| 11A      | 5260               | Type5      | 27          | 19                  | 12                        | 5260.786           | 1                            |
| 11A      | 5260               | Type5      | 28          | 12                  | 12                        | 5264.386           | 1                            |
| 11A      | 5260               | Type5      | 29          | 18                  | 12                        | 5261.586           | 1                            |

### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)

|     |      |       |    |    |    |           |   |
|-----|------|-------|----|----|----|-----------|---|
| 11A | 5500 | Type5 | 0  | 15 | 12 | 5500      | 1 |
| 11A | 5500 | Type5 | 1  | 8  | 12 | 5500      | 1 |
| 11A | 5500 | Type5 | 2  | 11 | 12 | 5500      | 1 |
| 11A | 5500 | Type5 | 3  | 20 | 12 | 5500      | 1 |
| 11A | 5500 | Type5 | 4  | 17 | 12 | 5500      | 1 |
| 11A | 5500 | Type5 | 5  | 14 | 12 | 5500      | 1 |
| 11A | 5500 | Type5 | 6  | 15 | 12 | 5500      | 1 |
| 11A | 5500 | Type5 | 7  | 12 | 12 | 5500      | 1 |
| 11A | 5500 | Type5 | 8  | 14 | 12 | 5500      | 1 |
| 11A | 5500 | Type5 | 9  | 8  | 12 | 5500      | 1 |
| 11A | 5500 | Type5 | 10 | 17 | 12 | 5498.2125 | 1 |
| 11A | 5500 | Type5 | 11 | 19 | 12 | 5499.4125 | 1 |
| 11A | 5500 | Type5 | 12 | 15 | 12 | 5497.0125 | 1 |
| 11A | 5500 | Type5 | 13 | 12 | 12 | 5495.8125 | 1 |
| 11A | 5500 | Type5 | 14 | 19 | 12 | 5499.0125 | 1 |
| 11A | 5500 | Type5 | 15 | 14 | 12 | 5496.6125 | 1 |
| 11A | 5500 | Type5 | 16 | 20 | 12 | 5499.8125 | 1 |
| 11A | 5500 | Type5 | 17 | 12 | 12 | 5495.8125 | 1 |
| 11A | 5500 | Type5 | 18 | 14 | 12 | 5496.6125 | 1 |
| 11A | 5500 | Type5 | 19 | 12 | 12 | 5495.8125 | 1 |
| 11A | 5500 | Type5 | 20 | 16 | 12 | 5502.1875 | 1 |
| 11A | 5500 | Type5 | 21 | 12 | 12 | 5504.5875 | 1 |
| 11A | 5500 | Type5 | 22 | 20 | 12 | 5500.1875 | 1 |
| 11A | 5500 | Type5 | 23 | 14 | 12 | 5503.3875 | 1 |
| 11A | 5500 | Type5 | 24 | 13 | 12 | 5503.7875 | 1 |
| 11A | 5500 | Type5 | 25 | 8  | 12 | 5506.1875 | 1 |
| 11A | 5500 | Type5 | 26 | 17 | 12 | 5501.7875 | 1 |
| 11A | 5500 | Type5 | 27 | 19 | 12 | 5500.5875 | 1 |
| 11A | 5500 | Type5 | 28 | 12 | 12 | 5504.1875 | 1 |
| 11A | 5500 | Type5 | 29 | 18 | 12 | 5501.3875 | 1 |

#### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)

| TestMode | Frequen<br>cy[MHz] | Radar<br>Type | Trial<br>ID | Pulse<br>width<br>( $\mu$ s) | PRI<br>( $\mu$ s) | Pulses per<br>Hop | Detection<br>(1: Yes; 0: No) |
|----------|--------------------|---------------|-------------|------------------------------|-------------------|-------------------|------------------------------|
| 11A      | 5260               | Type6         | 0           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 1           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 2           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 3           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 4           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 5           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 6           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 7           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 8           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 9           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 10          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 11          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 12          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 13          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 14          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 15          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 16          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 17          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 18          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 19          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 20          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 21          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 22          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 23          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 24          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 25          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 26          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 27          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 28          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5260               | Type6         | 29          | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5500               | Type6         | 0           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5500               | Type6         | 1           | 1                            | 333.3             | 9                 | 0                            |
| 11A      | 5500               | Type6         | 2           | 1                            | 333.3             | 9                 | 0                            |
| 11A      | 5500               | Type6         | 3           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5500               | Type6         | 4           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5500               | Type6         | 5           | 1                            | 333.3             | 9                 | 0                            |
| 11A      | 5500               | Type6         | 6           | 1                            | 333.3             | 9                 | 1                            |
| 11A      | 5500               | Type6         | 7           | 1                            | 333.3             | 9                 | 1                            |

### Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: [www.anbotek.com](http://www.anbotek.com) E-mail: [service@anbotek.com](mailto:service@anbotek.com)

|     |      |       |    |   |       |   |   |
|-----|------|-------|----|---|-------|---|---|
| 11A | 5500 | Type6 | 8  | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 9  | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 10 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 11 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 12 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 13 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 14 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 15 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 16 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 17 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 18 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 19 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 20 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 21 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 22 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 23 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 24 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 25 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 26 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 27 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 28 | 1 | 333.3 | 9 | 1 |
| 11A | 5500 | Type6 | 29 | 1 | 333.3 | 9 | 0 |

---END---