


Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7521.20	30.34	16.56	46.90	54.00	7.10	RMS	Horizontal	PASS
2	12274.00	33.81	7.50	41.31	54.00	12.69	RMS	Horizontal	PASS
3	17983.33	29.70	16.73	46.43	54.00	7.57	RMS	Horizontal	PASS
4	7580.00	39.16	16.10	55.26	74.00	18.74	PK	Horizontal	PASS
5	12403.00	41.37	7.62	48.99	74.00	25.01	PK	Horizontal	PASS
6	17948.00	37.84	16.46	54.30	74.00	19.70	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7525.40	30.35	16.53	46.88	54.00	7.12	RMS	Vertical	PASS
2	12213.00	33.65	7.67	41.32	54.00	12.68	RMS	Vertical	PASS
3	17940.67	29.76	16.41	46.17	54.00	7.83	RMS	Vertical	PASS
4	7532.75	38.88	16.48	55.36	74.00	18.64	PK	Vertical	PASS
5	12212.00	41.26	7.67	48.93	74.00	25.07	PK	Vertical	PASS
6	17929.67	38.08	16.33	54.41	74.00	19.59	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7591.90	31.34	16.00	47.34	54.00	6.66	RMS	Horizontal	PASS
2	12655.33	33.52	7.31	40.83	54.00	13.17	RMS	Horizontal	PASS
3	17976.33	29.90	16.68	46.58	54.00	7.42	RMS	Horizontal	PASS
4	7324.15	39.37	16.23	55.60	74.00	18.40	PK	Horizontal	PASS
5	12455.00	41.61	7.42	49.03	74.00	24.97	PK	Horizontal	PASS
6	17903.33	37.76	16.12	53.88	74.00	20.12	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7415.85	30.79	16.35	47.14	54.00	6.86	RMS	Vertical	PASS
2	12399.67	33.16	7.64	40.80	54.00	13.20	RMS	Vertical	PASS
3	17958.67	30.14	16.54	46.68	54.00	7.32	RMS	Vertical	PASS
4	7351.80	39.26	16.35	55.61	74.00	18.39	PK	Vertical	PASS
5	12165.00	41.48	7.26	48.74	74.00	25.26	PK	Vertical	PASS
6	17983.67	37.29	16.73	54.02	74.00	19.98	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7411.30	30.81	16.32	47.13	54.00	6.87	RMS	Horizontal	PASS
2	12214.33	33.25	7.66	40.91	54.00	13.09	RMS	Horizontal	PASS
3	17902.00	30.53	16.12	46.65	54.00	7.35	RMS	Horizontal	PASS
4	7416.90	39.59	16.36	55.95	74.00	18.05	PK	Horizontal	PASS
5	12397.67	41.25	7.63	48.88	74.00	25.12	PK	Horizontal	PASS
6	17959.00	37.58	16.55	54.13	74.00	19.87	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7650.00	31.19	16.10	47.29	54.00	6.71	RMS	Vertical	PASS
2	12361.00	33.43	7.56	40.99	54.00	13.01	RMS	Vertical	PASS
3	17968.00	29.98	16.61	46.59	54.00	7.41	RMS	Vertical	PASS
4	7473.60	38.71	16.69	55.40	74.00	18.60	PK	Vertical	PASS
5	12400.33	40.98	7.64	48.62	74.00	25.38	PK	Vertical	PASS
6	17997.00	37.76	16.84	54.60	74.00	19.40	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7480.95	30.24	16.69	46.93	54.00	7.07	RMS	Horizontal	PASS
2	11663.33	33.81	6.50	40.31	54.00	13.69	RMS	Horizontal	PASS
3	17987.00	29.78	16.76	46.54	54.00	7.46	RMS	Horizontal	PASS
4	7648.95	40.13	16.09	56.22	74.00	17.78	PK	Horizontal	PASS
5	11592.67	41.70	6.56	48.26	74.00	25.74	PK	Horizontal	PASS
6	17975.33	37.29	16.67	53.96	74.00	20.04	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7470.80	30.59	16.68	47.27	54.00	6.73	RMS	Vertical	PASS
2	12218.67	33.38	7.65	41.03	54.00	12.97	RMS	Vertical	PASS
3	17902.67	30.38	16.12	46.50	54.00	7.50	RMS	Vertical	PASS
4	7359.50	39.40	16.33	55.73	74.00	18.27	PK	Vertical	PASS
5	12224.00	40.79	7.64	48.43	74.00	25.57	PK	Vertical	PASS
6	17937.33	37.82	16.38	54.20	74.00	19.80	PK	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7654.20	31.36	16.12	47.48	54.00	6.52	RMS	Horizontal	PASS
2	12221.67	33.58	7.64	41.22	54.00	12.78	RMS	Horizontal	PASS
3	17966.33	29.89	16.61	46.50	54.00	7.50	RMS	Horizontal	PASS
4	7485.50	39.71	16.70	56.41	74.00	17.59	PK	Horizontal	PASS
5	12276.33	41.25	7.48	48.73	74.00	25.27	PK	Horizontal	PASS
6	17965.33	37.23	16.60	53.83	74.00	20.17	PK	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7476.75	30.18	16.68	46.86	54.00	7.14	RMS	Vertical	PASS
2	12343.33	33.52	7.52	41.04	54.00	12.96	RMS	Vertical	PASS
3	17973.00	29.67	16.65	46.32	54.00	7.68	RMS	Vertical	PASS
4	7507.20	38.87	16.66	55.53	74.00	18.47	PK	Vertical	PASS
5	12223.33	41.03	7.64	48.67	74.00	25.33	PK	Vertical	PASS
6	17923.33	38.17	16.27	54.44	74.00	19.56	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2
Bandwidth	20MHz	Channel	52
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7493.55	31.12	16.71	47.83	54.00	6.17	RMS	Horizontal	PASS
2	12225.33	33.68	7.62	41.30	54.00	12.70	RMS	Horizontal	PASS
3	17987.33	30.22	16.76	46.98	54.00	7.02	RMS	Horizontal	PASS
4	7461.35	39.30	16.67	55.97	74.00	18.03	PK	Horizontal	PASS
5	12235.67	40.78	7.60	48.38	74.00	25.62	PK	Horizontal	PASS
6	17944.00	38.08	16.44	54.52	74.00	19.48	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2
Bandwidth	20MHz	Channel	52
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7700.05	30.38	16.38	46.76	54.00	7.24	RMS	Vertical	PASS
2	12214.67	33.59	7.66	41.25	54.00	12.75	RMS	Vertical	PASS
3	17975.00	29.59	16.67	46.26	54.00	7.74	RMS	Vertical	PASS
4	7710.90	39.52	16.42	55.94	74.00	18.06	PK	Vertical	PASS
5	12223.67	40.77	7.64	48.41	74.00	25.59	PK	Vertical	PASS
6	17986.00	37.33	16.75	54.08	74.00	19.92	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2
Bandwidth	20MHz	Channel	60
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7383.65	30.61	16.26	46.87	54.00	7.13	RMS	Horizontal	PASS
2	12218.67	33.39	7.65	41.04	54.00	12.96	RMS	Horizontal	PASS
3	17974.33	29.45	16.67	46.12	54.00	7.88	RMS	Horizontal	PASS
4	7475.70	39.41	16.69	56.10	74.00	17.90	PK	Horizontal	PASS
5	12222.00	40.93	7.64	48.57	74.00	25.43	PK	Horizontal	PASS
6	17974.33	37.13	16.67	53.80	74.00	20.20	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2
Bandwidth	20MHz	Channel	60
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7459.25	30.68	16.67	47.35	54.00	6.65	RMS	Vertical	PASS
2	12399.00	33.38	7.64	41.02	54.00	12.98	RMS	Vertical	PASS
3	17937.67	30.15	16.39	46.54	54.00	7.46	RMS	Vertical	PASS
4	7480.95	38.87	16.69	55.56	74.00	18.44	PK	Vertical	PASS
5	12355.33	41.20	7.54	48.74	74.00	25.26	PK	Vertical	PASS
6	17907.67	37.48	16.16	53.64	74.00	20.36	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7438.95	30.35	16.56	46.91	54.00	7.09	RMS	Horizontal	PASS
2	10638.00	39.20	4.50	43.70	54.00	10.30	RMS	Horizontal	PASS
3	17949.67	29.82	16.48	46.30	54.00	7.70	RMS	Horizontal	PASS
4	7465.55	39.00	16.68	55.68	74.00	18.32	PK	Horizontal	PASS
5	10633.67	47.46	4.49	51.95	74.00	22.05	PK	Horizontal	PASS
6	17968.67	37.52	16.62	54.14	74.00	19.86	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7498.80	30.44	16.70	47.14	54.00	6.86	RMS	Vertical	PASS
2	10639.67	39.94	4.50	44.44	54.00	9.56	RMS	Vertical	PASS
3	17939.00	30.04	16.40	46.44	54.00	7.56	RMS	Vertical	PASS
4	7755.35	39.03	16.56	55.59	68.20	12.61	PK	Vertical	PASS
5	10644.00	46.80	4.51	51.31	74.00	22.69	PK	Vertical	PASS
6	17926.00	37.81	16.29	54.10	74.00	19.90	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7517.70	30.32	16.59	46.91	54.00	7.09	RMS	Horizontal	PASS
2	12284.33	33.86	7.47	41.33	54.00	12.67	RMS	Horizontal	PASS
3	17979.67	29.80	16.71	46.51	54.00	7.49	RMS	Horizontal	PASS
4	7445.25	39.10	16.62	55.72	74.00	18.28	PK	Horizontal	PASS
5	12226.33	41.01	7.62	48.63	74.00	25.37	PK	Horizontal	PASS
6	17987.33	36.72	16.76	53.48	74.00	20.52	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7692.35	30.56	16.34	46.90	54.00	7.10	RMS	Vertical	PASS
2	12176.33	32.92	7.40	40.32	54.00	13.68	RMS	Vertical	PASS
3	17979.67	29.78	16.71	46.49	54.00	7.51	RMS	Vertical	PASS
4	7515.95	38.55	16.60	55.15	74.00	18.85	PK	Vertical	PASS
5	11927.67	42.40	6.47	48.87	74.00	25.13	PK	Vertical	PASS
6	17995.67	37.46	16.82	54.28	74.00	19.72	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2
Bandwidth	40MHz	Channel	62
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7455.40	30.61	16.67	47.28	54.00	6.72	RMS	Horizontal	PASS
2	12177.67	33.41	7.42	40.83	54.00	13.17	RMS	Horizontal	PASS
3	17923.67	30.41	16.28	46.69	54.00	7.31	RMS	Horizontal	PASS
4	7466.60	39.01	16.67	55.68	74.00	18.32	PK	Horizontal	PASS
5	12223.67	42.09	7.64	49.73	74.00	24.27	PK	Horizontal	PASS
6	17956.33	37.41	16.53	53.94	74.00	20.06	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2
Bandwidth	40MHz	Channel	62
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7466.60	30.39	16.67	47.06	54.00	6.94	RMS	Vertical	PASS
2	12224.67	33.28	7.64	40.92	54.00	13.08	RMS	Vertical	PASS
3	17974.33	29.28	16.67	45.95	54.00	8.05	RMS	Vertical	PASS
4	7342.00	39.13	16.32	55.45	74.00	18.55	PK	Vertical	PASS
5	12175.67	41.41	7.39	48.80	74.00	25.20	PK	Vertical	PASS
6	17988.00	37.00	16.77	53.77	74.00	20.23	PK	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2
Bandwidth	80MHz	Channel	58
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7461.35	30.12	16.67	46.79	54.00	7.21	RMS	Horizontal	PASS
2	12239.67	33.68	7.59	41.27	54.00	12.73	RMS	Horizontal	PASS
3	17980.33	29.48	16.71	46.19	54.00	7.81	RMS	Horizontal	PASS
4	7416.55	39.10	16.36	55.46	74.00	18.54	PK	Horizontal	PASS
5	12277.67	41.31	7.48	48.79	74.00	25.21	PK	Horizontal	PASS
6	17886.00	37.70	16.02	53.72	74.00	20.28	PK	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2
Bandwidth	80MHz	Channel	58
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7713.35	30.48	16.43	46.91	54.00	7.09	RMS	Vertical	PASS
2	11602.67	34.18	6.56	40.74	54.00	13.26	RMS	Vertical	PASS
3	17931.67	29.39	16.34	45.73	54.00	8.27	RMS	Vertical	PASS
4	7478.50	39.04	16.69	55.73	74.00	18.27	PK	Vertical	PASS
5	11548.33	42.04	6.54	48.58	74.00	25.42	PK	Vertical	PASS
6	17983.67	36.87	16.73	53.60	74.00	20.40	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7443.85	30.52	16.61	47.13	54.00	6.87	RMS	Horizontal	PASS
2	11002.33	39.20	4.91	44.11	54.00	9.89	RMS	Horizontal	PASS
3	17968.00	29.49	16.61	46.10	54.00	7.90	RMS	Horizontal	PASS
4	7453.30	39.57	16.67	56.24	74.00	17.76	PK	Horizontal	PASS
5	10999.67	46.85	4.91	51.76	74.00	22.24	PK	Horizontal	PASS
6	17998.33	36.40	16.84	53.24	74.00	20.76	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7480.95	30.24	16.69	46.93	54.00	7.07	RMS	Vertical	PASS
2	10997.67	42.62	4.92	47.54	54.00	6.46	RMS	Vertical	PASS
3	17980.33	29.14	16.71	45.85	54.00	8.15	RMS	Vertical	PASS
4	7495.65	38.98	16.71	55.69	74.00	18.31	PK	Vertical	PASS
5	11002.00	49.96	4.91	54.87	74.00	19.13	PK	Vertical	PASS
6	17972.67	37.55	16.65	54.20	74.00	19.80	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	120
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7407.45	31.00	16.28	47.28	54.00	6.72	RMS	Horizontal	PASS
2	11205.33	38.58	5.41	43.99	54.00	10.01	RMS	Horizontal	PASS
3	17982.67	29.78	16.73	46.51	54.00	7.49	RMS	Horizontal	PASS
4	7494.25	38.99	16.70	55.69	74.00	18.31	PK	Horizontal	PASS
5	11199.33	45.47	5.43	50.90	74.00	23.10	PK	Horizontal	PASS
6	17910.00	37.75	16.18	53.93	74.00	20.07	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	120
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7536.60	30.64	16.46	47.10	54.00	6.90	RMS	Vertical	PASS
2	11202.67	41.55	5.43	46.98	54.00	7.02	RMS	Vertical	PASS
3	17988.00	29.17	16.77	45.94	54.00	8.06	RMS	Vertical	PASS
4	7704.95	38.91	16.40	55.31	74.00	18.69	PK	Vertical	PASS
5	11206.00	47.71	5.41	53.12	74.00	20.88	PK	Vertical	PASS
6	17935.67	36.95	16.37	53.32	74.00	20.68	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7542.20	30.10	16.42	46.52	54.00	7.48	RMS	Horizontal	PASS
2	11402.33	38.24	6.20	44.44	54.00	9.56	RMS	Horizontal	PASS
3	17990.00	30.21	16.78	46.99	54.00	7.01	RMS	Horizontal	PASS
4	7506.50	38.88	16.67	55.55	74.00	18.45	PK	Horizontal	PASS
5	11402.00	47.23	6.20	53.43	74.00	20.57	PK	Horizontal	PASS
6	17905.33	37.44	16.14	53.58	74.00	20.42	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7367.90	30.84	16.31	47.15	54.00	6.85	RMS	Vertical	PASS
2	11401.00	41.77	6.19	47.96	54.00	6.04	RMS	Vertical	PASS
3	17910.00	30.12	16.18	46.30	54.00	7.70	RMS	Vertical	PASS
4	7484.10	38.97	16.69	55.66	74.00	18.34	PK	Vertical	PASS
5	11400.67	50.33	6.19	56.52	74.00	17.48	PK	Vertical	PASS
6	17942.00	37.82	16.42	54.24	74.00	19.76	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	120
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7335.00	30.46	16.28	46.74	54.00	7.26	RMS	Horizontal	PASS
2	12210.67	33.53	7.67	41.20	54.00	12.80	RMS	Horizontal	PASS
3	17913.67	30.05	16.20	46.25	54.00	7.75	RMS	Horizontal	PASS
4	7456.10	39.01	16.67	55.68	74.00	18.32	PK	Horizontal	PASS
5	12235.67	40.84	7.60	48.44	74.00	25.56	PK	Horizontal	PASS
6	17925.67	38.07	16.29	54.36	74.00	19.64	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	120
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7679.75	30.52	16.27	46.79	54.00	7.21	RMS	Vertical	PASS
2	12329.67	33.52	7.48	41.00	54.00	13.00	RMS	Vertical	PASS
3	17991.67	29.14	16.80	45.94	54.00	8.06	RMS	Vertical	PASS
4	7470.80	38.81	16.68	55.49	74.00	18.51	PK	Vertical	PASS
5	12449.00	41.24	7.44	48.68	74.00	25.32	PK	Vertical	PASS
6	17966.33	37.56	16.61	54.17	74.00	19.83	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	134
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7706.70	30.85	16.40	47.25	54.00	6.75	RMS	Horizontal	PASS
2	12218.67	32.88	7.65	40.53	54.00	13.47	RMS	Horizontal	PASS
3	17944.00	29.57	16.44	46.01	54.00	7.99	RMS	Horizontal	PASS
4	7575.80	39.53	16.14	55.67	74.00	18.33	PK	Horizontal	PASS
5	12376.33	41.40	7.58	48.98	74.00	25.02	PK	Horizontal	PASS
6	17937.00	37.08	16.38	53.46	74.00	20.54	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	134
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7495.30	30.25	16.71	46.96	54.00	7.04	RMS	Vertical	PASS
2	11341.67	38.69	5.56	44.25	54.00	9.75	RMS	Vertical	PASS
3	17969.00	29.53	16.63	46.16	54.00	7.84	RMS	Vertical	PASS
4	7567.75	38.77	16.20	54.97	74.00	19.03	PK	Vertical	PASS
5	11339.00	43.78	5.54	49.32	74.00	24.68	PK	Vertical	PASS
6	17980.00	37.15	16.71	53.86	74.00	20.14	PK	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	106
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7461.70	30.25	16.67	46.92	54.00	7.08	RMS	Horizontal	PASS
2	12151.00	33.37	7.08	40.45	54.00	13.55	RMS	Horizontal	PASS
3	17975.67	29.14	16.67	45.81	54.00	8.19	RMS	Horizontal	PASS
4	7514.20	38.85	16.61	55.46	74.00	18.54	PK	Horizontal	PASS
5	12214.67	40.89	7.66	48.55	74.00	25.45	PK	Horizontal	PASS
6	17988.67	36.54	16.77	53.31	74.00	20.69	PK	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	106
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7675.90	30.66	16.25	46.91	54.00	7.09	RMS	Vertical	PASS
2	12249.67	33.68	7.56	41.24	54.00	12.76	RMS	Vertical	PASS
3	17970.33	29.38	16.63	46.01	54.00	7.99	RMS	Vertical	PASS
4	7564.95	39.16	16.23	55.39	74.00	18.61	PK	Vertical	PASS
5	12229.33	41.14	7.62	48.76	74.00	25.24	PK	Vertical	PASS
6	17947.33	37.48	16.46	53.94	74.00	20.06	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-4
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7384.00	30.62	16.26	46.88	54.00	7.12	RMS	Horizontal	PASS
2	11488.33	38.74	6.48	45.22	54.00	8.78	RMS	Horizontal	PASS
3	17917.00	29.86	16.23	46.09	54.00	7.91	RMS	Horizontal	PASS
4	7347.60	39.12	16.35	55.47	74.00	18.53	PK	Horizontal	PASS
5	11488.33	44.74	6.48	51.22	74.00	22.78	PK	Horizontal	PASS
6	17904.00	37.05	16.13	53.18	74.00	20.82	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-4
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7524.70	30.53	16.54	47.07	54.00	6.93	RMS	Vertical	PASS
2	11491.33	43.10	6.49	49.59	54.00	4.41	RMS	Vertical	PASS
3	17978.67	29.21	16.69	45.90	54.00	8.10	RMS	Vertical	PASS
4	7615.35	39.41	15.98	55.39	74.00	18.61	PK	Vertical	PASS
5	11486.33	49.39	6.47	55.86	74.00	18.14	PK	Vertical	PASS
6	17966.33	37.26	16.61	53.87	74.00	20.13	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-4
Bandwidth	20MHz	Channel	157
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7459.25	30.17	16.67	46.84	54.00	7.16	RMS	Horizontal	PASS
2	11572.00	37.88	6.54	44.42	54.00	9.58	RMS	Horizontal	PASS
3	17959.00	29.58	16.55	46.13	54.00	7.87	RMS	Horizontal	PASS
4	7584.90	39.26	16.05	55.31	74.00	18.69	PK	Horizontal	PASS
5	11572.00	43.64	6.54	50.18	74.00	23.82	PK	Horizontal	PASS
6	17881.00	37.55	16.00	53.55	74.00	20.45	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-4
Bandwidth	20MHz	Channel	157
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7474.65	30.19	16.68	46.87	54.00	7.13	RMS	Vertical	PASS
2	11571.67	41.83	6.55	48.38	54.00	5.62	RMS	Vertical	PASS
3	17921.67	29.93	16.27	46.20	54.00	7.80	RMS	Vertical	PASS
4	7494.60	38.84	16.70	55.54	74.00	18.46	PK	Vertical	PASS
5	11570.67	49.81	6.55	56.36	74.00	17.64	PK	Vertical	PASS
6	17948.33	37.02	16.46	53.48	74.00	20.52	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-4
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7740.30	30.69	16.52	47.21	54.00	6.79	RMS	Horizontal	PASS
2	11647.00	36.66	6.51	43.17	54.00	10.83	RMS	Horizontal	PASS
3	17889.33	30.23	16.04	46.27	54.00	7.73	RMS	Horizontal	PASS
4	7714.05	39.16	16.43	55.59	74.00	18.41	PK	Horizontal	PASS
5	11646.67	44.62	6.51	51.13	74.00	22.87	PK	Horizontal	PASS
6	17925.00	37.22	16.29	53.51	74.00	20.49	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-4
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7552.00	30.96	16.35	47.31	54.00	6.69	RMS	Vertical	PASS
2	11649.67	39.82	6.51	46.33	54.00	7.67	RMS	Vertical	PASS
3	17993.33	29.23	16.81	46.04	54.00	7.96	RMS	Vertical	PASS
4	7449.45	38.65	16.66	55.31	74.00	18.69	PK	Vertical	PASS
5	11649.33	46.75	6.51	53.26	74.00	20.74	PK	Vertical	PASS
6	17992.33	36.93	16.80	53.73	74.00	20.27	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-4
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7506.85	30.24	16.66	46.90	54.00	7.10	RMS	Horizontal	PASS
2	12213.67	33.71	7.67	41.38	54.00	12.62	RMS	Horizontal	PASS
3	17992.00	28.95	16.80	45.75	54.00	8.25	RMS	Horizontal	PASS
4	7480.25	39.61	16.69	56.30	74.00	17.70	PK	Horizontal	PASS
5	12227.00	41.70	7.62	49.32	74.00	24.68	PK	Horizontal	PASS
6	17699.33	38.95	15.56	54.51	68.20	13.69	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-4
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7467.30	30.02	16.68	46.70	54.00	7.30	RMS	Vertical	PASS
2	11492.00	39.24	6.50	45.74	54.00	8.26	RMS	Vertical	PASS
3	17953.33	29.69	16.50	46.19	54.00	7.81	RMS	Vertical	PASS
4	7376.65	39.70	16.28	55.98	74.00	18.02	PK	Vertical	PASS
5	11492.00	44.92	6.50	51.42	74.00	22.58	PK	Vertical	PASS
6	17992.33	36.89	16.80	53.69	74.00	20.31	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-4
Bandwidth	40MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7694.45	30.67	16.35	47.02	54.00	6.98	RMS	Horizontal	PASS
2	11513.33	34.81	6.53	41.34	54.00	12.66	RMS	Horizontal	PASS
3	17935.33	29.64	16.37	46.01	54.00	7.99	RMS	Horizontal	PASS
4	7544.65	39.03	16.40	55.43	74.00	18.57	PK	Horizontal	PASS
5	11517.33	42.83	6.52	49.35	74.00	24.65	PK	Horizontal	PASS
6	17946.33	37.21	16.46	53.67	74.00	20.33	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-4
Bandwidth	40MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7427.05	30.24	16.46	46.70	54.00	7.30	RMS	Vertical	PASS
2	11510.67	36.76	6.52	43.28	54.00	10.72	RMS	Vertical	PASS
3	17993.00	29.42	16.80	46.22	54.00	7.78	RMS	Vertical	PASS
4	7548.50	39.00	16.38	55.38	74.00	18.62	PK	Vertical	PASS
5	11509.00	45.11	6.53	51.64	74.00	22.36	PK	Vertical	PASS
6	17980.67	37.16	16.71	53.87	74.00	20.13	PK	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-4
Bandwidth	80MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7482.70	30.38	16.69	47.07	54.00	6.93	RMS	Horizontal	PASS
2	12225.00	33.66	7.62	41.28	54.00	12.72	RMS	Horizontal	PASS
3	17941.00	29.82	16.41	46.23	54.00	7.77	RMS	Horizontal	PASS
4	7717.20	39.69	16.44	56.13	74.00	17.87	PK	Horizontal	PASS
5	12215.33	40.86	7.65	48.51	74.00	25.49	PK	Horizontal	PASS
6	17931.33	37.89	16.34	54.23	74.00	19.77	PK	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-4
Bandwidth	80MHz	Channel	155
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	7367.20	30.50	16.31	46.81	54.00	7.19	RMS	Vertical	PASS
2	11571.67	37.31	6.55	43.86	54.00	10.14	RMS	Vertical	PASS
3	17971.33	29.44	16.65	46.09	54.00	7.91	RMS	Vertical	PASS
4	7423.55	39.07	16.42	55.49	74.00	18.51	PK	Vertical	PASS
5	11539.00	43.00	6.54	49.54	74.00	24.46	PK	Vertical	PASS
6	17984.00	37.54	16.74	54.28	74.00	19.72	PK	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1B		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5128.51	34.04	9.89	43.93	54.00	10.07	RMS	Horizontal	PASS
2	5136.93	34.45	9.91	44.36	54.00	9.64	RMS	Horizontal	PASS
3	5146.66	34.66	9.93	44.59	54.00	9.41	RMS	Horizontal	PASS
4	5128.71	46.38	9.89	56.27	74.00	17.73	PK	Horizontal	PASS
5	5138.10	46.26	9.91	56.17	74.00	17.83	PK	Horizontal	PASS
6	5145.58	47.00	9.93	56.93	74.00	17.07	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5133.29	33.54	9.90	43.44	54.00	10.56	RMS	Vertical	PASS
2	5138.69	33.30	9.91	43.21	54.00	10.79	RMS	Vertical	PASS
3	5148.44	33.56	9.94	43.50	54.00	10.50	RMS	Vertical	PASS
4	5130.92	44.78	9.89	54.67	74.00	19.33	PK	Vertical	PASS
5	5139.50	45.03	9.91	54.94	74.00	19.06	PK	Vertical	PASS
6	5147.60	44.80	9.93	54.73	74.00	19.27	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5128.51	33.63	9.89	43.52	54.00	10.48	RMS	Horizontal	PASS
2	5140.06	34.01	9.92	43.93	54.00	10.07	RMS	Horizontal	PASS
3	5147.66	34.58	9.93	44.51	54.00	9.49	RMS	Horizontal	PASS
4	5130.66	46.42	9.89	56.31	74.00	17.69	PK	Horizontal	PASS
5	5139.27	45.12	9.91	55.03	74.00	18.97	PK	Horizontal	PASS
6	5146.36	45.00	9.93	54.93	74.00	19.07	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5129.94	33.08	9.89	42.97	54.00	11.03	RMS	Vertical	PASS
2	5139.53	33.29	9.91	43.20	54.00	10.80	RMS	Vertical	PASS
3	5148.48	33.77	9.94	43.71	54.00	10.29	RMS	Vertical	PASS
4	5130.04	44.52	9.89	54.41	74.00	19.59	PK	Vertical	PASS
5	5141.06	45.39	9.92	55.31	74.00	18.69	PK	Vertical	PASS
6	5149.55	45.02	9.94	54.96	74.00	19.04	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5141.75	34.64	9.92	44.56	54.00	9.44	RMS	Horizontal	PASS
2	5145.92	34.99	9.93	44.92	54.00	9.08	RMS	Horizontal	PASS
3	5149.41	35.51	9.94	45.45	54.00	8.55	RMS	Horizontal	PASS
4	5141.80	45.81	9.92	55.73	74.00	18.27	PK	Horizontal	PASS
5	5145.79	46.29	9.93	56.22	74.00	17.78	PK	Horizontal	PASS
6	5149.32	45.98	9.94	55.92	74.00	18.08	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5140.90	40.59	9.92	50.51	54.00	3.49	RMS	Vertical	PASS
2	5146.64	38.40	9.93	48.33	54.00	5.67	RMS	Vertical	PASS
3	5149.83	33.69	9.94	43.63	54.00	10.37	RMS	Vertical	PASS
4	5140.86	47.98	9.92	57.90	74.00	16.10	PK	Vertical	PASS
5	5146.56	47.94	9.93	57.87	74.00	16.13	PK	Vertical	PASS
6	5149.70	45.84	9.94	55.78	74.00	18.22	PK	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5137.57	39.08	9.91	48.99	54.00	5.01	RMS	Horizontal	PASS
2	5146.20	39.24	9.93	49.17	54.00	4.83	RMS	Horizontal	PASS
3	5149.32	38.38	9.94	48.32	54.00	5.68	RMS	Horizontal	PASS
4	5138.19	51.56	9.91	61.47	74.00	12.53	PK	Horizontal	PASS
5	5145.89	51.33	9.93	61.26	74.00	12.74	PK	Horizontal	PASS
6	5149.51	49.84	9.94	59.78	74.00	14.22	PK	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5138.07	36.72	9.91	46.63	54.00	7.37	RMS	Vertical	PASS
2	5145.82	37.03	9.93	46.96	54.00	7.04	RMS	Vertical	PASS
3	5149.26	36.11	9.94	46.05	54.00	7.95	RMS	Vertical	PASS
4	5138.26	49.81	9.91	59.72	74.00	14.28	PK	Vertical	PASS
5	5145.95	49.28	9.93	59.21	74.00	14.79	PK	Vertical	PASS
6	5149.26	47.00	9.94	56.94	74.00	17.06	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1B		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5351.00	35.62	10.80	46.42	54.00	7.58	RMS	Horizontal	PASS
2	5353.93	35.75	10.83	46.58	54.00	7.42	RMS	Horizontal	PASS
3	5360.11	35.55	10.86	46.41	54.00	7.59	RMS	Horizontal	PASS
4	5350.81	46.44	10.80	57.24	74.00	16.76	PK	Horizontal	PASS
5	5354.19	46.39	10.83	57.22	74.00	16.78	PK	Horizontal	PASS
6	5360.08	46.16	10.86	57.02	74.00	16.98	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1B		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.16	34.57	10.80	45.37	54.00	8.63	RMS	Vertical	PASS
2	5355.78	34.36	10.83	45.19	54.00	8.81	RMS	Vertical	PASS
3	5358.55	34.59	10.85	45.44	54.00	8.56	RMS	Vertical	PASS
4	5350.32	47.18	10.80	57.98	74.00	16.02	PK	Vertical	PASS
5	5355.95	46.06	10.83	56.89	74.00	17.11	PK	Vertical	PASS
6	5358.12	46.23	10.85	57.08	74.00	16.92	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5351.75	34.67	10.81	45.48	54.00	8.52	RMS	Horizontal	PASS
2	5357.08	34.66	10.85	45.51	54.00	8.49	RMS	Horizontal	PASS
3	5359.81	34.66	10.86	45.52	54.00	8.48	RMS	Horizontal	PASS
4	5351.69	46.63	10.81	57.44	74.00	16.56	PK	Horizontal	PASS
5	5356.79	46.29	10.85	57.14	74.00	16.86	PK	Horizontal	PASS
6	5359.59	46.38	10.86	57.24	74.00	16.76	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2
Bandwidth	20MHz	Channel	64
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.35	34.33	10.80	45.13	54.00	8.87	RMS	Vertical	PASS
2	5351.20	34.30	10.80	45.10	54.00	8.90	RMS	Vertical	PASS
3	5354.38	34.02	10.83	44.85	54.00	9.15	RMS	Vertical	PASS
4	5350.45	46.08	10.80	56.88	74.00	17.12	PK	Vertical	PASS
5	5351.39	46.45	10.81	57.26	74.00	16.74	PK	Vertical	PASS
6	5354.38	46.23	10.83	57.06	74.00	16.94	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2
Bandwidth	40MHz	Channel	62
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.72	35.22	10.80	46.02	54.00	7.98	RMS	Horizontal	PASS
2	5353.36	34.88	10.82	45.70	54.00	8.30	RMS	Horizontal	PASS
3	5359.95	34.89	10.86	45.75	54.00	8.25	RMS	Horizontal	PASS
4	5350.85	46.61	10.80	57.41	74.00	16.59	PK	Horizontal	PASS
5	5353.57	46.43	10.82	57.25	74.00	16.75	PK	Horizontal	PASS
6	5359.95	46.79	10.86	57.65	74.00	16.35	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2
Bandwidth	40MHz	Channel	62
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.47	34.26	10.80	45.06	54.00	8.94	RMS	Vertical	PASS
2	5355.74	34.17	10.83	45.00	54.00	9.00	RMS	Vertical	PASS
3	5358.37	34.18	10.85	45.03	54.00	8.97	RMS	Vertical	PASS
4	5350.64	45.98	10.80	56.78	74.00	17.22	PK	Vertical	PASS
5	5355.27	45.80	10.83	56.63	74.00	17.37	PK	Vertical	PASS
6	5358.16	45.69	10.85	56.54	74.00	17.46	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2
Bandwidth	80MHz	Channel	58
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5350.33	38.39	10.80	49.19	54.00	4.81	RMS	Horizontal	PASS
2	5358.95	37.91	10.86	48.77	54.00	5.23	RMS	Horizontal	PASS
3	5367.21	37.26	10.91	48.17	54.00	5.83	RMS	Horizontal	PASS
4	5350.33	48.86	10.80	59.66	74.00	14.34	PK	Horizontal	PASS
5	5359.10	47.51	10.86	58.37	74.00	15.63	PK	Horizontal	PASS
6	5367.58	48.27	10.91	59.18	74.00	14.82	PK	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2
Bandwidth	80MHz	Channel	58
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5351.00	35.85	10.80	46.65	54.00	7.35	RMS	Vertical	PASS
2	5358.43	35.24	10.85	46.09	54.00	7.91	RMS	Vertical	PASS
3	5366.91	34.90	10.91	45.81	54.00	8.19	RMS	Vertical	PASS
4	5351.23	47.62	10.80	58.42	74.00	15.58	PK	Vertical	PASS
5	5357.53	46.71	10.85	57.56	74.00	16.44	PK	Vertical	PASS
6	5367.36	46.23	10.91	57.14	74.00	16.86	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5455.16	34.20	11.55	45.75	54.00	8.25	RMS	Horizontal	PASS
2	5457.68	34.50	11.55	46.05	54.00	7.95	RMS	Horizontal	PASS
3	5459.69	34.32	11.56	45.88	54.00	8.12	RMS	Horizontal	PASS
4	5455.07	46.60	11.55	58.15	74.00	15.85	PK	Horizontal	PASS
5	5463.81	46.87	11.57	58.44	68.20	9.76	PK	Horizontal	PASS
6	5468.97	46.67	11.58	58.25	68.20	9.95	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5454.92	33.94	11.55	45.49	54.00	8.51	RMS	Vertical	PASS
2	5457.83	33.66	11.55	45.21	54.00	8.79	RMS	Vertical	PASS
3	5459.36	33.84	11.56	45.40	54.00	8.60	RMS	Vertical	PASS
4	5457.98	45.52	11.55	57.07	74.00	16.93	PK	Vertical	PASS
5	5464.17	45.57	11.57	57.14	68.20	11.06	PK	Vertical	PASS
6	5469.51	45.58	11.58	57.16	68.20	11.04	PK	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 16		

Test Graph


Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5454.14	34.05	11.54	45.59	54.00	8.41	RMS	Horizontal	PASS
2	5457.59	34.02	11.55	45.57	54.00	8.43	RMS	Horizontal	PASS
3	5459.93	33.87	11.56	45.43	54.00	8.57	RMS	Horizontal	PASS
4	5456.90	45.48	11.55	57.03	74.00	16.97	PK	Horizontal	PASS
5	5463.81	45.35	11.57	56.92	68.20	11.28	PK	Horizontal	PASS
6	5468.37	45.30	11.58	56.88	68.20	11.32	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	100
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 16		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5453.66	33.51	11.54	45.05	54.00	8.95	RMS	Vertical	PASS
2	5456.51	33.70	11.55	45.25	54.00	8.75	RMS	Vertical	PASS
3	5459.12	33.58	11.56	45.14	54.00	8.86	RMS	Vertical	PASS
4	5456.24	45.28	11.55	56.83	74.00	17.17	PK	Vertical	PASS
5	5465.25	45.19	11.57	56.76	68.20	11.44	PK	Vertical	PASS
6	5469.51	45.87	11.58	57.45	68.20	10.75	PK	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	102
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5454.28	34.56	11.54	46.10	54.00	7.90	RMS	Horizontal	PASS
2	5456.44	34.28	11.55	45.83	54.00	8.17	RMS	Horizontal	PASS
3	5458.88	34.55	11.56	46.11	54.00	7.89	RMS	Horizontal	PASS
4	5459.84	45.67	11.56	57.23	74.00	16.77	PK	Horizontal	PASS
5	5464.89	47.30	11.57	58.87	68.20	9.33	PK	Horizontal	PASS
6	5468.69	47.81	11.58	59.39	68.20	8.81	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	102
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5452.08	34.01	11.54	45.55	54.00	8.45	RMS	Vertical	PASS
2	5454.88	33.66	11.55	45.21	54.00	8.79	RMS	Vertical	PASS
3	5458.96	33.66	11.56	45.22	54.00	8.78	RMS	Vertical	PASS
4	5456.68	45.74	11.55	57.29	74.00	16.71	PK	Vertical	PASS
5	5462.37	45.12	11.56	56.68	68.20	11.52	PK	Vertical	PASS
6	5467.93	45.60	11.58	57.18	68.20	11.02	PK	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	106
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5454.02	36.16	11.54	47.70	54.00	6.30	RMS	Horizontal	PASS
2	5458.16	36.38	11.55	47.93	54.00	6.07	RMS	Horizontal	PASS
3	5459.90	35.60	11.56	47.16	54.00	6.84	RMS	Horizontal	PASS
4	5460.03	48.48	11.56	60.04	68.20	8.16	PK	Horizontal	PASS
5	5465.13	49.45	11.57	61.02	68.20	7.18	PK	Horizontal	PASS
6	5469.09	49.63	11.58	61.21	68.20	6.99	PK	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	106
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5450.48	34.51	11.54	46.05	54.00	7.95	RMS	Vertical	PASS
2	5454.62	34.51	11.55	46.06	54.00	7.94	RMS	Vertical	PASS
3	5459.06	34.30	11.56	45.86	54.00	8.14	RMS	Vertical	PASS
4	5457.50	47.95	11.55	59.50	74.00	14.50	PK	Vertical	PASS
5	5465.19	46.55	11.57	58.12	68.20	10.08	PK	Vertical	PASS
6	5469.69	46.58	11.58	58.16	68.20	10.04	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.45	46.65	13.01	59.66	68.20	8.54	PK	Horizontal	PASS
2	5731.09	45.71	13.06	58.77	68.20	9.43	PK	Horizontal	PASS
3	5735.20	45.67	13.10	58.77	68.20	9.43	PK	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5727.13	46.73	13.02	59.75	68.20	8.45	PK	Vertical	PASS
2	5731.27	46.73	13.06	59.79	68.20	8.41	PK	Vertical	PASS
3	5739.31	46.61	13.14	59.75	68.20	8.45	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5727.28	45.57	13.02	58.59	68.20	9.61	PK	Horizontal	PASS
2	5733.13	45.76	13.09	58.85	68.20	9.35	PK	Horizontal	PASS
3	5738.44	45.72	13.14	58.86	68.20	9.34	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	140
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.45	45.50	13.01	58.51	68.20	9.69	PK	Vertical	PASS
2	5729.29	45.99	13.05	59.04	68.20	9.16	PK	Vertical	PASS
3	5734.03	46.19	13.10	59.29	68.20	8.91	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	134
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5726.04	46.31	13.02	59.33	68.20	8.87	PK	Horizontal	PASS
2	5733.14	45.61	13.09	58.70	68.20	9.50	PK	Horizontal	PASS
3	5738.09	45.90	13.14	59.04	68.20	9.16	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	134
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5728.04	46.38	13.04	59.42	68.20	8.78	PK	Vertical	PASS
2	5733.19	46.23	13.09	59.32	68.20	8.88	PK	Vertical	PASS
3	5738.74	45.91	13.14	59.05	68.20	9.15	PK	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	122
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5725.87	45.43	13.01	58.44	68.20	9.76	PK	Horizontal	PASS
2	5738.92	46.07	13.14	59.21	68.20	8.99	PK	Horizontal	PASS
3	5747.57	45.68	13.23	58.91	68.20	9.29	PK	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	122
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5727.31	45.87	13.02	58.89	68.20	9.31	PK	Vertical	PASS
2	5732.53	45.51	13.08	58.59	68.20	9.61	PK	Vertical	PASS
3	5740.19	45.33	13.15	58.48	68.20	9.72	PK	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-4
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5652.64	45.82	12.33	58.15	70.16	12.01	PK	Horizontal	PASS
2	5677.03	46.60	12.56	59.16	88.24	29.08	PK	Horizontal	PASS
3	5702.23	45.65	12.79	58.44	105.82	47.38	PK	Horizontal	PASS
4	5859.44	45.20	13.45	58.65	109.55	50.90	PK	Horizontal	PASS
5	5882.85	45.32	13.35	58.67	99.37	40.70	PK	Horizontal	PASS
6	5929.68	46.03	13.25	59.28	68.20	8.92	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-4
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5641.26	46.13	12.24	58.37	68.20	9.83	PK	Vertical	PASS
2	5658.00	45.76	12.38	58.14	74.14	16.00	PK	Vertical	PASS
3	5703.53	46.14	12.81	58.95	106.19	47.24	PK	Vertical	PASS
4	5869.03	45.88	13.41	59.29	106.87	47.58	PK	Vertical	PASS
5	5907.89	45.92	13.26	59.18	80.83	21.65	PK	Vertical	PASS
6	5924.96	45.30	13.25	58.55	68.23	9.68	PK	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-4
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5643.86	45.65	12.26	57.91	68.20	10.29	PK	Horizontal	PASS
2	5672.31	46.15	12.51	58.66	84.75	26.09	PK	Horizontal	PASS
3	5700.93	45.75	12.78	58.53	105.46	46.93	PK	Horizontal	PASS
4	5867.90	46.09	13.41	59.50	107.19	47.69	PK	Horizontal	PASS
5	5892.45	45.76	13.30	59.06	92.25	33.19	PK	Horizontal	PASS
6	5942.36	45.75	13.25	59.00	68.20	9.20	PK	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-4
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 1A		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5644.35	45.46	12.27	57.73	68.20	10.47	PK	Vertical	PASS
2	5669.87	45.96	12.49	58.45	82.94	24.49	PK	Vertical	PASS
3	5708.73	45.66	12.86	58.52	107.65	49.13	PK	Vertical	PASS
4	5886.76	46.35	13.33	59.68	96.47	36.79	PK	Vertical	PASS
5	5906.92	45.59	13.27	58.86	81.55	22.69	PK	Vertical	PASS
6	5943.17	45.29	13.24	58.53	68.20	9.67	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-4
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5640.45	46.04	12.23	58.27	68.20	9.93	PK	Horizontal	PASS
2	5669.38	46.02	12.49	58.51	82.58	24.07	PK	Horizontal	PASS
3	5685.32	46.08	12.63	58.71	94.37	35.66	PK	Horizontal	PASS
4	5864.81	45.44	13.43	58.87	108.05	49.18	PK	Horizontal	PASS
5	5899.11	45.46	13.27	58.73	87.32	28.59	PK	Horizontal	PASS
6	5935.53	45.74	13.25	58.99	68.20	9.21	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-4
Bandwidth	20MHz	Channel	149
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5643.05	45.66	12.26	57.92	68.20	10.28	PK	Vertical	PASS
2	5672.80	45.69	12.52	58.21	85.11	26.90	PK	Vertical	PASS
3	5697.51	45.86	12.75	58.61	103.37	44.76	PK	Vertical	PASS
4	5877.81	45.61	13.37	58.98	103.11	44.13	PK	Vertical	PASS
5	5896.67	45.22	13.28	58.50	89.12	30.62	PK	Vertical	PASS
6	5929.03	45.26	13.25	58.51	68.20	9.69	PK	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-4
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5638.82	45.68	12.23	57.91	68.20	10.29	PK	Horizontal	PASS
2	5659.63	45.77	12.40	58.17	75.35	17.18	PK	Horizontal	PASS
3	5702.55	46.51	12.80	59.31	105.92	46.61	PK	Horizontal	PASS
4	5889.68	45.80	13.32	59.12	94.30	35.18	PK	Horizontal	PASS
5	5903.50	45.29	13.26	58.55	84.07	25.52	PK	Horizontal	PASS
6	5931.79	45.62	13.25	58.87	68.20	9.33	PK	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-4
Bandwidth	20MHz	Channel	165
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5646.14	45.10	12.27	57.37	68.20	10.83	PK	Vertical	PASS
2	5661.26	46.02	12.41	58.43	76.56	18.13	PK	Vertical	PASS
3	5697.02	45.94	12.74	58.68	103.01	44.33	PK	Vertical	PASS
4	5882.85	45.41	13.35	58.76	99.37	40.61	PK	Vertical	PASS
5	5908.05	45.71	13.26	58.97	80.70	21.73	PK	Vertical	PASS
6	5930.82	45.75	13.25	59.00	68.20	9.20	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-4
Bandwidth	40MHz	Channel	151
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5648.41	45.63	12.30	57.93	68.20	10.27	PK	Horizontal	PASS
2	5666.78	45.67	12.46	58.13	80.66	22.53	PK	Horizontal	PASS
3	5694.10	46.10	12.72	58.82	100.85	42.03	PK	Horizontal	PASS
4	5858.30	45.84	13.46	59.30	109.87	50.57	PK	Horizontal	PASS
5	5880.09	45.79	13.36	59.15	101.42	42.27	PK	Horizontal	PASS
6	5943.01	45.82	13.24	59.06	68.20	9.14	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-4
Bandwidth	40MHz	Channel	151
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5632.97	45.61	12.18	57.79	68.20	10.41	PK	Vertical	PASS
2	5677.19	45.75	12.56	58.31	88.36	30.05	PK	Vertical	PASS
3	5696.86	46.14	12.74	58.88	102.89	44.01	PK	Vertical	PASS
4	5855.70	46.15	13.47	59.62	110.60	50.98	PK	Vertical	PASS
5	5903.01	45.69	13.26	58.95	84.43	25.48	PK	Vertical	PASS
6	5937.48	45.46	13.25	58.71	68.20	9.49	PK	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-4
Bandwidth	40MHz	Channel	159
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5632.48	45.79	12.17	57.96	68.20	10.24	PK	Horizontal	PASS
2	5676.70	46.28	12.56	58.84	88.00	29.16	PK	Horizontal	PASS
3	5704.83	46.25	12.82	59.07	106.55	47.48	PK	Horizontal	PASS
4	5874.89	46.05	13.38	59.43	105.23	45.80	PK	Horizontal	PASS
5	5912.12	45.55	13.27	58.82	77.70	18.88	PK	Horizontal	PASS
6	5938.62	45.82	13.24	59.06	68.20	9.14	PK	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-4
Bandwidth	40MHz	Channel	159
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5641.26	46.02	12.24	58.26	68.20	9.94	PK	Vertical	PASS
2	5655.73	46.02	12.36	58.38	72.46	14.08	PK	Vertical	PASS
3	5684.83	46.32	12.63	58.95	94.01	35.06	PK	Vertical	PASS
4	5868.55	45.71	13.41	59.12	107.00	47.88	PK	Vertical	PASS
5	5909.84	45.98	13.26	59.24	79.38	20.14	PK	Vertical	PASS
6	5950.00	45.24	13.24	58.48	68.20	9.72	PK	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-4
Bandwidth	80MHz	Channel	155
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5646.95	45.85	12.28	58.13	68.20	10.07	PK	Horizontal	PASS
2	5683.69	48.58	12.61	61.19	93.17	31.98	PK	Horizontal	PASS
3	5703.53	50.22	12.81	63.03	106.19	43.16	PK	Horizontal	PASS
4	5870.99	46.81	13.40	60.21	106.32	46.11	PK	Horizontal	PASS
5	5902.36	45.49	13.27	58.76	84.91	26.15	PK	Horizontal	PASS
6	5940.08	45.33	13.25	58.58	68.20	9.62	PK	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-4
Bandwidth	80MHz	Channel	155
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 17		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	5635.57	46.26	12.20	58.46	68.20	9.74	PK	Vertical	PASS
2	5680.44	46.58	12.59	59.17	90.76	31.59	PK	Vertical	PASS
3	5691.17	48.28	12.68	60.96	98.69	37.73	PK	Vertical	PASS
4	5861.07	45.95	13.45	59.40	109.10	49.70	PK	Vertical	PASS
5	5892.77	45.38	13.30	58.68	92.01	33.33	PK	Vertical	PASS
6	5937.48	45.68	13.25	58.93	68.20	9.27	PK	Vertical	PASS

~The End~