



Test Graphs



Time of occupancy Test Result

TestMode	Antenna	Hop/Non-Hop	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH5	Ant1	Hop	2.873	106.67	0.306	≤0.4	PASS
2DH5	Ant1	Hop	2.877	106.67	0.307	≤0.4	PASS
3DH5	Ant1	Hop	2.879	106.67	0.307	≤0.4	PASS

Test Graphs




Number of hopping channels

Test Result

TestMode	Antenna	Hop/Non-Hop	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥ 15	PASS
2DH5	Ant1	Hop	79	≥ 15	PASS
3DH5	Ant1	Hop	79	≥ 15	PASS

Test Graphs





Band edge measurements

Test Result

TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
DH5	Ant1	Low	2402	14.09	-52.52	≤-5.91	PASS
DH5	Ant1	High	2480	11.56	-56.14	≤-8.44	PASS
DH5	Ant1	Low	Hop_2402	13.94	-53.35	≤-6.06	PASS
DH5	Ant1	High	Hop_2480	11.69	-57.02	≤-8.32	PASS
2DH5	Ant1	Low	2402	11.96	-44.08	≤-8.04	PASS
2DH5	Ant1	High	2480	11.17	-57.63	≤-8.83	PASS
2DH5	Ant1	Low	Hop_2402	11.74	-54.99	≤-8.27	PASS
2DH5	Ant1	High	Hop_2480	11.37	-45.74	≤-8.63	PASS
3DH5	Ant1	Low	2402	11.94	-45.26	≤-8.06	PASS
3DH5	Ant1	High	2480	8.96	-57.85	≤-11.04	PASS
3DH5	Ant1	Low	Hop_2402	12.20	-44.78	≤-7.8	PASS
3DH5	Ant1	High	Hop_2480	11.07	-56.66	≤-8.93	PASS

Test Graphs





Conducted Spurious Emission Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	0~Reference	14.09	14.09	---	PASS
DH5	Ant1	2402	30~1000	14.09	-59.52	≤-5.91	PASS
DH5	Ant1	2402	1000~26500	14.09	-51.01	≤-5.91	PASS
DH5	Ant1	2441	0~Reference	13.00	13.00	---	PASS
DH5	Ant1	2441	30~1000	13.00	-44.25	≤-7	PASS
DH5	Ant1	2441	1000~26500	13.00	-50.78	≤-7	PASS
DH5	Ant1	2480	0~Reference	11.57	11.57	---	PASS
DH5	Ant1	2480	30~1000	11.57	-55.03	≤-8.43	PASS
DH5	Ant1	2480	1000~26500	11.57	-50.92	≤-8.43	PASS
2DH5	Ant1	2402	0~Reference	13.66	13.66	---	PASS
2DH5	Ant1	2402	30~1000	13.66	-59.51	≤-6.34	PASS
2DH5	Ant1	2402	1000~26500	13.66	-51.19	≤-6.34	PASS
2DH5	Ant1	2441	0~Reference	12.18	12.18	---	PASS
2DH5	Ant1	2441	30~1000	12.18	-60	≤-7.82	PASS
2DH5	Ant1	2441	1000~26500	12.18	-50.88	≤-7.82	PASS
2DH5	Ant1	2480	0~Reference	11.26	11.26	---	PASS
2DH5	Ant1	2480	30~1000	11.26	-60.4	≤-8.74	PASS
2DH5	Ant1	2480	1000~26500	11.26	-50.94	≤-8.74	PASS
3DH5	Ant1	2402	0~Reference	13.61	13.61	---	PASS
3DH5	Ant1	2402	30~1000	13.61	-60.13	≤-6.39	PASS
3DH5	Ant1	2402	1000~26500	13.61	-51.17	≤-6.39	PASS
3DH5	Ant1	2441	0~Reference	12.58	12.58	---	PASS
3DH5	Ant1	2441	30~1000	12.58	-60.09	≤-7.42	PASS
3DH5	Ant1	2441	1000~26500	12.58	-51.08	≤-7.42	PASS
3DH5	Ant1	2480	0~Reference	10.98	10.98	---	PASS
3DH5	Ant1	2480	30~1000	10.98	-59.85	≤-9.02	PASS
3DH5	Ant1	2480	1000~26500	10.98	-51.1	≤-9.02	PASS


Test Graphs













Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.88	3.75	76.80	1.15
DH5	Ant1	2441	2.88	3.76	76.60	1.16
DH5	Ant1	2480	2.88	3.75	76.80	1.15
2DH5	Ant1	2402	2.87	3.75	76.53	1.16
2DH5	Ant1	2441	2.87	3.75	76.53	1.16
2DH5	Ant1	2480	2.88	3.75	76.80	1.15
3DH5	Ant1	2402	2.87	3.75	76.53	1.16
3DH5	Ant1	2441	2.88	3.75	76.80	1.15
3DH5	Ant1	2480	2.88	3.75	76.80	1.15

Test Graphs






Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	138.74	64.02	-30.40	33.62	43.50	9.88	PK	Horizontal	PASS
2	144.03	63.61	-30.31	33.30	43.50	10.20	PK	Horizontal	PASS
3	150.67	66.86	-30.18	36.68	43.50	6.82	PK	Horizontal	PASS
4	161.88	61.48	-29.74	31.74	43.50	11.76	PK	Horizontal	PASS
5	580.89	52.44	-16.56	35.88	47.00	11.12	PK	Horizontal	PASS
6	599.81	55.62	-16.36	39.26	47.00	7.74	PK	Horizontal	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	152.86	65.57	-30.17	35.40	43.50	8.10	PK	Vertical	PASS
2	158.82	66.37	-29.78	36.59	43.50	6.91	PK	Vertical	PASS
3	170.61	64.00	-29.36	34.64	43.50	8.86	PK	Vertical	PASS
4	185.60	61.19	-27.29	33.90	43.50	9.60	PK	Vertical	PASS
5	190.30	59.68	-26.23	33.45	43.50	10.05	PK	Vertical	PASS
6	196.61	60.25	-27.51	32.74	43.50	10.76	PK	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2401.93	101.15	-0.30	100.85	-	-	RMS	Horizontal	NA
2	7206.00	48.42	-0.57	47.85	54.00	6.15	RMS	Horizontal	PASS
3	9608.00	40.10	3.23	43.33	54.00	10.67	RMS	Horizontal	PASS
4	17956.50	29.99	16.67	46.66	54.00	7.34	RMS	Horizontal	PASS
5	2401.87	101.21	-0.30	100.91	-	-	PK	Horizontal	NA
6	7206.00	50.68	-0.57	50.11	74.00	23.89	PK	Horizontal	PASS
7	9607.50	45.22	3.23	48.45	74.00	25.55	PK	Horizontal	PASS
8	17961.50	37.58	16.74	54.32	74.00	19.68	PK	Horizontal	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2401.93	100.66	-0.30	100.36	-	-	RMS	Vertical	NA
2	7206.00	45.72	-0.57	45.15	54.00	8.85	RMS	Vertical	PASS
3	9608.00	43.26	3.23	46.49	54.00	7.51	RMS	Vertical	PASS
4	17934.50	30.26	16.36	46.62	54.00	7.38	RMS	Vertical	PASS
5	2401.87	100.71	-0.30	100.41	-	-	PK	Vertical	NA
6	7206.00	49.34	-0.57	48.77	74.00	25.23	PK	Vertical	PASS
7	9607.50	46.31	3.23	49.54	74.00	24.46	PK	Vertical	PASS
8	17923.50	38.06	16.20	54.26	74.00	19.74	PK	Vertical	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2440.93	101.05	0.16	101.21	-	-	RMS	Horizontal	NA
2	4882.00	44.12	-6.32	37.80	54.00	16.20	RMS	Horizontal	PASS
3	7323.00	40.17	-0.19	39.98	54.00	14.02	RMS	Horizontal	PASS
4	17995.50	29.08	17.21	46.29	54.00	7.71	RMS	Horizontal	PASS
5	2440.87	101.13	0.16	101.29	-	-	PK	Horizontal	NA
6	4882.00	49.92	-6.32	43.60	74.00	30.40	PK	Horizontal	PASS
7	7323.00	46.39	-0.19	46.20	74.00	27.80	PK	Horizontal	PASS
8	17991.00	37.57	17.15	54.72	74.00	19.28	PK	Horizontal	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	39
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2440.93	99.74	0.16	99.90	-	-	RMS	Vertical	NA
2	5831.50	39.85	-2.87	36.98	54.00	17.02	RMS	Vertical	PASS
3	9404.50	35.72	2.72	38.44	54.00	15.56	RMS	Vertical	PASS
4	17905.50	30.04	15.95	45.99	54.00	8.01	RMS	Vertical	PASS
5	2440.87	99.86	0.16	100.02	-	-	PK	Vertical	NA
6	5870.00	47.60	-2.99	44.61	74.00	29.39	PK	Vertical	PASS
7	9403.00	44.50	2.73	47.23	74.00	26.77	PK	Vertical	PASS
8	17977.50	37.12	16.96	54.08	74.00	19.92	PK	Vertical	PASS

Project Information			
Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2479.93	100.67	0.64	101.31	-	-	RMS	Horizontal	NA
2	4960.50	43.22	-6.01	37.21	54.00	16.79	RMS	Horizontal	PASS
3	11483.50	33.68	6.73	40.41	54.00	13.59	RMS	Horizontal	PASS
4	17974.50	29.89	16.92	46.81	54.00	7.19	RMS	Horizontal	PASS
5	2479.87	100.74	0.64	101.38	-	-	PK	Horizontal	NA
6	4960.00	48.65	-6.01	42.64	74.00	31.36	PK	Horizontal	PASS
7	11749.00	41.92	6.55	48.47	74.00	25.53	PK	Horizontal	PASS
8	17950.00	37.06	16.58	53.64	74.00	20.36	PK	Horizontal	PASS

Project Information			
Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2479.93	98.69	0.64	99.33	-	-	RMS	Vertical	NA
2	5721.00	40.70	-3.46	37.24	54.00	16.76	RMS	Vertical	PASS
3	11621.00	34.18	6.49	40.67	54.00	13.33	RMS	Vertical	PASS
4	17769.00	30.45	16.05	46.50	54.00	7.50	RMS	Vertical	PASS
5	2479.87	98.77	0.64	99.41	-	-	PK	Vertical	NA
6	5847.00	48.54	-2.92	45.62	74.00	28.38	PK	Vertical	PASS
7	11630.00	42.27	6.47	48.74	74.00	25.26	PK	Vertical	PASS
8	17994.50	36.56	17.20	53.76	74.00	20.24	PK	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2367.48	38.08	-0.53	37.55	54.00	16.45	RMS	Horizontal	PASS
2	2377.80	37.91	-0.47	37.44	54.00	16.56	RMS	Horizontal	PASS
3	2388.89	37.68	-0.39	37.29	54.00	16.71	RMS	Horizontal	PASS
4	2367.39	49.37	-0.53	48.84	74.00	25.16	PK	Horizontal	PASS
5	2374.79	50.22	-0.49	49.73	74.00	24.27	PK	Horizontal	PASS
6	2389.71	48.78	-0.39	48.39	74.00	25.61	PK	Horizontal	PASS

Project Information			
Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2367.30	37.38	-0.53	36.85	54.00	17.15	RMS	Vertical	PASS
2	2384.57	37.71	-0.42	37.29	54.00	16.71	RMS	Vertical	PASS
3	2389.17	37.84	-0.39	37.45	54.00	16.55	RMS	Vertical	PASS
4	2367.45	49.20	-0.53	48.67	74.00	25.33	PK	Vertical	PASS
5	2384.07	49.56	-0.43	49.13	74.00	24.87	PK	Vertical	PASS
6	2389.58	49.11	-0.39	48.72	74.00	25.28	PK	Vertical	PASS

Project Information			
Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.88	37.77	0.69	38.46	54.00	15.54	RMS	Horizontal	PASS
2	2486.16	37.66	0.71	38.37	54.00	15.63	RMS	Horizontal	PASS
3	2489.29	37.62	0.75	38.37	54.00	15.63	RMS	Horizontal	PASS
4	2483.95	49.47	0.69	50.16	74.00	23.84	PK	Horizontal	PASS
5	2486.38	49.71	0.72	50.43	74.00	23.57	PK	Horizontal	PASS
6	2489.41	50.17	0.75	50.92	74.00	23.08	PK	Horizontal	PASS

Project Information

Mode:	BT (DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.63	37.76	0.68	38.44	54.00	15.56	RMS	Vertical	PASS
2	2486.68	37.50	0.72	38.22	54.00	15.78	RMS	Vertical	PASS
3	2490.61	37.53	0.76	38.29	54.00	15.71	RMS	Vertical	PASS
4	2483.71	49.95	0.68	50.63	74.00	23.37	PK	Vertical	PASS
5	2486.85	49.89	0.72	50.61	74.00	23.39	PK	Vertical	PASS
6	2490.56	50.45	0.76	51.21	74.00	22.79	PK	Vertical	PASS

Project Information			
Mode:	BT (2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2364.32	37.56	-0.55	37.01	54.00	16.99	RMS	Horizontal	PASS
2	2377.42	37.67	-0.47	37.20	54.00	16.80	RMS	Horizontal	PASS
3	2388.23	37.66	-0.41	37.25	54.00	16.75	RMS	Horizontal	PASS
4	2364.13	49.22	-0.55	48.67	74.00	25.33	PK	Horizontal	PASS
5	2377.08	49.48	-0.47	49.01	74.00	24.99	PK	Horizontal	PASS
6	2388.55	48.98	-0.41	48.57	74.00	25.43	PK	Horizontal	PASS

Project Information			
Mode:	BT (2DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2363.79	37.60	-0.55	37.05	54.00	16.95	RMS	Vertical	PASS
2	2375.07	38.01	-0.48	37.53	54.00	16.47	RMS	Vertical	PASS
3	2389.08	37.61	-0.39	37.22	54.00	16.78	RMS	Vertical	PASS
4	2364.07	48.99	-0.55	48.44	74.00	25.56	PK	Vertical	PASS
5	2375.70	49.27	-0.48	48.79	74.00	25.21	PK	Vertical	PASS
6	2389.93	50.53	-0.39	50.14	74.00	23.86	PK	Vertical	PASS

Project Information

Mode:	BT (2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.78	37.78	0.69	38.47	54.00	15.53	RMS	Horizontal	PASS
2	2488.10	37.69	0.73	38.42	54.00	15.58	RMS	Horizontal	PASS
3	2490.73	37.75	0.76	38.51	54.00	15.49	RMS	Horizontal	PASS
4	2483.72	49.39	0.68	50.07	74.00	23.93	PK	Horizontal	PASS
5	2488.39	49.97	0.74	50.71	74.00	23.29	PK	Horizontal	PASS
6	2490.67	50.38	0.76	51.14	74.00	22.86	PK	Horizontal	PASS

Project Information			
Mode:	BT (2DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2484.01	37.64	0.69	38.33	54.00	15.67	RMS	Vertical	PASS
2	2487.77	37.79	0.73	38.52	54.00	15.48	RMS	Vertical	PASS
3	2492.35	37.53	0.79	38.32	54.00	15.68	RMS	Vertical	PASS
4	2484.09	49.14	0.69	49.83	74.00	24.17	PK	Vertical	PASS
5	2488.15	49.01	0.73	49.74	74.00	24.26	PK	Vertical	PASS
6	2493.07	50.01	0.79	50.80	74.00	23.20	PK	Vertical	PASS

Project Information

Mode:	BT (3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2367.11	37.62	-0.53	37.09	54.00	16.91	RMS	Horizontal	PASS
2	2380.37	37.60	-0.45	37.15	54.00	16.85	RMS	Horizontal	PASS
3	2385.98	37.74	-0.42	37.32	54.00	16.68	RMS	Horizontal	PASS
4	2366.98	49.38	-0.53	48.85	74.00	25.15	PK	Horizontal	PASS
5	2380.30	49.45	-0.45	49.00	74.00	25.00	PK	Horizontal	PASS
6	2386.42	49.56	-0.41	49.15	74.00	24.85	PK	Horizontal	PASS

Project Information

Mode:	BT (3DH5)	Band:	-
Bandwidth	-	Channel	0
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2362.03	37.65	-0.56	37.09	54.00	16.91	RMS	Vertical	PASS
2	2378.33	37.67	-0.47	37.20	54.00	16.80	RMS	Vertical	PASS
3	2389.30	37.74	-0.39	37.35	54.00	16.65	RMS	Vertical	PASS
4	2361.97	49.25	-0.56	48.69	74.00	25.31	PK	Vertical	PASS
5	2377.67	49.42	-0.47	48.95	74.00	25.05	PK	Vertical	PASS
6	2389.36	49.63	-0.39	49.24	74.00	24.76	PK	Vertical	PASS

Project Information

Mode:	BT (3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.84	37.59	0.69	38.28	54.00	15.72	RMS	Horizontal	PASS
2	2484.91	37.63	0.70	38.33	54.00	15.67	RMS	Horizontal	PASS
3	2488.04	37.72	0.73	38.45	54.00	15.55	RMS	Horizontal	PASS
4	2483.80	49.35	0.69	50.04	74.00	23.96	PK	Horizontal	PASS
5	2485.05	49.91	0.70	50.61	74.00	23.39	PK	Horizontal	PASS
6	2487.81	49.36	0.73	50.09	74.00	23.91	PK	Horizontal	PASS

Project Information

Mode:	BT (3DH5)	Band:	-
Bandwidth	-	Channel	78
SN:	-	Engineer:	Mike Ou
Remark:	Powersetting 0		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	2483.51	37.62	0.68	38.30	54.00	15.70	RMS	Vertical	PASS
2	2487.70	37.50	0.73	38.23	54.00	15.77	RMS	Vertical	PASS
3	2489.25	37.65	0.75	38.40	54.00	15.60	RMS	Vertical	PASS
4	2483.59	49.37	0.68	50.05	74.00	23.95	PK	Vertical	PASS
5	2487.65	50.00	0.73	50.73	74.00	23.27	PK	Vertical	PASS
6	2489.27	50.26	0.75	51.01	74.00	22.99	PK	Vertical	PASS

~The End~