







11AX80MIMO-Ant1-6785-PASS




11AX80MIMO-Ant2-6785-PASS




11AX80MIMO-Ant1-6865-PASS




11AX80MIMO-Ant2-6865-PASS




11AX80MIMO-Ant1-6945-PASS



11AX80MIMO-Ant2-6945-PASS



11AX80MIMO-Ant1-7025-PASS



11AX80MIMO-Ant2-7025-PASS

8.3 MAXIMUM POWER SPECTRAL DENSITY

8.3.1 Applicable Standard

According to FCC Part 15.407(a)
 According to 789033 D02 Section II.F
 According to 987594 D02 Section II.F
 According to RSS-248 4.6

8.3.2 Conformance Limit

FCC Limit:

☐	For an indoor access point(6ID) operating in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed 5 dBm e.i.r.p. in any 1-megahertz band.
☐	For a subordinate device(6PP) operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed 5 dBm e.i.r.p in any 1-megahertz band.
☐	For an indoor client device(6XD) operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed -1 dBm e.i.r.p in any 1-megahertz band.
☐	For a Dual client device(6CD) operating under the control of an indoor access point in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed -1 dBm e.i.r.p in any 1-megahertz band.
☐	For a Dual client device(6CD) operating under the control of an standard access point in the 5.925-7.125 GHz band, the maximum power spectral density must not exceed 17 dBm & 6dB below AP e.i.r.p in any 1-megahertz band.
The limits are based upon the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, the maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.	

IC Limit:

☐	Other than client devices The maximum e.i.r.p. spectral density shall not exceed 5 dBm/MHz.
☐	Client devices The maximum e.i.r.p. spectral density shall not exceed -1 dBm/MHz.
The limits are based upon the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, the maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.	

8.3.3 Test Configuration

Test according to clause 7.1 radio frequency test setup

8.3.4 Test Procedure

Method SA-2 (trace averaging across on and off times of the EUT transmissions, followed by duty cycle correction).

- (i) Measure the duty cycle, x, of the transmitter output signal.
- (ii) Set span to encompass the EBW (or the entire 99% occupied bandwidth) of the signal.
- (iii) Set RBW = 1 MHz.
- (iv) Set VBW $\geq$ 3 MHz.
- (v) Number of points in sweep $\geq 2 \times \text{span} / \text{RBW}$. (This ensures that bin-to-bin spacing is $\leq \text{RBW}/2$, so that narrowband signals are not lost between frequency bins.)
- (vi) Sweep time = auto.
- (vii) Detector = power averaging (rms).
- (viii) Do not use sweep triggering. Allow the sweep to "free run."
- (ix) Trace average at least 100 traces in power averaging (rms) mode; however, the number of traces to be averaged shall be increased above 100 as needed to ensure that the average accurately represents the true average over the on and off periods of the transmitter.

- (x) Use the peak search function on the instrument to find the peak of the spectrum and record its value.
- (xi) Add $10 \log (1/x)$, where x is the duty cycle, to the measured power in order to compute the average power during the actual transmission times (because the measurement represents an average over both the on and off times of the transmission). For example, add $10 \log (1/0.25) = 6 \text{ dB}$ if the duty cycle is 25%.

8.3.5 Test Results


PASS

Temperature :	24.1°C	ATM Pressure:	1011 mbar
Humidity :	50%	Test Engineer:	LHJ




TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11AX20MIMO	Ant1	5955	-7.57	≤-4.07	PASS
11AX20MIMO	Ant2	5955	-7.80	≤-3.62	PASS
11AX20MIMO	total	5955	-4.67	≤-4.07	PASS
11AX20MIMO	Ant1	6175	-7.37	≤-4.07	PASS
11AX20MIMO	Ant2	6175	-8.15	≤-3.62	PASS
11AX20MIMO	total	6175	-4.73	≤-4.07	PASS
11AX20MIMO	Ant1	6415	-8.16	≤-4.07	PASS
11AX20MIMO	Ant2	6415	-8.10	≤-3.62	PASS
11AX20MIMO	total	6415	-5.12	≤-4.07	PASS
11AX20MIMO	Ant1	6435	-7.59	≤-4.07	PASS
11AX20MIMO	Ant2	6435	-7.48	≤-3.62	PASS
11AX20MIMO	total	6435	-4.52	≤-4.07	PASS
11AX20MIMO	Ant1	6475	-7.72	≤-4.07	PASS
11AX20MIMO	Ant2	6475	-8.16	≤-3.62	PASS
11AX20MIMO	total	6475	-4.92	≤-4.07	PASS
11AX20MIMO	Ant1	6515	-7.96	≤-4.07	PASS
11AX20MIMO	Ant2	6515	-7.03	≤-3.62	PASS
11AX20MIMO	total	6515	-4.46	≤-4.07	PASS
11AX20MIMO	Ant1	6535	-7.46	≤-4.07	PASS
11AX20MIMO	Ant2	6535	-7.85	≤-3.62	PASS
11AX20MIMO	total	6535	-4.64	≤-4.07	PASS
11AX20MIMO	Ant1	6695	-7.60	≤-4.07	PASS
11AX20MIMO	Ant2	6695	-7.62	≤-3.62	PASS
11AX20MIMO	total	6695	-4.60	≤-4.07	PASS
11AX20MIMO	Ant1	6855	-7.97	≤-4.07	PASS
11AX20MIMO	Ant2	6855	-8.56	≤-3.62	PASS
11AX20MIMO	total	6855	-5.24	≤-4.07	PASS
11AX20MIMO	Ant1	6875	-7.66	≤-4.07	PASS
11AX20MIMO	Ant2	6875	-7.86	≤-3.62	PASS
11AX20MIMO	total	6875	-4.75	≤-4.07	PASS
11AX20MIMO	Ant1	6895	-7.91	≤-4.07	PASS
11AX20MIMO	Ant2	6895	-44.32	≤-3.62	PASS
11AX20MIMO	total	6895	-7.91	≤-4.07	PASS
11AX20MIMO	Ant1	6995	-8.23	≤-4.07	PASS
11AX20MIMO	Ant2	6995	-7.88	≤-3.62	PASS
11AX20MIMO	total	6995	-5.04	≤-4.07	PASS
11AX20MIMO	Ant1	7115	-7.57	≤-4.07	PASS
11AX20MIMO	Ant2	7115	-7.48	≤-3.62	PASS
11AX20MIMO	total	7115	-4.51	≤-4.07	PASS
11AX40MIMO	Ant1	5965	-8.19	≤-4.07	PASS
11AX40MIMO	Ant2	5965	-6.59	≤-3.62	PASS
11AX40MIMO	total	5965	-4.31	≤-4.07	PASS
11AX40MIMO	Ant1	6165	-7.99	≤-4.07	PASS
11AX40MIMO	Ant2	6165	-8.15	≤-3.62	PASS
11AX40MIMO	total	6165	-5.06	≤-4.07	PASS
11AX40MIMO	Ant1	6405	-9.00	≤-4.07	PASS
11AX40MIMO	Ant2	6405	-7.81	≤-3.62	PASS
11AX40MIMO	total	6405	-5.35	≤-4.07	PASS
11AX40MIMO	Ant1	6445	-8.27	≤-4.07	PASS
11AX40MIMO	Ant2	6445	-7.28	≤-3.62	PASS
11AX40MIMO	total	6445	-4.74	≤-4.07	PASS
11AX40MIMO	Ant1	6485	-8.12	≤-4.07	PASS
11AX40MIMO	Ant2	6485	-7.56	≤-3.62	PASS
11AX40MIMO	total	6485	-4.82	≤-4.07	PASS
11AX40MIMO	Ant1	6525	-8.04	≤-4.07	PASS
11AX40MIMO	Ant2	6525	-7.18	≤-3.62	PASS
11AX40MIMO	total	6525	-4.58	≤-4.07	PASS
11AX40MIMO	Ant1	6565	-6.06	≤-4.07	PASS
11AX40MIMO	Ant2	6565	-8.69	≤-3.62	PASS


11AX40MIMO	total	6565	-4.17	≤-4.07	PASS
11AX40MIMO	Ant1	6685	-8.61	≤-4.07	PASS
11AX40MIMO	Ant2	6685	-8.65	≤-3.62	PASS
11AX40MIMO	total	6685	-5.62	≤-4.07	PASS
11AX40MIMO	Ant1	6845	-9.65	≤-4.07	PASS
11AX40MIMO	Ant2	6845	-8.68	≤-3.62	PASS
11AX40MIMO	total	6845	-6.13	≤-4.07	PASS
11AX40MIMO	Ant1	6885	-8.62	≤-4.07	PASS
11AX40MIMO	Ant2	6885	-6.79	≤-3.62	PASS
11AX40MIMO	total	6885	-4.60	≤-4.07	PASS
11AX40MIMO	Ant1	6925	-8.03	≤-4.07	PASS
11AX40MIMO	Ant2	6925	-7.41	≤-3.62	PASS
11AX40MIMO	total	6925	-4.70	≤-4.07	PASS
11AX40MIMO	Ant1	6965	-8.65	≤-4.07	PASS
11AX40MIMO	Ant2	6965	-7.63	≤-3.62	PASS
11AX40MIMO	total	6965	-5.10	≤-4.07	PASS
11AX40MIMO	Ant1	7085	-8.47	≤-4.07	PASS
11AX40MIMO	Ant2	7085	-7.89	≤-3.62	PASS
11AX40MIMO	total	7085	-5.16	≤-4.07	PASS
11AX80MIMO	Ant1	5985	-6.43	≤-4.07	PASS
11AX80MIMO	Ant2	5985	-8.96	≤-3.62	PASS
11AX80MIMO	total	5985	-4.50	≤-4.07	PASS
11AX80MIMO	Ant1	6145	-7.51	≤-4.07	PASS
11AX80MIMO	Ant2	6145	-7.07	≤-3.62	PASS
11AX80MIMO	total	6145	-4.27	≤-4.07	PASS
11AX80MIMO	Ant1	6385	-8.57	≤-4.07	PASS
11AX80MIMO	Ant2	6385	-8.55	≤-3.62	PASS
11AX80MIMO	total	6385	-5.55	≤-4.07	PASS
11AX80MIMO	Ant1	6465	-8.28	≤-4.07	PASS
11AX80MIMO	Ant2	6465	-8.10	≤-3.62	PASS
11AX80MIMO	total	6465	-5.18	≤-4.07	PASS
11AX80MIMO	Ant1	6545	-7.06	≤-4.07	PASS
11AX80MIMO	Ant2	6545	-8.61	≤-3.62	PASS
11AX80MIMO	total	6545	-4.76	≤-4.07	PASS
11AX80MIMO	Ant1	6625	-7.40	≤-4.07	PASS
11AX80MIMO	Ant2	6625	-8.06	≤-3.62	PASS
11AX80MIMO	total	6625	-4.71	≤-4.07	PASS
11AX80MIMO	Ant1	6705	-8.55	≤-4.07	PASS
11AX80MIMO	Ant2	6705	-7.09	≤-3.62	PASS
11AX80MIMO	total	6705	-4.75	≤-4.07	PASS
11AX80MIMO	Ant1	6785	-8.50	≤-4.07	PASS
11AX80MIMO	Ant2	6785	-7.96	≤-3.62	PASS
11AX80MIMO	total	6785	-5.21	≤-4.07	PASS
11AX80MIMO	Ant1	6865	-8.40	≤-4.07	PASS
11AX80MIMO	Ant2	6865	-7.52	≤-3.62	PASS
11AX80MIMO	total	6865	-4.93	≤-4.07	PASS
11AX80MIMO	Ant1	6945	-7.47	≤-4.07	PASS
11AX80MIMO	Ant2	6945	-7.88	≤-3.62	PASS
11AX80MIMO	total	6945	-4.66	≤-4.07	PASS
11AX80MIMO	Ant1	7025	-8.93	≤-4.07	PASS
11AX80MIMO	Ant2	7025	-6.94	≤-3.62	PASS
11AX80MIMO	total	7025	-4.81	≤-4.07	PASS




11AX20MIMO-Ant1-5955-PASS




11AX20MIMO-Ant2-5955-PASS




11AX20MIMO-Ant1-6175-PASS




11AX20MIMO-Ant2-6175-PASS




11AX20MIMO-Ant1-6415-PASS




11AX20MIMO-Ant2-6415-PASS




11AX20MIMO-Ant1-6435-PASS




11AX20MIMO-Ant2-6435-PASS




11AX20MIMO-Ant1-6475-PASS




11AX20MIMO-Ant2-6475-PASS




11AX20MIMO-Ant1-6515-PASS




11AX20MIMO-Ant2-6515-PASS




11AX20MIMO-Ant1-6535-PASS




11AX20MIMO-Ant2-6535-PASS




11AX20MIMO-Ant1-6695-PASS




11AX20MIMO-Ant2-6695-PASS




11AX20MIMO-Ant1-6855-PASS




11AX20MIMO-Ant2-6855-PASS




11AX20MIMO-Ant1-6875-PASS




11AX20MIMO-Ant2-6875-PASS




11AX20MIMO-Ant1-6895-PASS




11AX20MIMO-Ant2-6895-PASS




11AX20MIMO-Ant1-6995-PASS




11AX20MIMO-Ant2-6995-PASS



11AX20MIMO-Ant1-7115-PASS




11AX20MIMO-Ant2-7115-PASS




11AX40MIMO-Ant1-5965-PASS




11AX40MIMO-Ant2-5965-PASS




11AX40MIMO-Ant1-6165-PASS




11AX40MIMO-Ant2-6165-PASS




11AX40MIMO-Ant1-6405-PASS




11AX40MIMO-Ant2-6405-PASS



11AX40MIMO-Ant1-6445-PASS




11AX40MIMO-Ant2-6445-PASS




11AX40MIMO-Ant1-6485-PASS




11AX40MIMO-Ant2-6485-PASS




11AX40MIMO-Ant1-6525-PASS




11AX40MIMO-Ant2-6525-PASS




11AX40MIMO-Ant1-6565-PASS




11AX40MIMO-Ant2-6565-PASS




11AX40MIMO-Ant1-6685-PASS




11AX40MIMO-Ant2-6685-PASS



11AX40MIMO-Ant1-6845-PASS




11AX40MIMO-Ant2-6845-PASS




03:11:12 PM 02/02/2026

11AX40MIMO-Ant1-6885-PASS




03:11:40 PM 02/02/2026

11AX40MIMO-Ant2-6885-PASS




03:08:21 PM 02/02/2026

11AX40MIMO-Ant1-6925-PASS




03:09:39 PM 02/02/2026


11AX40MIMO-Ant2-6925-PASS



11AX40MIMO-Ant1-6965-PASS




11AX40MIMO-Ant2-6965-PASS




03:17:33 PM 02/02/2026

11AX40MIMO-Ant1-7085-PASS




03:18:51 PM 02/02/2026


11AX40MIMO-Ant2-7085-PASS




11AX80MIMO-Ant1-5985-PASS




11AX80MIMO-Ant2-5985-PASS




11AX80MIMO-Ant1-6145-PASS




11AX80MIMO-Ant2-6145-PASS



11AX80MIMO-Ant1-6385-PASS




11AX80MIMO-Ant2-6385-PASS




03:38:31 PM 02/02/2026

11AX80MIMO-Ant1-6465-PASS




03:39:47 PM 02/02/2026


11AX80MIMO-Ant2-6465-PASS



11AX80MIMO-Ant1-6545-PASS




11AX80MIMO-Ant2-6545-PASS




03:44:57 PM 02/02/2026

11AX80MIMO-Ant1-6625-PASS




03:46:14 PM 02/02/2026


11AX80MIMO-Ant2-6625-PASS




11AX80MIMO-Ant1-6705-PASS




11AX80MIMO-Ant2-6705-PASS




11AX80MIMO-Ant1-6785-PASS




11AX80MIMO-Ant2-6785-PASS



11AX80MIMO-Ant1-6865-PASS




11AX80MIMO-Ant2-6865-PASS




03:57:51 PM 02/02/2026

11AX80MIMO-Ant1-6945-PASS




03:59:08 PM 02/02/2026

11AX80MIMO-Ant2-6945-PASS



11AX80MIMO-Ant1-7025-PASS



11AX80MIMO-Ant2-7025-PASS

8.4 IN-BAND EMISSIONS (EMISSION MASK)

8.4.1 Applicable Standard

According to FCC Part 15.407(b)
According to 987594 D02 Section II.J
According to RSS-248 4.7

8.4.2 Conformance Limit

For transmitters operating within the 5.925-7.125 GHz bands: Power spectral density must be suppressed by 20 dB at 1 MHz outside of channel edge, by 28 dB at one channel bandwidth from the channel center, and by 40 dB at one- and one-half times the channel bandwidth away from channel center. At frequencies between one megahertz outside an unlicensed device's channel edge and one channel bandwidth from the center of the channel, the limits must be linearly interpolated between 20 dB and 28 dB suppression, and at frequencies between one and one- and one-half times an unlicensed device's channel bandwidth, the limits must be linearly interpolated between 28 dB and 40 dB suppression. Emissions removed from the channel center by more than one- and one-half times the channel bandwidth must be suppressed by at least 40 dB.

8.4.3 Test Configuration

Test according to clause 7.1 radio frequency test setup

8.4.4 Test Procedure

1. Connect output of the antenna port to a spectrum analyzer or EMI receiver, with appropriate attenuation, as to not damage the instrumentation.
2. Set the reference level of the measuring equipment in accordance with procedure 4.1.5.2 of ANSI C63.10-2020/Cor 1-2021.
3. Measure the 26 dB EBW using the test procedure 12.4.1 of ANSI C63.10-2020/Cor 1-2021. (This will be used to determine the channel edge.)
4. Measure the power spectral density (which will be used for emissions mask reference) using the following procedure:
 - a) Set the span to encompass the entire 26 dB EBW of the signal.
 - b) Set RBW = same RBW used for 26 dB EBW measurement.
 - c) Set VBW $\geq 3 \times$ RBW
 - d) Number of points in sweep $\geq [2 \times \text{span} / \text{RBW}]$.
 - e) Sweep time = auto.
 - f) Detector = RMS
 - g) Trace average at least 100 traces in power averaging (rms) mode.
 - h) Use the peak search function on the instrument to find the peak of the spectrum.
5. For the purposes of developing the emission mask, the channel bandwidth is defined as the 26 dB EBW.
6. Using the measuring equipment limit line function, develop the emissions mask based on the following requirements. The emissions power spectral density must be reduced below the peak power spectral density (in dB) as follows:
 - a. Suppressed by 20 dB at 1 MHz outside of the channel edge. (The channel edge is defined as the 26-dB point on either side of the carrier center frequency.)
 - b. Suppressed by 28 dB at one channel bandwidth from the channel center.
 - c. Suppressed by 40 dB at one- and one-half times the channel bandwidth from the channel center.
7. Adjust the span to encompass the entire mask as necessary.
8. Clear trace.
9. Trace average at least 100 traces in power averaging (rms) mode.
10. Adjust the reference level as necessary so that the crest of the channel touches the top of the emission mask.

8.4.5 Test Results

PASS

Temperature :	24.1℃	ATM Pressure:	1011 mbar
Humidity :	50 %	Test Engineer:	LHJ




Full RU and Partial RU has been tested, and find the full RU is the worst, so only the worst data is shown in the report.


Test Mode	Antenna	Frequency[MHz]	Result	Limit	Verdict
11AX20MIMO	Ant1	5955	See test graph	See test graph	PASS
11AX20MIMO	Ant2	5955	See test graph	See test graph	PASS
11AX20MIMO	Ant1	6175	See test graph	See test graph	PASS
11AX20MIMO	Ant2	6175	See test graph	See test graph	PASS
11AX20MIMO	Ant1	6415	See test graph	See test graph	PASS
11AX20MIMO	Ant2	6415	See test graph	See test graph	PASS
11AX20MIMO	Ant1	6435	See test graph	See test graph	PASS
11AX20MIMO	Ant2	6435	See test graph	See test graph	PASS
11AX20MIMO	Ant1	6475	See test graph	See test graph	PASS
11AX20MIMO	Ant2	6475	See test graph	See test graph	PASS
11AX20MIMO	Ant1	6515	See test graph	See test graph	PASS
11AX20MIMO	Ant2	6515	See test graph	See test graph	PASS
11AX20MIMO	Ant1	6535	See test graph	See test graph	PASS
11AX20MIMO	Ant2	6535	See test graph	See test graph	PASS
11AX20MIMO	Ant1	6695	See test graph	See test graph	PASS
11AX20MIMO	Ant2	6695	See test graph	See test graph	PASS
11AX20MIMO	Ant1	6855	See test graph	See test graph	PASS
11AX20MIMO	Ant2	6855	See test graph	See test graph	PASS
11AX20MIMO	Ant1	6875	See test graph	See test graph	PASS
11AX20MIMO	Ant2	6875	See test graph	See test graph	PASS
11AX20MIMO	Ant1	6895	See test graph	See test graph	PASS
11AX20MIMO	Ant2	6895	See test graph	See test graph	PASS
11AX20MIMO	Ant1	6995	See test graph	See test graph	PASS
11AX20MIMO	Ant2	6995	See test graph	See test graph	PASS
11AX20MIMO	Ant1	7115	See test graph	See test graph	PASS
11AX20MIMO	Ant2	7115	See test graph	See test graph	PASS
11AX40MIMO	Ant1	5965	See test graph	See test graph	PASS
11AX40MIMO	Ant2	5965	See test graph	See test graph	PASS
11AX40MIMO	Ant1	6165	See test graph	See test graph	PASS
11AX40MIMO	Ant2	6165	See test graph	See test graph	PASS
11AX40MIMO	Ant1	6405	See test graph	See test graph	PASS
11AX40MIMO	Ant2	6405	See test graph	See test graph	PASS
11AX40MIMO	Ant1	6445	See test graph	See test graph	PASS
11AX40MIMO	Ant2	6445	See test graph	See test graph	PASS
11AX40MIMO	Ant1	6485	See test graph	See test graph	PASS
11AX40MIMO	Ant2	6485	See test graph	See test graph	PASS
11AX40MIMO	Ant1	6525	See test graph	See test graph	PASS
11AX40MIMO	Ant2	6525	See test graph	See test graph	PASS
11AX40MIMO	Ant1	6565	See test graph	See test graph	PASS
11AX40MIMO	Ant2	6565	See test graph	See test graph	PASS
11AX40MIMO	Ant1	6685	See test graph	See test graph	PASS
11AX40MIMO	Ant2	6685	See test graph	See test graph	PASS
11AX40MIMO	Ant1	6845	See test graph	See test graph	PASS
11AX40MIMO	Ant2	6845	See test graph	See test graph	PASS
11AX40MIMO	Ant1	6885	See test graph	See test graph	PASS
11AX40MIMO	Ant2	6885	See test graph	See test graph	PASS
11AX40MIMO	Ant1	6925	See test graph	See test graph	PASS
11AX40MIMO	Ant2	6925	See test graph	See test graph	PASS
11AX40MIMO	Ant1	6965	See test graph	See test graph	PASS
11AX40MIMO	Ant2	6965	See test graph	See test graph	PASS
11AX40MIMO	Ant1	7085	See test graph	See test graph	PASS
11AX40MIMO	Ant2	7085	See test graph	See test graph	PASS
11AX80MIMO	Ant1	5985	See test graph	See test graph	PASS
11AX80MIMO	Ant2	5985	See test graph	See test graph	PASS
11AX80MIMO	Ant1	6145	See test graph	See test graph	PASS
11AX80MIMO	Ant2	6145	See test graph	See test graph	PASS

11AX80MIMO	Ant1	6385	See test graph	See test graph	PASS
11AX80MIMO	Ant2	6385	See test graph	See test graph	PASS
11AX80MIMO	Ant1	6465	See test graph	See test graph	PASS
11AX80MIMO	Ant2	6465	See test graph	See test graph	PASS
11AX80MIMO	Ant1	6545	See test graph	See test graph	PASS
11AX80MIMO	Ant2	6545	See test graph	See test graph	PASS
11AX80MIMO	Ant1	6625	See test graph	See test graph	PASS
11AX80MIMO	Ant2	6625	See test graph	See test graph	PASS
11AX80MIMO	Ant1	6705	See test graph	See test graph	PASS
11AX80MIMO	Ant2	6705	See test graph	See test graph	PASS
11AX80MIMO	Ant1	6785	See test graph	See test graph	PASS
11AX80MIMO	Ant2	6785	See test graph	See test graph	PASS
11AX80MIMO	Ant1	6865	See test graph	See test graph	PASS
11AX80MIMO	Ant2	6865	See test graph	See test graph	PASS
11AX80MIMO	Ant1	6945	See test graph	See test graph	PASS
11AX80MIMO	Ant2	6945	See test graph	See test graph	PASS
11AX80MIMO	Ant1	7025	See test graph	See test graph	PASS
11AX80MIMO	Ant2	7025	See test graph	See test graph	PASS




Full RU and Partial RU has been tested, and find the full RU is the worst, so only the worst data is shown in the report.







NTNV-11AX20MIMO-Ant1-6175-PASS




NTNV-11AX20MIMO-Ant2-6175-PASS




NTNV-11AX20MIMO-Ant1-6415-PASS




NTNV-11AX20MIMO-Ant2-6415-PASS




NTNV-11AX20MIMO-Ant1-6435-PASS




NTNV-11AX20MIMO-Ant2-6435-PASS




NTNV-11AX20MIMO-Ant1-6475-PASS




NTNV-11AX20MIMO-Ant2-6475-PASS




NTNV-11AX20MIMO-Ant1-6515-PASS




NTNV-11AX20MIMO-Ant2-6515-PASS




NTNV-11AX20MIMO-Ant1-6535-PASS



NTNV-11AX20MIMO-Ant2-6535-PASS



NTNV-11AX20MIMO-Ant1-6695-PASS



NTNV-11AX20MIMO-Ant2-6695-PASS