



Test Mode	IEEE 802.11be(EHT160)_Ant_2
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6025	161.44	155.44	320	Pass
6185	161.21	155.62	320	Pass
6345	161.39	155.71	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6505	161.42	155.63	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6665	161.44	155.48	320	Pass
6825	161.19	155.56	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6985	161.38	155.74	320	Pass

6985 26 dB Bandwidth  Center Freq 6.985000000 GHz Span 400 MHz VBW 5 MHz Res BW 1.0 MHz Occupied Bandwidth 155.88 MHz Transmit Freq Error -161.70 kHz x dB Bandwidth 161.4 MHz Frequency Center Freq 6.985000000 GHz CF Stop 40.000000 MHz Freq Offset 0 Hz	-	-
99 % Occupied Bandwidth  Center Freq 6.985000000 GHz Span 400 MHz VBW 50 MHz Res BW 3 MHz Occupied Bandwidth 155.74 MHz Transmit Freq Error -245.82 kHz x dB Bandwidth 164.3 MHz Frequency Center Freq 6.985000000 GHz CF Stop 40.000000 MHz Freq Offset 0 Hz	-	-

APPENDIX F - MAXIMUM E.I.R.P.

Test Mode	IEEE 802.11a_Ant.1
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-0.33	2.88	0.0019	24.00	0.2512	Pass
6175	2.87	6.08	0.0041	24.00	0.2512	Pass
6415	-0.48	2.73	0.0019	24.00	0.2512	Pass
6435	-0.73	2.48	0.0018	24.00	0.2512	Pass
6475	-1.02	2.19	0.0017	24.00	0.2512	Pass
6515	-0.82	2.39	0.0017	24.00	0.2512	Pass
6535	-1.47	1.74	0.0015	24.00	0.2512	Pass
6695	-0.94	2.27	0.0017	24.00	0.2512	Pass
6855	-0.02	3.19	0.0021	24.00	0.2512	Pass
6875	0.07	3.28	0.0021	24.00	0.2512	Pass
6995	1.08	4.29	0.0027	24.00	0.2512	Pass
7115	-1.41	1.80	0.0015	24.00	0.2512	Pass

Test Mode	IEEE 802.11a_Ant.2
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-0.27	2.94	0.0020	24.00	0.2512	Pass
6175	-1.68	1.53	0.0014	24.00	0.2512	Pass
6415	0.61	3.82	0.0024	24.00	0.2512	Pass
6435	0.26	3.47	0.0022	24.00	0.2512	Pass
6475	0.36	3.57	0.0023	24.00	0.2512	Pass
6515	0.47	3.68	0.0023	24.00	0.2512	Pass
6535	-0.14	3.07	0.0020	24.00	0.2512	Pass
6695	-0.90	2.31	0.0017	24.00	0.2512	Pass
6855	1.29	4.50	0.0028	24.00	0.2512	Pass
6875	0.19	3.40	0.0022	24.00	0.2512	Pass
6995	-0.52	2.69	0.0019	24.00	0.2512	Pass
7115	1.07	4.28	0.0027	24.00	0.2512	Pass

Test Mode	IEEE 802.11a_Total
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	2.71	5.92	0.0039	24.00	0.2512	Pass
6175	4.18	7.39	0.0055	24.00	0.2512	Pass
6415	3.11	6.32	0.0043	24.00	0.2512	Pass
6435	2.80	6.01	0.0040	24.00	0.2512	Pass
6475	2.73	5.94	0.0039	24.00	0.2512	Pass
6515	2.88	6.09	0.0041	24.00	0.2512	Pass
6535	2.26	5.47	0.0035	24.00	0.2512	Pass
6695	2.09	5.30	0.0034	24.00	0.2512	Pass
6855	3.69	6.90	0.0049	24.00	0.2512	Pass
6875	3.14	6.35	0.0043	24.00	0.2512	Pass
6995	3.36	6.57	0.0045	24.00	0.2512	Pass
7115	3.01	6.22	0.0042	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-1.34	1.87	0.0015	24.00	0.2512	Pass
6175	2.14	5.35	0.0034	24.00	0.2512	Pass
6415	-1.02	2.19	0.0017	24.00	0.2512	Pass
6435	-1.17	2.04	0.0016	24.00	0.2512	Pass
6475	-1.08	2.13	0.0016	24.00	0.2512	Pass
6515	-1.32	1.89	0.0015	24.00	0.2512	Pass
6535	-1.37	1.84	0.0015	24.00	0.2512	Pass
6695	-1.18	2.03	0.0016	24.00	0.2512	Pass
6855	-0.65	2.56	0.0018	24.00	0.2512	Pass
6875	0.05	3.26	0.0021	24.00	0.2512	Pass
6995	1.10	4.31	0.0027	24.00	0.2512	Pass
7115	-6.72	-3.51	0.0004	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-1.32	1.89	0.0015	24.00	0.2512	Pass
6175	-1.55	1.66	0.0015	24.00	0.2512	Pass
6415	-0.23	2.98	0.0020	24.00	0.2512	Pass
6435	0.33	3.54	0.0023	24.00	0.2512	Pass
6475	0.30	3.51	0.0022	24.00	0.2512	Pass
6515	-0.13	3.08	0.0020	24.00	0.2512	Pass
6535	-0.34	2.87	0.0019	24.00	0.2512	Pass
6695	-1.54	1.67	0.0015	24.00	0.2512	Pass
6855	0.73	3.94	0.0025	24.00	0.2512	Pass
6875	0.28	3.49	0.0022	24.00	0.2512	Pass
6995	-0.48	2.73	0.0019	24.00	0.2512	Pass
7115	-4.08	-0.87	0.0008	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	1.68	4.89	0.0031	24.00	0.2512	Pass
6175	3.69	6.90	0.0049	24.00	0.2512	Pass
6415	2.40	5.61	0.0036	24.00	0.2512	Pass
6435	2.65	5.86	0.0039	24.00	0.2512	Pass
6475	2.67	5.88	0.0039	24.00	0.2512	Pass
6515	2.33	5.54	0.0036	24.00	0.2512	Pass
6535	2.19	5.40	0.0035	24.00	0.2512	Pass
6695	1.65	4.86	0.0031	24.00	0.2512	Pass
6855	3.10	6.31	0.0043	24.00	0.2512	Pass
6875	3.18	6.39	0.0044	24.00	0.2512	Pass
6995	3.39	6.60	0.0046	24.00	0.2512	Pass
7115	-2.19	1.02	0.0013	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	1.58	4.79	0.0030	24.00	0.2512	Pass
6165	4.08	7.29	0.0054	24.00	0.2512	Pass
6405	1.41	4.62	0.0029	24.00	0.2512	Pass
6445	1.75	4.96	0.0031	24.00	0.2512	Pass
6485	1.31	4.52	0.0028	24.00	0.2512	Pass
6525	1.75	4.96	0.0031	24.00	0.2512	Pass
6565	1.68	4.89	0.0031	24.00	0.2512	Pass
6725	1.92	5.13	0.0033	24.00	0.2512	Pass
6845	2.15	5.36	0.0034	24.00	0.2512	Pass
6885	2.08	5.29	0.0034	24.00	0.2512	Pass
7005	3.69	6.90	0.0049	24.00	0.2512	Pass
7085	1.71	4.92	0.0031	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	2.13	5.34	0.0034	24.00	0.2512	Pass
6165	1.28	4.49	0.0028	24.00	0.2512	Pass
6405	3.15	6.36	0.0043	24.00	0.2512	Pass
6445	3.44	6.65	0.0046	24.00	0.2512	Pass
6485	3.47	6.68	0.0047	24.00	0.2512	Pass
6525	3.28	6.49	0.0045	24.00	0.2512	Pass
6565	3.32	6.53	0.0045	24.00	0.2512	Pass
6725	1.67	4.88	0.0031	24.00	0.2512	Pass
6845	3.24	6.45	0.0044	24.00	0.2512	Pass
6885	3.13	6.34	0.0043	24.00	0.2512	Pass
7005	2.82	6.03	0.0040	24.00	0.2512	Pass
7085	3.97	7.18	0.0052	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	4.87	8.08	0.0064	24.00	0.2512	Pass
6165	5.91	9.12	0.0082	24.00	0.2512	Pass
6405	5.38	8.59	0.0072	24.00	0.2512	Pass
6445	5.69	8.90	0.0078	24.00	0.2512	Pass
6485	5.53	8.74	0.0075	24.00	0.2512	Pass
6525	5.59	8.80	0.0076	24.00	0.2512	Pass
6565	5.59	8.80	0.0076	24.00	0.2512	Pass
6725	4.81	8.02	0.0063	24.00	0.2512	Pass
6845	5.74	8.95	0.0079	24.00	0.2512	Pass
6885	5.65	8.86	0.0077	24.00	0.2512	Pass
7005	6.29	9.50	0.0089	24.00	0.2512	Pass
7085	6.00	9.21	0.0083	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	4.66	7.87	0.0061	24.00	0.2512	Pass
6145	7.86	11.07	0.0128	24.00	0.2512	Pass
6385	4.73	7.94	0.0062	24.00	0.2512	Pass
6465	4.61	7.82	0.0061	24.00	0.2512	Pass
6545	4.45	7.66	0.0058	24.00	0.2512	Pass
6705	5.01	8.22	0.0066	24.00	0.2512	Pass
6865	4.67	7.88	0.0061	24.00	0.2512	Pass
6945	5.63	8.84	0.0077	24.00	0.2512	Pass
7025	5.79	9.00	0.0079	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	5.26	8.47	0.0070	24.00	0.2512	Pass
6145	4.37	7.58	0.0057	24.00	0.2512	Pass
6385	5.92	9.13	0.0082	24.00	0.2512	Pass
6465	6.02	9.23	0.0084	24.00	0.2512	Pass
6545	5.63	8.84	0.0077	24.00	0.2512	Pass
6705	5.02	8.23	0.0067	24.00	0.2512	Pass
6865	5.72	8.93	0.0078	24.00	0.2512	Pass
6945	6.86	10.07	0.0102	24.00	0.2512	Pass
7025	4.59	7.80	0.0060	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	7.98	11.19	0.0132	24.00	0.2512	Pass
6145	9.47	12.68	0.0185	24.00	0.2512	Pass
6385	8.38	11.59	0.0144	24.00	0.2512	Pass
6465	8.38	11.59	0.0144	24.00	0.2512	Pass
6545	8.09	11.30	0.0135	24.00	0.2512	Pass
6705	8.03	11.24	0.0133	24.00	0.2512	Pass
6865	8.24	11.45	0.0140	24.00	0.2512	Pass
6945	9.30	12.51	0.0178	24.00	0.2512	Pass
7025	8.24	11.45	0.0140	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	7.67	10.88	0.0122	24.00	0.2512	Pass
6185	7.81	11.02	0.0126	24.00	0.2512	Pass
6345	7.14	10.35	0.0108	24.00	0.2512	Pass
6505	7.03	10.24	0.0106	24.00	0.2512	Pass
6665	7.15	10.36	0.0109	24.00	0.2512	Pass
6825	8.40	11.61	0.0145	24.00	0.2512	Pass
6985	8.66	11.87	0.0154	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	8.58	11.79	0.0151	24.00	0.2512	Pass
6185	8.23	11.44	0.0139	24.00	0.2512	Pass
6345	8.20	11.41	0.0138	24.00	0.2512	Pass
6505	8.77	11.98	0.0158	24.00	0.2512	Pass
6665	8.03	11.24	0.0133	24.00	0.2512	Pass
6825	9.08	12.29	0.0169	24.00	0.2512	Pass
6985	9.86	13.07	0.0203	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	11.16	14.37	0.0274	24.00	0.2512	Pass
6185	11.04	14.25	0.0266	24.00	0.2512	Pass
6345	10.71	13.92	0.0247	24.00	0.2512	Pass
6505	11.00	14.21	0.0264	24.00	0.2512	Pass
6665	10.62	13.83	0.0242	24.00	0.2512	Pass
6825	11.76	14.97	0.0314	24.00	0.2512	Pass
6985	12.31	15.52	0.0356	24.00	0.2512	Pass

Note: Conducted power = Measure result + Cable loss + Duty factor


APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)

Test Mode	IEEE 802.11a_Ant.1
-----------	--------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-11.16	0.94	-4.00	-1.00	Pass
6175	-10.31	0.94	-3.15	-1.00	Pass
6415	-12.20	0.94	-5.04	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-12.83	0.94	-5.67	-1.00	Pass
6475	-12.47	0.94	-5.31	-1.00	Pass
6515	-12.47	0.94	-5.31	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-12.64	0.94	-5.48	-1.00	Pass
6695	-11.76	0.94	-4.60	-1.00	Pass
6855	-11.74	0.94	-4.58	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-11.96	0.94	-4.80	-1.00	Pass
6995	-13.32	0.94	-6.16	-1.00	Pass
7115	-13.00	0.94	-5.84	-1.00	Pass




Test Mode	IEEE 802.11a_Ant.2
-----------	--------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-11.53	0.94	-4.37	-1.00	Pass
6175	-13.37	0.94	-6.21	-1.00	Pass
6415	-10.41	0.94	-3.25	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-11.02	0.94	-3.86	-1.00	Pass
6475	-10.98	0.94	-3.82	-1.00	Pass
6515	-10.49	0.94	-3.33	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-11.33	0.94	-4.17	-1.00	Pass
6695	-11.76	0.94	-4.60	-1.00	Pass
6855	-11.62	0.94	-4.46	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-11.43	0.94	-4.27	-1.00	Pass
6995	-10.64	0.94	-3.48	-1.00	Pass
7115	-10.08	0.94	-2.92	-1.00	Pass




Test Mode	IEEE 802.11a_Total
-----------	--------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-1.17	-1.00	Pass
6175	-1.41	-1.00	Pass
6415	-1.04	-1.00	Pass
6435	-1.66	-1.00	Pass
6475	-1.49	-1.00	Pass
6515	-1.20	-1.00	Pass
6535	-1.77	-1.00	Pass
6695	-1.59	-1.00	Pass
6855	-1.51	-1.00	Pass
6875	-1.52	-1.00	Pass
6995	-1.61	-1.00	Pass
7115	-1.13	-1.00	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-13.14	0.49	-6.43	-1.00	Pass
6175	-10.00	0.49	-3.29	-1.00	Pass
6415	-12.73	0.49	-6.02	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-12.62	0.49	-5.91	-1.00	Pass
6475	-12.60	0.49	-5.89	-1.00	Pass
6515	-12.45	0.49	-5.74	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-12.36	0.49	-5.65	-1.00	Pass
6695	-11.81	0.49	-5.10	-1.00	Pass
6855	-11.30	0.49	-4.59	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-11.26	0.49	-4.55	-1.00	Pass
6995	-13.32	0.49	-6.61	-1.00	Pass
7115	-12.62	0.49	-5.91	-1.00	Pass

