



Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-10.30	0.49	-3.59	-1.00	Pass
6175	-12.94	0.49	-6.23	-1.00	Pass
6415	-10.67	0.49	-3.96	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-10.36	0.49	-3.65	-1.00	Pass
6475	-10.61	0.49	-3.90	-1.00	Pass
6515	-10.33	0.49	-3.62	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-10.46	0.49	-3.75	-1.00	Pass
6695	-11.94	0.49	-5.23	-1.00	Pass
6855	-11.59	0.49	-4.88	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-11.56	0.49	-4.85	-1.00	Pass
6995	-10.05	0.49	-3.34	-1.00	Pass
7115	-10.21	0.49	-3.50	-1.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-1.77	-1.00	Pass
6175	-1.51	-1.00	Pass
6415	-1.86	-1.00	Pass
6435	-1.62	-1.00	Pass
6475	-1.77	-1.00	Pass
6515	-1.54	-1.00	Pass
6535	-1.59	-1.00	Pass
6695	-2.15	-1.00	Pass
6855	-1.72	-1.00	Pass
6875	-1.69	-1.00	Pass
6995	-1.66	-1.00	Pass
7115	-1.53	-1.00	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-12.65	0.50	-5.93	-1.00	Pass
6165	-9.85	0.50	-3.13	-1.00	Pass
6405	-11.81	0.50	-5.09	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-11.84	0.50	-5.12	-1.00	Pass
6485	-11.58	0.50	-4.86	-1.00	Pass
6525	-12.07	0.50	-5.35	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-11.60	0.50	-4.88	-1.00	Pass
6725	-11.18	0.50	-4.46	-1.00	Pass
6845	-10.94	0.50	-4.22	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-11.43	0.50	-4.71	-1.00	Pass
7005	-12.65	0.50	-5.93	-1.00	Pass
7085	-12.79	0.50	-6.07	-1.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-10.18	0.50	-3.46	-1.00	Pass
6165	-12.92	0.50	-6.20	-1.00	Pass
6405	-10.30	0.50	-3.58	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-10.14	0.50	-3.42	-1.00	Pass
6485	-10.13	0.50	-3.41	-1.00	Pass
6525	-9.91	0.50	-3.19	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-10.03	0.50	-3.31	-1.00	Pass
6725	-11.38	0.50	-4.66	-1.00	Pass
6845	-11.04	0.50	-4.32	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-11.00	0.50	-4.28	-1.00	Pass
7005	-9.81	0.50	-3.09	-1.00	Pass
7085	-10.25	0.50	-3.53	-1.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-1.51	-1.00	Pass
6165	-1.39	-1.00	Pass
6405	-1.26	-1.00	Pass
6445	-1.18	-1.00	Pass
6485	-1.06	-1.00	Pass
6525	-1.13	-1.00	Pass
6565	-1.01	-1.00	Pass
6725	-1.55	-1.00	Pass
6845	-1.26	-1.00	Pass
6885	-1.48	-1.00	Pass
7005	-1.27	-1.00	Pass
7085	-1.61	-1.00	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-11.15	0.50	-4.43	-1.00	Pass
6145	-10.21	0.50	-3.49	-1.00	Pass
6385	-12.01	0.50	-5.29	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-11.53	0.50	-4.81	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-12.06	0.50	-5.34	-1.00	Pass
6705	-11.02	0.50	-4.30	-1.00	Pass
6865	-11.49	0.50	-4.77	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-11.44	0.50	-4.72	-1.00	Pass
7025	-11.55	0.50	-4.83	-1.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-11.13	0.50	-4.41	-1.00	Pass
6145	-12.34	0.50	-5.62	-1.00	Pass
6385	-10.27	0.50	-3.55	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-10.54	0.50	-3.82	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-10.37	0.50	-3.65	-1.00	Pass
6705	-10.64	0.50	-3.92	-1.00	Pass
6865	-11.38	0.50	-4.66	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-10.30	0.50	-3.58	-1.00	Pass
7025	-10.56	0.50	-3.84	-1.00	Pass



Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-1.41	-1.00	Pass
6145	-1.42	-1.00	Pass
6385	-1.32	-1.00	Pass
6465	-1.28	-1.00	Pass
6545	-1.40	-1.00	Pass
6705	-1.10	-1.00	Pass
6865	-1.70	-1.00	Pass
6945	-1.10	-1.00	Pass
7025	-1.30	-1.00	Pass