



Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.71	0.42	2.13	8.62	Pass
62	5310	1.72	0.42	2.14	8.62	Pass




Date: 27.JAN.2026 15:54:48




Date: 27.JAN.2026 15:57:05

Test Mode	UNII-2A_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.94	0.42	3.36	8.62	Pass
62	5310	2.91	0.42	3.33	8.62	Pass



Date: 27.JAN.2026 15:56:27




Date: 27.JAN.2026 15:57:37

Test Mode	UNII-2A_TX BE(EHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.80	8.62	Pass
62	5310	5.79	8.62	Pass

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.19	0.44	-1.75	8.62	Pass



Date: 27_JAN.2026 16:15:05

Test Mode	UNII-2A_TX BE(EHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.84	0.44	-0.40	8.62	Pass




Date: 27_JAN.2026 16:19:01

Test Mode	UNII-2A_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.99	8.62	Pass


Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-6.39	0.44	-5.95	8.62	Pass



Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-4.86	0.44	-4.42	8.62	Pass




Test Mode	UNII-1+UNII-2A_TX BE(EHT160) Mode_Total
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-2.11	8.62	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.96	0.32	4.28	8.62	Pass
116	5580	4.23	0.32	4.55	8.62	Pass
140	5700	4.05	0.32	4.38	8.62	Pass
144	5720	4.20	0.32	4.52	8.62	Pass




Date: 27.JAN.2026 14:48:47



Date: 27.JAN.2026 14:51:02




Date: 27.JAN.2026 14:52:56




Date: 2.FEB.2026 14:18:59

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.60	0.32	5.93	8.62	Pass
116	5580	5.84	0.32	6.16	8.62	Pass
140	5700	6.05	0.32	6.37	8.62	Pass
144	5720	5.30	0.32	5.62	8.62	Pass




Date: 27.JAN.2026 14:49:12



Date: 27.JAN.2026 14:50:43



Date: 27.JAN.2026 14:53:11




Date: 2.FEB.2026 14:18:40

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.19	8.62	Pass
116	5580	8.44	8.62	Pass
140	5700	8.50	8.62	Pass
144	5720	8.12	8.62	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.07	0.34	4.41	8.62	Pass
116	5580	4.10	0.34	4.44	8.62	Pass
140	5700	4.30	0.34	4.64	8.62	Pass
144	5720	2.78	0.34	3.12	8.62	Pass




Date: 27.FEB.2026 11:06:06



Date: 27.FEB.2026 11:09:27



Date: 27.FEB.2026 11:12:34




Date: 11.FEB.2026 16:33:51

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.54	8.62	Pass
116	5580	8.41	8.62	Pass
140	5700	8.48	8.62	Pass
144	5720	6.78	8.62	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.36	0.35	0.70	8.62	Pass
110	5550	1.05	0.35	1.40	8.62	Pass
134	5670	0.99	0.35	1.33	8.62	Pass
142	5710	-3.07	0.35	-2.72	8.62	Pass




Date: 27.FEB.2026 11:35:43



Date: 27.FEB.2026 11:37:23



Date: 27.FEB.2026 11:41:52




Date: 11.FEB.2026 17:14:45

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.27	0.35	2.62	8.62	Pass
110	5550	3.08	0.35	3.43	8.62	Pass
134	5670	2.51	0.35	2.85	8.62	Pass
142	5710	-0.89	0.35	-0.54	8.62	Pass

CH102




Date: 27.FEB.2026 11:35:20

CH110




Date: 27.FEB.2026 11:37:51

CH134



Date: 27.FEB.2026 11:38:43

CH142




Date: 11.FEB.2026 17:15:27

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.78	8.62	Pass
110	5550	5.54	8.62	Pass
134	5670	5.17	8.62	Pass
142	5690	1.52	8.62	Pass

Test Mode UNII-2C_TX AC(VHT80) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.88	0.37	-3.50	8.62	Pass
122	5610	-3.39	0.37	-3.01	8.62	Pass
138	5690	-6.39	0.37	-6.02	8.62	Pass



Date: 27.FEB.2026 13:05:43



Date: 27.FEB.2026 13:11:46




Date: 11.FEB.2026 17:20:41

Test Mode UNII-2C_TX AC(VHT80) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.03	0.37	-1.66	8.62	Pass
122	5610	-1.82	0.37	-1.45	8.62	Pass
138	5690	-4.26	0.37	-3.89	8.62	Pass



Date: 27.FEB.2026 13:06:04



Date: 27.FEB.2026 13:10:21




Date: 11.FEB.2026 17:21:13

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.52	8.62	Pass
122	5610	0.85	8.62	Pass
138	5690	-1.82	8.62	Pass

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-7.07	0.37	-6.70	8.62	Pass



Date: 27.FEB.2026 13:17:56

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-4.84	0.37	-4.47	8.62	Pass




Date: 27.FEB.2026 13:18:32

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.43	8.62	Pass

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.94	0.42	4.36	8.62	Pass
116	5580	3.99	0.42	4.42	8.62	Pass
140	5700	3.76	0.42	4.18	8.62	Pass
144	5720	4.39	0.42	4.81	8.62	Pass




Date: 27.JAN.2026 15:38:34



Date: 27.JAN.2026 15:39:23




Date: 27.JAN.2026 15:40:44




Date: 2.FEB.2026 14:21:19

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.43	0.42	5.85	8.62	Pass
116	5580	5.70	0.42	6.12	8.62	Pass
140	5700	5.78	0.42	6.20	8.62	Pass
144	5720	5.42	0.42	5.84	8.62	Pass




Date: 27.JAN.2026 15:38:12



Date: 27.JAN.2026 15:39:44



Date: 27.JAN.2026 15:40:20



Date: 2.FEB.2026 14:21:44


Test Mode	UNII-2C_TX BE(EHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.18	8.62	Pass
116	5580	8.36	8.62	Pass
140	5700	8.32	8.62	Pass
144	5720	8.37	8.62	Pass

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.27	0.42	1.69	8.62	Pass
110	5550	1.46	0.42	1.88	8.62	Pass
134	5670	1.17	0.42	1.59	8.62	Pass
142	5710	0.52	0.42	0.94	8.62	Pass

CH102




Date: 27.JAN.2026 16:00:05

CH110




Date: 27.JAN.2026 16:03:42

CH134



Date: 27.JAN.2026 16:05:37

CH142




Date: 2.FEB.2026 14:23:27


Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.79	0.42	3.21	8.62	Pass
110	5550	2.93	0.42	3.34	8.62	Pass
134	5670	2.91	0.42	3.33	8.62	Pass
142	5710	1.54	0.42	1.96	8.62	Pass


CH102




CH110



CH134



CH142




Test Mode	UNII-2C_TX BE(EHT40) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.53	8.62	Pass
110	5550	5.68	8.62	Pass
134	5670	5.56	8.62	Pass
142	5710	4.49	8.62	Pass

Test Mode UNII-2C_TX BE(EHT80) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.95	0.44	-2.51	8.62	Pass
122	5610	-2.92	0.44	-2.48	8.62	Pass
138	5690	-3.63	0.44	-3.19	8.62	Pass



Date: 27.JAN.2026 16:20:03




Date: 27.JAN.2026 16:22:39




Date: 2.FEB.2026 14:24:30

Test Mode UNII-2C_TX BE(EHT80) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.64	0.44	-1.21	8.62	Pass
122	5610	-1.18	0.44	-0.74	8.62	Pass
138	5690	-2.50	0.44	-2.06	8.62	Pass



Date: 27.JAN.2026 16:20:35



Date: 27.JAN.2026 16:24:51




Date: 2.FEB.2026 14:24:56

Test Mode	UNII-2C_TX BE(EHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.20	8.62	Pass
122	5610	1.48	8.62	Pass
138	5690	0.42	8.62	Pass


Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-6.69	0.44	-6.25	8.62	Pass



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-4.68	0.44	-4.25	8.62	Pass




Test Mode	UNII-2C_TX BE(EHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.12	8.62	Pass


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.02	2.97	0.32	3.29	27.62	Pass
157	5785	-3.96	3.03	0.32	3.36	27.62	Pass
165	5825	-3.97	3.02	0.32	3.34	27.62	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 27.JAN.2026 14:55:06



Date: 27.JAN.2026 15:00:00




Date: 27.JAN.2026 15:00:41


Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.88	5.11	0.32	5.44	27.62	Pass
157	5785	-2.27	4.72	0.32	5.05	27.62	Pass
165	5825	-2.78	4.21	0.32	4.53	27.62	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 27.JAN.2026 14:55:27



Date: 27.JAN.2026 14:59:07



Date: 27.JAN.2026 15:01:01


Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.51	27.62	Pass
157	5785	7.29	27.62	Pass
165	5825	6.99	27.62	Pass


Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.71	3.28	0.34	3.62	27.62	Pass
157	5785	-5.09	1.90	0.34	2.25	27.62	Pass
165	5825	-5.22	1.77	0.34	2.11	27.62	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 27.FEB.2026 11:13:35



Date: 27.FEB.2026 11:18:58




Date: 27.FEB.2026 11:23:46


Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.29	3.70	0.34	4.04	27.62	Pass
157	5785	-3.61	3.38	0.34	3.72	27.62	Pass
165	5825	-3.81	3.18	0.34	3.52	27.62	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 27.FEB.2026 11:15:12



Date: 27.FEB.2026 11:18:28



Date: 27.FEB.2026 11:24:05


Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.84	27.62	Pass
157	5785	6.06	27.62	Pass
165	5825	5.88	27.62	Pass


Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-7.42	-0.43	0.35	-0.09	27.62	Pass
159	5795	-8.09	-1.10	0.35	-0.75	27.62	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 27.FEB.2026 11:46:17




Date: 27.FEB.2026 11:52:34


Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-5.90	1.09	0.35	1.44	27.62	Pass
159	5795	-6.68	0.31	0.35	0.66	27.62	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 27.FEB.2026 11:46:38



Date: 27.FEB.2026 11:50:04


Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.75	27.62	Pass
159	5795	3.02	27.62	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-12.16	-5.17	0.37	-4.79	27.62	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-10.91	-3.92	0.37	-3.55	27.62	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$




Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.12	27.62	Pass


Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.82	2.17	0.42	2.59	27.62	Pass
157	5785	-4.91	2.08	0.42	2.51	27.62	Pass
165	5825	-4.94	2.05	0.42	2.47	27.62	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 27.JAN.2026 15:44:41



Date: 27.JAN.2026 15:46:04




Date: 27.JAN.2026 15:48:53


Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.94	4.05	0.42	4.47	27.62	Pass
157	5785	-3.56	3.43	0.42	3.85	27.62	Pass
165	5825	-4.32	2.67	0.42	3.10	27.62	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 27.JAN.2026 15:45:06



Date: 27.JAN.2026 15:46:39



Date: 27.JAN.2026 15:50:07



Test Mode	UNII-3_TX BE(EHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.64	27.62	Pass
157	5785	6.24	27.62	Pass
165	5825	5.81	27.62	Pass

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.51	-1.52	0.42	-1.10	27.62	Pass
159	5795	-9.04	-2.05	0.42	-1.63	27.62	Pass



NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-7.03	-0.04	0.42	0.38	27.62	Pass
159	5795	-7.40	-0.41	0.42	0.01	27.62	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$




Test Mode	UNII-3_TX BE(EHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.71	27.62	Pass
159	5795	2.28	27.62	Pass

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-12.60	-5.61	0.44	-5.17	27.62	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-11.19	-4.20	0.44	-3.76	27.62	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX BE(EHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.40	27.62	Pass

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
5.75	5179.9400
5.00	5179.9200
4.25	5179.9400
Maximum Deviation (MHz)	-0.0800
Maximum Deviation (ppm)	-15.4440

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-10.00	5179.9200
0.00	5179.9800
10.00	5179.9800
20.00	5179.9200
30.00	5179.9400
40.00	5179.9400
50.00	5179.9200
60.00	5179.9600
70.00	5179.9400
Maximum Deviation (MHz)	-0.0800
Maximum Deviation (ppm)	-15.4440

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
5.75	5259.9400
5.00	5259.9200
4.25	5259.9600
Maximum Deviation (MHz)	-0.0800
Maximum Deviation (ppm)	-15.2091

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-10.00	5259.9400
0.00	5259.9600
10.00	5259.9400
20.00	5259.9200
30.00	5259.9200
40.00	5259.9200
50.00	5259.9200
60.00	5259.9600
70.00	5259.9400
Maximum Deviation (MHz)	-0.0800
Maximum Deviation (ppm)	-15.2091

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
5.75	5499.9400
5.00	5499.9400
4.25	5499.9600
Maximum Deviation (MHz)	-0.0600
Maximum Deviation (ppm)	-10.9091

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-10.00	5499.9200
0.00	5499.9400
10.00	5499.9400
20.00	5499.9400
30.00	5499.9200
40.00	5499.9400
50.00	5499.9200
60.00	5499.9400
70.00	5499.9400
Maximum Deviation (MHz)	-0.0800
Maximum Deviation (ppm)	-14.5455

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
5.75	5744.9400
5.00	5744.9400
4.25	5744.9400
Maximum Deviation (MHz)	-0.0600
Maximum Deviation (ppm)	-10.4439

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-10.00	5744.9400
0.00	5744.9200
10.00	5744.9200
20.00	5744.9400
30.00	5744.9200
40.00	5744.9200
50.00	5744.9200
60.00	5744.9200
70.00	5744.9400
Maximum Deviation (MHz)	-0.0800
Maximum Deviation (ppm)	-13.9252

End of Test Report