




6. Conducted Spurious Emissions




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=166800
RB=1@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=166800
RB=1@105




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=166800
RB=100@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300
RB=1@0




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300
RB=1@105




n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167300
RB=100@0



n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167800
RB=1@0



n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167800
RB=1@105



n5 SCS=15kHz DFT_BPSK BW=20MHz Channel=167800
RB=100@0

7. Radiated Spurious Emissions

n5 - DFT-s-OFDM - PI/2 BPSK - 20M - Low Channel									
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1648	-55.12	-13	-42.12	-60.76	-62.13	2.65	9.66	H	Pass
2464	-38.28	-13	-25.28	-46.4	-45.7	3.32	10.74	H	Pass
3296	-55.3	-13	-42.3	-62.28	-62.2	3.89	10.79	H	Pass
1648	-57.29	-13	-44.29	-63.38	-64.3	2.65	9.66	V	Pass
2424	-43.36	-13	-30.36	-51.89	-50.51	3.29	10.44	V	Pass
4488	-51.28	-13	-38.28	-65.57	-58.48	4.65	11.85	V	Pass

Note: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.