

Test Report No.50128513 001

Appendix D: Radiated Spurious Emission Data

(File: 50128513 001AppendixD)


Contents

Radiated Emissions, Band Edges, 2.35-2.5G	2
Spurious Emissions, TX Mode, 9K-30M	6
Spurious Emissions, TX Mode, 30M-1G	8
Spurious Emissions, TX Mode, 1-18G.....	10
Spurious Emissions, TX Mode, 18-26.5G.....	16
Spurious Emissions, RX Mode, 9K-30M.....	22
Spurious Emissions, RX Mode, 30M-1G.....	24
Spurious Emissions, RX Mode, 1-18G	26
Spurious Emissions, RX Mode, 18-26.5G	28


Radiated Emissions, Band Edges, 2.35-2.5G

Radiated Bandedge

Low Channel (Hor)




Date: 8.FEB.2018 11:24:53




Date: 8.FEB.2018 11:24:00

Low Channel (Ver)




Date: 8.FEB.2018 11:29:05




Date: 8.FEB.2018 11:28:30

High Channel (Hor)




Date: 8.FEB.2018 11:14:24




Date: 8.FEB.2018 11:12:20

High Channel (Ver)



Date: 8.FEB.2018 11:20:04



Date: 8.FEB.2018 11:18:02


Spurious Emissions, TX Mode, 9K-30M



TUV Rheinland Taiwan Ltd.


11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC2.8_9k-1G_3m	Ant. Polarization:	N/A
Test item:	Radiation Emission	Test Time:	2018/2/22 15:34:42
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%)	20.3(°C)/64%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	0.0095	19.73	32.06	51.79	128.03	-76.24	QP	100	30	
2	0.0239	20.07	23.36	43.43	120.02	-76.59	QP	100	280	
3	0.0373	19.87	20.90	40.77	116.16	-75.39	QP	100	33	
4	0.0487	19.48	17.72	37.20	113.84	-76.64	QP	100	75	
5	0.0720	19.30	13.69	32.99	110.45	-77.46	QP	100	144	
6	0.1074	19.12	11.33	30.45	106.98	-76.53	QP	100	292	



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC2.8_9k-1G_3m	Ant. Polarization:	N/A
Test item:	Radiation Emission	Test Time:	2018/2/22 15:37:54
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	20.3(°C)/64%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	0.1500	19.08	24.86	43.94	104.08	-60.14	QP	100	169	
2	5.1647	19.77	11.99	31.76	69.50	-37.74	QP	100	358	
3	12.2989	20.62	11.85	32.47	69.50	-37.03	QP	100	72	
4	16.7764	21.41	10.70	32.11	69.50	-37.39	QP	100	274	
5	18.0003	21.63	10.40	32.03	69.50	-37.47	QP	100	187	
6	22.4777	22.15	9.79	31.94	69.50	-37.56	QP	100	337	


Spurious Emissions, TX Mode, 30M-1G



TUV Rheinland Taiwan Ltd.


11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Class B 3M Radiation	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2018/2/21 16:57:11
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	22.6(°C)/59%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	30.0000	-0.25	23.67	23.42	40.00	-16.58	QP	100	220	
2	105.6600	-8.77	29.80	21.03	43.50	-22.47	QP	100	196	
3	373.3800	-2.92	26.62	23.70	46.00	-22.30	QP	100	284	
4	650.8000	0.54	27.10	27.64	46.00	-18.36	QP	100	121	
5	745.8600	2.28	27.61	29.89	46.00	-16.11	QP	100	189	
6	960.2300	5.54	28.28	33.82	54.00	-20.18	QP	100	183	



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Class B 3M Radiation	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2018/2/21 16:58:08
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	22.6(°C)/59%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	30.9700	-0.79	25.29	24.50	40.00	-15.50	QP	100	339	
2	100.8100	-9.39	31.10	21.71	43.50	-21.79	QP	100	64	
3	262.8000	-5.06	26.96	21.90	46.00	-24.10	QP	100	67	
4	519.8500	-0.89	27.26	26.37	46.00	-19.63	QP	100	354	
5	726.4600	1.85	27.25	29.10	46.00	-16.90	QP	100	354	
6	961.2000	5.54	30.19	35.73	54.00	-18.27	QP	100	137	


Spurious Emissions, TX Mode, 1-18G



TUV Rheinland Taiwan Ltd.


11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105

Tel: +886-2172-7000 fax: +886-2528-0018




Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2018/2/8 11:24:49
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%):	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2402-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4804.000	-2.72	47.31	44.59	74.00	-29.41	peak	100	205	
2	7206.000	5.25	45.15	50.40	74.00	-23.60	peak	100	168	
3	8684.000	6.40	45.15	51.55	74.00	-22.45	peak	100	198	




Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2018/2/8 11:25:45
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2402-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4804.000	-2.72	50.27	47.55	74.00	-26.45	peak	100	253	
2	7206.000	5.25	43.60	48.85	74.00	-25.15	peak	100	156	
3	8633.000	6.39	44.92	51.31	74.00	-22.69	peak	100	263	




Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2018/2/8 11:28:43
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4880.000	-2.50	48.46	45.96	74.00	-28.04	peak	100	250	
2	7320.000	5.54	44.12	49.66	74.00	-24.34	peak	100	210	
3	8480.000	6.35	45.23	51.58	74.00	-22.42	peak	100	239	




Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2018/2/8 11:29:40
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4880.000	-2.50	48.88	46.38	74.00	-27.62	peak	100	150	
2	7320.000	5.54	44.73	50.27	74.00	-23.73	peak	100	120	
3	8548.000	6.38	44.82	51.20	74.00	-22.80	peak	100	133	



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2018/2/8 11:33:26
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2480-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4960.000	-2.28	49.19	46.91	74.00	-27.09	peak	100	153	
2	7440.000	5.84	44.03	49.87	74.00	-24.13	peak	100	260	
3	8905.000	6.42	44.95	51.37	74.00	-22.63	peak	100	323	



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2018/2/8 11:34:23
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2480-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	4960.000	-2.28	50.00	47.72	74.00	-26.28	peak	100	150	
2	7440.000	5.84	43.90	49.74	74.00	-24.26	peak	100	210	
3	9092.000	6.46	45.15	51.61	74.00	-22.39	peak	100	119	


Spurious Emissions, TX Mode, 18-26.5G



TUV Rheinland Taiwan Ltd.


11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105

Tel: +886-2172-7000 fax: +886-2528-0018




Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2018/2/8 13:09:10
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%):	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2402-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	23882.000	32.51	18.00	50.51	74.00	-23.49	peak		0	




Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2018/2/8 13:09:17
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2402-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	23227.500	32.56	17.86	50.42	74.00	-23.58	peak			




Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2018/2/8 13:09:51
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	21391.500	32.18	17.75	49.93	74.00	-24.07	peak			




Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2018/2/8 13:09:58
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	23525.000	32.81	17.49	50.30	74.00	-23.70	peak			



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2018/2/8 13:10:56
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2480-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	24757.500	32.85	16.90	49.75	74.00	-24.25	peak			



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2018/2/8 13:11:02
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	15.8(°C)/62%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2480-TX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	24834.000	32.91	16.78	49.69	74.00	-24.31	peak			


Spurious Emissions, RX Mode, 9K-30M



TUV Rheinland Taiwan Ltd.


11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC2.8_9k-1G_3m	Ant. Polarization:	N/A
Test item:	Radiation Emission	Test Time:	2018/2/22 15:35:39
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	20.3(°C)/64%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	0.0096	19.77	31.96	51.73	127.94	-76.21	QP	100	308	
2	0.0196	20.03	25.99	46.02	121.74	-75.72	QP	100	266	
3	0.0421	19.71	19.87	39.58	115.11	-75.53	QP	100	106	
4	0.0725	19.30	14.47	33.77	110.39	-76.62	QP	100	342	
5	0.0970	19.15	12.42	31.57	107.86	-76.29	QP	100	360	
6	0.1352	19.09	8.10	27.19	104.98	-77.79	QP	100	191	



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC2.8_9k-1G_3m	Ant. Polarization:	N/A
Test item:	Radiation Emission	Test Time:	2018/2/22 15:38:51
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	20.3(°C)/64%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	0.1500	19.08	24.27	43.35	104.08	-60.73	QP	100	285	
2	7.2245	19.97	12.55	32.52	69.50	-36.98	QP	100	150	
3	8.5379	20.08	12.36	32.44	69.50	-37.06	QP	100	288	
4	12.6870	20.70	11.61	32.31	69.50	-37.19	QP	100	315	
5	21.7614	22.11	9.35	31.46	69.50	-38.04	QP	100	189	
6	24.2091	22.26	8.43	30.69	69.50	-38.81	QP	100	291	


Spurious Emissions, RX Mode, 30M-1G



TUV Rheinland Taiwan Ltd.


11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Class B 3M Radiation	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2018/2/21 16:22:10
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	22.6(°C)/59%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	95.9599	-10.09	43.15	33.06	43.50	-10.44	QP	100	274	
2	143.4900	-7.12	40.24	33.12	43.50	-10.38	QP	100	290	
3	191.9900	-9.42	39.71	30.29	43.50	-13.21	QP	100	157	
4	312.2699	-4.26	35.89	31.63	46.00	-14.37	QP	100	91	
5	336.5199	-3.66	38.38	34.72	46.00	-11.28	QP	100	86	
6	359.8000	-3.16	36.28	33.12	46.00	-12.88	QP	100	116	



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Class B 3M Radiation	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2018/2/21 16:23:14
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%) :	22.6(°C)/59%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	47.4600	-10.07	45.77	35.70	40.00	-4.30	QP	100	360	
2	95.9600	-10.09	44.44	34.35	43.50	-9.15	QP	100	59	
3	143.4900	-7.12	39.90	32.78	43.50	-10.72	QP	100	325	
4	191.9900	-9.42	42.26	32.84	43.50	-10.66	QP	100	120	
5	240.4900	-6.76	35.12	28.36	46.00	-17.64	QP	100	343	
6	336.5200	-3.66	30.74	27.08	46.00	-18.92	QP	100	187	


Spurious Emissions, RX Mode, 1-18G



TUV Rheinland Taiwan Ltd.


11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105

Tel: +886-2172-7000 fax: +886-2528-0018



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2018/2/21 14:48:56
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%):	22.6(°C)/59%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	1918.000	-8.64	54.97	46.33	74.00	-27.67	peak	100	84	
2	4876.000	-3.42	52.43	49.01	74.00	-24.99	peak	100	220	
3	7273.000	4.39	46.46	50.85	74.00	-23.15	peak	100	86	



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2018/2/21 14:49:59
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%):	22.6(°C)/59%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	1918.000	-8.64	54.27	45.63	74.00	-28.37	peak	100	351	
2	4876.000	-3.42	51.90	48.48	74.00	-25.52	peak	100	243	
3	7171.000	4.12	46.31	50.43	74.00	-23.57	peak	100	282	


Spurious Emissions, RX Mode, 18-26.5G



TUV Rheinland Taiwan Ltd.


11F., No.758, Sec.4 Bade Road. Songshan Dist, Taipei City 105

Tel:+886-2172-7000 fax:+886-2528-0018



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Horizontal
Test item:	Radiation Emission	Test Time:	2018/2/21 14:39:43
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%):	22.6(°C)/59%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	21289.500	32.69	17.84	50.53	74.00	-23.47	peak		0	



Service No.:	114073430	Test Distance:	3m
Test Standard:	FCC Above 1G PEAK	Ant. Polarization:	Vertical
Test item:	Radiation Emission	Test Time:	2018/2/21 14:39:50
Applicant:	Shenghuo Technology Ltd.	Test Rating:	DC 3V
Product:	GLUCONEXT	Temp.(°C)/Hum.(%):	22.6(°C)/59%
Model No.:	GA1	Test Engineer:	Curry Chen
Test Mode:	2440-RX		
Remark:			

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (°)	Remark
1	23049.000	32.84	17.23	50.07	74.00	-23.93	peak			