Test result

Project Number: Certification

Test Time: 2020-02-18_13.41.44

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7877.031	-64.54	9.32	-13.0	-51.54	358.80	Horizontal	Vertical	Pass
9185.704	-60.08	13.45	-13.0	-47.08	348.90	Horizontal	Vertical	Pass
10560.360	-56.83	16.14	-13.0	-43.83	308.70	Horizontal	Vertical	Pass
11211.947	-56.33	15.91	-13.0	-43.33	240.60	Horizontal	Vertical	Pass
14821.795	-47.10	25.71	-13.0	-34.10	345.50	Horizontal	Vertical	Pass
16914.021	-45.29	26.30	-13.0	-32.29	303.50	Horizontal	Vertical	Pass

LTE-B4-5-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-12_17.27.21

EUT Name:	N.A	Test Engineer:	LYT
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	Normal
Temp.(oC):	20.1	Load:	full load
Hum.:	54	Remark:	DR-RSE01-E19020010-06#03

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
138.370	-71.15	-13.91	-13.0	-58.15	355.30	Horizontal	Vertical	Pass
198.738	-69.91	-9.89	-13.0	-56.91	96.10	Horizontal	Vertical	Pass
240.195	-65.86	-1.55	-13.0	-52.86	310.40	Horizontal	Vertical	Pass
1200.225	-56.40	-3.69	-13.0	-43.40	273.40	Horizontal	Vertical	Pass
2154.106	-30.18	-4.91	-13.0	-17.18	234.70	Horizontal	Vertical	Pass
4123.360	-44.68	0.67	-13.0	-31.68	308.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.43.45

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7918.270	-64.78	9.39	-13.0	-51.78	346.50	Horizontal	Vertical	Pass
9180.205	-60.10	13.31	-13.0	-47.10	205.00	Horizontal	Vertical	Pass
11145.964	-54.57	15.55	-13.0	-41.57	358.30	Horizontal	Vertical	Pass
13196.951	-56.41	16.01	-13.0	-43.41	196.90	Horizontal	Vertical	Pass
14527.618	-47.19	24.24	-13.0	-34.19	173.80	Horizontal	Vertical	Pass
14838.290	-47.38	25.70	-13.0	-34.38	168.60	Horizontal	Vertical	Pass

LTE-B4-5-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_10.16.33

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
82.124	-72.55	-17.00	-13.0	-59.55	0.10	Vertical	Vertical	Pass
239.710	-68.80	-1.63	-13.0	-55.80	90.50	Vertical	Vertical	Pass
1000.250	-57.84	-4.26	-13.0	-44.84	340.00	Vertical	Vertical	Pass
2114.111	-54.10	-5.48	-13.0	-41.10	196.00	Vertical	Vertical	Pass
3008.999	-48.02	-0.87	-13.0	-35.02	88.40	Vertical	Vertical	Pass
6972.003	-32.28	10.26	-13.0	-19.28	227.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_11.45.50

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7987.003	-64.07	8.93	-13.0	-51.07	112.10	Vertical	Vertical	Pass
8861.285	-60.91	11.31	-13.0	-47.91	74.80	Vertical	Vertical	Pass
10571.357	-56.91	16.14	-13.0	-43.91	134.40	Vertical	Vertical	Pass
14810.797	-47.10	25.72	-13.0	-34.10	232.30	Vertical	Vertical	Pass
16949.763	-45.39	26.59	-13.0	-32.39	175.00	Vertical	Vertical	Pass
17782.804	-37.33	34.85	-13.0	-24.33	97.90	Vertical	Vertical	Pass

LTE-B4-5-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_10.12.35

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.397	-72.00	-17.54	-13.0	-59.00	58.70	Vertical	Vertical	Pass
240.195	-68.78	-1.55	-13.0	-55.78	159.50	Vertical	Vertical	Pass
1003.500	-58.36	-4.35	-13.0	-45.36	282.30	Vertical	Vertical	Pass
2131.859	-54.80	-5.12	-13.0	-41.80	175.10	Vertical	Vertical	Pass
5078.240	-41.74	2.67	-13.0	-28.74	358.30	Vertical	Vertical	Pass
6995.501	-32.44	11.08	-13.0	-19.44	310.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_11.47.24

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-64.83	9.44	-13.0	-51.83	213.60	Vertical	Vertical	Pass
9325.919	-58.88	13.99	-13.0	-45.88	81.50	Vertical	Vertical	Pass
10604.349	-56.64	16.11	-13.0	-43.64	219.50	Vertical	Vertical	Pass
13199.700	-55.88	16.07	-13.0	-42.88	222.20	Vertical	Vertical	Pass
14841.040	-46.14	25.70	-13.0	-33.14	343.80	Vertical	Vertical	Pass
16919.520	-44.66	26.35	-13.0	-31.66	147.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_10.20.41

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
82.124	-72.61	-17.00	-13.0	-59.61	28.00	Vertical	Vertical	Pass
648.463	-66.63	1.24	-13.0	-53.63	252.60	Vertical	Vertical	Pass
1002.000	-58.54	-4.31	-13.0	-45.54	145.70	Vertical	Vertical	Pass
2150.856	-53.91	-4.91	-13.0	-40.91	176.60	Vertical	Vertical	Pass
3001.000	-48.31	-0.66	-13.0	-35.31	27.80	Vertical	Vertical	Pass
6994.001	-32.88	11.03	-13.0	-19.88	36.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_11.44.08

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7901.775	-64.67	9.74	-13.0	-51.67	18.30	Vertical	Vertical	Pass
9419.395	-59.44	14.92	-13.0	-46.44	74.60	Vertical	Vertical	Pass
10516.371	-57.01	16.40	-13.0	-44.01	258.10	Vertical	Vertical	Pass
12127.468	-57.69	14.80	-13.0	-44.69	207.80	Vertical	Vertical	Pass
14838.290	-46.94	25.70	-13.0	-33.94	196.30	Vertical	Vertical	Pass
16914.021	-45.27	26.30	-13.0	-32.27	233.10	Vertical	Vertical	Pass

LTE-B4-10-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_10.43.52

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.185	-74.15	-14.90	-13.0	-61.15	151.70	Horizontal	Vertical	Pass
200.435	-68.64	-8.78	-13.0	-55.64	23.70	Horizontal	Vertical	Pass
645.069	-66.63	1.20	-13.0	-53.63	309.60	Horizontal	Vertical	Pass
1008.999	-58.69	-4.50	-13.0	-45.69	233.20	Horizontal	Vertical	Pass
3003.500	-47.39	-0.72	-13.0	-34.39	260.70	Horizontal	Vertical	Pass
6991.001	-32.97	10.92	-13.0	-19.97	359.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.45.37

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9202.199	-59.47	13.77	-13.0	-46.47	332.40	Horizontal	Vertical	Pass
11071.732	-56.46	15.61	-13.0	-43.46	352.10	Horizontal	Vertical	Pass
12069.733	-58.35	14.53	-13.0	-45.35	324.20	Horizontal	Vertical	Pass
13757.811	-55.27	17.83	-13.0	-42.27	335.00	Horizontal	Vertical	Pass
14541.365	-47.74	24.24	-13.0	-34.74	343.90	Horizontal	Vertical	Pass
14835.541	-47.66	25.71	-13.0	-34.66	335.00	Horizontal	Vertical	Pass

LTE-B4-10-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_10.47.17

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-72.24	-14.48	-13.0	-59.24	147.00	Horizontal	Vertical	Pass
236.801	-68.30	-3.49	-13.0	-55.30	204.70	Horizontal	Vertical	Pass
455.239	-68.24	-1.01	-13.0	-55.24	256.80	Horizontal	Vertical	Pass
1008.999	-58.05	-4.50	-13.0	-45.05	281.90	Horizontal	Vertical	Pass
3002.500	-48.61	-0.70	-13.0	-35.61	0.40	Horizontal	Vertical	Pass
6996.000	-32.89	11.10	-13.0	-19.89	328.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.44.55

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9405.649	-58.32	15.20	-13.0	-45.32	13.40	Horizontal	Vertical	Pass
10560.360	-56.30	16.14	-13.0	-43.30	0.40	Horizontal	Vertical	Pass
11222.944	-56.27	15.80	-13.0	-43.27	22.00	Horizontal	Vertical	Pass
12754.311	-56.92	14.76	-13.0	-43.92	287.70	Horizontal	Vertical	Pass
14574.356	-47.24	24.40	-13.0	-34.24	128.50	Horizontal	Vertical	Pass
16850.787	-43.72	26.20	-13.0	-30.72	358.20	Horizontal	Vertical	Pass

LTE-B4-10-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_10.40.15

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.96	-14.48	-13.0	-60.96	152.80	Horizontal	Vertical	Pass
238.013	-69.72	-2.72	-13.0	-56.72	199.00	Horizontal	Vertical	Pass
1000.000	-68.25	2.33	-13.0	-55.25	25.20	Horizontal	Vertical	Pass
3024.497	-47.96	-1.27	-13.0	-34.96	329.90	Horizontal	Vertical	Pass
5404.699	-41.53	2.49	-13.0	-28.53	293.50	Horizontal	Vertical	Pass
6997.000	-32.39	11.13	-13.0	-19.39	315.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.46.29

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9191.202	-59.28	13.58	-13.0	-46.28	77.70	Horizontal	Vertical	Pass
11195.451	-56.17	15.98	-13.0	-43.17	41.20	Horizontal	Vertical	Pass
13199.700	-55.59	16.07	-13.0	-42.59	30.10	Horizontal	Vertical	Pass
14516.621	-47.94	24.24	-13.0	-34.94	74.70	Horizontal	Vertical	Pass
14808.048	-47.21	25.72	-13.0	-34.21	85.90	Horizontal	Vertical	Pass
16867.283	-44.69	26.20	-13.0	-31.69	66.20	Horizontal	Vertical	Pass

LTE-B4-10-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_10.31.21

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.912	-72.37	-17.90	-13.0	-59.37	121.80	Vertical	Vertical	Pass
240.680	-70.12	-1.82	-13.0	-57.12	211.60	Vertical	Vertical	Pass
454.269	-68.56	-1.14	-13.0	-55.56	64.80	Vertical	Vertical	Pass
1001.500	-58.16	-4.29	-13.0	-45.16	48.60	Vertical	Vertical	Pass
3004.999	-47.83	-0.76	-13.0	-34.83	242.50	Vertical	Vertical	Pass
6978.503	-33.51	10.49	-13.0	-20.51	359.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_11.49.49

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8083.229	-64.46	9.88	-13.0	-51.46	88.90	Vertical	Vertical	Pass
9232.442	-59.75	13.52	-13.0	-46.75	45.80	Vertical	Vertical	Pass
10670.332	-56.51	15.95	-13.0	-43.51	103.40	Vertical	Vertical	Pass
11200.950	-56.15	16.01	-13.0	-43.15	8.60	Vertical	Vertical	Pass
14802.549	-46.55	25.72	-13.0	-33.55	54.40	Vertical	Vertical	Pass
16925.019	-44.31	26.39	-13.0	-31.31	77.40	Vertical	Vertical	Pass

LTE-B4-10-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_10.25.51

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.154	-74.58	-17.29	-13.0	-61.58	126.50	Vertical	Vertical	Pass
239.710	-70.24	-1.63	-13.0	-57.24	0.00	Vertical	Vertical	Pass
645.554	-66.76	1.21	-13.0	-53.76	200.20	Vertical	Vertical	Pass
2129.609	-54.79	-5.15	-13.0	-41.79	194.70	Vertical	Vertical	Pass
4140.857	-45.00	0.41	-13.0	-32.00	9.50	Vertical	Vertical	Pass
6999.000	-32.82	11.20	-13.0	-19.82	97.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_11.51.21

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7937.516	-64.26	8.97	-13.0	-51.26	86.30	Vertical	Vertical	Pass
9400.150	-58.40	15.31	-13.0	-45.40	212.50	Vertical	Vertical	Pass
10543.864	-56.73	16.19	-13.0	-43.73	255.70	Vertical	Vertical	Pass
14491.877	-47.17	23.98	-13.0	-34.17	131.70	Vertical	Vertical	Pass
14810.797	-46.23	25.72	-13.0	-33.23	11.20	Vertical	Vertical	Pass
16845.289	-44.67	26.10	-13.0	-31.67	143.30	Vertical	Vertical	Pass

LTE-B4-10-HCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_10.35.07

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.882	-71.53	-17.18	-13.0	-58.53	27.30	Vertical	Vertical	Pass
239.468	-70.27	-1.78	-13.0	-57.27	263.60	Vertical	Vertical	Pass
1005.499	-58.47	-4.40	-13.0	-45.47	358.40	Vertical	Vertical	Pass
2153.356	-53.98	-4.91	-13.0	-40.98	177.40	Vertical	Vertical	Pass
3000.500	-48.19	-0.64	-13.0	-35.19	188.50	Vertical	Vertical	Pass
6983.502	-32.67	10.66	-13.0	-19.67	157.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_11.48.30

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7945.764	-64.29	8.79	-13.0	-51.29	318.80	Vertical	Vertical	Pass
9210.447	-58.82	13.70	-13.0	-45.82	357.00	Vertical	Vertical	Pass
11181.705	-55.53	15.87	-13.0	-42.53	295.40	Vertical	Vertical	Pass
14535.866	-47.57	24.24	-13.0	-34.57	357.90	Vertical	Vertical	Pass
16834.291	-45.76	25.86	-13.0	-32.76	353.70	Vertical	Vertical	Pass
17972.507	-30.09	42.30	-13.0	-17.09	170.20	Vertical	Vertical	Pass

LTE-B4-15-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_10.55.19

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.30	-14.48	-13.0	-60.30	151.60	Horizontal	Vertical	Pass
200.677	-68.72	-8.88	-13.0	-55.72	39.90	Horizontal	Vertical	Pass
1008.249	-58.35	-4.48	-13.0	-45.35	240.20	Horizontal	Vertical	Pass
2276.590	-55.86	-3.18	-13.0	-42.86	130.80	Horizontal	Vertical	Pass
3007.499	-47.65	-0.83	-13.0	-34.65	194.10	Horizontal	Vertical	Pass
6978.003	-33.07	10.47	-13.0	-20.07	278.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.48.07

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8809.048	-62.33	11.12	-13.0	-49.33	68.70	Horizontal	Vertical	Pass
9232.442	-59.74	13.52	-13.0	-46.74	91.40	Horizontal	Vertical	Pass
10472.382	-57.18	16.41	-13.0	-44.18	85.40	Horizontal	Vertical	Pass
11145.964	-56.24	15.55	-13.0	-43.24	68.70	Horizontal	Vertical	Pass
13207.948	-55.78	16.03	-13.0	-42.78	216.00	Horizontal	Vertical	Pass
14544.114	-47.36	24.24	-13.0	-34.36	2.10	Horizontal	Vertical	Pass

LTE-B4-15-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_10.51.49

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-73.54	-11.45	-13.0	-60.54	241.70	Horizontal	Vertical	Pass
236.801	-67.96	-3.49	-13.0	-54.96	182.10	Horizontal	Vertical	Pass
1001.000	-58.79	-4.28	-13.0	-45.79	44.00	Horizontal	Vertical	Pass
3023.497	-48.05	-1.25	-13.0	-35.05	145.70	Horizontal	Vertical	Pass
5401.700	-41.09	2.50	-13.0	-28.09	1.90	Horizontal	Vertical	Pass
7000.000	-31.35	11.24	-13.0	-18.35	244.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.47.06

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7943.014	-64.66	8.85	-13.0	-51.66	359.30	Horizontal	Vertical	Pass
9331.417	-60.40	14.13	-13.0	-47.40	352.50	Horizontal	Vertical	Pass
11198.200	-56.48	16.01	-13.0	-43.48	349.90	Horizontal	Vertical	Pass
13205.199	-56.35	16.05	-13.0	-43.35	360.00	Horizontal	Vertical	Pass
14480.880	-47.57	23.64	-13.0	-34.57	293.30	Horizontal	Vertical	Pass
14802.549	-47.35	25.72	-13.0	-34.35	343.90	Horizontal	Vertical	Pass

LTE-B4-15-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_10.58.39

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-75.50	-14.48	-13.0	-62.50	169.20	Horizontal	Vertical	Pass
238.498	-67.39	-2.41	-13.0	-54.39	188.20	Horizontal	Vertical	Pass
1010.749	-56.41	-4.58	-13.0	-43.41	198.90	Horizontal	Vertical	Pass
3019.998	-47.95	-1.16	-13.0	-34.95	175.80	Horizontal	Vertical	Pass
5215.223	-41.29	2.61	-13.0	-28.29	306.50	Horizontal	Vertical	Pass
6992.001	-32.41	10.96	-13.0	-19.41	255.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.48.59

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8844.789	-61.32	11.53	-13.0	-48.32	139.70	Horizontal	Vertical	Pass
9364.409	-59.56	14.81	-13.0	-46.56	134.00	Horizontal	Vertical	Pass
10554.861	-56.61	16.14	-13.0	-43.61	359.60	Horizontal	Vertical	Pass
11192.702	-56.44	15.96	-13.0	-43.44	295.50	Horizontal	Vertical	Pass
14483.629	-47.10	23.73	-13.0	-34.10	147.80	Horizontal	Vertical	Pass
14838.290	-46.61	25.70	-13.0	-33.61	74.10	Horizontal	Vertical	Pass

LTE-B4-15-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.08.22

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.700	-70.74	-18.68	-13.0	-57.74	101.70	Vertical	Vertical	Pass
242.619	-68.37	-2.92	-13.0	-55.37	218.20	Vertical	Vertical	Pass
1001.250	-57.78	-4.28	-13.0	-44.78	73.20	Vertical	Vertical	Pass
2114.361	-53.92	-5.47	-13.0	-40.92	178.50	Vertical	Vertical	Pass
4726.784	-41.86	1.65	-13.0	-28.86	236.10	Vertical	Vertical	Pass
6973.003	-33.45	10.29	-13.0	-20.45	198.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_11.56.56

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8107.973	-64.52	10.12	-13.0	-51.52	174.60	Vertical	Vertical	Pass
9694.326	-59.15	13.98	-13.0	-46.15	247.90	Vertical	Vertical	Pass
11173.457	-55.91	15.80	-13.0	-42.91	307.10	Vertical	Vertical	Pass
14541.365	-47.28	24.24	-13.0	-34.28	273.20	Vertical	Vertical	Pass
14824.544	-47.17	25.71	-13.0	-34.17	160.50	Vertical	Vertical	Pass
16944.264	-44.78	26.54	-13.0	-31.78	131.50	Vertical	Vertical	Pass

LTE-B4-15-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.11.55

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.941	-71.82	-9.93	-13.0	-58.82	316.60	Vertical	Vertical	Pass
237.771	-68.87	-2.87	-13.0	-55.87	220.60	Vertical	Vertical	Pass
1009.999	-58.21	-4.53	-13.0	-45.21	354.70	Vertical	Vertical	Pass
2132.358	-53.67	-5.11	-13.0	-40.67	181.10	Vertical	Vertical	Pass
3006.499	-47.55	-0.80	-13.0	-34.55	75.40	Vertical	Vertical	Pass
6999.000	-32.47	11.20	-13.0	-19.47	213.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_11.58.09

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7929.268	-64.40	9.15	-13.0	-51.40	153.70	Vertical	Vertical	Pass
8855.786	-62.03	11.45	-13.0	-49.03	349.10	Vertical	Vertical	Pass
10510.872	-56.77	16.44	-13.0	-43.77	281.80	Vertical	Vertical	Pass
14511.122	-47.18	24.24	-13.0	-34.18	307.10	Vertical	Vertical	Pass
16892.027	-45.41	26.19	-13.0	-32.41	253.90	Vertical	Vertical	Pass
17865.284	-33.38	38.02	-13.0	-20.38	326.80	Vertical	Vertical	Pass

LTE-B4-15-HCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.04.34

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.155	-71.14	-17.72	-13.0	-58.14	141.50	Vertical	Vertical	Pass
239.468	-67.64	-1.78	-13.0	-54.64	239.00	Vertical	Vertical	Pass
855.264	-62.62	4.87	-13.0	-49.62	47.00	Vertical	Vertical	Pass
2143.357	-54.20	-4.97	-13.0	-41.20	174.70	Vertical	Vertical	Pass
3004.999	-47.74	-0.76	-13.0	-34.74	268.20	Vertical	Vertical	Pass
6986.002	-32.48	10.75	-13.0	-19.48	25.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_11.55.49

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7882.529	-64.86	9.43	-13.0	-51.86	157.90	Vertical	Vertical	Pass
9325.919	-59.12	13.99	-13.0	-46.12	360.00	Vertical	Vertical	Pass
10788.553	-56.57	16.36	-13.0	-43.57	300.00	Vertical	Vertical	Pass
14563.359	-47.73	24.32	-13.0	-34.73	154.90	Vertical	Vertical	Pass
14810.797	-46.89	25.72	-13.0	-33.89	263.20	Vertical	Vertical	Pass
16905.774	-44.98	26.24	-13.0	-31.98	1.60	Vertical	Vertical	Pass

LTE-B4-20-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.31.57

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.701	-73.70	-11.90	-13.0	-60.70	165.90	Horizontal	Vertical	Pass
241.892	-66.97	-2.51	-13.0	-53.97	179.30	Horizontal	Vertical	Pass
1008.499	-58.65	-4.48	-13.0	-45.65	5.30	Horizontal	Vertical	Pass
3010.999	-47.87	-0.92	-13.0	-34.87	173.60	Horizontal	Vertical	Pass
5372.703	-41.88	1.97	-13.0	-28.88	187.80	Horizontal	Vertical	Pass
6996.000	-32.90	11.10	-13.0	-19.90	60.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.51.18

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8844.789	-62.33	11.53	-13.0	-49.33	105.70	Horizontal	Vertical	Pass
9312.172	-59.30	13.63	-13.0	-46.30	30.90	Horizontal	Vertical	Pass
10530.117	-56.14	16.29	-13.0	-43.14	323.10	Horizontal	Vertical	Pass
11228.443	-56.20	15.75	-13.0	-43.20	351.80	Horizontal	Vertical	Pass
14505.624	-47.06	24.24	-13.0	-34.06	243.80	Horizontal	Vertical	Pass
14838.290	-47.35	25.70	-13.0	-34.35	221.40	Horizontal	Vertical	Pass

LTE-B4-20-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.35.12

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
97.641	-73.56	-11.67	-13.0	-60.56	170.90	Horizontal	Vertical	Pass
200.435	-69.39	-8.78	-13.0	-56.39	225.60	Horizontal	Vertical	Pass
648.463	-67.01	1.24	-13.0	-54.01	280.00	Horizontal	Vertical	Pass
1199.475	-56.98	-3.70	-13.0	-43.98	247.70	Horizontal	Vertical	Pass
3005.499	-47.70	-0.77	-13.0	-34.70	36.40	Horizontal	Vertical	Pass
6986.002	-32.68	10.75	-13.0	-19.68	0.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.50.05

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9312.172	-59.71	13.63	-13.0	-46.71	251.90	Horizontal	Vertical	Pass
10532.867	-56.72	16.27	-13.0	-43.72	69.30	Horizontal	Vertical	Pass
10799.550	-56.57	16.26	-13.0	-43.57	21.30	Horizontal	Vertical	Pass
14524.869	-46.94	24.24	-13.0	-33.94	94.90	Horizontal	Vertical	Pass
14852.037	-47.46	25.63	-13.0	-34.46	303.30	Horizontal	Vertical	Pass
16815.046	-45.28	25.44	-13.0	-32.28	306.30	Horizontal	Vertical	Pass

LTE-B4-20-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.28.34

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.69	-14.48	-13.0	-60.69	144.80	Horizontal	Vertical	Pass
241.407	-67.86	-2.23	-13.0	-54.86	191.00	Horizontal	Vertical	Pass
1001.000	-58.68	-4.28	-13.0	-45.68	0.60	Horizontal	Vertical	Pass
2268.591	-56.03	-3.41	-13.0	-43.03	265.90	Horizontal	Vertical	Pass
3016.998	-48.48	-1.08	-13.0	-35.48	359.70	Horizontal	Vertical	Pass
7000.000	-32.81	11.24	-13.0	-19.81	10.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.52.13

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9180.205	-60.27	13.31	-13.0	-47.27	107.20	Horizontal	Vertical	Pass
10582.354	-56.83	16.14	-13.0	-43.83	235.20	Horizontal	Vertical	Pass
11195.451	-55.76	15.98	-13.0	-42.76	212.50	Horizontal	Vertical	Pass
13210.697	-56.01	16.01	-13.0	-43.01	145.90	Horizontal	Vertical	Pass
14544.114	-47.09	24.24	-13.0	-34.09	33.50	Horizontal	Vertical	Pass
14819.045	-47.17	25.71	-13.0	-34.17	2.60	Horizontal	Vertical	Pass

LTE-B4-20-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.20.17

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.700	-70.97	-18.68	-13.0	-57.97	68.80	Vertical	Vertical	Pass
241.650	-69.02	-2.37	-13.0	-56.02	271.90	Vertical	Vertical	Pass
649.918	-66.52	1.04	-13.0	-53.52	28.20	Vertical	Vertical	Pass
1185.477	-56.64	-4.38	-13.0	-43.64	291.20	Vertical	Vertical	Pass
3002.000	-48.40	-0.68	-13.0	-35.40	239.20	Vertical	Vertical	Pass
6998.500	-32.29	11.19	-13.0	-19.29	360.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.08.30

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7965.009	-63.81	8.79	-13.0	-50.81	236.40	Vertical	Vertical	Pass
9405.649	-59.14	15.20	-13.0	-46.14	0.30	Vertical	Vertical	Pass
11214.696	-56.01	15.88	-13.0	-43.01	298.80	Vertical	Vertical	Pass
13532.367	-55.24	17.69	-13.0	-42.24	0.90	Vertical	Vertical	Pass
14546.863	-47.54	24.24	-13.0	-34.54	262.00	Vertical	Vertical	Pass
16856.286	-45.17	26.20	-13.0	-32.17	301.80	Vertical	Vertical	Pass

LTE-B4-20-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.16.26

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.640	-70.71	-17.36	-13.0	-57.71	38.30	Vertical	Vertical	Pass
240.437	-69.25	-1.68	-13.0	-56.25	189.10	Vertical	Vertical	Pass
1003.250	-57.91	-4.34	-13.0	-44.91	333.60	Vertical	Vertical	Pass
2129.609	-54.02	-5.15	-13.0	-41.02	200.10	Vertical	Vertical	Pass
3004.999	-47.66	-0.76	-13.0	-34.66	272.60	Vertical	Vertical	Pass
6595.551	-33.93	7.94	-13.0	-20.93	227.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.09.19

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-65.15	9.76	-13.0	-52.15	353.50	Vertical	Vertical	Pass
9317.671	-59.87	13.77	-13.0	-46.87	355.30	Vertical	Vertical	Pass
10552.112	-56.75	16.14	-13.0	-43.75	251.10	Vertical	Vertical	Pass
13216.196	-55.99	15.98	-13.0	-42.99	234.00	Vertical	Vertical	Pass
14838.290	-47.32	25.70	-13.0	-34.32	299.10	Vertical	Vertical	Pass
16845.289	-44.94	26.10	-13.0	-31.94	347.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_11.23.48

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.640	-71.20	-17.36	-13.0	-58.20	61.70	Vertical	Vertical	Pass
239.710	-70.58	-1.63	-13.0	-57.58	266.00	Vertical	Vertical	Pass
1010.999	-58.21	-4.59	-13.0	-45.21	74.30	Vertical	Vertical	Pass
2149.856	-53.11	-4.91	-13.0	-40.11	200.10	Vertical	Vertical	Pass
3206.974	-47.85	-1.33	-13.0	-34.85	309.50	Vertical	Vertical	Pass
6994.001	-32.44	11.03	-13.0	-19.44	159.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.07.17

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7929.268	-63.74	9.15	-13.0	-50.74	206.40	Vertical	Vertical	Pass
9353.412	-59.31	14.65	-13.0	-46.31	228.50	Vertical	Vertical	Pass
11060.735	-56.38	15.91	-13.0	-43.38	245.70	Vertical	Vertical	Pass
13221.695	-55.98	15.95	-13.0	-42.98	231.40	Vertical	Vertical	Pass
14508.373	-46.95	24.24	-13.0	-33.95	327.50	Vertical	Vertical	Pass
17521.620	-39.96	31.51	-13.0	-26.96	262.80	Vertical	Vertical	Pass

LTE-B5-1.4-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.45.46

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.96	-15.38	-13.0	-60.96	151.60	Horizontal	Vertical	Pass
200.192	-70.57	-8.94	-13.0	-57.57	200.00	Horizontal	Vertical	Pass
1002.999	-59.03	-4.33	-13.0	-46.03	166.90	Horizontal	Vertical	Pass
3033.992	-48.29	-1.52	-13.0	-35.29	174.40	Horizontal	Vertical	Pass
5161.460	-41.93	2.83	-13.0	-28.93	154.70	Horizontal	Vertical	Pass
6994.001	-32.23	11.03	-13.0	-19.23	148.70	Horizontal	Vertical	Pass

LTE-B5-1.4-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.42.16

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-77.02	-15.38	-13.0	-64.02	155.10	Horizontal	Vertical	Pass
242.862	-70.14	-4.05	-13.0	-57.14	198.30	Horizontal	Vertical	Pass
1002.499	-59.99	-4.32	-13.0	-46.99	37.00	Horizontal	Vertical	Pass
3018.995	-47.95	-1.13	-13.0	-34.95	126.70	Horizontal	Vertical	Pass
4727.568	-41.60	1.65	-13.0	-28.60	318.70	Horizontal	Vertical	Pass
6991.002	-32.73	10.92	-13.0	-19.73	354.70	Horizontal	Vertical	Pass

LTE-B5-1.4-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.49.15

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-76.72	-15.38	-13.0	-63.72	138.20	Horizontal	Vertical	Pass
241.892	-70.73	-3.80	-13.0	-57.73	175.50	Horizontal	Vertical	Pass
1010.497	-59.51	-4.49	-13.0	-46.51	272.20	Horizontal	Vertical	Pass
3003.999	-47.44	-0.74	-13.0	-34.44	206.40	Horizontal	Vertical	Pass
5363.409	-42.36	1.79	-13.0	-29.36	262.90	Horizontal	Vertical	Pass
6991.002	-32.51	10.92	-13.0	-19.51	53.80	Horizontal	Vertical	Pass

LTE-B5-1.4-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_11.58.14

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.155	-72.37	-19.59	-13.0	-59.37	43.20	Vertical	Vertical	Pass
200.677	-73.44	-9.20	-13.0	-60.44	242.70	Vertical	Vertical	Pass
869.083	-59.81	4.38	-13.0	-46.81	147.70	Vertical	Vertical	Pass
2294.676	-57.79	-2.70	-13.0	-44.79	200.90	Vertical	Vertical	Pass
3012.997	-47.93	-0.97	-13.0	-34.93	285.30	Vertical	Vertical	Pass
7000.000	-32.22	11.24	-13.0	-19.22	252.20	Vertical	Vertical	Pass

LTE-B5-1.4-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_12.01.50

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.155	-71.82	-19.59	-13.0	-58.82	130.30	Vertical	Vertical	Pass
200.920	-74.27	-9.33	-13.0	-61.27	243.80	Vertical	Vertical	Pass
881.205	-63.11	2.30	-13.0	-50.11	160.40	Vertical	Vertical	Pass
3002.999	-48.03	-0.71	-13.0	-35.03	85.90	Vertical	Vertical	Pass
5427.393	-41.18	2.38	-13.0	-28.18	83.30	Vertical	Vertical	Pass
6992.002	-32.05	10.96	-13.0	-19.05	55.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_11.54.27

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.427	-72.20	-19.85	-13.0	-59.20	115.40	Vertical	Vertical	Pass
249.408	-74.04	-5.72	-13.0	-61.04	328.60	Vertical	Vertical	Pass
893.327	-64.16	1.52	-13.0	-51.16	42.10	Vertical	Vertical	Pass
3022.994	-47.79	-1.23	-13.0	-34.79	199.00	Vertical	Vertical	Pass
4789.553	-41.76	1.92	-13.0	-28.76	1.70	Vertical	Vertical	Pass
6984.004	-32.29	10.68	-13.0	-19.29	55.70	Vertical	Vertical	Pass

LTE-B5-3-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.28.56

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-76.57	-15.38	-13.0	-63.57	162.50	Horizontal	Vertical	Pass
243.347	-69.87	-4.17	-13.0	-56.87	187.00	Horizontal	Vertical	Pass
869.810	-60.86	4.32	-13.0	-47.86	233.20	Horizontal	Vertical	Pass
2283.679	-56.92	-2.80	-13.0	-43.92	74.70	Horizontal	Vertical	Pass
3011.997	-47.51	-0.95	-13.0	-34.51	214.20	Horizontal	Vertical	Pass
6982.004	-32.94	10.61	-13.0	-19.94	61.60	Horizontal	Vertical	Pass

LTE-B5-3-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.32.25

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.036	-74.24	-15.48	-13.0	-61.24	154.90	Horizontal	Vertical	Pass
238.740	-70.88	-3.78	-13.0	-57.88	185.00	Horizontal	Vertical	Pass
882.174	-61.94	2.19	-13.0	-48.94	241.90	Horizontal	Vertical	Pass
2277.681	-57.36	-3.03	-13.0	-44.36	349.60	Horizontal	Vertical	Pass
3005.999	-48.28	-0.79	-13.0	-35.28	297.10	Horizontal	Vertical	Pass
6996.001	-32.61	11.10	-13.0	-19.61	339.40	Horizontal	Vertical	Pass

LTE-B5-3-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.23.05

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-75.33	-15.38	-13.0	-62.33	150.00	Horizontal	Vertical	Pass
893.327	-63.06	1.52	-13.0	-50.06	188.00	Horizontal	Vertical	Pass
2281.680	-56.84	-2.88	-13.0	-43.84	212.00	Horizontal	Vertical	Pass
3001.000	-48.17	-0.66	-13.0	-35.17	33.80	Horizontal	Vertical	Pass
5406.398	-40.77	2.48	-13.0	-27.77	273.00	Horizontal	Vertical	Pass
6994.001	-32.43	11.03	-13.0	-19.43	301.30	Horizontal	Vertical	Pass

LTE-B5-3-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.14.58

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.155	-72.00	-19.59	-13.0	-59.00	110.10	Vertical	Vertical	Pass
239.953	-73.36	-3.34	-13.0	-60.36	194.90	Vertical	Vertical	Pass
869.568	-59.49	4.34	-13.0	-46.49	156.50	Vertical	Vertical	Pass
2239.690	-57.67	-3.83	-13.0	-44.67	187.80	Vertical	Vertical	Pass
3002.999	-47.58	-0.71	-13.0	-34.58	129.80	Vertical	Vertical	Pass
7000.000	-32.74	11.24	-13.0	-19.74	356.30	Vertical	Vertical	Pass

LTE-B5-3-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.10.36

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.427	-71.55	-19.85	-13.0	-58.55	86.80	Vertical	Vertical	Pass
239.953	-71.55	-3.34	-13.0	-58.55	236.90	Vertical	Vertical	Pass
880.477	-61.54	2.39	-13.0	-48.54	160.50	Vertical	Vertical	Pass
3000.000	-58.05	-1.13	-13.0	-45.05	26.70	Vertical	Vertical	Pass
5395.401	-41.08	2.42	-13.0	-28.08	195.90	Vertical	Vertical	Pass
6995.001	-32.76	11.06	-13.0	-19.76	360.30	Vertical	Vertical	Pass

LTE-B5-3-HCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.18.38

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.155	-71.09	-19.59	-13.0	-58.09	96.80	Vertical	Vertical	Pass
200.435	-74.61	-9.07	-13.0	-61.61	277.70	Vertical	Vertical	Pass
893.327	-62.53	1.52	-13.0	-49.53	45.10	Vertical	Vertical	Pass
3004.999	-47.77	-0.76	-13.0	-34.77	62.70	Vertical	Vertical	Pass
5112.472	-42.26	2.63	-13.0	-29.26	262.90	Vertical	Vertical	Pass
6992.002	-32.42	10.96	-13.0	-19.42	96.60	Vertical	Vertical	Pass

LTE-B5-5-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.40.28

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-75.04	-15.38	-13.0	-62.04	145.60	Horizontal	Vertical	Pass
236.801	-70.35	-4.49	-13.0	-57.35	191.80	Horizontal	Vertical	Pass
869.325	-61.37	4.36	-13.0	-48.37	238.00	Horizontal	Vertical	Pass
2294.676	-56.73	-2.70	-13.0	-43.73	359.60	Horizontal	Vertical	Pass
3010.997	-47.36	-0.92	-13.0	-34.36	339.60	Horizontal	Vertical	Pass
6997.001	-32.13	11.13	-13.0	-19.13	1.80	Horizontal	Vertical	Pass

LTE-B5-5-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.36.41

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-77.19	-15.38	-13.0	-64.19	141.80	Horizontal	Vertical	Pass
670.040	-71.36	-0.26	-13.0	-58.36	166.30	Horizontal	Vertical	Pass
882.417	-62.04	2.16	-13.0	-49.04	234.00	Horizontal	Vertical	Pass
2289.678	-57.14	-2.59	-13.0	-44.14	269.70	Horizontal	Vertical	Pass
4132.717	-44.23	0.53	-13.0	-31.23	188.50	Horizontal	Vertical	Pass
6993.002	-32.62	10.99	-13.0	-19.62	146.80	Horizontal	Vertical	Pass

LTE-B5-5-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.44.00

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
87.458	-75.19	-16.94	-13.0	-62.19	161.20	Horizontal	Vertical	Pass
243.832	-69.60	-4.30	-13.0	-56.60	193.90	Horizontal	Vertical	Pass
889.690	-62.43	1.34	-13.0	-49.43	204.70	Horizontal	Vertical	Pass
2282.679	-55.71	-2.84	-13.0	-42.71	216.10	Horizontal	Vertical	Pass
4689.578	-42.83	1.40	-13.0	-29.83	257.80	Horizontal	Vertical	Pass
6991.002	-33.42	10.92	-13.0	-20.42	299.80	Horizontal	Vertical	Pass

LTE-B5-5-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.52.37

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-72.94	-12.58	-13.0	-59.94	174.20	Vertical	Vertical	Pass
243.104	-73.08	-4.11	-13.0	-60.08	228.60	Vertical	Vertical	Pass
869.083	-59.58	4.38	-13.0	-46.58	176.80	Vertical	Vertical	Pass
2436.641	-32.07	-4.54	-13.0	-19.07	29.70	Vertical	Vertical	Pass
4126.718	-44.27	0.62	-13.0	-31.27	346.70	Vertical	Vertical	Pass
6983.004	-31.90	10.64	-13.0	-18.90	120.80	Vertical	Vertical	Pass

LTE-B5-5-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.56.22

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
81.155	-72.32	-19.59	-13.0	-59.32	52.20	Vertical	Vertical	Pass
201.890	-73.69	-9.84	-13.0	-60.69	259.10	Vertical	Vertical	Pass
879.508	-61.50	2.53	-13.0	-48.50	149.70	Vertical	Vertical	Pass
1002.000	-59.43	-4.32	-13.0	-46.43	283.60	Vertical	Vertical	Pass
3023.994	-48.09	-1.26	-13.0	-35.09	231.30	Vertical	Vertical	Pass
6974.006	-33.02	10.33	-13.0	-20.02	334.30	Vertical	Vertical	Pass

LTE-B5-5-HCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_13.48.55

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.912	-71.99	-19.68	-13.0	-58.99	52.50	Vertical	Vertical	Pass
243.832	-71.98	-4.30	-13.0	-58.98	245.90	Vertical	Vertical	Pass
889.448	-63.06	1.36	-13.0	-50.06	52.50	Vertical	Vertical	Pass
1004.499	-59.52	-4.36	-13.0	-46.52	0.00	Vertical	Vertical	Pass
3002.999	-47.20	-0.71	-13.0	-34.20	223.20	Vertical	Vertical	Pass
6991.002	-33.16	10.92	-13.0	-20.16	84.80	Vertical	Vertical	Pass

LTE-B5-10-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_14.21.12

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.819	-74.21	-11.36	-13.0	-61.21	81.50	Horizontal	Vertical	Pass
242.134	-69.18	-3.86	-13.0	-56.18	185.30	Horizontal	Vertical	Pass
869.810	-60.87	4.32	-13.0	-47.87	209.50	Horizontal	Vertical	Pass
1002.999	-58.82	-4.33	-13.0	-45.82	117.10	Horizontal	Vertical	Pass
3006.998	-48.23	-0.81	-13.0	-35.23	209.30	Horizontal	Vertical	Pass
6983.004	-32.38	10.64	-13.0	-19.38	21.10	Horizontal	Vertical	Pass

LTE-B5-10-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_14.24.25

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-74.72	-11.31	-13.0	-61.72	154.70	Horizontal	Vertical	Pass
242.134	-69.40	-3.86	-13.0	-56.40	200.50	Horizontal	Vertical	Pass
884.114	-61.14	1.97	-13.0	-48.14	194.90	Horizontal	Vertical	Pass
1009.498	-59.24	-4.45	-13.0	-46.24	35.60	Horizontal	Vertical	Pass
3012.997	-47.85	-0.97	-13.0	-34.85	258.90	Horizontal	Vertical	Pass
6993.002	-32.57	10.99	-13.0	-19.57	247.70	Horizontal	Vertical	Pass

LTE-B5-10-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_14.17.40

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-75.42	-15.38	-13.0	-62.42	151.80	Horizontal	Vertical	Pass
237.771	-70.45	-4.14	-13.0	-57.45	195.30	Horizontal	Vertical	Pass
885.326	-62.06	1.83	-13.0	-49.06	238.90	Horizontal	Vertical	Pass
1000.500	-59.42	-4.29	-13.0	-46.42	191.10	Horizontal	Vertical	Pass
2423.644	-44.94	-4.95	-13.0	-31.94	207.50	Horizontal	Vertical	Pass
6992.002	-32.76	10.96	-13.0	-19.76	37.50	Horizontal	Vertical	Pass

LTE-B5-10-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_14.09.27

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.427	-72.71	-19.85	-13.0	-59.71	83.70	Vertical	Vertical	Pass
201.162	-73.74	-9.46	-13.0	-60.74	260.50	Vertical	Vertical	Pass
870.780	-58.09	4.15	-13.0	-45.09	167.80	Vertical	Vertical	Pass
2281.180	-56.67	-2.90	-13.0	-43.67	94.00	Vertical	Vertical	Pass
3016.996	-48.40	-1.08	-13.0	-35.40	189.30	Vertical	Vertical	Pass
6980.005	-31.94	10.54	-13.0	-18.94	209.00	Vertical	Vertical	Pass

LTE-B5-10-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_14.00.50

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
80.912	-72.64	-19.68	-13.0	-59.64	29.80	Vertical	Vertical	Pass
239.953	-72.69	-3.34	-13.0	-59.69	256.50	Vertical	Vertical	Pass
877.083	-60.81	2.98	-13.0	-47.81	196.20	Vertical	Vertical	Pass
1003.499	-59.71	-4.34	-13.0	-46.71	32.70	Vertical	Vertical	Pass
3056.986	-47.20	-2.13	-13.0	-34.20	360.70	Vertical	Vertical	Pass
6994.001	-33.13	11.03	-13.0	-20.13	145.30	Vertical	Vertical	Pass

LTE-B5-10-HCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_14.13.13

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-74.07	-12.58	-13.0	-61.07	35.60	Vertical	Vertical	Pass
240.195	-72.78	-3.37	-13.0	-59.78	216.00	Vertical	Vertical	Pass
891.630	-62.53	1.41	-13.0	-49.53	41.10	Vertical	Vertical	Pass
1007.498	-59.65	-4.41	-13.0	-46.65	5.50	Vertical	Vertical	Pass
3005.999	-48.36	-0.79	-13.0	-35.36	357.40	Vertical	Vertical	Pass
6984.004	-32.64	10.68	-13.0	-19.64	93.20	Vertical	Vertical	Pass

LTE-B7-5-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_14.38.51

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-74.31	-10.61	-25.0	-49.31	51.00	Horizontal	Vertical	Pass
124.794	-75.39	-14.36	-25.0	-50.39	148.40	Horizontal	Vertical	Pass
201.162	-70.48	-8.32	-25.0	-45.48	213.90	Horizontal	Vertical	Pass
236.801	-68.37	-3.25	-25.0	-43.37	178.60	Horizontal	Vertical	Pass
729.923	-72.61	0.47	-25.0	-47.61	83.30	Horizontal	Vertical	Pass
2503.624	-51.66	2.95	-25.0	-26.66	165.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.37.06

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8000.750	-64.90	9.01	-13.0	-51.90	7.20	Horizontal	Vertical	Pass
9400.150	-58.92	15.31	-13.0	-45.92	187.70	Horizontal	Vertical	Pass
10538.365	-56.93	16.23	-13.0	-43.93	327.90	Horizontal	Vertical	Pass
11170.707	-56.22	15.78	-13.0	-43.22	333.50	Horizontal	Vertical	Pass
14491.877	-47.55	23.98	-13.0	-34.55	77.90	Horizontal	Vertical	Pass
14805.299	-47.01	25.72	-13.0	-34.01	49.60	Horizontal	Vertical	Pass

LTE-B7-5-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_14.29.28

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-74.73	-10.61	-25.0	-49.73	218.50	Horizontal	Vertical	Pass
235.831	-69.50	-3.62	-25.0	-44.50	199.50	Horizontal	Vertical	Pass
850.172	-68.50	7.02	-25.0	-43.50	248.20	Horizontal	Vertical	Pass
1001.000	-58.79	-2.52	-25.0	-33.79	229.10	Horizontal	Vertical	Pass
2503.124	-51.84	2.96	-25.0	-26.84	212.70	Horizontal	Vertical	Pass
6992.002	-43.94	10.96	-25.0	-18.94	86.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.35.25

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8143.714	-65.39	9.62	-13.0	-52.39	359.40	Horizontal	Vertical	Pass
9336.916	-59.97	14.27	-13.0	-46.97	351.70	Horizontal	Vertical	Pass
10791.302	-57.61	16.33	-13.0	-44.61	334.30	Horizontal	Vertical	Pass
13188.703	-56.65	15.83	-13.0	-43.65	345.80	Horizontal	Vertical	Pass
14527.618	-47.71	24.24	-13.0	-34.71	334.30	Horizontal	Vertical	Pass
16716.071	-45.97	25.50	-13.0	-32.97	360.00	Horizontal	Vertical	Pass

LTE-B7-5-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_14.42.43

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-74.61	-10.61	-25.0	-49.61	359.60	Horizontal	Vertical	Pass
237.528	-69.15	-2.97	-25.0	-44.15	189.70	Horizontal	Vertical	Pass
1001.000	-58.63	-2.52	-25.0	-33.63	93.30	Horizontal	Vertical	Pass
2522.119	-52.32	2.57	-25.0	-27.32	246.20	Horizontal	Vertical	Pass
4997.501	-51.52	2.95	-25.0	-26.52	127.10	Horizontal	Vertical	Pass
6992.002	-43.24	10.96	-25.0	-18.24	163.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.37.58

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8110.722	-64.51	10.08	-13.0	-51.51	296.70	Horizontal	Vertical	Pass
9309.423	-59.70	13.56	-13.0	-46.70	347.60	Horizontal	Vertical	Pass
10483.379	-57.21	16.45	-13.0	-44.21	296.70	Horizontal	Vertical	Pass
11635.341	-57.51	15.63	-13.0	-44.51	265.40	Horizontal	Vertical	Pass
14511.122	-46.43	24.24	-13.0	-33.43	126.10	Horizontal	Vertical	Pass
14805.299	-47.14	25.72	-13.0	-34.14	333.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_14.54.30

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
101.762	-72.67	-11.74	-25.0	-47.67	317.90	Vertical	Vertical	Pass
237.286	-72.12	-3.06	-25.0	-47.12	70.00	Vertical	Vertical	Pass
661.797	-70.10	1.85	-25.0	-45.10	132.90	Vertical	Vertical	Pass
1002.000	-58.70	-2.58	-25.0	-33.70	240.30	Vertical	Vertical	Pass
2504.124	-52.29	2.94	-25.0	-27.29	6.70	Vertical	Vertical	Pass
6985.004	-44.38	10.71	-25.0	-19.38	4.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.11.37

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8017.246	-65.10	9.07	-13.0	-52.10	358.30	Vertical	Vertical	Pass
9229.693	-60.09	13.54	-13.0	-47.09	346.90	Vertical	Vertical	Pass
11134.966	-56.05	15.38	-13.0	-43.05	167.80	Vertical	Vertical	Pass
13262.934	-56.57	15.79	-13.0	-43.57	289.50	Vertical	Vertical	Pass
14775.056	-47.60	25.41	-13.0	-34.60	357.40	Vertical	Vertical	Pass
16776.556	-45.66	25.00	-13.0	-32.66	286.60	Vertical	Vertical	Pass

LTE-B7-5-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-15_14.58.06

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
79.943	-72.72	-19.11	-25.0	-47.72	131.40	Vertical	Vertical	Pass
243.589	-73.60	-2.90	-25.0	-48.60	268.00	Vertical	Vertical	Pass
1003.999	-58.42	-2.69	-25.0	-33.42	188.50	Vertical	Vertical	Pass
2503.124	-51.85	2.96	-25.0	-26.85	287.50	Vertical	Vertical	Pass
5029.493	-51.24	2.87	-25.0	-26.24	232.80	Vertical	Vertical	Pass
6994.001	-42.36	11.03	-25.0	-17.36	183.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.13.01

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7896.276	-65.02	9.71	-13.0	-52.02	152.50	Vertical	Vertical	Pass
9378.155	-60.09	15.00	-13.0	-47.09	191.90	Vertical	Vertical	Pass
10513.622	-57.26	16.42	-13.0	-44.26	14.40	Vertical	Vertical	Pass
11211.947	-56.54	15.91	-13.0	-43.54	152.50	Vertical	Vertical	Pass
14527.618	-47.36	24.24	-13.0	-34.36	81.80	Vertical	Vertical	Pass
14827.293	-47.04	25.71	-13.0	-34.04	212.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_14.50.55

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.912	-72.44	-18.16	-25.0	-47.44	102.00	Vertical	Vertical	Pass
200.192	-74.03	-7.79	-25.0	-49.03	244.10	Vertical	Vertical	Pass
862.537	-67.98	6.15	-25.0	-42.98	115.70	Vertical	Vertical	Pass
1177.956	-56.38	-2.84	-25.0	-31.38	235.80	Vertical	Vertical	Pass
2523.619	-50.90	2.54	-25.0	-25.90	140.50	Vertical	Vertical	Pass
6992.002	-42.96	10.96	-25.0	-17.96	241.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.10.30

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7995.251	-64.89	8.98	-13.0	-51.89	18.30	Vertical	Vertical	Pass
9400.150	-59.64	15.31	-13.0	-46.64	166.00	Vertical	Vertical	Pass
10758.310	-56.70	16.61	-13.0	-43.70	103.10	Vertical	Vertical	Pass
12743.314	-57.86	14.72	-13.0	-44.86	66.30	Vertical	Vertical	Pass
14827.293	-46.75	25.71	-13.0	-33.75	199.90	Vertical	Vertical	Pass
16831.542	-45.43	25.80	-13.0	-32.43	264.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_17.31.33

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.182	-66.63	-9.90	-25.0	-41.63	335.00	Horizontal	Vertical	Pass
117.036	-71.64	-11.01	-25.0	-46.64	338.00	Horizontal	Vertical	Pass
1000.500	-56.61	-2.49	-25.0	-31.61	69.00	Horizontal	Vertical	Pass
2505.124	-51.81	2.92	-25.0	-26.81	190.30	Horizontal	Vertical	Pass
5578.355	-51.11	2.54	-25.0	-26.11	1.20	Horizontal	Vertical	Pass
6971.007	-44.21	10.22	-25.0	-19.21	267.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.33.36

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8072.232	-64.21	9.65	-13.0	-51.21	202.10	Horizontal	Vertical	Pass
9353.412	-60.07	14.65	-13.0	-47.07	22.30	Horizontal	Vertical	Pass
9735.566	-59.95	13.80	-13.0	-46.95	2.40	Horizontal	Vertical	Pass
10510.872	-56.33	16.44	-13.0	-43.33	0.10	Horizontal	Vertical	Pass
11269.683	-56.33	15.45	-13.0	-43.33	62.50	Horizontal	Vertical	Pass
14819.045	-46.58	25.71	-13.0	-33.58	70.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_17.27.16

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
74.609	-74.26	-18.83	-25.0	-49.26	80.30	Horizontal	Vertical	Pass
244.559	-73.13	-3.14	-25.0	-48.13	317.50	Horizontal	Vertical	Pass
847.506	-68.21	6.69	-25.0	-43.21	320.10	Horizontal	Vertical	Pass
1006.498	-57.87	-2.84	-25.0	-32.87	0.40	Horizontal	Vertical	Pass
2502.624	-52.35	2.97	-25.0	-27.35	222.10	Horizontal	Vertical	Pass
6995.001	-43.71	11.06	-25.0	-18.71	353.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.32.20

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7406.898	-68.49	7.44	-13.0	-55.49	334.60	Horizontal	Vertical	Pass
9251.687	-59.32	13.37	-13.0	-46.32	42.50	Horizontal	Vertical	Pass
10530.117	-56.29	16.29	-13.0	-43.29	31.30	Horizontal	Vertical	Pass
11170.707	-56.61	15.78	-13.0	-43.61	204.70	Horizontal	Vertical	Pass
14797.051	-46.64	25.68	-13.0	-33.64	150.30	Horizontal	Vertical	Pass
16958.010	-44.85	26.35	-13.0	-31.85	309.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_15.16.08

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-74.50	-14.36	-25.0	-49.50	150.70	Horizontal	Vertical	Pass
853.809	-68.46	6.79	-25.0	-43.46	357.40	Horizontal	Vertical	Pass
1000.500	-58.55	-2.49	-25.0	-33.55	184.00	Horizontal	Vertical	Pass
2525.619	-52.06	2.50	-25.0	-27.06	1.70	Horizontal	Vertical	Pass
5123.469	-51.62	2.67	-25.0	-26.62	160.60	Horizontal	Vertical	Pass
6996.001	-43.98	11.10	-25.0	-18.98	341.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.34.51

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7868.783	-64.79	9.15	-13.0	-51.79	7.90	Horizontal	Vertical	Pass
9405.649	-58.94	15.20	-13.0	-45.94	115.40	Horizontal	Vertical	Pass
10513.622	-56.46	16.42	-13.0	-43.46	267.50	Horizontal	Vertical	Pass
11442.889	-56.58	15.96	-13.0	-43.58	312.50	Horizontal	Vertical	Pass
13562.609	-54.40	18.02	-13.0	-41.40	112.40	Horizontal	Vertical	Pass
14791.552	-47.30	25.62	-13.0	-34.30	180.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_17.30.46

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.182	-66.63	-9.90	-25.0	-41.63	335.00	Vertical	Vertical	Pass
117.036	-71.64	-11.01	-25.0	-46.64	338.00	Vertical	Vertical	Pass
1000.500	-56.61	-2.49	-25.0	-31.61	69.00	Vertical	Vertical	Pass
2505.124	-51.81	2.92	-25.0	-26.81	190.30	Vertical	Vertical	Pass
5578.355	-51.11	2.54	-25.0	-26.11	1.20	Vertical	Vertical	Pass
6971.007	-44.21	10.22	-25.0	-19.21	267.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.15.07

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7932.017	-65.36	9.09	-13.0	-52.36	18.30	Vertical	Vertical	Pass
9389.153	-60.60	15.16	-13.0	-47.60	24.20	Vertical	Vertical	Pass
10780.305	-56.91	16.43	-13.0	-43.91	0.00	Vertical	Vertical	Pass
11239.440	-56.59	15.64	-13.0	-43.59	47.30	Vertical	Vertical	Pass
13210.697	-56.09	16.01	-13.0	-43.09	98.30	Vertical	Vertical	Pass
14500.125	-47.38	24.24	-13.0	-34.38	0.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_15.03.12

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.639	-72.34	-18.45	-25.0	-47.34	102.80	Vertical	Vertical	Pass
254.499	-70.63	-5.32	-25.0	-45.63	300.40	Vertical	Vertical	Pass
850.415	-67.54	7.00	-25.0	-42.54	67.00	Vertical	Vertical	Pass
1004.999	-58.47	-2.75	-25.0	-33.47	197.30	Vertical	Vertical	Pass
2505.624	-51.98	2.91	-25.0	-26.98	147.80	Vertical	Vertical	Pass
7000.000	-44.24	11.24	-25.0	-19.24	238.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.16.49

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8143.714	-64.78	9.62	-13.0	-51.78	358.60	Vertical	Vertical	Pass
9397.401	-59.39	15.27	-13.0	-46.39	204.80	Vertical	Vertical	Pass
10774.806	-56.54	16.47	-13.0	-43.54	66.00	Vertical	Vertical	Pass
11602.349	-56.04	16.48	-13.0	-43.04	187.30	Vertical	Vertical	Pass
14546.863	-46.99	24.24	-13.0	-33.99	360.00	Vertical	Vertical	Pass
16837.041	-45.14	25.92	-13.0	-32.14	167.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_15.10.13

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
72.912	-73.23	-18.16	-25.0	-48.23	102.10	Vertical	Vertical	Pass
238.255	-73.29	-2.69	-25.0	-48.29	228.60	Vertical	Vertical	Pass
653.797	-71.47	1.68	-25.0	-46.47	310.10	Vertical	Vertical	Pass
1000.000	-72.94	4.13	-25.0	-47.94	274.70	Vertical	Vertical	Pass
2542.114	-51.51	2.17	-25.0	-26.51	39.70	Vertical	Vertical	Pass
6975.006	-43.81	10.36	-25.0	-18.81	30.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.14.09

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8102.474	-64.44	10.20	-13.0	-51.44	356.30	Vertical	Vertical	Pass
9402.899	-59.06	15.25	-13.0	-46.06	324.90	Vertical	Vertical	Pass
10805.049	-57.10	16.33	-13.0	-44.10	316.70	Vertical	Vertical	Pass
13194.201	-56.06	15.95	-13.0	-43.06	360.00	Vertical	Vertical	Pass
14832.792	-46.47	25.71	-13.0	-33.47	288.40	Vertical	Vertical	Pass
16892.027	-45.30	26.19	-13.0	-32.30	199.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_17.44.40

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.577	-74.15	-10.61	-25.0	-49.15	239.40	Horizontal	Vertical	Pass
234.376	-70.25	-4.17	-25.0	-45.25	320.60	Horizontal	Vertical	Pass
849.203	-66.37	6.92	-25.0	-41.37	255.40	Horizontal	Vertical	Pass
1003.499	-57.96	-2.67	-25.0	-32.96	97.00	Horizontal	Vertical	Pass
1729.318	-55.05	-8.48	-25.0	-30.05	359.80	Horizontal	Vertical	Pass
6955.011	-44.20	9.66	-25.0	-19.20	332.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.30.01

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9400.150	-59.20	15.31	-13.0	-46.20	254.90	Horizontal	Vertical	Pass
10549.363	-55.78	16.15	-13.0	-42.78	338.00	Horizontal	Vertical	Pass
11173.457	-55.38	15.80	-13.0	-42.38	160.00	Horizontal	Vertical	Pass
14533.117	-47.20	24.24	-13.0	-34.20	177.20	Horizontal	Vertical	Pass
14780.555	-46.90	25.48	-13.0	-33.90	148.90	Horizontal	Vertical	Pass
16883.779	-44.97	26.19	-13.0	-31.97	0.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_17.41.04

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-75.88	-14.36	-25.0	-50.88	130.40	Horizontal	Vertical	Pass
249.893	-72.31	-4.43	-25.0	-47.31	334.20	Horizontal	Vertical	Pass
851.385	-67.46	6.94	-25.0	-42.46	81.20	Horizontal	Vertical	Pass
1004.499	-58.25	-2.72	-25.0	-33.25	279.30	Horizontal	Vertical	Pass
2481.630	-46.44	-0.12	-25.0	-21.44	107.40	Horizontal	Vertical	Pass
6985.004	-43.25	10.71	-25.0	-18.25	90.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.28.43

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7926.518	-64.43	9.21	-13.0	-51.43	162.30	Horizontal	Vertical	Pass
9273.682	-59.44	13.35	-13.0	-46.44	19.80	Horizontal	Vertical	Pass
10477.881	-56.76	16.43	-13.0	-43.76	73.00	Horizontal	Vertical	Pass
11206.448	-56.41	15.96	-13.0	-43.41	55.90	Horizontal	Vertical	Pass
14524.869	-47.54	24.24	-13.0	-34.54	150.70	Horizontal	Vertical	Pass
14744.814	-46.98	25.12	-13.0	-33.98	177.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_17.48.00

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-76.30	-14.36	-25.0	-51.30	135.90	Horizontal	Vertical	Pass
201.405	-70.83	-8.46	-25.0	-45.83	108.70	Horizontal	Vertical	Pass
856.233	-67.77	6.64	-25.0	-42.77	217.10	Horizontal	Vertical	Pass
1005.999	-57.98	-2.81	-25.0	-32.98	351.10	Horizontal	Vertical	Pass
2502.624	-52.13	2.97	-25.0	-27.13	57.90	Horizontal	Vertical	Pass
6993.002	-43.02	10.99	-25.0	-18.02	359.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.31.10

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7415.146	-66.14	7.37	-13.0	-53.14	360.00	Horizontal	Vertical	Pass
9391.902	-59.76	15.20	-13.0	-46.76	117.90	Horizontal	Vertical	Pass
10546.613	-56.77	16.17	-13.0	-43.77	289.20	Horizontal	Vertical	Pass
11184.454	-56.03	15.89	-13.0	-43.03	306.30	Horizontal	Vertical	Pass
14538.615	-46.92	24.24	-13.0	-33.92	227.00	Horizontal	Vertical	Pass
14843.789	-46.88	25.70	-13.0	-33.88	87.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_17.55.42

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.336	-74.15	-18.99	-25.0	-49.15	62.20	Vertical	Vertical	Pass
249.893	-73.67	-4.43	-25.0	-48.67	24.30	Vertical	Vertical	Pass
849.688	-68.06	6.99	-25.0	-43.06	168.20	Vertical	Vertical	Pass
1030.992	-57.49	-3.62	-25.0	-32.49	117.40	Vertical	Vertical	Pass
2504.124	-51.71	2.94	-25.0	-26.71	142.30	Vertical	Vertical	Pass
7000.000	-42.32	11.24	-25.0	-17.32	173.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.19.20

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8058.485	-63.93	9.37	-13.0	-50.93	261.20	Vertical	Vertical	Pass
8847.538	-62.10	11.57	-13.0	-49.10	69.80	Vertical	Vertical	Pass
9405.649	-59.20	15.20	-13.0	-46.20	160.60	Vertical	Vertical	Pass
11176.206	-56.61	15.83	-13.0	-43.61	180.70	Vertical	Vertical	Pass
14491.877	-47.51	23.98	-13.0	-34.51	253.00	Vertical	Vertical	Pass
14816.296	-46.91	25.71	-13.0	-33.91	343.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_17.58.57

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-76.18	-14.36	-25.0	-51.18	87.40	Vertical	Vertical	Pass
456.451	-74.50	-1.95	-25.0	-49.50	207.20	Vertical	Vertical	Pass
854.051	-66.45	6.77	-25.0	-41.45	18.50	Vertical	Vertical	Pass
1190.452	-56.18	-2.19	-25.0	-31.18	356.80	Vertical	Vertical	Pass
2540.615	-51.86	2.20	-25.0	-26.86	193.30	Vertical	Vertical	Pass
6929.018	-44.89	8.75	-25.0	-19.89	25.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.20.13

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7987.003	-65.41	8.93	-13.0	-52.41	60.70	Vertical	Vertical	Pass
8853.037	-61.32	11.52	-13.0	-48.32	161.10	Vertical	Vertical	Pass
9226.943	-60.16	13.57	-13.0	-47.16	49.90	Vertical	Vertical	Pass
10565.859	-56.89	16.14	-13.0	-43.89	63.70	Vertical	Vertical	Pass
11165.209	-56.27	15.74	-13.0	-43.27	115.00	Vertical	Vertical	Pass
14849.288	-45.80	25.70	-13.0	-32.80	157.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-15_17.52.15

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.823	-73.11	-11.53	-25.0	-48.11	281.40	Vertical	Vertical	Pass
246.741	-70.99	-3.67	-25.0	-45.99	177.90	Vertical	Vertical	Pass
849.930	-67.28	7.02	-25.0	-42.28	93.50	Vertical	Vertical	Pass
1005.499	-58.15	-2.78	-25.0	-33.15	191.10	Vertical	Vertical	Pass
2503.124	-51.77	2.96	-25.0	-26.77	296.80	Vertical	Vertical	Pass
7000.000	-43.66	11.24	-25.0	-18.66	109.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.17.53

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7866.033	-64.73	9.10	-13.0	-51.73	111.30	Vertical	Vertical	Pass
9210.447	-60.00	13.70	-13.0	-47.00	46.20	Vertical	Vertical	Pass
10502.624	-56.70	16.50	-13.0	-43.70	68.90	Vertical	Vertical	Pass
12094.476	-57.80	14.86	-13.0	-44.80	97.20	Vertical	Vertical	Pass
14742.064	-47.20	25.12	-13.0	-34.20	270.90	Vertical	Vertical	Pass
16850.787	-44.07	26.20	-13.0	-31.07	125.80	Vertical	Vertical	Pass

LTE-B7-20-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-16_09.43.44

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
106.368	-71.41	-11.90	-25.0	-46.41	331.00	Horizontal	Vertical	Pass
240.437	-73.86	-2.14	-25.0	-48.86	102.00	Horizontal	Vertical	Pass
856.476	-66.48	6.62	-25.0	-41.48	235.40	Horizontal	Vertical	Pass
1000.000	-72.65	4.13	-25.0	-47.65	69.30	Horizontal	Vertical	Pass
2485.129	-41.06	1.26	-25.0	-16.06	117.10	Horizontal	Vertical	Pass
6996.001	-42.99	11.10	-25.0	-17.99	108.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.26.23

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7252.937	-68.30	6.40	-13.0	-55.30	305.30	Horizontal	Vertical	Pass
7912.772	-64.48	9.50	-13.0	-51.48	186.30	Horizontal	Vertical	Pass
9716.321	-59.24	13.97	-13.0	-46.24	169.10	Horizontal	Vertical	Pass
10714.321	-56.58	16.15	-13.0	-43.58	313.50	Horizontal	Vertical	Pass
11599.600	-57.26	16.53	-13.0	-44.26	229.40	Horizontal	Vertical	Pass
14819.045	-47.01	25.71	-13.0	-34.01	0.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-16_09.46.56

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-80.31	-14.36	-25.0	-55.31	17.20	Horizontal	Vertical	Pass
249.893	-74.47	-4.43	-25.0	-49.47	123.30	Horizontal	Vertical	Pass
456.208	-72.88	-1.93	-25.0	-47.88	36.20	Horizontal	Vertical	Pass
1001.500	-56.74	-2.55	-25.0	-31.74	285.30	Horizontal	Vertical	Pass
2541.615	-40.16	2.18	-25.0	-15.16	296.50	Horizontal	Vertical	Pass
6998.000	-43.24	11.17	-25.0	-18.24	71.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.25.12

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7912.772	-63.18	9.50	-13.0	-50.18	79.00	Horizontal	Vertical	Pass
9383.654	-59.18	15.08	-13.0	-46.18	25.00	Horizontal	Vertical	Pass
10750.062	-57.04	16.68	-13.0	-44.04	267.20	Horizontal	Vertical	Pass
11154.211	-55.75	15.65	-13.0	-42.75	1.80	Horizontal	Vertical	Pass
14593.602	-47.05	24.53	-13.0	-34.05	102.40	Horizontal	Vertical	Pass
16908.523	-44.80	26.26	-13.0	-31.80	64.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-16_09.40.25

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.667	-59.23	-10.00	-25.0	-34.23	269.50	Horizontal	Vertical	Pass
239.468	-73.92	-2.23	-25.0	-48.92	310.40	Horizontal	Vertical	Pass
852.839	-66.11	6.85	-25.0	-41.11	226.00	Horizontal	Vertical	Pass
1000.000	-72.23	4.13	-25.0	-47.23	258.70	Horizontal	Vertical	Pass
2560.110	-43.31	1.81	-25.0	-18.31	254.10	Horizontal	Vertical	Pass
6980.005	-43.30	10.54	-25.0	-18.30	68.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.27.27

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9402.899	-59.21	15.25	-13.0	-46.21	232.50	Horizontal	Vertical	Pass
10477.881	-56.95	16.43	-13.0	-43.95	70.30	Horizontal	Vertical	Pass
11165.209	-56.34	15.74	-13.0	-43.34	98.90	Horizontal	Vertical	Pass
12072.482	-58.97	14.57	-13.0	-45.97	81.80	Horizontal	Vertical	Pass
14511.122	-47.64	24.24	-13.0	-34.64	30.80	Horizontal	Vertical	Pass
14860.285	-47.74	25.34	-13.0	-34.74	149.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-16_09.32.48

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
133.764	-71.21	-14.94	-25.0	-46.21	162.30	Vertical	Vertical	Pass
249.893	-73.17	-4.43	-25.0	-48.17	350.30	Vertical	Vertical	Pass
837.081	-65.29	5.14	-25.0	-40.29	148.50	Vertical	Vertical	Pass
1000.000	-71.35	4.13	-25.0	-46.35	167.90	Vertical	Vertical	Pass
2487.128	-44.46	2.04	-25.0	-19.46	184.80	Vertical	Vertical	Pass
6998.000	-43.53	11.17	-25.0	-18.53	49.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.22.10

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7912.772	-64.74	9.50	-13.0	-51.74	80.00	Vertical	Vertical	Pass
9358.910	-59.80	14.73	-13.0	-46.80	71.50	Vertical	Vertical	Pass
10532.867	-57.24	16.27	-13.0	-44.24	115.80	Vertical	Vertical	Pass
11225.694	-56.03	15.77	-13.0	-43.03	93.80	Vertical	Vertical	Pass
14524.869	-47.03	24.24	-13.0	-34.03	85.60	Vertical	Vertical	Pass
15192.952	-48.25	21.47	-13.0	-35.25	245.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-16_09.28.58

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
112.914	-71.66	-10.67	-25.0	-46.66	257.60	Vertical	Vertical	Pass
330.382	-72.19	-7.50	-25.0	-47.19	138.60	Vertical	Vertical	Pass
852.597	-64.28	6.87	-25.0	-39.28	184.30	Vertical	Vertical	Pass
1003.999	-56.93	-2.69	-25.0	-31.93	60.90	Vertical	Vertical	Pass
2540.615	-46.51	2.20	-25.0	-21.51	181.10	Vertical	Vertical	Pass
6995.001	-42.65	11.06	-25.0	-17.65	96.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.23.15

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8091.477	-64.14	10.05	-13.0	-51.14	178.20	Vertical	Vertical	Pass
9342.414	-58.94	14.41	-13.0	-45.94	360.00	Vertical	Vertical	Pass
10794.051	-56.85	16.31	-13.0	-43.85	323.80	Vertical	Vertical	Pass
11577.606	-57.46	16.21	-13.0	-44.46	186.40	Vertical	Vertical	Pass
13760.560	-53.89	17.82	-13.0	-40.89	252.60	Vertical	Vertical	Pass
14676.081	-46.80	25.21	-13.0	-33.80	82.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-16_09.36.11

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.246	-73.78	-12.67	-25.0	-48.78	272.70	Vertical	Vertical	Pass
249.893	-74.41	-4.43	-25.0	-49.41	338.10	Vertical	Vertical	Pass
846.536	-64.08	6.56	-25.0	-39.08	163.60	Vertical	Vertical	Pass
1007.498	-56.99	-2.90	-25.0	-31.99	211.60	Vertical	Vertical	Pass
2436.641	-27.02	-2.00	-25.0	-2.02	124.10	Vertical	Vertical	Pass
6995.001	-43.33	11.06	-25.0	-18.33	116.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-18_13.21.09

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7912.772	-65.01	9.50	-13.0	-52.01	358.10	Vertical	Vertical	Pass
8853.037	-62.50	11.52	-13.0	-49.50	353.50	Vertical	Vertical	Pass
9210.447	-59.84	13.70	-13.0	-46.84	344.70	Vertical	Vertical	Pass
10549.363	-57.42	16.15	-13.0	-44.42	286.90	Vertical	Vertical	Pass
14502.874	-46.96	24.24	-13.0	-33.96	326.10	Vertical	Vertical	Pass
15187.453	-47.94	21.40	-13.0	-34.94	260.10	Vertical	Vertical	Pass

LTE-B12-1.4-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_09.54.45

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.53	-15.38	-13.0	-60.53	0.00	Horizontal	Vertical	Pass
243.347	-75.16	-4.17	-13.0	-62.16	0.50	Horizontal	Vertical	Pass
699.375	-20.30	-2.05	-13.0	-7.30	0.00	Horizontal	Vertical	Pass
729.195	-40.91	-1.20	-13.0	-27.91	0.90	Horizontal	Vertical	Pass
1398.900	-56.64	-5.85	-13.0	-43.64	258.00	Horizontal	Vertical	Pass
6583.104	-35.73	7.81	-13.0	-22.73	343.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.00.34

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9389.153	-58.71	15.16	-13.0	-45.71	46.90	Horizontal	Vertical	Pass
10488.878	-56.81	16.47	-13.0	-43.81	188.30	Horizontal	Vertical	Pass
12110.972	-58.06	14.88	-13.0	-45.06	144.40	Horizontal	Vertical	Pass
13691.827	-55.63	17.66	-13.0	-42.63	167.90	Horizontal	Vertical	Pass
14830.042	-46.90	25.71	-13.0	-33.90	44.30	Horizontal	Vertical	Pass
17821.295	-34.08	35.98	-13.0	-21.08	327.50	Horizontal	Vertical	Pass

LTE-B12-1.4-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_09.46.52

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-72.00	-15.38	-13.0	-59.00	0.40	Horizontal	Vertical	Pass
249.165	-75.28	-5.66	-13.0	-62.28	0.40	Horizontal	Vertical	Pass
706.891	-20.53	-1.78	-13.0	-7.53	0.70	Horizontal	Vertical	Pass
737.196	-37.45	-1.14	-13.0	-24.45	0.00	Horizontal	Vertical	Pass
1414.396	-53.35	-6.48	-13.0	-40.35	247.70	Horizontal	Vertical	Pass
6583.104	-35.86	7.81	-13.0	-22.86	221.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.02.57

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8844.789	-62.25	11.53	-13.0	-49.25	161.10	Horizontal	Vertical	Pass
10532.867	-56.40	16.27	-13.0	-43.40	318.30	Horizontal	Vertical	Pass
11640.840	-56.73	15.49	-13.0	-43.73	155.60	Horizontal	Vertical	Pass
14315.921	-51.12	21.56	-13.0	-38.12	332.40	Horizontal	Vertical	Pass
16507.123	-46.75	24.77	-13.0	-33.75	321.20	Horizontal	Vertical	Pass
17994.501	-29.99	43.00	-13.0	-16.99	158.20	Horizontal	Vertical	Pass

LTE-B12-1.4-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_10.03.41

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-72.93	-15.38	-13.0	-59.93	0.00	Horizontal	Vertical	Pass
622.037	-68.43	-1.69	-13.0	-55.43	75.60	Horizontal	Vertical	Pass
715.134	-21.72	-1.60	-13.0	-8.72	94.20	Horizontal	Vertical	Pass
745.439	-29.30	-0.98	-13.0	-16.30	99.40	Horizontal	Vertical	Pass
3002.999	-47.86	-0.71	-13.0	-34.86	136.50	Horizontal	Vertical	Pass
6570.107	-34.95	7.67	-13.0	-21.95	5.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_15.58.57

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8883.279	-62.80	10.75	-13.0	-49.80	313.40	Horizontal	Vertical	Pass
10521.870	-57.10	16.36	-13.0	-44.10	24.10	Horizontal	Vertical	Pass
11605.099	-57.39	16.41	-13.0	-44.39	81.40	Horizontal	Vertical	Pass
12724.069	-58.04	14.61	-13.0	-45.04	131.30	Horizontal	Vertical	Pass
14775.056	-46.88	25.41	-13.0	-33.88	333.10	Horizontal	Vertical	Pass
17994.501	-29.54	43.00	-13.0	-16.54	279.50	Horizontal	Vertical	Pass

LTE-B12-1.4-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_10.15.17

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-74.24	-15.38	-13.0	-61.24	360.00	Vertical	Vertical	Pass
449.905	-73.24	-2.93	-13.0	-60.24	332.10	Vertical	Vertical	Pass
699.860	-19.89	-2.02	-13.0	-6.89	302.70	Vertical	Vertical	Pass
729.923	-34.03	-1.17	-13.0	-21.03	305.30	Vertical	Vertical	Pass
3018.995	-45.77	-1.13	-13.0	-32.77	339.20	Vertical	Vertical	Pass
6550.112	-35.22	7.46	-13.0	-22.22	308.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_15.54.02

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7965.009	-64.17	8.79	-13.0	-51.17	358.40	Vertical	Vertical	Pass
10508.123	-57.10	16.46	-13.0	-44.10	241.20	Vertical	Vertical	Pass
12110.972	-58.49	14.88	-13.0	-45.49	359.70	Vertical	Vertical	Pass
14799.800	-46.87	25.72	-13.0	-33.87	3.60	Vertical	Vertical	Pass
16886.528	-45.83	26.19	-13.0	-32.83	297.70	Vertical	Vertical	Pass
17989.003	-29.04	42.83	-13.0	-16.04	3.60	Vertical	Vertical	Pass

LTE-B12-1.4-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_10.11.41

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-74.13	-15.38	-13.0	-61.13	120.20	Vertical	Vertical	Pass
453.299	-74.98	-3.14	-13.0	-61.98	115.00	Vertical	Vertical	Pass
707.133	-25.12	-1.77	-13.0	-12.12	154.80	Vertical	Vertical	Pass
737.196	-34.94	-1.14	-13.0	-21.94	26.80	Vertical	Vertical	Pass
3012.997	-47.25	-0.97	-13.0	-34.25	302.80	Vertical	Vertical	Pass
6812.047	-33.87	8.94	-13.0	-20.87	175.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_15.55.56

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9149.963	-61.41	12.58	-13.0	-48.41	310.70	Vertical	Vertical	Pass
10554.861	-56.99	16.14	-13.0	-43.99	262.70	Vertical	Vertical	Pass
12718.570	-57.88	14.58	-13.0	-44.88	58.80	Vertical	Vertical	Pass
14546.863	-47.60	24.24	-13.0	-34.60	45.10	Vertical	Vertical	Pass
16845.289	-45.32	26.10	-13.0	-32.32	307.70	Vertical	Vertical	Pass
17980.755	-29.65	42.56	-13.0	-16.65	170.40	Vertical	Vertical	Pass

LTE-B12-1.4-HCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_10.08.00

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-74.38	-15.38	-13.0	-61.38	355.80	Vertical	Vertical	Pass
243.832	-68.69	-4.30	-13.0	-55.69	314.90	Vertical	Vertical	Pass
715.134	-24.03	-1.60	-13.0	-11.03	304.00	Vertical	Vertical	Pass
744.954	-34.92	-0.99	-13.0	-21.92	323.10	Vertical	Vertical	Pass
2277.681	-55.93	-3.03	-13.0	-42.93	356.00	Vertical	Vertical	Pass
6592.102	-35.30	7.91	-13.0	-22.30	323.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_15.48.38

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8792.552	-61.91	10.95	-13.0	-48.91	286.90	Vertical	Vertical	Pass
10543.864	-57.49	16.19	-13.0	-44.49	221.40	Vertical	Vertical	Pass
12647.088	-58.51	14.56	-13.0	-45.51	98.30	Vertical	Vertical	Pass
14519.370	-47.01	24.24	-13.0	-34.01	304.70	Vertical	Vertical	Pass
16812.297	-46.02	25.38	-13.0	-33.02	135.50	Vertical	Vertical	Pass
17991.752	-29.10	42.92	-13.0	-16.10	355.80	Vertical	Vertical	Pass

LTE-B12-3-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_10.51.45

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.37	-15.38	-13.0	-60.37	0.50	Horizontal	Vertical	Pass
454.511	-75.15	-3.23	-13.0	-62.15	16.40	Horizontal	Vertical	Pass
699.133	-26.37	-2.07	-13.0	-13.37	0.20	Horizontal	Vertical	Pass
729.680	-39.72	-1.18	-13.0	-26.72	27.60	Horizontal	Vertical	Pass
3004.999	-47.29	-0.76	-13.0	-34.29	324.70	Horizontal	Vertical	Pass
6629.093	-34.88	7.83	-13.0	-21.88	133.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.09.17

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8094.226	-64.63	10.11	-13.0	-51.63	286.20	Horizontal	Vertical	Pass
9741.065	-59.96	13.75	-13.0	-46.96	12.70	Horizontal	Vertical	Pass
11607.848	-57.67	16.34	-13.0	-44.67	234.10	Horizontal	Vertical	Pass
14802.549	-46.85	25.72	-13.0	-33.85	161.90	Horizontal	Vertical	Pass
16672.082	-45.88	25.35	-13.0	-32.88	153.30	Horizontal	Vertical	Pass
18000.000	-30.16	43.18	-13.0	-17.16	334.60	Horizontal	Vertical	Pass

LTE-B12-3-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_10.47.26

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.12	-15.38	-13.0	-60.12	0.00	Horizontal	Vertical	Pass
249.893	-74.64	-5.84	-13.0	-61.64	23.50	Horizontal	Vertical	Pass
707.861	-28.66	-1.75	-13.0	-15.66	12.70	Horizontal	Vertical	Pass
737.196	-38.23	-1.14	-13.0	-25.23	26.10	Horizontal	Vertical	Pass
2277.181	-57.12	-3.05	-13.0	-44.12	212.70	Horizontal	Vertical	Pass
6603.099	-35.23	7.97	-13.0	-22.23	220.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.07.41

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-64.17	9.44	-13.0	-51.17	238.90	Horizontal	Vertical	Pass
9367.158	-58.73	14.85	-13.0	-45.73	331.70	Horizontal	Vertical	Pass
11181.705	-56.99	15.87	-13.0	-43.99	200.20	Horizontal	Vertical	Pass
13581.855	-54.90	18.20	-13.0	-41.90	65.00	Horizontal	Vertical	Pass
16058.985	-54.12	17.71	-13.0	-41.12	360.00	Horizontal	Vertical	Pass
18000.000	-29.50	43.18	-13.0	-16.50	331.70	Horizontal	Vertical	Pass

LTE-B12-3-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_10.42.18

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-72.80	-15.38	-13.0	-59.80	1.40	Horizontal	Vertical	Pass
230.497	-72.80	-6.80	-13.0	-59.80	72.60	Horizontal	Vertical	Pass
715.134	-19.92	-1.60	-13.0	-6.92	115.40	Horizontal	Vertical	Pass
744.226	-27.66	-1.01	-13.0	-14.66	105.00	Horizontal	Vertical	Pass
3002.000	-47.51	-0.68	-13.0	-34.51	243.80	Horizontal	Vertical	Pass
6575.106	-35.22	7.73	-13.0	-22.22	29.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.05.02

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8066.733	-64.38	9.54	-13.0	-51.38	2.20	Horizontal	Vertical	Pass
10428.393	-58.77	16.04	-13.0	-45.77	60.30	Horizontal	Vertical	Pass
12130.217	-58.10	14.78	-13.0	-45.10	135.50	Horizontal	Vertical	Pass
14156.461	-52.50	20.65	-13.0	-39.50	151.10	Horizontal	Vertical	Pass
16498.875	-46.63	24.97	-13.0	-33.63	51.80	Horizontal	Vertical	Pass
18000.000	-29.23	43.18	-13.0	-16.23	233.70	Horizontal	Vertical	Pass

LTE-B12-3-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_10.23.08

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-74.62	-15.38	-13.0	-61.62	358.60	Vertical	Vertical	Pass
265.409	-72.94	-7.36	-13.0	-59.94	312.00	Vertical	Vertical	Pass
700.587	-22.45	-1.99	-13.0	-9.45	293.70	Vertical	Vertical	Pass
730.407	-33.54	-1.17	-13.0	-20.54	309.30	Vertical	Vertical	Pass
3002.999	-47.14	-0.71	-13.0	-34.14	151.60	Vertical	Vertical	Pass
6978.005	-32.92	10.47	-13.0	-19.92	279.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.15.45

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7981.505	-64.66	8.90	-13.0	-51.66	330.50	Vertical	Vertical	Pass
9378.155	-59.59	15.00	-13.0	-46.59	330.50	Vertical	Vertical	Pass
11159.710	-56.46	15.69	-13.0	-43.46	54.70	Vertical	Vertical	Pass
14557.861	-46.99	24.29	-13.0	-33.99	100.10	Vertical	Vertical	Pass
16504.374	-46.61	24.86	-13.0	-33.61	23.50	Vertical	Vertical	Pass
17986.253	-29.68	42.74	-13.0	-16.68	344.60	Vertical	Vertical	Pass

LTE-B12-3-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_10.19.49

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.33	-15.38	-13.0	-60.33	105.20	Vertical	Vertical	Pass
241.407	-72.41	-3.68	-13.0	-59.41	40.80	Vertical	Vertical	Pass
708.588	-26.17	-1.73	-13.0	-13.17	284.20	Vertical	Vertical	Pass
736.711	-32.94	-1.14	-13.0	-19.94	313.60	Vertical	Vertical	Pass
3008.998	-47.85	-0.87	-13.0	-34.85	68.70	Vertical	Vertical	Pass
6593.102	-35.70	7.92	-13.0	-22.70	258.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.17.36

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8858.535	-62.49	11.38	-13.0	-49.49	302.60	Vertical	Vertical	Pass
10477.881	-57.70	16.43	-13.0	-44.70	8.50	Vertical	Vertical	Pass
11877.281	-58.21	13.63	-13.0	-45.21	82.60	Vertical	Vertical	Pass
13584.604	-55.12	18.23	-13.0	-42.12	276.90	Vertical	Vertical	Pass
14750.312	-47.02	25.10	-13.0	-34.02	359.70	Vertical	Vertical	Pass
17978.005	-30.82	42.48	-13.0	-17.82	300.00	Vertical	Vertical	Pass

LTE-B12-3-HCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_10.26.34

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.98	-15.38	-13.0	-60.98	63.30	Vertical	Vertical	Pass
239.953	-72.54	-3.34	-13.0	-59.54	144.10	Vertical	Vertical	Pass
713.679	-26.02	-1.62	-13.0	-13.02	290.30	Vertical	Vertical	Pass
744.954	-33.65	-0.99	-13.0	-20.65	338.30	Vertical	Vertical	Pass
3011.997	-46.42	-0.95	-13.0	-33.42	347.00	Vertical	Vertical	Pass
6555.111	-33.17	7.51	-13.0	-20.17	325.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.13.35

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9243.439	-59.77	13.43	-13.0	-46.77	67.00	Vertical	Vertical	Pass
11140.465	-56.79	15.47	-13.0	-43.79	335.70	Vertical	Vertical	Pass
12729.568	-57.85	14.64	-13.0	-44.85	4.50	Vertical	Vertical	Pass
14508.373	-47.25	24.24	-13.0	-34.25	116.60	Vertical	Vertical	Pass
16490.627	-46.91	24.65	-13.0	-33.91	18.30	Vertical	Vertical	Pass
17991.752	-29.98	42.92	-13.0	-16.98	316.00	Vertical	Vertical	Pass

LTE-B12-5-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.07.03

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
222.982	-69.14	-10.19	-13.0	-56.14	359.50	Horizontal	Vertical	Pass
445.784	-63.05	-3.63	-13.0	-50.05	359.10	Horizontal	Vertical	Pass
700.587	-21.32	-1.99	-13.0	-8.32	359.80	Horizontal	Vertical	Pass
730.165	-34.36	-1.17	-13.0	-21.36	352.10	Horizontal	Vertical	Pass
3202.949	-47.36	-1.22	-13.0	-34.36	44.80	Horizontal	Vertical	Pass
6801.050	-34.51	9.10	-13.0	-21.51	140.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.35.00

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8833.792	-61.79	11.41	-13.0	-48.79	164.50	Horizontal	Vertical	Pass
9903.274	-59.55	13.93	-13.0	-46.55	12.70	Horizontal	Vertical	Pass
12190.702	-58.61	14.01	-13.0	-45.61	292.80	Horizontal	Vertical	Pass
14511.122	-47.54	24.24	-13.0	-34.54	96.00	Horizontal	Vertical	Pass
16493.377	-47.15	24.75	-13.0	-34.15	135.80	Horizontal	Vertical	Pass
17989.003	-28.59	42.83	-13.0	-15.59	29.40	Horizontal	Vertical	Pass

LTE-B12-5-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_10.57.13

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-72.02	-15.38	-13.0	-59.02	0.60	Horizontal	Vertical	Pass
198.738	-70.17	-10.02	-13.0	-57.17	18.70	Horizontal	Vertical	Pass
708.588	-23.69	-1.73	-13.0	-10.69	95.80	Horizontal	Vertical	Pass
739.378	-30.39	-1.13	-13.0	-17.39	95.80	Horizontal	Vertical	Pass
3003.999	-47.88	-0.74	-13.0	-34.88	2.50	Horizontal	Vertical	Pass
6624.094	-35.81	7.86	-13.0	-22.81	12.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.37.26

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7926.518	-64.08	9.21	-13.0	-51.08	70.90	Horizontal	Vertical	Pass
10497.126	-56.91	16.51	-13.0	-43.91	141.70	Horizontal	Vertical	Pass
12773.557	-57.41	14.81	-13.0	-44.41	90.20	Horizontal	Vertical	Pass
14835.541	-46.59	25.71	-13.0	-33.59	34.00	Horizontal	Vertical	Pass
16817.796	-45.35	25.50	-13.0	-32.35	309.30	Horizontal	Vertical	Pass
18000.000	-30.44	43.18	-13.0	-17.44	341.30	Horizontal	Vertical	Pass

LTE-B12-5-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.09.35

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-78.03	-15.38	-13.0	-65.03	301.40	Horizontal	Vertical	Pass
235.346	-72.57	-5.02	-13.0	-59.57	301.40	Horizontal	Vertical	Pass
713.437	-29.78	-1.63	-13.0	-16.78	309.30	Horizontal	Vertical	Pass
745.196	-28.58	-0.98	-13.0	-15.58	285.40	Horizontal	Vertical	Pass
3020.995	-48.15	-1.18	-13.0	-35.15	37.10	Horizontal	Vertical	Pass
6564.109	-35.78	7.61	-13.0	-22.78	48.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.32.37

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8828.293	-62.38	11.34	-13.0	-49.38	352.50	Horizontal	Vertical	Pass
10579.605	-56.79	16.14	-13.0	-43.79	209.40	Horizontal	Vertical	Pass
12768.058	-58.32	14.80	-13.0	-45.32	171.50	Horizontal	Vertical	Pass
14794.301	-47.18	25.65	-13.0	-34.18	280.10	Horizontal	Vertical	Pass
16850.787	-44.62	26.20	-13.0	-31.62	6.20	Horizontal	Vertical	Pass
17991.752	-30.13	42.92	-13.0	-17.13	140.20	Horizontal	Vertical	Pass

LTE-B12-5-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.23.49

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
222.012	-64.10	-10.64	-13.0	-51.10	91.60	Vertical	Vertical	Pass
446.026	-65.82	-3.59	-13.0	-52.82	75.90	Vertical	Vertical	Pass
700.830	-32.95	-1.98	-13.0	-19.95	70.70	Vertical	Vertical	Pass
732.347	-33.05	-1.16	-13.0	-20.05	36.90	Vertical	Vertical	Pass
3013.997	-47.06	-1.00	-13.0	-34.06	135.70	Vertical	Vertical	Pass
6985.004	-31.29	10.71	-13.0	-18.29	358.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.25.36

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8844.789	-62.44	11.53	-13.0	-49.44	360.00	Vertical	Vertical	Pass
10565.859	-57.10	16.14	-13.0	-44.10	170.40	Vertical	Vertical	Pass
12080.730	-58.05	14.68	-13.0	-45.05	45.80	Vertical	Vertical	Pass
14764.059	-46.49	25.27	-13.0	-33.49	201.70	Vertical	Vertical	Pass
16776.556	-45.95	25.00	-13.0	-32.95	5.30	Vertical	Vertical	Pass
17972.507	-29.54	42.30	-13.0	-16.54	161.90	Vertical	Vertical	Pass

LTE-B12-5-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.26.57

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.52	-15.38	-13.0	-60.52	58.50	Vertical	Vertical	Pass
239.710	-65.90	-3.43	-13.0	-52.90	31.70	Vertical	Vertical	Pass
708.830	-30.31	-1.72	-13.0	-17.31	274.30	Vertical	Vertical	Pass
738.408	-31.49	-1.14	-13.0	-18.49	131.00	Vertical	Vertical	Pass
3709.823	-46.41	-0.99	-13.0	-33.41	315.40	Vertical	Vertical	Pass
6550.112	-35.74	7.46	-13.0	-22.74	215.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.27.42

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8822.794	-61.83	11.28	-13.0	-48.83	344.20	Vertical	Vertical	Pass
10532.867	-57.05	16.27	-13.0	-44.05	173.80	Vertical	Vertical	Pass
12784.554	-57.64	14.83	-13.0	-44.64	313.00	Vertical	Vertical	Pass
14843.789	-46.61	25.70	-13.0	-33.61	318.90	Vertical	Vertical	Pass
16771.057	-44.91	24.97	-13.0	-31.91	292.10	Vertical	Vertical	Pass
18000.000	-30.22	43.18	-13.0	-17.22	171.20	Vertical	Vertical	Pass

LTE-B12-5-HCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.14.21

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-74.02	-15.38	-13.0	-61.02	57.40	Vertical	Vertical	Pass
244.559	-73.10	-4.48	-13.0	-60.10	282.20	Vertical	Vertical	Pass
712.709	-28.44	-1.64	-13.0	-15.44	103.20	Vertical	Vertical	Pass
741.317	-32.19	-1.09	-13.0	-19.19	143.40	Vertical	Vertical	Pass
3001.000	-47.68	-0.66	-13.0	-34.68	291.20	Vertical	Vertical	Pass
6616.096	-35.18	7.90	-13.0	-22.18	66.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.20.51

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8820.045	-62.64	11.24	-13.0	-49.64	52.90	Vertical	Vertical	Pass
10524.619	-56.90	16.34	-13.0	-43.90	360.00	Vertical	Vertical	Pass
12768.058	-58.20	14.80	-13.0	-45.20	328.50	Vertical	Vertical	Pass
14497.376	-46.76	24.16	-13.0	-33.76	118.70	Vertical	Vertical	Pass
16886.528	-44.53	26.19	-13.0	-31.53	124.30	Vertical	Vertical	Pass
17989.003	-30.18	42.83	-13.0	-17.18	270.50	Vertical	Vertical	Pass

LTE-B12-10-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.47.36

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-74.26	-15.38	-13.0	-61.26	2.20	Horizontal	Vertical	Pass
229.285	-71.90	-7.31	-13.0	-58.90	104.00	Horizontal	Vertical	Pass
700.587	-19.21	-1.99	-13.0	-6.21	211.90	Horizontal	Vertical	Pass
733.317	-29.81	-1.16	-13.0	-16.81	211.90	Horizontal	Vertical	Pass
4499.625	-43.47	1.54	-13.0	-30.47	91.30	Horizontal	Vertical	Pass
6788.053	-33.81	8.91	-13.0	-20.81	205.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.42.03

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8858.535	-62.04	11.38	-13.0	-49.04	62.70	Horizontal	Vertical	Pass
10563.109	-56.67	16.14	-13.0	-43.67	240.80	Horizontal	Vertical	Pass
12143.964	-58.49	14.72	-13.0	-45.49	358.30	Horizontal	Vertical	Pass
13221.695	-56.18	15.95	-13.0	-43.18	48.20	Horizontal	Vertical	Pass
14678.830	-47.81	25.22	-13.0	-34.81	221.10	Horizontal	Vertical	Pass
16853.537	-43.29	26.20	-13.0	-30.29	287.00	Horizontal	Vertical	Pass

LTE-B12-10-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.50.39

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
99.095	-77.67	-12.56	-13.0	-64.67	341.30	Horizontal	Vertical	Pass
237.771	-71.21	-4.14	-13.0	-58.21	268.00	Horizontal	Vertical	Pass
710.285	-20.18	-1.68	-13.0	-7.18	222.20	Horizontal	Vertical	Pass
734.286	-30.07	-1.15	-13.0	-17.07	219.60	Horizontal	Vertical	Pass
3014.996	-47.85	-1.02	-13.0	-34.85	360.60	Horizontal	Vertical	Pass
6789.053	-34.11	8.93	-13.0	-21.11	41.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.43.30

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8844.789	-62.41	11.53	-13.0	-49.41	57.70	Horizontal	Vertical	Pass
10524.619	-57.46	16.34	-13.0	-44.46	345.30	Horizontal	Vertical	Pass
12520.620	-58.73	13.48	-13.0	-45.73	106.40	Horizontal	Vertical	Pass
14838.290	-46.73	25.70	-13.0	-33.73	0.90	Horizontal	Vertical	Pass
16512.622	-45.79	24.59	-13.0	-32.79	0.00	Horizontal	Vertical	Pass
17994.501	-30.13	43.00	-13.0	-17.13	233.30	Horizontal	Vertical	Pass

LTE-B12-10-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.44.40

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-76.66	-15.38	-13.0	-63.66	345.70	Horizontal	Vertical	Pass
239.225	-71.28	-3.60	-13.0	-58.28	282.10	Horizontal	Vertical	Pass
709.800	-20.78	-1.69	-13.0	-7.78	235.90	Horizontal	Vertical	Pass
744.469	-30.26	-1.00	-13.0	-17.26	235.90	Horizontal	Vertical	Pass
3001.000	-46.67	-0.66	-13.0	-33.67	155.70	Horizontal	Vertical	Pass
6590.102	-35.56	7.89	-13.0	-22.56	161.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.39.35

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8798.050	-62.31	10.99	-13.0	-49.31	124.40	Horizontal	Vertical	Pass
11184.454	-55.18	15.89	-13.0	-42.18	217.40	Horizontal	Vertical	Pass
13194.201	-54.53	15.95	-13.0	-41.53	58.80	Horizontal	Vertical	Pass
14821.795	-46.17	25.71	-13.0	-33.17	132.50	Horizontal	Vertical	Pass
16864.534	-44.35	26.20	-13.0	-31.35	350.80	Horizontal	Vertical	Pass
18000.000	-29.82	43.18	-13.0	-16.82	23.90	Horizontal	Vertical	Pass

LTE-B12-10-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.35.06

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
64.426	-65.72	-15.84	-13.0	-52.72	305.00	Vertical	Vertical	Pass
231.467	-70.65	-6.44	-13.0	-57.65	318.70	Vertical	Vertical	Pass
700.830	-32.38	-1.98	-13.0	-19.38	297.20	Vertical	Vertical	Pass
729.680	-33.87	-1.18	-13.0	-20.87	187.80	Vertical	Vertical	Pass
3000.000	-57.38	-1.13	-13.0	-44.38	0.10	Vertical	Vertical	Pass
6567.108	-35.07	7.64	-13.0	-22.07	359.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.49.54

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7860.535	-64.83	8.99	-13.0	-51.83	320.70	Vertical	Vertical	Pass
10106.723	-59.69	13.71	-13.0	-46.69	338.90	Vertical	Vertical	Pass
11555.611	-57.23	15.89	-13.0	-44.23	264.90	Vertical	Vertical	Pass
13524.119	-55.50	17.60	-13.0	-42.50	299.80	Vertical	Vertical	Pass
16094.726	-53.49	17.54	-13.0	-40.49	273.40	Vertical	Vertical	Pass
17967.008	-29.08	42.12	-13.0	-16.08	308.80	Vertical	Vertical	Pass

LTE-B12-10-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.30.45

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-74.44	-15.38	-13.0	-61.44	129.50	Vertical	Vertical	Pass
238.013	-70.77	-4.05	-13.0	-57.77	28.10	Vertical	Vertical	Pass
709.315	-33.09	-1.70	-13.0	-20.09	268.20	Vertical	Vertical	Pass
736.468	-33.78	-1.14	-13.0	-20.78	137.30	Vertical	Vertical	Pass
3020.995	-48.22	-1.18	-13.0	-35.22	62.00	Vertical	Vertical	Pass
6607.098	-35.39	7.95	-13.0	-22.39	112.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.51.42

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7973.257	-64.27	8.84	-13.0	-51.27	359.80	Vertical	Vertical	Pass
10321.170	-58.07	15.85	-13.0	-45.07	54.80	Vertical	Vertical	Pass
12119.220	-58.65	14.84	-13.0	-45.65	294.10	Vertical	Vertical	Pass
14821.795	-47.50	25.71	-13.0	-34.50	270.60	Vertical	Vertical	Pass
16501.625	-46.75	24.96	-13.0	-33.75	259.10	Vertical	Vertical	Pass
17983.504	-30.37	42.65	-13.0	-17.37	356.70	Vertical	Vertical	Pass

LTE-B12-10-HCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.38.48

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.93	-15.38	-13.0	-60.93	131.80	Vertical	Vertical	Pass
245.044	-72.12	-4.61	-13.0	-59.12	176.20	Vertical	Vertical	Pass
711.012	-34.21	-1.66	-13.0	-21.21	281.10	Vertical	Vertical	Pass
743.014	-33.25	-1.05	-13.0	-20.25	194.40	Vertical	Vertical	Pass
4087.728	-43.80	0.72	-13.0	-30.80	298.90	Vertical	Vertical	Pass
6987.003	-32.35	10.78	-13.0	-19.35	93.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.48.10

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8083.229	-64.43	9.88	-13.0	-51.43	122.10	Vertical	Vertical	Pass
9754.811	-60.04	13.58	-13.0	-47.04	306.30	Vertical	Vertical	Pass
11209.198	-57.24	15.93	-13.0	-44.24	153.80	Vertical	Vertical	Pass
13273.932	-56.37	15.81	-13.0	-43.37	0.50	Vertical	Vertical	Pass
14783.304	-46.88	25.51	-13.0	-33.88	359.80	Vertical	Vertical	Pass
18000.000	-30.06	43.18	-13.0	-17.06	196.20	Vertical	Vertical	Pass

LTE-B13-5-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.58.30

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
51.092	-69.46	-12.11	-13.0	-56.46	317.50	Horizontal	Vertical	Pass
237.528	-71.44	-4.22	-13.0	-58.44	291.10	Horizontal	Vertical	Pass
750.287	-31.44	-0.85	-13.0	-18.44	240.90	Horizontal	Vertical	Pass
781.077	-21.99	-0.98	-13.0	-8.99	235.60	Horizontal	Vertical	Pass
3004.999	-47.82	-0.76	-13.0	-34.82	354.70	Horizontal	Vertical	Pass
6779.055	-34.88	8.76	-13.0	-21.88	304.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_17.03.31

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8864.034	-62.36	11.24	-13.0	-49.36	278.00	Horizontal	Vertical	Pass
10758.310	-56.87	16.61	-13.0	-43.87	340.90	Horizontal	Vertical	Pass
12726.818	-58.14	14.63	-13.0	-45.14	47.30	Horizontal	Vertical	Pass
14552.362	-46.24	24.25	-13.0	-33.24	198.80	Horizontal	Vertical	Pass
16850.787	-44.17	26.20	-13.0	-31.17	260.90	Horizontal	Vertical	Pass
17983.504	-30.44	42.65	-13.0	-17.44	343.50	Horizontal	Vertical	Pass

LTE-B13-5-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_11.54.46

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.95	-15.38	-13.0	-60.95	2.90	Horizontal	Vertical	Pass
230.740	-71.73	-6.71	-13.0	-58.73	270.00	Horizontal	Vertical	Pass
751.015	-30.01	-0.86	-13.0	-17.01	74.50	Horizontal	Vertical	Pass
782.289	-19.92	-0.92	-13.0	-6.92	256.60	Horizontal	Vertical	Pass
3007.998	-47.87	-0.84	-13.0	-34.87	216.10	Horizontal	Vertical	Pass
6574.106	-35.41	7.72	-13.0	-22.41	201.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_17.05.01

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7827.543	-64.75	8.50	-13.0	-51.75	0.30	Horizontal	Vertical	Pass
9372.657	-58.37	14.92	-13.0	-45.37	53.00	Horizontal	Vertical	Pass
11206.448	-57.00	15.96	-13.0	-44.00	254.90	Horizontal	Vertical	Pass
13238.190	-56.95	15.85	-13.0	-43.95	243.40	Horizontal	Vertical	Pass
14843.789	-47.12	25.70	-13.0	-34.12	266.10	Horizontal	Vertical	Pass
17975.256	-30.02	42.39	-13.0	-17.02	240.40	Horizontal	Vertical	Pass

LTE-B13-5-HCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_13.10.06

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-74.54	-15.38	-13.0	-61.54	1.30	Horizontal	Vertical	Pass
448.693	-68.28	-3.13	-13.0	-55.28	74.80	Horizontal	Vertical	Pass
755.136	-28.62	-0.91	-13.0	-15.62	85.60	Horizontal	Vertical	Pass
784.714	-27.58	-0.79	-13.0	-14.58	85.60	Horizontal	Vertical	Pass
3017.996	-47.74	-1.10	-13.0	-34.74	288.90	Horizontal	Vertical	Pass
6985.004	-32.67	10.71	-13.0	-19.67	314.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_17.01.49

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8839.290	-62.38	11.47	-13.0	-49.38	205.10	Horizontal	Vertical	Pass
10508.123	-56.70	16.46	-13.0	-43.70	1.40	Horizontal	Vertical	Pass
12721.320	-57.22	14.60	-13.0	-44.22	214.40	Horizontal	Vertical	Pass
14502.874	-47.55	24.24	-13.0	-34.55	120.20	Horizontal	Vertical	Pass
16911.272	-44.85	26.28	-13.0	-31.85	185.00	Horizontal	Vertical	Pass
17986.253	-29.97	42.74	-13.0	-16.97	128.40	Horizontal	Vertical	Pass

LTE-B13-5-LCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_13.19.39

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.80	-15.38	-13.0	-60.80	155.60	Vertical	Vertical	Pass
230.012	-74.03	-6.98	-13.0	-61.03	359.30	Vertical	Vertical	Pass
749.075	-34.00	-0.88	-13.0	-21.00	197.70	Vertical	Vertical	Pass
778.168	-34.50	-1.09	-13.0	-21.50	219.30	Vertical	Vertical	Pass
4092.727	-44.34	0.85	-13.0	-31.34	5.80	Vertical	Vertical	Pass
6602.099	-35.63	7.98	-13.0	-22.63	62.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.58.10

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7934.766	-64.46	9.03	-13.0	-51.46	46.20	Vertical	Vertical	Pass
9397.401	-58.82	15.27	-13.0	-45.82	254.20	Vertical	Vertical	Pass
11200.950	-56.54	16.01	-13.0	-43.54	257.10	Vertical	Vertical	Pass
13161.210	-56.54	15.23	-13.0	-43.54	200.20	Vertical	Vertical	Pass
14799.800	-46.87	25.72	-13.0	-33.87	357.60	Vertical	Vertical	Pass
17986.253	-30.28	42.74	-13.0	-17.28	214.00	Vertical	Vertical	Pass

LTE-B13-5-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_13.22.56

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.62	-15.38	-13.0	-60.62	85.50	Vertical	Vertical	Pass
238.983	-73.12	-3.69	-13.0	-60.12	109.70	Vertical	Vertical	Pass
751.257	-33.32	-0.86	-13.0	-20.32	171.50	Vertical	Vertical	Pass
782.774	-33.68	-0.90	-13.0	-20.68	220.30	Vertical	Vertical	Pass
3006.998	-47.34	-0.81	-13.0	-34.34	325.40	Vertical	Vertical	Pass
6608.098	-35.19	7.94	-13.0	-22.19	164.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.56.21

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8088.728	-64.07	10.00	-13.0	-51.07	353.20	Vertical	Vertical	Pass
10466.883	-57.08	16.38	-13.0	-44.08	215.20	Vertical	Vertical	Pass
12732.317	-57.92	14.66	-13.0	-44.92	155.70	Vertical	Vertical	Pass
14513.872	-46.74	24.24	-13.0	-33.74	63.40	Vertical	Vertical	Pass
16696.826	-46.64	25.75	-13.0	-33.64	147.50	Vertical	Vertical	Pass
17983.504	-28.69	42.65	-13.0	-15.69	98.00	Vertical	Vertical	Pass

LTE-B13-5-HCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_13.16.22

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
73.639	-70.66	-19.36	-13.0	-57.66	81.60	Vertical	Vertical	Pass
239.953	-73.22	-3.34	-13.0	-60.22	260.90	Vertical	Vertical	Pass
755.136	-32.51	-0.91	-13.0	-19.51	180.90	Vertical	Vertical	Pass
784.956	-34.41	-0.78	-13.0	-21.41	221.10	Vertical	Vertical	Pass
3014.996	-47.42	-1.02	-13.0	-34.42	360.60	Vertical	Vertical	Pass
6610.097	-34.60	7.93	-13.0	-21.60	250.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_16.53.57

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-64.92	10.17	-13.0	-51.92	12.70	Vertical	Vertical	Pass
11154.211	-55.98	15.65	-13.0	-42.98	244.10	Vertical	Vertical	Pass
13194.201	-56.76	15.95	-13.0	-43.76	83.40	Vertical	Vertical	Pass
15041.740	-47.81	22.26	-13.0	-34.81	2.30	Vertical	Vertical	Pass
16490.627	-46.53	24.65	-13.0	-33.53	178.30	Vertical	Vertical	Pass
17934.016	-29.35	41.00	-13.0	-16.35	3.50	Vertical	Vertical	Pass

LTE-B13-10-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_13.47.37

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-78.20	-15.38	-13.0	-65.20	327.50	Horizontal	Vertical	Pass
238.740	-70.38	-3.78	-13.0	-57.38	316.30	Horizontal	Vertical	Pass
747.621	-32.51	-0.92	-13.0	-19.51	255.10	Horizontal	Vertical	Pass
781.562	-25.40	-0.96	-13.0	-12.40	255.10	Horizontal	Vertical	Pass
3010.997	-47.36	-0.92	-13.0	-34.36	354.70	Horizontal	Vertical	Pass
6529.118	-34.83	7.24	-13.0	-21.83	284.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_17.12.48

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	

Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
9196.701	-59.82	13.71	-13.0	-46.82	359.40	Horizontal	Vertical	Pass
10739.065	-56.98	16.52	-13.0	-43.98	358.30	Horizontal	Vertical	Pass
12729.568	-57.95	14.64	-13.0	-44.95	102.70	Horizontal	Vertical	Pass
14810.797	-46.37	25.72	-13.0	-33.37	312.80	Horizontal	Vertical	Pass
16498.875	-46.49	24.97	-13.0	-33.49	341.50	Horizontal	Vertical	Pass
17991.752	-29.76	42.92	-13.0	-16.76	99.70	Horizontal	Vertical	Pass

LTE-B13-10-MCH-V-TX

Test result

Project Number: Certification

Test Time: 2020-02-19_13.26.27

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.794	-73.47	-15.38	-13.0	-60.47	67.10	Vertical	Vertical	Pass
265.651	-72.48	-7.36	-13.0	-59.48	352.50	Vertical	Vertical	Pass
751.742	-32.86	-0.87	-13.0	-19.86	174.20	Vertical	Vertical	Pass
784.229	-36.65	-0.82	-13.0	-23.65	214.10	Vertical	Vertical	Pass
3003.999	-47.33	-0.74	-13.0	-34.33	48.70	Vertical	Vertical	Pass
6606.098	-34.92	7.96	-13.0	-21.92	0.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-02-20_17.21.29

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E19020010-06#03
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	LYT	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	Normal	Hum:	
		Work Additon:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8809.048	-61.95	11.12	-13.0	-48.95	260.10	Vertical	Vertical	Pass
10530.117	-56.35	16.29	-13.0	-43.35	129.40	Vertical	Vertical	Pass
12839.540	-57.59	14.74	-13.0	-44.59	283.20	Vertical	Vertical	Pass
14560.610	-46.72	24.31	-13.0	-33.72	2.40	Vertical	Vertical	Pass
16735.316	-46.48	25.14	-13.0	-33.48	234.40	Vertical	Vertical	Pass
17980.755	-29.93	42.56	-13.0	-16.93	93.00	Vertical	Vertical	Pass