Photo Report on
Bosch Track & Trace Connect Gateway Connect S 2

Test Setups

FCC ID: 2AOSY-CONNECT02
IC: 25406-CONNECT02

Report Reference: MDE_BOSCH_1912_FCC_Photo_Setups

Test Laboratory:
7layers GmbH
Borsigstrasse 11
40880 Ratingen
Germany

Deutsche Akkreditierungsstelle
D-PL-12140-01-01
D-PL-12140-01-02
D-PL-12140-01-03

Note:
The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.



Photo 1: Test setup for radiated measurements (Enclosure, below 30 MHz, intentional radiator §15.209, ANSI C63.10)



Photo 2: Test setup for radiated measurements (Enclosure, semi-anechoic chamber, 30 MHz to 1 GHz, intentional radiator §15, ANSI C63.10

Photo 3: Test setup for radiated measurements (Enclosure, fully-anechoic chamber)



Photo 4: Test setup for conducted measurements (AC Port (power line), EUT supplied by AC/DC adapter, intentional / unintentional radiator §15, ANSI C63.10/4)



Photo 6: Test setup for radiated measurements (AC Port (power line), EUT supplied by AC/DC adapter, 30 MHz to 1 GHz, unintentional radiator §15.109, ANSI C63.4)



Photo 8: Test setup for radiated measurements (computer peripheral setup, EUT supplied by AC/DC adapter, above 1 GHz, unintentional radiator §15.109, ANSI C63.4, boresight mast)