



F2 Labs
16740 Peters Road
Middlefield, Ohio 44062
United States of America
www.f2labs.com

CERTIFICATION TEST REPORT

Manufacturer: **Knox Company**
1601 West Deer Valley Road
Phoenix, Arizona 85027 USA

Applicant: **Same as Above**

Radio Module Model: **CC3135MODRNMMOBR**

FCC ID: **2AOVI-KNOXRT35**

Testing Commenced: **2026-01-19**

Testing Ended: **2026-01-19**

Summary of Test Results: **In Compliance**

The EUT complies with the EMC requirements when manufactured identically as the unit tested in this report, including any required modifications. Any changes to the design or build of this unit subsequent to this testing may deem it non-compliant.

Wireless transmitter is pre-certified; testing was performed due to additional antennas..

Rule(s):

- **FCC Part 15 Subpart E – Unlicensed National Information Infrastructure Devices, Section 15.407 General technical requirements**
- **ANSI C63.10:2020**



Order No(s): F2X34964A

Applicant: Knox Company
FCC ID: 2AOVI-KNOXRT35

Evaluation Conducted by:

Erik Tobin, EMC Engineer

Report Reviewed by:

Ken Littell, Vice President of Operations

F2 Labs
26501 Ridge Road
Damascus, MD 20872
Ph 301.253.4500

F2 Labs
16740 Peters Road
Middlefield, OH 44062
Ph 440.632.5541

F2 Labs
8583 Zionsville Road
Indianapolis, IN 46268
Ph 317.610.0611



TABLE OF CONTENTS

1	<u>ADMINISTRATIVE INFORMATION</u>
2	<u>SUMMARY OF TEST RESULTS/MODIFICATIONS</u>
3	<u>ENGINEERING STATEMENT</u>
4	<u>EUT INFORMATION AND DATA</u>
5	<u>LIST OF MEASUREMENT INSTRUMENTATION</u>
6	<u>RADIATED SPURIOUS EMISSIONS</u> <u>➤ GW.71.5153</u> <u>➤ 1461530100</u>
7	<u>TEST SETUP PHOTOGRAPHS</u>



1 ADMINISTRATIVE INFORMATION

1.1 Measurement Location:

F2 Labs in Middlefield, Ohio. Site description and attenuation data are on file with the FCC's Sampling and Measurement Branch at the FCC Laboratory in Columbia, MD.

1.2 Measurement Procedure:

All measurements were performed according to ANSI C63.10 and recommended FCC procedure of measurement of devices operating under Section 15.407 and in KDB 789033 v02r01. A list of the measurement equipment can be found in Section 6.



1.3 Uncertainty Budget:

The uncertainty in EMC measurements arises from several factors which affect the results, some associated with environmental conditions in the measurement room, the test equipment being used, and the measurement techniques adopted.

The measurement uncertainty budgets detailed below are calculated from the test and calibration data and are expressed with a 95% confidence factor. Note: Only measurements listed below which relate to tests included in this Test Report are applicable to it.

Measurement Range	Expanded Uncertainty	Combined Uncertainty
Radiated Emissions <1 GHz @ 3m	$\pm 5.07\text{dB}$	± 2.54
Radiated Emissions <1 GHz @10m	$\pm 5.09\text{dB}$	± 2.55
Radiated Emissions 1 GHz to 2.7 GHz	$\pm 3.62\text{dB}$	± 1.81
Radiated Emissions 2.7 GHz to 18 GHz	$\pm 3.10\text{dB}$	± 1.55
AC Power Line Conducted Emissions, 150kHz to 30 MHz	$\pm 2.76\text{dB}$	± 1.38

This Uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.

1.4 Document History

Document Number	Description	Issue Date	Approved By
F2X34964A-02E	First Issue	2026-03-16	K. Littell



2 SUMMARY OF TEST RESULTS/MODIFICATIONS

Test Name	Standard(s)	Antenna	Results
Radiated Spurious Emissions	CFR 47 Part 15.205 / KDB 789033	Dipole Antenna GW.71.51553 Patch Antenna 1461530100	Complies Complies

Modifications Made to the Equipment
None



3 ENGINEERING STATEMENT

This report has been prepared on behalf of Knox Company to provide documentation for the testing described herein. This equipment has been tested and found to comply with Part 15.407 of the FCC Rules using ANSI C63.10 and KDB789033 standards. The test results found in this test report relate only to the items tested.



4 EUT INFORMATION AND DATA

4.1 Equipment Under Test:

Radio Module Model: **CC3135MODRNMMOBR**

FCC ID: **2AOVI-KNOXRT35**

Serial No.: 001

4.2 Trade Name:

Knox Company

4.3 Power Supply:

CUI SDI90-12-U, used to power the Host device which was used to power the module that was placed outside of the Host.

4.4 Applicable Rules:

CFR 47, Part 15.407, subpart E



4.5 Antennas:

Antenna Type	Manufacturer	Model Number	Gain @ 5 GHz
Dipole	AIR802	ANRD245X05-RSP	5dBi
Dipole	Taoglas Limited	GW.71.5153	5.5dBi
Balance Flex	Molex	1461530100	4.5dBi
Collinear	Pulse/Larson Electronics	NMO5E2400B	N/A


ANRD245X05-RSP



GW.71.5153



1461530100



NMO5E2400B



**4.6 Accessories:**

Device	Manufacturer	Model Number	Serial Number
Power Supply	CUI	SDI90-12-U	None Specified
KeySecure (host)	Knox Company	KS-6K2	None Specified

4.7 Testing Algorithm:

EUT was set to continuously transmit the modulated carrier at 5 GHz (5180, 5320, 5500, 5700, 5745 and 5825 MHz). The module was tested while connected to a Host due to the Host supplying power and communication for the module. The Host was not functioning.

**5 LIST OF MEASUREMENT INSTRUMENTATION**

Equipment Type	Asset Number	Manufacturer	Model	Serial Number	Calibration Due Date
Shielded Chamber	CL166-E	Albatross Projects	B83117-DF435-T261	US140023	2026-05-07
Receiver	CL151	Rohde & Schwarz	ESU40	100319	2026-04-08
Low Loss Cable Set	CL315 / CL138	Fairview Microwave	FMC0202914-72/FMC0202914-240	None Spec.	2026-04-09
Horn Antenna 18-26.5 GHz	CL114	A.H. Systems, Inc.	SAS-572	237	2026-02-06
Pre-Amplifier	CL153	Keysight Tech.	83006A	MY39500791	2026-04-10
Horn Antenna 26.5-40 GHz	CL332	Com-Power	AH-640	10070000	2027-09-02
Horn Antenna	CL333	EMC Shop	DRHA18G	J203061349	2026-07-09
Pre-Amplifier	CL189	Com-Power	PAM-840A	461303	2026-04-10
Pre-Amplifier	CL285	Com-Power	PAM-0207	322	2026-04-08
Antenna, JB3 Combination	CL175	Sunol Sciences	JB3	A030315	2026-09-02
Software:	Tile Version 3.4.B.3		Software Verified: 2026-01-19		
Software:	EMC 32, Version 8.53.0		Software Verified: 2026-01-19		
Temp/Hum. Recorder	CL327	Thermpro	TP50	8	2028-03-20
Temp/Hum. Recorder	CL294	Thermpro	TP50	2	2023-04-15



6 RADIATED SPURIOUS EMISSION

Radiated emissions were measured in a Semi-Anechoic Chamber. All emissions generated that fall in the restricted bands per FCC Part 15.205 were examined.

6.1 Requirements:

All emissions that fall in the restricted bands defined in FCC Part 15.205 shall not exceed the maximum field strength listed in FCC Part 15.209(a).

All other undesirable emission that do not fall under the provisions of Part 15.205, shall meet the following limits:

- (1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.*
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.*
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.*
- (4) For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.*



6.2 Radiated Spurious Emission Test Data

Test Date(s):	2026-01-09	Test Engineer(s):	E. Tobin
Standards:	CFR 47 Part 15.407; Part 15.209 / KDB 789033	Air Temperature:	19.9°C
		Relative Humidity:	40%

Notes: Plots are peak, max hold prescan data included only to determine what frequencies to investigate and measure. The EUT was initially placed in a semi-anechoic chamber, and rotated in all three orthogonal positions to maximize the emissions. The orthogonal position that showed the highest emissions was used. Characterization measurements were then performed to determine at which frequencies significant emissions occurred. These graphs are shown below.

The equipment was fully exercised with all cabling attached to the EUT and was positioned in a semi-anechoic chamber for maximum emissions. All antennas were mounted, and all transmitters were on and transmitting at the same time to set worst-case Radiated Emissions and Beamforming due to MIMO configuration. While the equipment was energized, the receiving antenna was scanned from 1.0 meter to 4.0 meters in both vertical and horizontal polarities while the turntable was adjusted 360 degrees to determine the maximum field strength. The tables of measured results can be found below.

In the following plots, emissions to be found by the EUT were measured and listed in tables. The black lines are active scans while the green lines are the max peak scan of the unit during rotations. The plots are for reference only and the limit lines are not actual limit lines but merely a guide.

Limits are indicated as follows:

Solid Red = 15.407 Avg

Green = Restricted Band Avg

Blue = Restricted Band Peak

In the UNII-1 (5.15-5.25 GHz) band, UNII-2A (5.25-5.35 GHz) band, and lower end of the UNII-2C (5.47-5.725 GHz) band, there are restricted bands that apply from 4.5-5.15 GHz, and from 5.35-5.46 GHz. In these restricted bands, the limits are 54 dBuV/m Avg and 74 dBuV/m Peak.

Test data presented reflects worst-case test conditions, as follows:

- GW.71.5153: 18M Data Rate, 5320 MHz
- 1461530100: 18M Data Rate, 5745 MHz

**GW.71.5153: Band Edge Measurements, UNII 1 & 2a, 18M**


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Bandwidth (kHz)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin - AVG (dB)	Limit - AVG (dBμV/m)	Comment
5150.000000	58.1	38.8	1000.000	110.0	H	42.0	7.9	15.2	54.0	
5150.000000	67.1	45.4	1000.000	110.0	V	30.0	7.9	8.6	54.0	
5350.000000	63.5	36.7	1000.000	110.0	H	55.0	7.8	17.3	54.0	
5350.000000	59.3	41.9	1000.000	180.0	V	50.0	7.8	12.1	54.0	

GW.71.5153: Band Edge Measurements, UNII 2c & 3, 18M


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Bandwidth (kHz)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin - AVG (dB)	Limit - AVG (dBμV/m)	Comment
5470.000000	51.4	37.4	1000.000	240.0	H	300.0	8.2	30.8	68.2	
5470.000000	58.1	42.6	1000.000	150.0	V	40.0	8.2	25.6	68.2	
5725.000000	57.2	40.7	1000.000	200.0	V	45.0	8.8	27.5	68.2	Unii-2 Upper
5725.000000	56.3	40.1	1000.000	140.0	V	50.0	8.8	28.2	68.2	Unii-2 Upper
5725.000000	61.0	43.2	1000.000	150.0	H	55.0	8.8	25.1	68.2	Unii-3 Lower
5725.000000	69.0	50.8	1000.000	150.0	V	55.0	8.8	17.4	68.2	Unii-3 Lower
5850.000000	52.1	36.7	1000.000	150.0	H	55.0	8.7	31.5	68.2	
5850.000000	60.5	42.6	1000.000	150.0	V	55.0	8.7	25.7	68.2	



GW.71.5153: 5180, 18M
Band Edge – Vertical




GW.71.5153: 5180, 18M
Band Edge – Horizontal






GW.71.5153: 5320, 18M
Band Edge – Vertical




GW.71.5153: 5320, 18M
Band Edge – Horizontal






**GW.71.5153: 5500, 18M
Band Edge – Vertical**




**GW.71.5153: 5500, 18M
Band Edge – Horizontal**






GW.71.5153: 5700, 18M
Band Edge – Vertical




GW.71.5153: 5700, 18M
Band Edge – Horizontal






GW.71.5153: 5745, 18M
Band Edge – Vertical




GW.71.5153: 5745, 18M
Band Edge – Horizontal






GW.71.5153: 5825, 18M
Band Edge – Vertical



GW.71.5153: 5825, 18M
Band Edge – Horizontal






GW.71.5153: 5320 MHz
Radiated Spurious Emissions Measurements, 30 MHz to 1000 MHz (all channels)


Frequency (MHz)	QuasiPeak (dBμV/m)	Bandwidth (kHz)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin - QPK (dB)	Limit - QPK (dBμV/m)
66.666000	33.3	120.000	200.0	H	4.0	-31.7	6.7	40.0
73.262000	25.0	120.000	200.0	H	0.0	-31.6	15.0	40.0
112.644000	28.5	120.000	200.0	H	0.0	-26.6	15.0	43.5
113.032000	23.7	120.000	150.0	V	0.0	-26.5	19.8	43.5
117.106000	18.7	120.000	150.0	V	0.0	-26.0	24.8	43.5
131.850000	16.7	120.000	150.0	V	0.0	-25.7	26.8	43.5
164.830000	24.2	120.000	200.0	H	0.0	-27.1	19.3	43.5
300.048000	29.2	120.000	150.0	V	348.0	-25.1	16.8	46.0
402.868000	22.4	120.000	150.0	V	0.0	-22.5	23.6	46.0
403.838000	27.3	120.000	200.0	H	0.0	-22.5	18.7	46.0
409.464000	23.7	120.000	200.0	H	0.0	-22.2	22.4	46.0
720.058000	30.6	120.000	150.0	V	0.0	-17.2	15.4	46.0



GW.71.5153: 5320 MHz, 18M
Characterization Scan, 30 MHz to 1000 MHz, Vertical



GW.71.5153: 5320 MHz, 18M
Characterization Scan, 30 MHz to 1000 MHz, Horizontal






GW.71.5153: 5320 MHz, 18M
Radiated Spurious Emissions Measurements, Above 1 GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Bandwidth (kHz)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin - AVG (dB)	Limit - AVG (dBμV/m)	Comment
10640.000000	61.2	47.9	1000.000	150.0	V	353.0	16.5	6.1	54.0	
10640.000000	57.3	43.5	1000.000	150.0	H	0.0	16.5	10.5	54.0	
15960.000000	58.0	44.1	1000.000	150.0	H	351.0	16.8	9.9	54.0	
15960.000000	57.6	44.1	1000.000	150.0	V	9.0	16.8	9.9	54.0	



GW.71.5153: 5320 MHz, 18M
Characterization Scan, 1 GHz to 13 GHz, Vertical




GW.71.5153: 5320 MHz, 18M
Characterization Scan, 1 GHz to 13 GHz Horizontal






GW.71.5153: 5320 MHz, 18M
Characterization Scan, 13 GHz to 18 GHz, Vertical




GW.71.5153: 5320 MHz, 18M
Characterization Scan, 13 GHz to 18 GHz Horizontal





GW.71.5153: 5320 MHz, 18M
Characterization Scan, 18 GHz to 26 GHz, Vertical




GW.71.5153: 5320 MHz, 18M
Characterization Scan, 18 GHz to 26 GHz Horizontal






GW.71.5153: 5320 MHz, 18M
Characterization Scan, 26 GHz to 40 GHz, Vertical - Peak




GW.71.5153: 5320 MHz, 18M
Characterization Scan, 26 GHz to 40 GHz Vertical - AVG






GW.71.5153: 5320 MHz, 18M
Characterization Scan, 26 GHz to 40 GHz, Horizontal - Peak



GW.71.5153: 5320 MHz, 18M
Characterization Scan, 26 GHz to 40 GHz Horizontal - AVG



**1461530100: Band Edge Measurements, UNII 1 & 2A, 18M**


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Bandwidth (kHz)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin - AVG (dB)	Limit - AVG (dBμV/m)	Comment
5150.000000	50.5	36.5	1000.000	150.0	H	280.0	7.9	17.5	54.0	
5150.000000	52.1	37.7	1000.000	150.0	V	0.0	7.9	16.3	54.0	
5350.000000	55.3	38.7	1000.000	150.0	H	285.0	7.8	15.3	54.0	
5350.000000	57.6	40.4	1000.000	170.0	V	280.0	7.8	13.6	54.0	

1461530100: Band Edge Measurements, UNII 2C & 3, 18M


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Bandwidth (kHz)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin - AVG (dB)	Limit - AVG (dBμV/m)	Comment
5470.000000	57.6	41.8	1000.000	140.0	V	290.0	8.2	26.5	68.2	
5470.000000	52.5	37.7	1000.000	170.0	H	105.0	8.2	30.6	68.2	
5725.000000	52.9	38.5	1000.000	160.0	H	90.0	8.8	29.8	68.2	Unii-2 Upper
5725.000000	57.1	41.8	1000.000	150.0	V	5.0	8.8	26.4	68.2	Unii-2 Upper
5725.000000	63.7	46.7	1000.000	160.0	H	90.0	8.8	21.5	68.2	Unii-3 Lower
5725.000000	72.4	55.2	1000.000	150.0	V	5.0	8.8	13.1	68.2	Unii-3 Lower
5850.000000	62.0	44.9	1000.000	130.0	H	120.0	8.7	23.3	68.2	
5850.000000	63.7	46.1	1000.000	150.0	V	219.0	8.7	22.1	68.2	



1461530100: 5180, 18M
Band Edge – Vertical




1461530100: 5180, 18M
Band Edge – Horizontal






1461530100: 5320, 18M
Band Edge – Vertical




1461530100: 5320, 18M
Band Edge – Horizontal






1461530100: 5500, 18M
Band Edge – Vertical




1461530100: 5500, 18M
Band Edge – Horizontal






1461530100: 5700, 18M
Band Edge – Vertical




1461530100: 5700, 18M
Band Edge – Horizontal






1461530100: 5745, 18M
Band Edge – Vertical




1461530100: 5745, 18M
Band Edge – Horizontal






1461530100: 5825, 18M
Band Edge – Vertical



1461530100: 5825, 18M
Band Edge – Horizontal






1461530100: 5745 MHz, 18M (all channels)
Radiated Spurious Emissions Measurements, 30 MHz to 1000 MHz


Frequency (MHz)	QuasiPeak (dBμV/m)	Bandwidth (kHz)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin - QPK (dB)	Limit - QPK (dBμV/m)
65.114000	34.9	120.000	150.0	H	358.0	-31.9	5.1	40.0
73.068000	31.8	120.000	150.0	H	0.0	-31.6	8.2	40.0
73.844000	29.0	120.000	150.0	H	0.0	-31.6	11.0	40.0
104.690000	15.4	120.000	150.0	V	2.0	-28.1	28.1	43.5
112.450000	31.7	120.000	150.0	H	0.0	-26.6	11.8	43.5
114.972000	27.2	120.000	150.0	H	0.0	-26.2	16.3	43.5
159.204000	17.1	120.000	150.0	V	0.0	-26.8	26.4	43.5
179.962000	26.7	120.000	150.0	V	8.0	-27.9	16.8	43.5
300.048000	29.9	120.000	150.0	V	352.0	-25.1	16.1	46.0
409.658000	26.1	120.000	150.0	H	0.0	-22.2	19.9	46.0
410.046000	22.4	120.000	150.0	V	0.0	-22.2	23.6	46.0
599.972000	34.3	120.000	150.0	V	0.0	-19.4	11.7	46.0



1461530100: 5745 MHz, 18M
Characterization Scan, 30 MHz to 1000 MHz, Vertical



1461530100: 5745 MHz, 18M
Characterization Scan, 30 MHz to 1000 MHz, Horizontal






1461530100: 5745 MHz, 18M
Radiated Spurious Emissions Measurements, Above 1 GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Bandwidth (kHz)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin - AVG (dB)	Limit - AVG (dBμV/m)	Comment
11490.000000	60.9	46.8	1000.000	150.0	V	0.0	17.0	7.2	54.0	
11490.000000	57.4	44.3	1000.000	150.0	H	5.0	17.0	9.7	54.0	
17235.000000	64.7	50.8	1000.000	150.0	H	355.0	23.2	3.2	54.0	
17235.000000	64.8	50.8	1000.000	150.0	V	0.0	23.2	3.2	54.0	



1461530100: 5745 MHz, 18M
Characterization Scan, 1 GHz to 13 GHz, Vertical




1461530100: 5745 MHz, 18M
Characterization Scan, 1 GHz to 13 GHz Horizontal






1461530100: 5745 MHz, 18M
Characterization Scan, 13 GHz to 18 GHz, Vertical




1461530100: 5745 MHz, 18M
Characterization Scan, 13 GHz to 18 GHz Horizontal






1461530100: 5745 MHz, 18M
Characterization Scan, 18 GHz to 26 GHz, Vertical




1461530100: 5745 MHz, 18M
Characterization Scan, 18 GHz to 26 GHz Horizontal






1461530100: 5745 MHz, 18M
Characterization Scan, 26 GHz to 40 GHz, Vertical - Peak




1461530100: 5745 MHz, 18M
Characterization Scan, 26 GHz to 40 GHz Vertical - AVG






1461530100: 5745 MHz, 18M
Characterization Scan, 26 GHz to 40 GHz, Horizontal - Peak



1461530100: 5745 MHz, 18M
Characterization Scan, 26 GHz to 40 GHz Horizontal - AVG






6 TEST SETUP PHOTOGRAPH(S)

Note: The module was tested while connected to a Host due to the Host supplying power and communication for the module. The Host was not functioning.

General Test Setup






GW.71.5153: Radiated Spurious Emissions, 30 MHz to 1000 MHz



GW.71.5153: Radiated Spurious Emissions, 1 GHz to 18 GHz





GW.71.5153: Radiated Spurious Emissions, 18 GHz to 26 GHz



GW.71.5153: Radiated Spurious Emissions, 26 GHz to 40 GHz





1461530100: Radiated Spurious Emissions, 30 MHz to 1000 MHz



1461530100: Radiated Spurious Emissions, 1 GHz to 18 GHz





1461530100: Radiated Spurious Emissions, 18 GHz to 26 GHz



1461530100: Radiated Spurious Emissions, 26 GHz to 40 GHz



END OF TEST REPORT – NO APPENDIX.