



## Appendix E

### RF Test Data for 5.3GWIFI (Conducted Measurement)

**Product Name:** Stick

**Test Model:** SEI900CPR

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23.9°C    |
| Relative Humidity: | 54.2%     |
| ATM Pressure:      | 100.0 kPa |
| Test Engineer:     | Jerry Chu |
| Supervised by:     | Can Kun   |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)

Scan code to check authenticity



## E.1 -26dB Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -26 dB Bandwidth (MHz) |
|-----------|------|-----------------|---------|------------------------|
| NVNT      | a    | 5260            | Ant1    | 28.22                  |
| NVNT      | a    | 5280            | Ant1    | 29.39                  |
| NVNT      | a    | 5320            | Ant1    | 26.77                  |
| NVNT      | n20  | 5260            | Ant1    | 28.96                  |
| NVNT      | n20  | 5280            | Ant1    | 28.57                  |
| NVNT      | n20  | 5320            | Ant1    | 29.86                  |
| NVNT      | n40  | 5270            | Ant1    | 58                     |
| NVNT      | n40  | 5310            | Ant1    | 52.84                  |
| NVNT      | ac20 | 5260            | Ant1    | 29.11                  |
| NVNT      | ac20 | 5280            | Ant1    | 29.69                  |
| NVNT      | ac20 | 5320            | Ant1    | 28.91                  |
| NVNT      | ac40 | 5270            | Ant1    | 56.35                  |
| NVNT      | ac40 | 5310            | Ant1    | 55.13                  |
| NVNT      | ac80 | 5290            | Ant1    | 86.62                  |
| NVNT      | ax20 | 5260            | Ant1    | 29.33                  |
| NVNT      | ax20 | 5280            | Ant1    | 29.16                  |
| NVNT      | ax20 | 5320            | Ant1    | 28.87                  |
| NVNT      | ax40 | 5270            | Ant1    | 52.58                  |
| NVNT      | ax40 | 5310            | Ant1    | 55.25                  |
| NVNT      | ax80 | 5290            | Ant1    | 88.22                  |




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT a 5260MHz Ant1



-26dB Bandwidth NVNT a 5280MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT a 5320MHz Ant1



-26dB Bandwidth NVNT n20 5260MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT n20 5280MHz Ant1



-26dB Bandwidth NVNT n20 5320MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT n40 5270MHz Ant1



-26dB Bandwidth NVNT n40 5310MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5260MHz Ant1



-26dB Bandwidth NVNT ac20 5280MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5320MHz Ant1



-26dB Bandwidth NVNT ac40 5270MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5310MHz Ant1



-26dB Bandwidth NVNT ac80 5290MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5260MHz Ant1



-26dB Bandwidth NVNT ax20 5280MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5320MHz Ant1



-26dB Bandwidth NVNT ax40 5270MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax40 5310MHz Ant1



-26dB Bandwidth NVNT ax80 5290MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Condition | Mode | Frequency (MHz) | Antenna | -26 dB Bandwidth (MHz) |
|-----------|------|-----------------|---------|------------------------|
| NVNT      | a    | 5260            | Ant2    | 27.92                  |
| NVNT      | a    | 5280            | Ant2    | 28.06                  |
| NVNT      | a    | 5320            | Ant2    | 28.33                  |
| NVNT      | n20  | 5260            | Ant2    | 29.63                  |
| NVNT      | n20  | 5280            | Ant2    | 29.65                  |
| NVNT      | n20  | 5320            | Ant2    | 29.83                  |
| NVNT      | n40  | 5270            | Ant2    | 54.54                  |
| NVNT      | n40  | 5310            | Ant2    | 54.03                  |
| NVNT      | ac20 | 5260            | Ant2    | 29.33                  |
| NVNT      | ac20 | 5280            | Ant2    | 29.14                  |
| NVNT      | ac20 | 5320            | Ant2    | 29.79                  |
| NVNT      | ac40 | 5270            | Ant2    | 53.94                  |
| NVNT      | ac40 | 5310            | Ant2    | 52.43                  |
| NVNT      | ac80 | 5290            | Ant2    | 86.46                  |
| NVNT      | ax20 | 5260            | Ant2    | 29.03                  |
| NVNT      | ax20 | 5280            | Ant2    | 29.57                  |
| NVNT      | ax20 | 5320            | Ant2    | 29.74                  |
| NVNT      | ax40 | 5270            | Ant2    | 52.63                  |
| NVNT      | ax40 | 5310            | Ant2    | 54.42                  |
| NVNT      | ax80 | 5290            | Ant2    | 85.67                  |




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)

Scan code to check authenticity



-26dB Bandwidth NVNT a 5260MHz Ant2



-26dB Bandwidth NVNT a 5280MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT a 5320MHz Ant2



-26dB Bandwidth NVNT n20 5260MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT n20 5280MHz Ant2



-26dB Bandwidth NVNT n20 5320MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT n40 5270MHz Ant2



-26dB Bandwidth NVNT n40 5310MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5260MHz Ant2



-26dB Bandwidth NVNT ac20 5280MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5320MHz Ant2



-26dB Bandwidth NVNT ac40 5270MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5310MHz Ant2



-26dB Bandwidth NVNT ac80 5290MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5260MHz Ant2



-26dB Bandwidth NVNT ax20 5280MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5320MHz Ant2



-26dB Bandwidth NVNT ax40 5270MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ax40 5310MHz Ant2



-26dB Bandwidth NVNT ax80 5290MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## E.2 Maximum Conducted Output Power

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Duty Factor (dB) | Total Conducted Power (dBm) | Limit Conducted(dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------------|------------------|-----------------------------|----------------------|---------|
| NVNT      | a    | 5260            | Ant1    | 12.84                 | 0.11             | 12.95                       | 24                   | Pass    |
| NVNT      | a    | 5280            | Ant1    | 12.27                 | 0.1              | 12.37                       | 24                   | Pass    |
| NVNT      | a    | 5320            | Ant1    | 11.85                 | 0.1              | 11.95                       | 24                   | Pass    |
| NVNT      | n20  | 5260            | Ant1    | 12.31                 | 0.11             | 12.42                       | 24                   | Pass    |
| NVNT      | n20  | 5280            | Ant1    | 11.75                 | 0.11             | 11.86                       | 24                   | Pass    |
| NVNT      | n20  | 5320            | Ant1    | 11.54                 | 0.13             | 11.67                       | 24                   | Pass    |
| NVNT      | n40  | 5270            | Ant1    | 11.03                 | 0.23             | 11.26                       | 24                   | Pass    |
| NVNT      | n40  | 5310            | Ant1    | 10.46                 | 0.23             | 10.69                       | 24                   | Pass    |
| NVNT      | ac20 | 5260            | Ant1    | 12.47                 | 0.11             | 12.58                       | 24                   | Pass    |
| NVNT      | ac20 | 5280            | Ant1    | 11.7                  | 0.11             | 11.81                       | 24                   | Pass    |
| NVNT      | ac20 | 5320            | Ant1    | 11.45                 | 0.13             | 11.58                       | 24                   | Pass    |
| NVNT      | ac40 | 5270            | Ant1    | 11.02                 | 0.23             | 11.25                       | 24                   | Pass    |
| NVNT      | ac40 | 5310            | Ant1    | 10.63                 | 0.27             | 10.9                        | 24                   | Pass    |
| NVNT      | ac80 | 5290            | Ant1    | 9.45                  | 0.46             | 9.91                        | 24                   | Pass    |
| NVNT      | ax20 | 5260            | Ant1    | 12.45                 | 0.11             | 12.56                       | 24                   | Pass    |
| NVNT      | ax20 | 5280            | Ant1    | 11.73                 | 0.13             | 11.86                       | 24                   | Pass    |
| NVNT      | ax20 | 5320            | Ant1    | 11.51                 | 0.11             | 11.62                       | 24                   | Pass    |
| NVNT      | ax40 | 5270            | Ant1    | 10.99                 | 0.23             | 11.22                       | 24                   | Pass    |
| NVNT      | ax40 | 5310            | Ant1    | 10.54                 | 0.23             | 10.77                       | 24                   | Pass    |
| NVNT      | ax80 | 5290            | Ant1    | 9.42                  | 0.46             | 9.88                        | 24                   | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)

Scan code to check authenticity



| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Duty Factor (dB) | Total Conducted Power (dBm) | Limit Conducted(dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------------|------------------|-----------------------------|----------------------|---------|
| NVNT      | a    | 5260            | Ant2    | 12.71                 | 0.11             | 12.82                       | 24                   | Pass    |
| NVNT      | a    | 5280            | Ant2    | 12.2                  | 0.1              | 12.3                        | 24                   | Pass    |
| NVNT      | a    | 5320            | Ant2    | 11.9                  | 0.1              | 12                          | 24                   | Pass    |
| NVNT      | n20  | 5260            | Ant2    | 12.34                 | 0.11             | 12.45                       | 24                   | Pass    |
| NVNT      | n20  | 5280            | Ant2    | 11.72                 | 0.13             | 11.85                       | 24                   | Pass    |
| NVNT      | n20  | 5320            | Ant2    | 11.47                 | 0.11             | 11.58                       | 24                   | Pass    |
| NVNT      | n40  | 5270            | Ant2    | 11.01                 | 0.23             | 11.24                       | 24                   | Pass    |
| NVNT      | n40  | 5310            | Ant2    | 10.49                 | 0.27             | 10.76                       | 24                   | Pass    |
| NVNT      | ac20 | 5260            | Ant2    | 12.3                  | 0.11             | 12.41                       | 24                   | Pass    |
| NVNT      | ac20 | 5280            | Ant2    | 11.86                 | 0.11             | 11.97                       | 24                   | Pass    |
| NVNT      | ac20 | 5320            | Ant2    | 11.47                 | 0.11             | 11.58                       | 24                   | Pass    |
| NVNT      | ac40 | 5270            | Ant2    | 10.96                 | 0.23             | 11.19                       | 24                   | Pass    |
| NVNT      | ac40 | 5310            | Ant2    | 10.49                 | 0.23             | 10.72                       | 24                   | Pass    |
| NVNT      | ac80 | 5290            | Ant2    | 9.47                  | 0.46             | 9.93                        | 24                   | Pass    |
| NVNT      | ax20 | 5260            | Ant2    | 12.34                 | 0.13             | 12.47                       | 24                   | Pass    |
| NVNT      | ax20 | 5280            | Ant2    | 11.74                 | 0.13             | 11.87                       | 24                   | Pass    |
| NVNT      | ax20 | 5320            | Ant2    | 11.44                 | 0.13             | 11.57                       | 24                   | Pass    |
| NVNT      | ax40 | 5270            | Ant2    | 10.86                 | 0.23             | 11.09                       | 24                   | Pass    |
| NVNT      | ax40 | 5310            | Ant2    | 10.51                 | 0.23             | 10.74                       | 24                   | Pass    |
| NVNT      | ax80 | 5290            | Ant2    | 9.48                  | 0.46             | 9.94                        | 24                   | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

| Condition | Mode | Frequency (MHz) | Total Power (dBm) |       |              | Limit (dBm) | Verdict |
|-----------|------|-----------------|-------------------|-------|--------------|-------------|---------|
|           |      |                 | Ant1              | Ant2  | Ant1+Ant2    |             |         |
| NVNT      | n20  | 5260            | 12.42             | 12.45 | 15.45        | 24          | Pass    |
| NVNT      | n20  | 5300            | 11.86             | 11.85 | 14.87        | 24          | Pass    |
| NVNT      | n20  | 5320            | 11.67             | 11.58 | 14.64        | 24          | Pass    |
| NVNT      | n40  | 5270            | 11.26             | 11.24 | 14.26        | 24          | Pass    |
| NVNT      | n40  | 5310            | 10.69             | 10.76 | 13.74        | 24          | Pass    |
| NVNT      | ac20 | 5260            | 12.58             | 12.41 | 15.51        | 24          | Pass    |
| NVNT      | ac20 | 5300            | 11.81             | 11.97 | 14.90        | 24          | Pass    |
| NVNT      | ac20 | 5320            | 11.58             | 11.58 | 14.59        | 24          | Pass    |
| NVNT      | ac40 | 5270            | 11.25             | 11.19 | 14.23        | 24          | Pass    |
| NVNT      | ac40 | 5310            | 10.9              | 10.72 | 13.82        | 24          | Pass    |
| NVNT      | ac80 | 5290            | 9.91              | 9.93  | 12.93        | 24          | Pass    |
| NVNT      | ax20 | 5260            | 12.56             | 12.47 | <b>15.53</b> | 24          | Pass    |
| NVNT      | ax20 | 5300            | 11.86             | 11.87 | 14.88        | 24          | Pass    |
| NVNT      | ax20 | 5320            | 11.62             | 11.57 | 14.61        | 24          | Pass    |
| NVNT      | ax40 | 5270            | 11.22             | 11.09 | 14.17        | 24          | Pass    |
| NVNT      | ax40 | 5310            | 10.77             | 10.74 | 13.77        | 24          | Pass    |
| NVNT      | ax80 | 5290            | 9.88              | 9.94  | 12.92        | 24          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)

Scan code to check authenticity



### E.3 Maximum Power Spectral Density Level

| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm/MHz) | Duty Factor (dB) | Total PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|-----------|------|-----------------|---------|-------------------------|------------------|---------------------|-----------------|---------|
| NVNT      | a    | 5260            | Ant1    | -1.01                   | 0.11             | -0.9                | 11              | Pass    |
| NVNT      | a    | 5280            | Ant1    | -1.55                   | 0.1              | -1.45               | 11              | Pass    |
| NVNT      | a    | 5320            | Ant1    | -1.93                   | 0.1              | -1.83               | 11              | Pass    |
| NVNT      | n20  | 5260            | Ant1    | -1.04                   | 0.11             | -0.93               | 11              | Pass    |
| NVNT      | n20  | 5280            | Ant1    | -2.5                    | 0.11             | -2.39               | 11              | Pass    |
| NVNT      | n20  | 5320            | Ant1    | -2.8                    | 0.13             | -2.67               | 11              | Pass    |
| NVNT      | n40  | 5270            | Ant1    | -6.47                   | 0.23             | -6.24               | 11              | Pass    |
| NVNT      | n40  | 5310            | Ant1    | -6.86                   | 0.23             | -6.63               | 11              | Pass    |
| NVNT      | ac20 | 5260            | Ant1    | -1.72                   | 0.11             | -1.61               | 11              | Pass    |
| NVNT      | ac20 | 5280            | Ant1    | -2.59                   | 0.11             | -2.48               | 11              | Pass    |
| NVNT      | ac20 | 5320            | Ant1    | -2.76                   | 0.13             | -2.63               | 11              | Pass    |
| NVNT      | ac40 | 5270            | Ant1    | -6.38                   | 0.23             | -6.15               | 11              | Pass    |
| NVNT      | ac40 | 5310            | Ant1    | -6.9                    | 0.27             | -6.63               | 11              | Pass    |
| NVNT      | ac80 | 5290            | Ant1    | -10.85                  | 0.46             | -10.39              | 11              | Pass    |
| NVNT      | ax20 | 5260            | Ant1    | -1.86                   | 0.11             | -1.75               | 11              | Pass    |
| NVNT      | ax20 | 5280            | Ant1    | -2.5                    | 0.13             | -2.37               | 11              | Pass    |
| NVNT      | ax20 | 5320            | Ant1    | -2.92                   | 0.11             | -2.81               | 11              | Pass    |
| NVNT      | ax40 | 5270            | Ant1    | -6.47                   | 0.23             | -6.24               | 11              | Pass    |
| NVNT      | ax40 | 5310            | Ant1    | -7.05                   | 0.23             | -6.82               | 11              | Pass    |
| NVNT      | ax80 | 5290            | Ant1    | -10.92                  | 0.46             | -10.46              | 11              | Pass    |





| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm/MHz) | Duty Factor (dB) | Total PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|-----------|------|-----------------|---------|-------------------------|------------------|---------------------|-----------------|---------|
| NVNT      | a    | 5260            | Ant2    | -1.28                   | 0.11             | -1.17               | 11              | Pass    |
| NVNT      | a    | 5280            | Ant2    | -1.64                   | 0.1              | -1.54               | 11              | Pass    |
| NVNT      | a    | 5320            | Ant2    | -2.09                   | 0.1              | -1.99               | 11              | Pass    |
| NVNT      | n20  | 5260            | Ant2    | -2.03                   | 0.11             | -1.92               | 11              | Pass    |
| NVNT      | n20  | 5280            | Ant2    | -2.56                   | 0.13             | -2.43               | 11              | Pass    |
| NVNT      | n20  | 5320            | Ant2    | -2.91                   | 0.11             | -2.8                | 11              | Pass    |
| NVNT      | n40  | 5270            | Ant2    | -5.51                   | 0.23             | -5.28               | 11              | Pass    |
| NVNT      | n40  | 5310            | Ant2    | -5.97                   | 0.27             | -5.7                | 11              | Pass    |
| NVNT      | ac20 | 5260            | Ant2    | -1.98                   | 0.11             | -1.87               | 11              | Pass    |
| NVNT      | ac20 | 5280            | Ant2    | -2.55                   | 0.11             | -2.44               | 11              | Pass    |
| NVNT      | ac20 | 5320            | Ant2    | -2.94                   | 0.11             | -2.83               | 11              | Pass    |
| NVNT      | ac40 | 5270            | Ant2    | -5.28                   | 0.23             | -5.05               | 11              | Pass    |
| NVNT      | ac40 | 5310            | Ant2    | -6.82                   | 0.23             | -6.59               | 11              | Pass    |
| NVNT      | ac80 | 5290            | Ant2    | -10.79                  | 0.46             | -10.33              | 11              | Pass    |
| NVNT      | ax20 | 5260            | Ant2    | -1.93                   | 0.13             | -1.8                | 11              | Pass    |
| NVNT      | ax20 | 5280            | Ant2    | -2.42                   | 0.13             | -2.29               | 11              | Pass    |
| NVNT      | ax20 | 5320            | Ant2    | -2.93                   | 0.13             | -2.8                | 11              | Pass    |
| NVNT      | ax40 | 5270            | Ant2    | -5.58                   | 0.23             | -5.35               | 11              | Pass    |
| NVNT      | ax40 | 5310            | Ant2    | -7.01                   | 0.23             | -6.78               | 11              | Pass    |
| NVNT      | ax80 | 5290            | Ant2    | -10.81                  | 0.46             | -10.35              | 11              | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)

Scan code to check authenticity



MIMO

| Condition | Mode | Frequency (MHz) | Total PSD (dBm/MHz) |        |           | Limit (dBm/MHz) | Verdict |
|-----------|------|-----------------|---------------------|--------|-----------|-----------------|---------|
|           |      |                 | Ant1                | Ant2   | Ant1+Ant2 |                 |         |
| NVNT      | n20  | 5260            | -0.93               | -1.92  | 1.61      | 8.31            | Pass    |
| NVNT      | n20  | 5300            | -2.39               | -2.43  | 0.60      | 8.31            | Pass    |
| NVNT      | n20  | 5320            | -2.67               | -2.8   | 0.28      | 8.31            | Pass    |
| NVNT      | n40  | 5270            | -6.24               | -5.28  | -2.72     | 8.31            | Pass    |
| NVNT      | n40  | 5310            | -6.63               | -5.7   | -3.13     | 8.31            | Pass    |
| NVNT      | ac20 | 5260            | -1.61               | -1.87  | 1.27      | 8.31            | Pass    |
| NVNT      | ac20 | 5300            | -2.48               | -2.44  | 0.55      | 8.31            | Pass    |
| NVNT      | ac20 | 5320            | -2.63               | -2.83  | 0.28      | 8.31            | Pass    |
| NVNT      | ac40 | 5270            | -6.15               | -5.05  | -2.55     | 8.31            | Pass    |
| NVNT      | ac40 | 5310            | -6.63               | -6.59  | -3.60     | 8.31            | Pass    |
| NVNT      | ac80 | 5290            | -10.39              | -10.33 | -7.35     | 8.31            | Pass    |
| NVNT      | ax20 | 5260            | -1.75               | -1.8   | 1.24      | 8.31            | Pass    |
| NVNT      | ax20 | 5300            | -2.37               | -2.29  | 0.68      | 8.31            | Pass    |
| NVNT      | ax20 | 5320            | -2.81               | -2.8   | 0.21      | 8.31            | Pass    |
| NVNT      | ax40 | 5270            | -6.24               | -5.35  | -2.76     | 8.31            | Pass    |
| NVNT      | ax40 | 5310            | -6.82               | -6.78  | -3.79     | 8.31            | Pass    |
| NVNT      | ax80 | 5290            | -10.46              | -10.35 | -7.39     | 8.31            | Pass    |





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



PSD NVNT ac40 5310MHz Ant1



PSD NVNT ac80 5290MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



PSD NVNT ax40 5310MHz Ant1



PSD NVNT ax80 5290MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



PSD NVNT ac40 5310MHz Ant2



PSD NVNT ac80 5290MHz Ant2





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



PSD NVNT ax40 5310MHz Ant2



PSD NVNT ax80 5290MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## E.4 Restrict Band

| Condition | Mode | Frequency<br>(MHz) | Antenna | Spur Freq<br>(MHz) | Power<br>(dBm) | Gain<br>(dBi) | E<br>(dBuV/m) | Detector | Limit<br>(dBuV/m) | Verdict |
|-----------|------|--------------------|---------|--------------------|----------------|---------------|---------------|----------|-------------------|---------|
| NVNT      | a    | 5260               | Ant1    | 4500               | -52.91         | 5.68          | 48.03         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5260               | Ant1    | 4500               | -59.07         | 5.68          | 41.87         | Average  | 54                | Pass    |
| NVNT      | a    | 5260               | Ant1    | 5085.78            | -46.33         | 5.68          | 54.61         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5260               | Ant1    | 5048.34            | -56.86         | 5.68          | 44.08         | Average  | 54                | Pass    |
| NVNT      | a    | 5260               | Ant1    | 5150               | -49.46         | 5.68          | 51.48         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5260               | Ant1    | 5150               | -57.26         | 5.68          | 43.68         | Average  | 54                | Pass    |
| NVNT      | a    | 5320               | Ant1    | 5350               | -45.37         | 5.68          | 55.57         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5320               | Ant1    | 5350               | -56.13         | 5.68          | 44.81         | Average  | 54                | Pass    |
| NVNT      | a    | 5320               | Ant1    | 5351.4             | -44.87         | 5.68          | 56.07         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5320               | Ant1    | 5350               | -56.13         | 5.68          | 44.81         | Average  | 54                | Pass    |
| NVNT      | a    | 5320               | Ant1    | 5460               | -51.75         | 5.68          | 49.19         | Peak     | 68.2              | Pass    |
| NVNT      | a    | 5320               | Ant1    | 5460               | -57.89         | 5.68          | 43.05         | Average  | 54                | Pass    |
| NVNT      | n20  | 5260               | Ant1    | 4500               | -51.04         | 5.68          | 49.90         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5260               | Ant1    | 4500               | -59.2          | 5.68          | 41.74         | Average  | 54                | Pass    |
| NVNT      | n20  | 5260               | Ant1    | 5111.52            | -46.29         | 5.68          | 54.65         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5260               | Ant1    | 4773               | -56.81         | 5.68          | 44.13         | Average  | 54                | Pass    |
| NVNT      | n20  | 5260               | Ant1    | 5150               | -49.97         | 5.68          | 50.97         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5260               | Ant1    | 5150               | -57.19         | 5.68          | 43.75         | Average  | 54                | Pass    |
| NVNT      | n20  | 5320               | Ant1    | 5350               | -45.2          | 5.68          | 55.74         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5320               | Ant1    | 5350               | -55.38         | 5.68          | 45.56         | Average  | 54                | Pass    |
| NVNT      | n20  | 5320               | Ant1    | 5350               | -42.68         | 5.68          | 58.26         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5320               | Ant1    | 5350               | -55.38         | 5.68          | 45.56         | Average  | 54                | Pass    |
| NVNT      | n20  | 5320               | Ant1    | 5460               | -50.42         | 5.68          | 50.52         | Peak     | 68.2              | Pass    |
| NVNT      | n20  | 5320               | Ant1    | 5460               | -58.03         | 5.68          | 42.91         | Average  | 54                | Pass    |
| NVNT      | n40  | 5270               | Ant1    | 4500               | -51.86         | 5.68          | 49.08         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5270               | Ant1    | 4500               | -59.17         | 5.68          | 41.77         | Average  | 54                | Pass    |
| NVNT      | n40  | 5270               | Ant1    | 5082.39            | -47.53         | 5.68          | 53.41         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5270               | Ant1    | 4806.99            | -56.58         | 5.68          | 44.36         | Average  | 54                | Pass    |
| NVNT      | n40  | 5270               | Ant1    | 5150               | -49.05         | 5.68          | 51.89         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5270               | Ant1    | 5150               | -57.54         | 5.68          | 43.40         | Average  | 54                | Pass    |
| NVNT      | n40  | 5310               | Ant1    | 5350               | -45.41         | 5.68          | 55.53         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5310               | Ant1    | 5350               | -56.53         | 5.68          | 44.41         | Average  | 54                | Pass    |
| NVNT      | n40  | 5310               | Ant1    | 5350               | -45.41         | 5.68          | 55.53         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5310               | Ant1    | 5350.2             | -56.11         | 5.68          | 44.83         | Average  | 54                | Pass    |
| NVNT      | n40  | 5310               | Ant1    | 5460               | -51.16         | 5.68          | 49.78         | Peak     | 68.2              | Pass    |
| NVNT      | n40  | 5310               | Ant1    | 5460               | -57.87         | 5.68          | 43.07         | Average  | 54                | Pass    |
| NVNT      | ac20 | 5260               | Ant1    | 4500               | -51.38         | 5.68          | 49.56         | Peak     | 68.2              | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |         |        |      |       |         |      |      |
|------|------|------|------|---------|--------|------|-------|---------|------|------|
| NVNT | ac20 | 5260 | Ant1 | 4500    | -58.99 | 5.68 | 41.95 | Average | 54   | Pass |
| NVNT | ac20 | 5260 | Ant1 | 5071.74 | -47.1  | 5.68 | 53.84 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5260 | Ant1 | 5046.78 | -56.8  | 5.68 | 44.14 | Average | 54   | Pass |
| NVNT | ac20 | 5260 | Ant1 | 5150    | -49.94 | 5.68 | 51.00 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5260 | Ant1 | 5150    | -57.34 | 5.68 | 43.60 | Average | 54   | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5350    | -44.01 | 5.68 | 56.93 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5350    | -55.02 | 5.68 | 45.92 | Average | 54   | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5351.8  | -41.2  | 5.68 | 59.74 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5350    | -55.02 | 5.68 | 45.92 | Average | 54   | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5460    | -50.4  | 5.68 | 50.54 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5460    | -57.82 | 5.68 | 43.12 | Average | 54   | Pass |
| NVNT | ac40 | 5270 | Ant1 | 4500    | -52.73 | 5.68 | 48.21 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5270 | Ant1 | 4500    | -59.41 | 5.68 | 41.53 | Average | 54   | Pass |
| NVNT | ac40 | 5270 | Ant1 | 4809.42 | -47.4  | 5.68 | 53.54 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5270 | Ant1 | 4806.99 | -56.5  | 5.68 | 44.44 | Average | 54   | Pass |
| NVNT | ac40 | 5270 | Ant1 | 5150    | -50.98 | 5.68 | 49.96 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5270 | Ant1 | 5150    | -57.62 | 5.68 | 43.32 | Average | 54   | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5350    | -44.39 | 5.68 | 56.55 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5350    | -56.46 | 5.68 | 44.48 | Average | 54   | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5350.2  | -43.99 | 5.68 | 56.95 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5350    | -56.46 | 5.68 | 44.48 | Average | 54   | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5460    | -50.98 | 5.68 | 49.96 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5460    | -57.69 | 5.68 | 43.25 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5350    | -46.92 | 5.68 | 54.02 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5350    | -55.82 | 5.68 | 45.12 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5350.5  | -45.05 | 5.68 | 55.89 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5350    | -55.82 | 5.68 | 45.12 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5460    | -51.44 | 5.68 | 49.50 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5460    | -57.55 | 5.68 | 43.39 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 4500    | -51.75 | 5.68 | 49.19 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 4500    | -59.22 | 5.68 | 41.72 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5088.12 | -47.94 | 5.68 | 53.00 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5055.93 | -56.61 | 5.68 | 44.33 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5150    | -51.08 | 5.68 | 49.86 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5150    | -57.5  | 5.68 | 43.44 | Average | 54   | Pass |
| NVNT | ax20 | 5260 | Ant1 | 4500    | -50.78 | 5.68 | 50.16 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5260 | Ant1 | 4500    | -59.07 | 5.68 | 41.87 | Average | 54   | Pass |
| NVNT | ax20 | 5260 | Ant1 | 5067.84 | -46.53 | 5.68 | 54.41 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5260 | Ant1 | 5058.48 | -56.81 | 5.68 | 44.13 | Average | 54   | Pass |
| NVNT | ax20 | 5260 | Ant1 | 5150    | -49.14 | 5.68 | 51.80 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5260 | Ant1 | 5150    | -57.18 | 5.68 | 43.76 | Average | 54   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |         |        |      |       |         |      |      |
|------|------|------|------|---------|--------|------|-------|---------|------|------|
| NVNT | ax20 | 5320 | Ant1 | 5350    | -42.43 | 5.68 | 58.51 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5320 | Ant1 | 5350    | -54.99 | 5.68 | 45.95 | Average | 54   | Pass |
| NVNT | ax20 | 5320 | Ant1 | 5350    | -42.43 | 5.68 | 58.51 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5320 | Ant1 | 5350    | -54.99 | 5.68 | 45.95 | Average | 54   | Pass |
| NVNT | ax20 | 5320 | Ant1 | 5460    | -49.79 | 5.68 | 51.15 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5320 | Ant1 | 5460    | -57.94 | 5.68 | 43.00 | Average | 54   | Pass |
| NVNT | ax40 | 5270 | Ant1 | 4500    | -52.03 | 5.68 | 48.91 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5270 | Ant1 | 4500    | -59.12 | 5.68 | 41.82 | Average | 54   | Pass |
| NVNT | ax40 | 5270 | Ant1 | 5065.38 | -47.5  | 5.68 | 53.44 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5270 | Ant1 | 4806.18 | -56.43 | 5.68 | 44.51 | Average | 54   | Pass |
| NVNT | ax40 | 5270 | Ant1 | 5150    | -51.27 | 5.68 | 49.67 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5270 | Ant1 | 5150    | -57.49 | 5.68 | 43.45 | Average | 54   | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5350    | -47.91 | 5.68 | 53.03 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5350    | -56.51 | 5.68 | 44.43 | Average | 54   | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5351.6  | -45.07 | 5.68 | 55.87 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5350    | -56.51 | 5.68 | 44.43 | Average | 54   | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5460    | -51.52 | 5.68 | 49.42 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5460    | -57.8  | 5.68 | 43.14 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5350    | -48.48 | 5.68 | 52.46 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5350    | -56.07 | 5.68 | 44.87 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5351.5  | -46.83 | 5.68 | 54.11 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5351.5  | -56.04 | 5.68 | 44.90 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5460    | -49.96 | 5.68 | 50.98 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5460    | -57.74 | 5.68 | 43.20 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 4500    | -52.78 | 5.68 | 48.16 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 4500    | -59.32 | 5.68 | 41.62 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5041.14 | -47.52 | 5.68 | 53.42 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5055.06 | -56.78 | 5.68 | 44.16 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5150    | -51.34 | 5.68 | 49.60 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5150    | -57.41 | 5.68 | 43.53 | Average | 54   | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT a 5260MHz Ant1 Peak



Restrict Band NVNT a 5260MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT a 5320MHz Ant1 Peak



Restrict Band NVNT a 5320MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT n20 5260MHz Ant1 Peak



Restrict Band NVNT n20 5260MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT n20 5320MHz Ant1 Peak



Restrict Band NVNT n20 5320MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT n40 5270MHz Ant1 Peak



Restrict Band NVNT n40 5270MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT n40 5310MHz Ant1 Peak



Restrict Band NVNT n40 5310MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ac20 5260MHz Ant1 Peak



Restrict Band NVNT ac20 5260MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ac20 5320MHz Ant1 Peak



Restrict Band NVNT ac20 5320MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ac40 5270MHz Ant1 Peak



Restrict Band NVNT ac40 5270MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ac40 5310MHz Ant1 Peak



Restrict Band NVNT ac40 5310MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ac80 5290MHz Ant1 Peak



Restrict Band NVNT ac80 5290MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ac80 5290MHz Ant1 Peak



Restrict Band NVNT ac80 5290MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ax20 5260MHz Ant1 Peak



Restrict Band NVNT ax20 5260MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ax20 5320MHz Ant1 Peak



Restrict Band NVNT ax20 5320MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ax40 5270MHz Ant1 Peak



Restrict Band NVNT ax40 5270MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ax40 5310MHz Ant1 Peak



Restrict Band NVNT ax40 5310MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ax80 5290MHz Ant1 Peak



Restrict Band NVNT ax80 5290MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Restrict Band NVNT ax80 5290MHz Ant1 Peak



Restrict Band NVNT ax80 5290MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity