

Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0



Band4 16QAM BW=5MHz Channel=20375 RB Size=1 Position=#0



Band4 16QAM BW=5MHz Channel=20375 RB Size=1 Position=#Max



Band4 16QAM BW=5MHz Channel=20375 RB Size=25 Position=#0



Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#0



Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#Max



Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0



Band4 16QAM BW=10MHz Channel=20000 RB Size=1 Position=#0



Band4 16QAM BW=10MHz Channel=20000 RB Size=1 Position=#Max



Band4 16QAM BW=10MHz Channel=20000 RB Size=50 Position=#0



Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#0



Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#Max



Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0



Band4 16QAM BW=10MHz Channel=20350 RB Size=1 Position=#0



Band4 16QAM BW=10MHz Channel=20350 RB Size=1 Position=#Max



Band4 16QAM BW=10MHz Channel=20350 RB Size=50 Position=#0



Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#Max



Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0



Band4 16QAM BW=15MHz Channel=20025 RB Size=1 Position=#0



Band4 16QAM BW=15MHz Channel=20025 RB Size=1 Position=#Max



Band4 16QAM BW=15MHz Channel=20025 RB Size=75 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#Max



Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0



Band4 16QAM BW=15MHz Channel=20325 RB Size=1 Position=#0



Band4 16QAM BW=15MHz Channel=20325 RB Size=1 Position=#Max



Band4 16QAM BW=15MHz Channel=20325 RB Size=75 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#Max



Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 16QAM BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 16QAM BW=20MHz Channel=20050 RB Size=1 Position=#Max



Band4 16QAM BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#Max



Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0



Band4 16QAM BW=20MHz Channel=20300 RB Size=1 Position=#0



Band4 16QAM BW=20MHz Channel=20300 RB Size=1 Position=#Max



Band4 16QAM BW=20MHz Channel=20300 RB Size=100 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.96	-36	-25
2	2529	2530	1000	2529.697	-33.2	-13
3	2530	2534	1000	2534	-13.71	-10
4	2534	2535	100	2534.994	-27.48	-10

Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.772	-38.99	-25
2	2529	2530	1000	2529.748	-37.02	-13
3	2530	2534	1000	2533.924	-35.41	-10
4	2534	2535	100	2534.958	-47.1	-10

Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2527.868	-36.46	-25
2	2529	2530	1000	2529.792	-34.68	-13
3	2530	2534	1000	2533.996	-24.73	-10
4	2534	2535	100	2534.704	-36.87	-10

Band41(2535-2655) 16QAM BW=5MHz Channel=40065 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2525.728	-36.42	-25
2	2529	2530	1000	2529.92	-32.55	-13
3	2530	2534	1000	2533.976	-14.54	-10
4	2534	2535	100	2534.992	-28.68	-10

Band41(2535-2655) 16QAM BW=5MHz Channel=40065 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.872	-38.48	-25
2	2529	2530	1000	2529.943	-36.66	-13
3	2530	2534	1000	2533.492	-35.31	-10
4	2534	2535	100	2534.849	-46.94	-10

Band41(2535-2655) 16QAM BW=5MHz Channel=40065 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2526.512	-38.05	-25
2	2529	2530	1000	2529.123	-35.99	-13
3	2530	2534	1000	2533.984	-26.92	-10
4	2534	2535	100	2534.998	-38.43	-10

Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.819	-46.06	-10
2	2656	2660	1000	2656.572	-33.62	-10
3	2660	2661	1000	2660.143	-37.59	-13
4	2661	2665	1000	2661.54	-39.16	-25

Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.041	-35.8	-10
2	2656	2660	1000	2656.02	-25.5	-10
3	2660	2661	1000	2660.018	-35.19	-13
4	2661	2665	1000	2661.9	-36.86	-25

Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.005	-27.5	-10
2	2656	2660	1000	2656.004	-12.88	-10
3	2660	2661	1000	2660.56	-31.2	-13
4	2661	2665	1000	2662.044	-35.54	-25

Band41(2535-2655) 16QAM BW=5MHz Channel=41215 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.663	-46.15	-10
2	2656	2660	1000	2656.348	-33.59	-10
3	2660	2661	1000	2660.099	-37.76	-13
4	2661	2665	1000	2661.712	-39.34	-25

Band41(2535-2655) 16QAM BW=5MHz Channel=41215 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.01	-27.81	-10
2	2656	2660	1000	2656.004	-14.89	-10
3	2660	2661	1000	2660.161	-32.76	-13
4	2661	2665	1000	2661.292	-35.73	-25

Band41(2535-2655) 16QAM BW=5MHz Channel=41215 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.113	-37.66	-10
2	2656	2660	1000	2656.136	-27.15	-10
3	2660	2661	1000	2660.787	-34.37	-13
4	2661	2665	1000	2661.384	-37.38	-25

Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.6825	-39.21	-25
2	2525	2530	1000	2527.335	-37.85	-13
3	2530	2534	1000	2533.976	-23.2	-10
4	2534	2535	200	2534.995	-26.85	-10

Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2523.0325	-40.65	-25
2	2525	2530	1000	2526.895	-39.83	-13
3	2530	2534	1000	2531.448	-37.53	-10
4	2534	2535	200	2534.987	-46.21	-10

Band41(2535-2655) 16QAM BW=10MHz Channel=40090 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.7925	-39.81	-25
2	2525	2530	1000	2527.7	-37.79	-13
3	2530	2534	1000	2534	-24.57	-10
4	2534	2535	200	2534.985	-27.65	-10

Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.3275	-39.31	-25
2	2525	2530	1000	2529.575	-35.4	-13
3	2530	2534	1000	2533.892	-31.48	-10
4	2534	2535	200	2534.145	-37.47	-10

Band41(2535-2655) 16QAM BW=10MHz Channel=40090 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2522.83	-40.92	-25
2	2525	2530	1000	2526.575	-39.57	-13
3	2530	2534	1000	2533.852	-38.58	-10
4	2534	2535	200	2534.622	-46.44	-10

Band41(2535-2655) 16QAM BW=10MHz Channel=40090 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2523.825	-39.99	-25
2	2525	2530	1000	2529.895	-35.75	-13
3	2530	2534	1000	2533.832	-31.91	-10
4	2534	2535	200	2534.677	-39.03	-10

Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	200	2655.077	-46.29	-10
2	2656	2660	1000	2656.376	-39.06	-10
3	2660	2665	1000	2661.245	-40.19	-13
4	2665	2667.5	1000	2665.205	-40.47	-25

Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	200	2655.052	-26.47	-10
2	2656	2660	1000	2656.004	-23.91	-10
3	2660	2665	1000	2662.315	-37.97	-13
4	2665	2667.5	1000	2665.1875	-39.52	-25

Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	200	2655.798	-36.44	-10
2	2656	2660	1000	2656.884	-30.27	-10
3	2660	2665	1000	2660.33	-33.44	-13
4	2665	2667.5	1000	2665.355	-38.39	-25

Band41(2535-2655) 16QAM BW=10MHz Channel=41190 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	200	2655.152	-46.3	-10
2	2656	2660	1000	2656.048	-38.79	-10
3	2660	2665	1000	2660.925	-40.05	-13
4	2665	2667.5	1000	2666.7225	-40.62	-25

Band41(2535-2655) 16QAM BW=10MHz Channel=41190 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	200	2655.036	-26.06	-10
2	2656	2660	1000	2656.004	-24.45	-10
3	2660	2665	1000	2663.715	-37.87	-13
4	2665	2667.5	1000	2666.1025	-39.66	-25

Band41(2535-2655) 16QAM BW=10MHz Channel=41190 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	200	2655.055	-38.5	-10
2	2656	2660	1000	2656.476	-31.55	-10
3	2660	2665	1000	2660.76	-34.86	-13
4	2665	2667.5	1000	2665.5175	-38.84	-25

Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2516.67	-40.75	-25
2	2520	2530	1000	2529.42	-35.84	-13
3	2530	2534	1000	2533.956	-30.11	-10
4	2534	2535	300	2534.972	-29.2	-10

Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2517.27	-40.82	-25
2	2520	2530	1000	2522.53	-39.59	-13
3	2530	2534	1000	2533.944	-40.72	-10
4	2534	2535	300	2534.998	-43.82	-10

Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2519.94375	-40.2	-25
2	2520	2530	1000	2529.26	-35.44	-13
3	2530	2534	1000	2531.852	-33.62	-10
4	2534	2535	300	2534.311	-38.32	-10

Band41(2535-2655) 16QAM BW=15MHz Channel=40115 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2517.4125	-40.85	-25
2	2520	2530	1000	2529.12	-36.04	-13
3	2530	2534	1000	2533.9	-32.44	-10
4	2534	2535	300	2534.919	-29.83	-10

Band41(2535-2655) 16QAM BW=15MHz Channel=40115 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2519.39625	-40.93	-25
2	2520	2530	1000	2522.13	-40.05	-13
3	2530	2534	1000	2531.436	-40.67	-10
4	2534	2535	300	2534.995	-44.42	-10

Band41(2535-2655) 16QAM BW=15MHz Channel=40115 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2519.5125	-40.61	-25
2	2520	2530	1000	2528.63	-36.77	-13
3	2530	2534	1000	2534	-35.5	-10
4	2534	2535	300	2534.807	-39.41	-10

Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	300	2655.007	-43.72	-10
2	2656	2660	1000	2658.396	-40.53	-10
3	2660	2670	1000	2664.06	-40.04	-13
4	2670	2673.75	1000	2671.39125	-40.48	-25

Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	300	2655.036	-27.05	-10
2	2656	2660	1000	2656.228	-32.37	-10
3	2660	2670	1000	2661.15	-35.51	-13
4	2670	2673.75	1000	2673.285	-40.46	-25

Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	300	2655.596	-36.49	-10
2	2656	2660	1000	2656.06	-32.24	-10
3	2660	2670	1000	2660.38	-33.74	-13
4	2670	2673.75	1000	2670.39	-39.03	-25

Band41(2535-2655) 16QAM BW=15MHz Channel=41165 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	300	2655.008	-44.24	-10
2	2656	2660	1000	2656.96	-40.33	-10
3	2660	2670	1000	2663.75	-40.24	-13
4	2670	2673.75	1000	2671.635	-40.52	-25

Band41(2535-2655) 16QAM BW=15MHz Channel=41165 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	300	2655.093	-29.42	-10
2	2656	2660	1000	2656.432	-31.93	-10
3	2660	2670	1000	2661.08	-35.45	-13
4	2670	2673.75	1000	2670.14625	-40.51	-25

Band41(2535-2655) 16QAM BW=15MHz Channel=41165 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	300	2655.004	-39.33	-10
2	2656	2660	1000	2656.772	-34.4	-10
3	2660	2670	1000	2662.15	-36.74	-13
4	2670	2673.75	1000	2670.1125	-39.74	-25

Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2514.95	-40.92	-25
2	2515	2530	1000	2529.805	-35.89	-13
3	2530	2534	1000	2531.004	-33.87	-10
4	2534	2535	430	2534.941	-30.79	-10

Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2514.74	-40.69	-25
2	2515	2530	1000	2518.42	-39.57	-13
3	2530	2534	1000	2533.316	-40.75	-10
4	2534	2535	430	2534.991	-42.96	-10

Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2513.84	-40.42	-25
2	2515	2530	1000	2527.915	-36.42	-13
3	2530	2534	1000	2533.616	-34.54	-10
4	2534	2535	430	2534.431	-37.31	-10

Band41(2535-2655) 16QAM BW=20MHz Channel=40140 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2511.675	-41.06	-25
2	2515	2530	1000	2527.03	-38.36	-13
3	2530	2534	1000	2533.984	-32.46	-10
4	2534	2535	430	2534.836	-30.18	-10

Band41(2535-2655) 16QAM BW=20MHz Channel=40140 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2514.98	-40.71	-25
2	2515	2530	1000	2518.21	-40.06	-13
3	2530	2534	1000	2531.72	-40.77	-10
4	2534	2535	430	2534.953	-43.45	-10

Band41(2535-2655) 16QAM BW=20MHz Channel=40140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2512.9	-40.62	-25
2	2515	2530	1000	2528.725	-37.53	-13
3	2530	2534	1000	2533.176	-34.64	-10
4	2534	2535	430	2534.671	-38.47	-10

Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	430	2655.061	-27.11	-10
2	2656	2660	1000	2656.2	-30.6	-10
3	2660	2675	1000	2663.645	-37.09	-13
4	2675	2680	1000	2675.91	-40.73	-25

Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	430	2655.039	-42.88	-10
2	2656	2660	1000	2657.204	-40.39	-10
3	2660	2675	1000	2666.84	-40.41	-13
4	2675	2680	1000	2675.615	-40.71	-25

Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	430	2655.055	-36.5	-10
2	2656	2660	1000	2656.04	-33.39	-10
3	2660	2675	1000	2660.12	-35.06	-13
4	2675	2680	1000	2675.87	-39.58	-25

Band41(2535-2655) 16QAM BW=20MHz Channel=41140 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	430	2655.027	-42.94	-10
2	2656	2660	1000	2656.596	-40.44	-10
3	2660	2675	1000	2662.265	-40.39	-13
4	2675	2680	1000	2675.36	-40.85	-25

Band41(2535-2655) 16QAM BW=20MHz Channel=41140 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	430	2655.046	-27.76	-10
2	2656	2660	1000	2658.82	-33.08	-10
3	2660	2675	1000	2661.995	-37.25	-13
4	2675	2680	1000	2679.17	-40.67	-25

Band41(2535-2655) 16QAM BW=20MHz Channel=41140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	430	2655.065	-38.15	-10
2	2656	2660	1000	2656.392	-34.44	-10
3	2660	2675	1000	2661.845	-36.18	-13
4	2675	2680	1000	2675.835	-39.9	-25

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#Max



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 16QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#0



Band5 16QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#Max

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0



Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#Max

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0

Band5 16QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#0

Band5 16QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#Max

Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0

Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#Max

Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 16QAM BW=3MHz Channel=20415 RB Size=1 Position=#0



Band5 16QAM BW=3MHz Channel=20415 RB Size=1 Position=#Max

Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#Max



Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 16QAM BW=3MHz Channel=20635 RB Size=1 Position=#0



Band5 16QAM BW=3MHz Channel=20635 RB Size=1 Position=#Max



Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#Max



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20425 RB Size=1 Position=#0



Band5 16QAM BW=5MHz Channel=20425 RB Size=1 Position=#Max



Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#Max



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20625 RB Size=1 Position=#0



Band5 16QAM BW=5MHz Channel=20625 RB Size=1 Position=#Max



Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#Max



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 16QAM BW=10MHz Channel=20450 RB Size=1 Position=#0



Band5 16QAM BW=10MHz Channel=20450 RB Size=1 Position=#Max



Band5 16QAM BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#Max



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 16QAM BW=10MHz Channel=20600 RB Size=1 Position=#0

Band5 16QAM BW=10MHz Channel=20600 RB Size=1 Position=#Max



Band5 16QAM BW=10MHz Channel=20600 RB Size=50 Position=#0



Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0



Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#Max



Band66 16QAM BW=1.4MHz Channel=131979 RB Size=1 Position=#0



Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 16QAM BW=1.4MHz Channel=131979 RB Size=1 Position=#Max

Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0

Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#Max

Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0

Band66 16QAM BW=1.4MHz Channel=132665 RB Size=1 Position=#0

Band66 16QAM BW=1.4MHz Channel=132665 RB Size=1 Position=#Max

Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0