

11N20SISO_Ant1_Low_5180_AV



11N20SISO_Ant1_Low_5180_Peak



11N20SISO_Ant1_High_5240_AV

11N20SISO_Ant1_High_5240_Peak



11N20SISO_Ant1_Low_5745_Peak



11N20SISO_Ant1_High_5825_Peak



11N40SISO_Ant1_Low_5190_AV



11N40SISO_Ant1_Low_5190_Peak



11N40SISO_Ant1_High_5230_AV



11N40SISO_Ant1_High_5230_Peak



11N40SISO_Ant1_Low_5755_Peak

11N40SISO_Ant1_High_5795_Peak



11AC20SISO_Ant1_Low_5180_AV



11AC20SISO_Ant1_Low_5180_Peak



11AC20SISO_Ant1_High_5240_AV



11AC20SISO_Ant1_High_5240_Peak

11AC20SISO_Ant1_Low_5745_Peak

11AC20SISO_Ant1_High_5825_Peak



11AC40SISO_Ant1_Low_5190_AV



11AC40SISO_Ant1_Low_5190_Peak



11AC40SISO_Ant1_High_5230_AV



11AC40SISO_Ant1_High_5230_Peak



11AC40SISO_Ant1_Low_5755_Peak

11AC40SISO_Ant1_High_5795_Peak



11AC80SISO_Ant1_Low_5210_AV



11AC80SISO_Ant1_Low_5210_Peak



11AC80SISO_Ant1_High_5210_AV



11AC80SISO_Ant1_High_5210_Peak



11AC80SISO_Ant1_Low_5775_Peak



11AC80SISO_Ant1_High_5775_Peak

8. Conducted Spurious Emission

8.1.Test Result

TestMode	Antenna	Channel	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~1000	907.48	-43.19	≤-27	PASS
			30~5140	972.68	-27.4	≤-27	PASS
			1000~40000	39990.9	-32.21	≤-27	PASS
			5360~40000	15540.9	-52.15	≤-27	PASS
		5200	30~5140	997.04	-27.16	≤-27	PASS
			30~1000	221.55	-43.17	≤-27	PASS
			1000~40000	39974	-32.41	≤-27	PASS
			5360~40000	5360.6	-50.37	≤-27	PASS
		5240	30~1000	711.81	-42.03	≤-27	PASS
			30~5140	1034.85	-29.59	≤-27	PASS
			1000~40000	39972.7	-31.49	≤-27	PASS
			5360~40000	5373.3	-50.07	≤-27	PASS
		5745	30~1000	901.11	-48.41	≤-27	PASS
			30~5650	5354.87	-41.65	≤-27	PASS
			1000~40000	39980.5	-33.58	≤-27	PASS
			5925~40000	39881.3	-33.75	≤-27	PASS
		5785	30~5650	5467.08	-42.08	≤-27	PASS
			30~1000	706.41	-47.54	≤-27	PASS
			1000~40000	39950.6	-32.76	≤-27	PASS
			5925~40000	39712.1	-33.56	≤-27	PASS
		5825	30~5650	5314.78	-42.09	≤-27	PASS
			30~1000	860.54	-47.62	≤-27	PASS
			1000~40000	39350	-33.97	≤-27	PASS
			5925~40000	39962	-33.25	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	973.53	-27.37	≤-27	PASS
			30~1000	297.7	-43.28	≤-27	PASS
			1000~40000	39789.4	-33.02	≤-27	PASS
			5360~40000	5364	-52.87	≤-27	PASS
		5200	30~5140	995.67	-29.16	≤-27	PASS
			30~1000	706.63	-42.57	≤-27	PASS
			1000~40000	39621.7	-33.12	≤-27	PASS
			5360~40000	5369.8	-50.36	≤-27	PASS
		5240	30~1000	862.28	-41.64	≤-27	PASS
			30~5140	1035.19	-28.2	≤-27	PASS
			1000~40000	39962.3	-32.29	≤-27	PASS
			5360~40000	5361.7	-49.84	≤-27	PASS
		5745	30~1000	962.48	-47.7	≤-27	PASS
			30~5650	5642.04	-41.21	≤-27	PASS
			1000~40000	39937.6	-34.01	≤-27	PASS
			5925~40000	39991.5	-33.26	≤-27	PASS

		5785	30~1000	706.28	-46.23	≤-27	PASS
			30~5650	5103.29	-41.53	≤-27	PASS
			1000~40000	39976.6	-33.84	≤-27	PASS
			5925~40000	39537.2	-33.21	≤-27	PASS
		5825	30~5650	5491.8	-41.97	≤-27	PASS
			30~1000	895.81	-47.95	≤-27	PASS
			1000~40000	39981.8	-33.62	≤-27	PASS
			5925~40000	39984.7	-32.06	≤-27	PASS
11N40SISO	Ant1	5190	30~1000	624.28	-43.38	≤-27	PASS
			1000~40000	39867.4	-33.02	≤-27	PASS
		5230	30~1000	867.52	-43.18	≤-27	PASS
			1000~40000	39988.3	-32.23	≤-27	PASS
		5755	30~1000	869.52	-48.52	≤-27	PASS
			1000~40000	39994.8	-32.93	≤-27	PASS
		5795	30~1000	707.99	-47.64	≤-27	PASS
			1000~40000	39994.8	-32.34	≤-27	PASS
11AC20SISO	Ant1	5180	30~1000	556.52	-44.17	≤-27	PASS
			1000~40000	39422.8	-32.33	≤-27	PASS
		5200	30~1000	892.19	-42.03	≤-27	PASS
			1000~40000	39966.2	-33.08	≤-27	PASS
		5240	30~1000	868.07	-42.92	≤-27	PASS
			1000~40000	39766	-33.01	≤-27	PASS
		5745	30~1000	116.67	-48.2	≤-27	PASS
			1000~40000	39650.3	-34.03	≤-27	PASS
		5785	30~1000	861.38	-48.29	≤-27	PASS
			1000~40000	39940.2	-33.8	≤-27	PASS
		5825	30~1000	966.91	-48.48	≤-27	PASS
			1000~40000	39964.9	-33.31	≤-27	PASS
11AC40SISO	Ant1	5190	30~1000	876.12	-43.25	≤-27	PASS
			1000~40000	39472.2	-32.58	≤-27	PASS
		5230	30~1000	987.08	-44.1	≤-27	PASS
			1000~40000	39959.7	-31.87	≤-27	PASS
		5755	30~1000	962.19	-48.36	≤-27	PASS
			1000~40000	39983.1	-33.38	≤-27	PASS
		5795	30~1000	972.99	-48.04	≤-27	PASS
			1000~40000	39495.6	-34.11	≤-27	PASS
11AC80SISO	Ant1	5210	30~1000	932.86	-42.33	≤-27	PASS
			1000~40000	39992.2	-32.47	≤-27	PASS
		5775	30~1000	888.34	-48.88	≤-27	PASS
			1000~40000	39980.5	-31.67	≤-27	PASS

8.2.Test Graphs



11A_Ant1_5180_30~1000



11A_Ant1_5180_1000~40000



11A_Ant1_5200_30~1000



11A_Ant1_5200_1000~40000



11A_Ant1_5240_30~1000



11A_Ant1_5240_1000~40000



11A_Ant1_5745_30~1000



11A_Ant1_5745_1000~40000



11A_Ant1_5785_30~1000



11A_Ant1_5785_1000~40000



11A_Ant1_5825_30~1000



11A_Ant1_5825_1000~40000



11N20SISO_Ant1_5180_30~1000



11N20SISO_Ant1_5180_1000~40000



11N20SISO_Ant1_5200_30~1000



11N20SISO_Ant1_5200_1000~40000



11N20SISO_Ant1_5240_30~1000



11N20SISO_Ant1_5240_30~5140



11N20SISO_Ant1_5240_1000~40000



11N20SISO_Ant1_5745_30~1000



11N20SISO_Ant1_5745_1000~40000



11N20SISO_Ant1_5785_30~1000



11N20SISO_Ant1_5785_1000~40000



11N20SISO_Ant1_5825_30~1000



11N20SISO_Ant1_5825_1000~40000



11N40SISO_Ant1_5190_30~1000



11N40SISO_Ant1_5190_1000~40000



11N40SISO_Ant1_5230_30~1000



11N40SISO_Ant1_5230_1000~40000



11N40SISO_Ant1_5755_30~1000



11N40SISO_Ant1_5755_1000~40000



11N40SISO_Ant1_5795_30~1000



11N40SISO_Ant1_5795_1000~40000



11AC20SISO_Ant1_5180_30~1000



11AC20SISO_Ant1_5180_1000~40000



11AC20SISO_Ant1_5200_30~1000



11AC20SISO_Ant1_5200_1000~40000



11AC20SISO_Ant1_5240_30~1000



11AC20SISO_Ant1_5240_1000~40000



11AC20SISO_Ant1_5745_30~1000



11AC20SISO_Ant1_5745_1000~40000



11AC20SISO_Ant1_5785_30~1000



11AC20SISO_Ant1_5785_1000~40000



11AC20SISO_Ant1_5825_30~1000



11AC20SISO_Ant1_5825_1000~40000



11AC40SISO_Ant1_5190_30~1000



11AC40SISO_Ant1_5190_1000~40000



11AC40SISO_Ant1_5230_30~1000



11AC40SISO_Ant1_5230_1000~40000



11AC40SISO_Ant1_5755_30~1000



11AC40SISO_Ant1_5755_1000~40000



11AC40SISO_Ant1_5795_30~1000



11AC40SISO_Ant1_5795_1000~40000



11AC80SISO_Ant1_5210_30~1000



11AC80SISO_Ant1_5210_1000~40000



11AC80SISO_Ant1_5775_30~1000



11AC80SISO_Ant1_5775_1000~40000

9. Frequency Stability

9.1.Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	20000.00	3.861004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
		5200	NV	NT	20000.00	3.846154	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.846154	20	PASS
		5240	NV	NT	-20000	-3.816794	20	PASS
			LV	NT	-20000	-3.816794	20	PASS
			HV	NT	0	0	20	PASS
		5745	NV	NT	20000.00	3.481288	20	PASS
			LV	NT	20000.00	3.481288	20	PASS
			HV	NT	20000.00	3.481288	20	PASS
		5785	NV	NT	20000.00	3.457217	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.457217	20	PASS
		5825	NV	NT	-20000	-3.433476	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	-20000	-3.433476	20	PASS
11N20SISO	Ant1	5180	NV	NT	-20000	-3.861004	20	PASS
			LV	NT	-20000	-3.861004	20	PASS
			HV	NT	-20000	-3.861004	20	PASS
11AC20SISO	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
		5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	40000.00	7.692308	20	PASS
		5240	NV	NT	20000.00	3.816794	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.816794	20	PASS
		5745	NV	NT	40000.00	6.962576	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.481288	20	PASS
		5785	NV	NT	20000.00	3.457217	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
			HV	NT	20000.00	3.457217	20	PASS
		5825	NV	NT	20000.00	3.433476	20	PASS
			LV	NT	20000.00	3.433476	20	PASS
			HV	NT	20000.00	3.433476	20	PASS

11AC40SISO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	7.707129	20	PASS
		5230	NV	NT	40000.00	7.648184	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5755	NV	NT	40000.00	6.950478	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5210	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	20000.00	3.861004	20	PASS
			NV	-20	20000.00	3.861004	20	PASS
			NV	-10	40000.00	7.722008	20	PASS
			NV	0	20000.00	3.861004	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.861004	20	PASS
			NV	30	20000.00	3.861004	20	PASS
			NV	40	20000.00	3.861004	20	PASS
			NV	50	40000.00	7.722008	20	PASS
		5200	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	40000.00	7.692308	20	PASS
			NV	0	20000.00	3.846154	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.846154	20	PASS
			NV	30	20000.00	3.846154	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	20000.00	3.846154	20	PASS
		5240	NV	-30	-20000	-3.816794	20	PASS
			NV	-20	-20000	-3.816794	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-20000	-3.816794	20	PASS
			NV	10	-20000	-3.816794	20	PASS
			NV	20	20000	3.816794	20	PASS

			NV	30	-20000	-3.816794	20	PASS
			NV	40	-40000	-7.633588	20	PASS
			NV	50	0	0	20	PASS
		5745	NV	-30	40000.00	6.962576	20	PASS
			NV	-20	20000.00	3.481288	20	PASS
			NV	-10	20000.00	3.481288	20	PASS
			NV	0	20000.00	3.481288	20	PASS
			NV	10	20000.00	3.481288	20	PASS
			NV	20	20000.00	3.481288	20	PASS
			NV	30	20000.00	3.481288	20	PASS
			NV	40	40000.00	6.962576	20	PASS
			NV	50	20000.00	3.481288	20	PASS
		5785	NV	-30	40000.00	6.914434	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	20000.00	3.457217	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	20000.00	3.457217	20	PASS
			NV	20	40000.00	6.914434	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	20000.00	3.457217	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5825	NV	-30	-20000	-3.433476	20	PASS
			NV	-20	-20000	-3.433476	20	PASS
			NV	-10	-20000	-3.433476	20	PASS
			NV	0	-20000	-3.433476	20	PASS
			NV	10	-20000	-3.433476	20	PASS
			NV	20	-20000	-3.433476	20	PASS
			NV	30	-20000	-3.433476	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-20000	-3.433476	20	PASS
11N20SISO	Ant1	5180	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-20000	-3.861004	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-20000	-3.861004	20	PASS
			NV	50	0	0	20	PASS
11AC20SISO	Ant1	5180	NV	-30	20000.00	3.861004	20	PASS
			NV	-20	20000.00	3.861004	20	PASS
			NV	-10	20000.00	3.861004	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	20000.00	3.861004	20	PASS
			NV	20	20000.00	3.861004	20	PASS
			NV	30	0.00	0.000000	20	PASS

			NV	40	-20000.00	-3.861004	20	PASS
			NV	50	-20000.00	-3.861004	20	PASS
		5200	NV	-30	20000.00	3.846154	20	PASS
			NV	-20	40000.00	7.692308	20	PASS
			NV	-10	20000.00	3.846154	20	PASS
			NV	0	20000.00	3.846154	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	20000.00	3.846154	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	40	20000.00	3.846154	20	PASS
			NV	50	20000.00	3.846154	20	PASS
		5240	NV	-30	20000.00	3.816794	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	20000.00	3.816794	20	PASS
			NV	0	20000.00	3.816794	20	PASS
			NV	10	20000.00	3.816794	20	PASS
			NV	20	20000.00	3.816794	20	PASS
			NV	30	20000.00	3.816794	20	PASS
			NV	40	40000.00	7.633588	20	PASS
			NV	50	20000.00	3.816794	20	PASS
		5745	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	20000.00	3.481288	20	PASS
			NV	0	20000.00	3.481288	20	PASS
			NV	10	20000.00	3.481288	20	PASS
			NV	20	40000.00	6.962576	20	PASS
			NV	30	40000.00	6.962576	20	PASS
			NV	40	20000.00	3.481288	20	PASS
			NV	50	40000.00	6.962576	20	PASS
		5785	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.457217	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	40000.00	6.914434	20	PASS
			NV	10	20000.00	3.457217	20	PASS
			NV	20	20000.00	3.457217	20	PASS
			NV	30	40000.00	6.914434	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	6.914434	20	PASS
		5825	NV	-30	40000.00	6.866953	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	20000.00	3.433476	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	40000.00	6.866953	20	PASS

			NV	50	20000.00	3.433476	20	PASS
11AC40SISO	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
			NV	-20	40000.00	7.707129	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.707129	20	PASS
			NV	40	-40000.00	-7.707129	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5230	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	40000.00	7.648184	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	40000.00	7.648184	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	40000.00	6.950478	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	40000.00	6.950478	20	PASS
			NV	30	40000.00	6.950478	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5795	NV	-30	80000.00	13.805004	20	PASS
			NV	-20	40000.00	6.902502	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	40000.00	6.902502	20	PASS
			NV	10	40000.00	6.902502	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC80SISO	Ant1	5210	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-80000.00	-15.355086	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS

		5775	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS

10. Duty Cycle

10.1.Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T [KHz]	Limit	Verdict
11A	Ant1	5180	1.38	1.43	96.50	0.72	---	---
		5200	1.39	1.44	96.53	0.72	---	---
		5240	1.38	1.43	96.50	0.72	---	---
		5745	1.39	1.44	96.53	0.72	---	---
		5785	1.39	1.44	96.53	0.72	---	---
		5825	1.39	1.44	96.53	0.72	---	---
11N20SISO	Ant1	5180	1.29	1.34	96.27	0.78	---	---
		5200	1.29	1.33	96.99	0.78	---	---
		5240	1.29	1.34	96.27	0.78	---	---
		5745	1.29	1.33	96.99	0.78	---	---
		5785	1.29	1.34	96.27	0.78	---	---
		5825	1.29	1.33	96.99	0.78	---	---
11N40SISO	Ant1	5190	0.65	0.69	94.20	1.54	---	---
		5230	0.65	0.70	92.86	1.54	---	---
		5755	0.65	0.69	94.20	1.54	---	---
		5795	0.65	0.69	94.20	1.54	---	---
11AC20SISO	Ant1	5180	1.31	1.35	97.04	0.76	---	---
		5200	1.31	1.36	96.32	0.76	---	---
		5240	1.31	1.36	96.32	0.76	---	---
		5745	1.32	1.36	97.06	0.76	---	---
		5785	1.32	1.36	97.06	0.76	---	---
		5825	1.31	1.36	96.32	0.76	---	---
11AC40SISO	Ant1	5190	0.66	0.70	94.29	1.52	---	---
		5230	0.66	0.70	94.29	1.52	---	---
		5755	0.65	0.69	94.20	1.54	---	---
		5795	0.65	0.69	94.20	1.54	---	---
11AC80SISO	Ant1	5210	0.32	0.37	86.49	3.13	---	---
		5775	0.33	0.37	89.19	3.03	---	---
Note:1/T=1/ Transmission Duration								

10.2.Test Graphs



11A_Ant1_5180



11A_Ant1_5200



11A_Ant1_5240



11A_Ant1_5745



11A_Ant1_5785



11A_Ant1_5825



11N20SISO_Ant1_5180



11N20SISO_Ant1_5200



11N20SISO_Ant1_5240



11N20SISO_Ant1_5745



11N20SISO_Ant1_5785



11N20SISO_Ant1_5825



11N40SISO_Ant1_5190



11N40SISO_Ant1_5230



11N40SISO_Ant1_5755



11N40SISO_Ant1_5795



11AC20SISO_Ant1_5180



11AC20SISO_Ant1_5200



11AC20SISO_Ant1_5240



11AC20SISO_Ant1_5745



11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825



11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5775

-----End of the report-----