













Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5 Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.00</td><td>56.91</td><td>74.00</td><td>-17.09</td><td>42.44</td><td>27.65</td><td>7.73</td><td>30.94</td><td>10.03</td><td>111</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.00	56.91	74.00	-17.09	42.44	27.65	7.73	30.94	10.03	111	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>97.27</td><td>-----</td><td>-----</td><td>82.81</td><td>27.64</td><td>7.73</td><td>30.94</td><td>10.03</td><td>111</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.27	-----	-----	82.81	27.64	7.73	30.94	10.03	111	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.00	56.91	74.00	-17.09	42.44	27.65	7.73	30.94	10.03	111	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	97.27	-----	-----	82.81	27.64	7.73	30.94	10.03	111	360	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE_54 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto						Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>46.15</td><td>54.00</td><td>-7.85</td><td>31.68</td><td>27.65</td><td>7.73</td><td>30.94</td><td>10.03</td><td>111</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	46.15	54.00	-7.85	31.68	27.65	7.73	30.94	10.03	111	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>96.10</td><td>-----</td><td>-----</td><td>81.64</td><td>27.64</td><td>7.73</td><td>30.94</td><td>10.03</td><td>111</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.10	-----	-----	81.64	27.64	7.73	30.94	10.03	111	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.52	46.15	54.00	-7.85	31.68	27.65	7.73	30.94	10.03	111	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	96.10	-----	-----	81.64	27.64	7.73	30.94	10.03	111	360	AVERAGE																																																																																							





		6																																																																																														
Mode	Band Edge																																																																																															
	2400-2483.5 Bluetooth-LE_GFSK_CH39_2480MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH02-CA Condition: PEAK_BE_74 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.46</td><td>58.54</td><td>74.00</td><td>-15.46</td><td>43.87</td><td>27.84</td><td>7.73</td><td>30.93</td><td>10.03</td><td>268</td><td>80 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.46	58.54	74.00	-15.46	43.87	27.84	7.73	30.93	10.03	268	80 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>103.67</td><td>-----</td><td>-----</td><td>89.04</td><td>27.81</td><td>7.73</td><td>30.94</td><td>10.03</td><td>268</td><td>80 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.67	-----	-----	89.04	27.81	7.73	30.94	10.03	268	80 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2485.46	58.54	74.00	-15.46	43.87	27.84	7.73	30.93	10.03	268	80 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2480.00	103.67	-----	-----	89.04	27.81	7.73	30.94	10.03	268	80 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH02-CA Condition: AVG_BE_54 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto						Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto																																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>48.90</td><td>54.00</td><td>-5.10</td><td>34.25</td><td>27.83</td><td>7.73</td><td>30.94</td><td>10.03</td><td>268</td><td>80 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	48.90	54.00	-5.10	34.25	27.83	7.73	30.94	10.03	268	80 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>102.39</td><td>-----</td><td>-----</td><td>87.76</td><td>27.81</td><td>7.73</td><td>30.94</td><td>10.03</td><td>268</td><td>80 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.39	-----	-----	87.76	27.81	7.73	30.94	10.03	268	80 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.52	48.90	54.00	-5.10	34.25	27.83	7.73	30.94	10.03	268	80 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2480.00	102.39	-----	-----	87.76	27.81	7.73	30.94	10.03	268	80 AVERAGE																																																																																					



Mode	6																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_250207 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>67.07</td><td>33.00</td><td>10.48</td><td>67.23</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>49.88</td><td>74.00</td><td>-24.12</td><td>66.86</td><td>36.56</td><td>12.76</td><td>66.72</td><td>0.42</td><td>221</td><td>257 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>38.54</td><td>54.00</td><td>-15.46</td><td>55.52</td><td>36.56</td><td>12.76</td><td>66.72</td><td>0.42</td><td>221</td><td>257 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	43.74	74.00	-30.26	67.07	33.00	10.48	67.23	0.42	--	PEAK	2	7440.00	49.88	74.00	-24.12	66.86	36.56	12.76	66.72	0.42	221	257 PEAK	3	7440.00	38.54	54.00	-15.46	55.52	36.56	12.76	66.72	0.42	221	257 AVERAGE	 Site : 03CH02-CA Condition: PEAK_74 3m HORN_02140_250207 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.61</td><td>74.00</td><td>-31.39</td><td>65.06</td><td>33.00</td><td>10.48</td><td>67.23</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.99</td><td>74.00</td><td>-27.01</td><td>63.92</td><td>36.61</td><td>12.76</td><td>66.72</td><td>0.42</td><td>100</td><td>252 PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>35.76</td><td>54.00</td><td>-18.24</td><td>52.69</td><td>36.61</td><td>12.76</td><td>66.72</td><td>0.42</td><td>100</td><td>252 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	42.61	74.00	-31.39	65.06	33.00	10.48	67.23	0.42	--	PEAK	2	7440.00	46.99	74.00	-27.01	63.92	36.61	12.76	66.72	0.42	100	252 PEAK	3	7440.00	35.76	54.00	-18.24	52.69	36.61	12.76	66.72	0.42	100	252 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	4960.00	43.74	74.00	-30.26	67.07	33.00	10.48	67.23	0.42	--	PEAK																																																																																																																													
2	7440.00	49.88	74.00	-24.12	66.86	36.56	12.76	66.72	0.42	221	257 PEAK																																																																																																																													
3	7440.00	38.54	54.00	-15.46	55.52	36.56	12.76	66.72	0.42	221	257 AVERAGE																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	4960.00	42.61	74.00	-31.39	65.06	33.00	10.48	67.23	0.42	--	PEAK																																																																																																																													
2	7440.00	46.99	74.00	-27.01	63.92	36.61	12.76	66.72	0.42	100	252 PEAK																																																																																																																													
3	7440.00	35.76	54.00	-18.24	52.69	36.61	12.76	66.72	0.42	100	252 AVERAGE																																																																																																																													



Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_250207 HORIZONTAL	 Site : 03CH02-CA Condition: AVG_54 3m HORN_02140_250207 VERTICAL



Appendix C. Duty Cycle Plots

Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
Bluetooth - LE for 1Mbps	100.00	-	-	10Hz
Bluetooth - LE for 2Mbps	100.00	-	-	10Hz

